
Hoi Young Lee

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8116910/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Ceria-Zirconia nanoparticles reduce intracellular globotriaosylceramide accumulation and attenuate kidney injury by enhancing the autophagy flux in cellular and animal models of Fabry disease. Journal of Nanobiotechnology, 2022, 20, 125.	9.1	8
2	STAT3 mediates RCP-induced cancer cell invasion through the NF-κB/Slug/MT1-MMP signaling cascade. Archives of Pharmacal Research, 2022, 45, 460-474.	6.3	5
3	Discoidin Domain Receptor 2 Mediates Lysophosphatidic Acid-Induced Ovarian Cancer Aggressiveness. International Journal of Molecular Sciences, 2021, 22, 5374.	4.1	6
4	Zeb1 for RCP-induced oral cancer cell invasion and its suppression by resveratrol. Experimental and Molecular Medicine, 2020, 52, 1152-1163.	7.7	27
5	NADPH oxidase 4 mediates TGF-β1/Smad signaling pathway induced acute kidney injury in hypoxia. PLoS ONE, 2019, 14, e0219483.	2.5	22
6	Recombinant cell-permeable HOXA9 protein inhibits NSCLC cell migration and invasion. Cellular Oncology (Dordrecht), 2019, 42, 275-285.	4.4	12
7	The YB-1/EZH2/amphiregulin signaling axis mediates LPA-induced breast cancer cell invasion. Archives of Pharmacal Research, 2019, 42, 519-530.	6.3	14
8	Rab25 and RCP in cancer progression. Archives of Pharmacal Research, 2019, 42, 101-112.	6.3	18
9	Effect of STAT3 on Lysophosphatidic Acid-Induced Oral Cancer Cell Invasion. Journal of Dental Hygiene Science, 2019, 19, 141-146.	0.3	0
10	Rab25 augments cancer cell invasiveness through a \hat{I}^21 integrin/EGFR/VEGF-A/Snail signaling axis and expression of fascin. Experimental and Molecular Medicine, 2018, 50, e435-e435.	7.7	45
11	TGF-β-mediated NADPH oxidase 4-dependent oxidative stress promotes colistin-induced acute kidney injury. Journal of Antimicrobial Chemotherapy, 2018, 73, 962-972.	3.0	32
12	RCP induces FAK phosphorylation and ovarian cancer cell invasion with inhibition by curcumin. Experimental and Molecular Medicine, 2018, 50, 1-10.	7.7	27
13	Oxidative stress caused by activation of NADPH oxidase 4 promotes contrast-induced acute kidney injury. PLoS ONE, 2018, 13, e0191034.	2.5	46
14	Effect of Resveratrol on Oral Cancer Cell Invasion Induced by Lysophosphatidic Acid. Journal of Dental Hygiene Science, 2018, 18, 188-193.	0.3	6
15	Curcumin attenuates Rab coupling protein-induced cancer cell invasion through downregulation of β1 integrin expression. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2018, WCP2018, PO3-7-9.	0.0	0
16	Resveratrol suppresses breast cancer cell invasion by inactivating a RhoA/YAP signaling axis. Experimental and Molecular Medicine, 2017, 49, e296-e296.	7.7	47
17	Fibroblast Growth Factor Receptor 1 Overexpression Is Associated with Poor Survival in Patients with Resected Muscle Invasive Urothelial Carcinoma. Yonsei Medical Journal, 2016, 57, 831.	2.2	12
18	Homeobox A9 directly targeted by miRâ€196b regulates aggressiveness through nuclear Factorâ€kappa B activity in nonâ€small cell lung cancer cells. Molecular Carcinogenesis, 2016, 55, 1915-1926.	2.7	41

HOI YOUNG LEE

#	Article	IF	CITATIONS
19	Resveratrol attenuates norepinephrine-induced ovarian cancer invasiveness through downregulating hTERT expression. Archives of Pharmacal Research, 2016, 39, 240-248.	6.3	18
20	Breast cancer metastasis suppressor 1 (BRMS1) attenuates TGF- \hat{l}^21 -induced breast cancer cell aggressiveness through downregulating HIF-11± expression. BMC Cancer, 2015, 15, 829.	2.6	20
21	Syntaxin 4 regulates the surface localization of a promyogenic receptor Cdo thereby promoting myogenic differentiation. Skeletal Muscle, 2015, 5, 28.	4.2	9
22	A ROS/STAT3/HIF-1α signaling cascade mediates EGF-induced TWIST1 expression and prostate cancer cell invasion. Prostate, 2014, 74, 528-536.	2.3	81
23	EGFR mediates LPAâ€induced proteolytic enzyme expression and ovarian cancer invasion: Inhibition by resveratrol. Molecular Oncology, 2013, 7, 121-129.	4.6	32
24	Lysophosphatidic acid induces STAT3 phosphorylation and ovarian cancer cell motility: Their inhibition by curcumin. Cancer Letters, 2010, 288, 50-56.	7.2	78
25	p85 β-PIX is required for cell motility through phosphorylations of focal adhesion kinase and p38 MAP kinase. Experimental Cell Research, 2005, 307, 315-328.	2.6	45
26	Autotaxin promotes motility via G protein-coupled phosphoinositide 3-kinase Î ³ in human melanoma cells. FEBS Letters, 2002, 515, 137-140.	2.8	34
27	Cdc42 and Rac1 are necessary for autotaxin-induced tumor cell motility in A2058 melanoma cells. FEBS Letters, 2002, 532, 351-356.	2.8	31
28	Expression of autotaxin (NPP-2) is closely linked to invasiveness of breast cancer cells. Clinical and Experimental Metastasis, 2002, 19, 603-608.	3.3	153
29	Ergolide, sesquiterpene lactone from Inula britannica , inhibits inducible nitric oxide synthase and cyclo-oxygenase-2 expression in RAW 264.7 macrophages through the inactivation of NF-κB. British Journal of Pharmacology, 2001, 133, 503-512.	5.4	63
30	Inhibition of lipopolysaccharide-induced inducible nitric oxide (iNOS) mRNA expression and nitric oxide production by higenamine in murine peritoneal macrophages. Archives of Pharmacal Research, 1999, 22, 55-59.	6.3	16