

Frauke Schultze-Lutter

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8117921/publications.pdf>

Version: 2024-02-01

177
papers

10,545
citations

43973

48
h-index

35952

97
g-index

190
all docs

190
docs citations

190
times ranked

6730
citing authors

#	ARTICLE	IF	CITATIONS
1	The Psychosis High-Risk State. <i>JAMA Psychiatry</i> , 2013, 70, 107.	6.0	1,222
2	Diagnosing Schizophrenia in the Initial Prodromal Phase. <i>Archives of General Psychiatry</i> , 2001, 58, 158.	13.8	944
3	Prediction of Psychosis in Adolescents and Young Adults at High Risk. <i>Archives of General Psychiatry</i> , 2010, 67, 241.	13.8	575
4	Association between mental health-related stigma and active help-seeking: Systematic review and meta-analysis. <i>British Journal of Psychiatry</i> , 2017, 210, 261-268.	1.7	384
5	Prediction of Psychosis by Mismatch Negativity. <i>Biological Psychiatry</i> , 2011, 69, 959-966.	0.7	273
6	Subjective Symptoms of Schizophrenia in Research and the Clinic: The Basic Symptom Concept. <i>Schizophrenia Bulletin</i> , 2009, 35, 5-8.	2.3	261
7	Prediction Models of Functional Outcomes for Individuals in the Clinical High-Risk State for Psychosis or With Recent-Onset Depression. <i>JAMA Psychiatry</i> , 2018, 75, 1156.	6.0	251
8	Sensory Gating in Schizophrenia: P50 and N100 Gating in Antipsychotic-Free Subjects at Risk, First-Episode, and Chronic Patients. <i>Biological Psychiatry</i> , 2008, 64, 376-384.	0.7	212
9	At risk or not at risk? A meta-analysis of the prognostic accuracy of psychometric interviews for psychosis prediction. <i>World Psychiatry</i> , 2015, 14, 322-332.	4.8	209
10	Developing Psychosis and Its Risk States Through the Lens of Schizotypy. <i>Schizophrenia Bulletin</i> , 2015, 41, S396-S407.	2.3	191
11	Basic Symptoms and Ultrahigh Risk Criteria: Symptom Development in the Initial Prodromal State. <i>Schizophrenia Bulletin</i> , 2010, 36, 182-191.	2.3	186
12	The Dark Side of the Moon: Meta-analytical Impact of Recruitment Strategies on Risk Enrichment in the Clinical High Risk State for Psychosis. <i>Schizophrenia Bulletin</i> , 2016, 42, 732-743.	2.3	183
13	Neurocognitive indicators for a conversion to psychosis: Comparison of patients in a potentially initial prodromal state who did or did not convert to a psychosis. <i>Schizophrenia Research</i> , 2007, 92, 116-125.	1.1	175
14	Anandamide elevation in cerebrospinal fluid in initial prodromal states of psychosis. <i>British Journal of Psychiatry</i> , 2009, 194, 371-372.	1.7	157
15	Basic Symptoms and the Prediction of First-Episode Psychosis. <i>Current Pharmaceutical Design</i> , 2012, 18, 351-357.	0.9	152
16	Impaired mismatch negativity generation in prodromal subjects and patients with schizophrenia. <i>Schizophrenia Research</i> , 2005, 73, 297-310.	1.1	144
17	Probably at-risk, but certainly ill – Advocating the introduction of a psychosis spectrum disorder in DSM-V. <i>Schizophrenia Research</i> , 2010, 120, 23-37.	1.1	138
18	Modeling the Early Course of Schizophrenia. <i>Schizophrenia Bulletin</i> , 2003, 29, 325-340.	2.3	136

#	ARTICLE	IF	CITATIONS
19	Neurocognitive Functioning in Subjects at Risk for a First Episode of Psychosis Compared with First- and Multiple-episode Schizophrenia. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2006, 28, 1388-1407.	0.8	129
20	Diagnostic validity of basic symptoms. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1996, 246, 147-154.	1.8	128
21	Multimodal Machine Learning Workflows for Prediction of Psychosis in Patients With Clinical High-Risk Syndromes and Recent-Onset Depression. <i>JAMA Psychiatry</i> , 2021, 78, 195.	6.0	125
22	Improving the clinical prediction of psychosis by combining ultra-high risk criteria and cognitive basic symptoms. <i>Schizophrenia Research</i> , 2014, 154, 100-106.	1.1	115
23	Disability in people clinically at high risk of psychosis. <i>British Journal of Psychiatry</i> , 2010, 197, 278-284.	1.7	113
24	Age matters in the prevalence and clinical significance of ultra-high-risk for psychosis symptoms and criteria in the general population: Findings from the BEAR and BEARS-kid studies. <i>World Psychiatry</i> , 2015, 14, 189-197.	4.8	110
25	The European Prediction of Psychosis Study (EPOS): integrating early recognition and intervention in Europe. <i>World Psychiatry</i> , 2005, 4, 161-7.	4.8	108
26	Prediction and prevention of schizophrenia: what has been achieved and where to go next?. <i>World Psychiatry</i> , 2011, 10, 165-174.	4.8	101
27	Axis I diagnoses and transition to psychosis in clinical high-risk patients EPOS project: Prospective follow-up of 245 clinical high-risk outpatients in four countries. <i>Schizophrenia Research</i> , 2012, 138, 192-197.	1.1	94
28	CSF Metabolic and Proteomic Profiles in Patients Prodromal for Psychosis. <i>PLoS ONE</i> , 2007, 2, e756.	1.1	93
29	Resting-state gamma-band power alterations in schizophrenia reveal E/I-balance abnormalities across illness-stages. <i>ELife</i> , 2018, 7, .	2.8	92
30	Subjective quality of life in subjects at risk for a first episode of psychosis: A comparison with first episode schizophrenia patients and healthy controls. <i>Schizophrenia Research</i> , 2005, 79, 137-143.	1.1	90
31	Disturbances of visual information processing in early states of psychosis and experimental delta-9-tetrahydrocannabinol altered states of consciousness. <i>Schizophrenia Research</i> , 2006, 88, 142-150.	1.1	86
32	Whither the Attenuated Psychosis Syndrome?. <i>Schizophrenia Bulletin</i> , 2012, 38, 1130-1134.	2.3	85
33	The Schizophrenia Proneness Instrument, Child and Youth version (SPI-CY): Practicability and discriminative validity. <i>Schizophrenia Research</i> , 2013, 146, 69-78.	1.1	85
34	Binocular depth inversion as a paradigm of reduced visual information processing in prodromal state, antipsychotic-naïve and treated schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2009, 259, 195-202.	1.8	80
35	The Significance of At-Risk Symptoms for Psychosis in Children and Adolescents. <i>Canadian Journal of Psychiatry</i> , 2013, 58, 32-40.	0.9	79
36	Prevalence and Clinical Significance of DSM-5â€œAttenuated Psychosis Syndrome in Adolescents and Young Adults in the General Population: The Bern Epidemiological At-Risk (BEAR) Study. <i>Schizophrenia Bulletin</i> , 2014, 40, 1499-1508.	2.3	79

#	ARTICLE	IF	CITATIONS
37	Basic symptoms in early psychotic and depressive disorders. <i>British Journal of Psychiatry</i> , 2007, 191, 31-37.	1.7	73
38	The Near Babylonian Speech Confusion in Early Detection of Psychosis. <i>Schizophrenia Bulletin</i> , 2011, 37, 653-655.	2.3	68
39	Self-Reported Psychotic-Like Experiences Are a Poor Estimate of Clinician-Rated Attenuated and Frank Delusions and Hallucinations. <i>Psychopathology</i> , 2014, 47, 194-201.	1.1	65
40	Early detection and intervention of psychosis in children and adolescents: urgent need for studies. <i>European Child and Adolescent Psychiatry</i> , 2012, 21, 239-241.	2.8	63
41	Revisiting the Basic Symptom Concept: Toward Translating Risk Symptoms for Psychosis into Neurobiological Targets. <i>Frontiers in Psychiatry</i> , 2016, 7, 9.	1.3	62
42	A Stratified Model for Psychosis Prediction in Clinical Practice. <i>Schizophrenia Bulletin</i> , 2014, 40, 1533-1542.	2.3	59
43	Psychosis-predictive value of self-reported schizotypy in a clinical high-risk sample.. <i>Journal of Abnormal Psychology</i> , 2016, 125, 923-932.	2.0	59
44	Course of clinical high-risk states for psychosis beyond conversion. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018, 268, 39-48.	1.8	59
45	Coping as a mediator between locus of control, competence beliefs, and mental health: A systematic review and structural equation modelling meta-analysis. <i>Behaviour Research and Therapy</i> , 2019, 121, 103442.	1.6	58
46	Duration of unspecific prodromal and clinical high risk states, and early help-seeking in first-admission psychosis patients. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 1831-1841.	1.6	56
47	Using Online Screening in the General Population to Detect Participants at Clinical High-Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2019, 45, 600-609.	2.3	56
48	“A Rose Is a Rose Is a Rose”, but At-Risk Criteria Differ. <i>Psychopathology</i> , 2013, 46, 75-87.	1.1	54
49	Resilience, risk, mental health and well-being: associations and conceptual differences. <i>European Child and Adolescent Psychiatry</i> , 2016, 25, 459-466.	2.8	54
50	Ultra high risk status and transition to psychosis in 22q11.2 deletion syndrome. <i>World Psychiatry</i> , 2016, 15, 259-265.	4.8	52
51	Childhood physical abuse and emotional neglect are specifically associated with adult mental disorders. <i>Journal of Mental Health</i> , 2020, 29, 376-384.	1.0	52
52	Increased Striatal and Reduced Prefrontal Cerebral Blood Flow in Clinical High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2018, 44, 182-192.	2.3	49
53	Self-reported attenuated psychotic-like experiences in help-seeking adolescents and their association with age, functioning and psychopathology. <i>Schizophrenia Research</i> , 2014, 160, 110-117.	1.1	48
54	Can quantitative EEG measures predict clinical outcome in subjects at Clinical High Risk for psychosis? A prospective multicenter study. <i>Schizophrenia Research</i> , 2014, 153, 42-47.	1.1	48

#	ARTICLE	IF	CITATIONS
55	What percentage of people in the general population satisfies the current clinical at-risk criteria of psychosis?. <i>Schizophrenia Research</i> , 2011, 125, 99-100.	1.1	47
56	Cannabis use disorder and age at onset of psychosis " A study in first-episode patients. <i>Schizophrenia Research</i> , 2011, 129, 52-56.	1.1	46
57	Kraepelin and psychotic prodromal conditions. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008, 258, 74-84.	1.8	45
58	Prevalence and clinical relevance of interview-assessed psychosis-risk symptoms in the young adult community. <i>Psychological Medicine</i> , 2018, 48, 1167-1178.	2.7	45
59	Twelve-month psychosis-predictive value of the ultra-high risk criteria in children and adolescents. <i>Schizophrenia Research</i> , 2015, 169, 186-192.	1.1	44
60	Self-experienced vulnerability, prodromal symptoms and coping strategies preceding schizophrenic and depressive relapses. <i>European Psychiatry</i> , 2002, 17, 384-393.	0.1	43
61	Early detection of psychosis " Establishing a service for persons at risk. <i>European Psychiatry</i> , 2009, 24, 1-10.	0.1	43
62	Personality disorders and accentuations in at-risk persons with and without conversion to first-episode psychosis. <i>Microbial Biotechnology</i> , 2012, 6, 389-398.	0.9	41
63	Psychosis and Schizophrenia-Spectrum Personality Disorders Require Early Detection on Different Symptom Dimensions. <i>Frontiers in Psychiatry</i> , 2019, 10, 476.	1.3	41
64	Relationship between subjective and objective cognitive function in the early and late prodrome. <i>British Journal of Psychiatry</i> , 2007, 191, s43-s51.	1.7	40
65	Psychopathology " a Precision Tool in Need of Re-sharpening. <i>Frontiers in Psychiatry</i> , 2018, 9, 446.	1.3	38
66	40-Hz Auditory Steady-State Responses Characterize Circuit Dysfunctions and Predict Clinical Outcomes in Clinical High-Risk for Psychosis Participants: A Magnetoencephalography Study. <i>Biological Psychiatry</i> , 2021, 90, 419-429.	0.7	37
67	Differences in coping, self-efficacy, and external control beliefs between patients at-risk for psychosis and patients with first-episode psychosis. <i>Psychiatry Research</i> , 2014, 219, 95-102.	1.7	36
68	Psychometric properties of the Trauma and Distress Scale, TADS, in an adult community sample in Finland. <i>HÅgre Utbildning</i> , 2016, 7, 30062.	1.4	36
69	Traces of Trauma: A Multivariate Pattern Analysis of Childhood Trauma, Brain Structure, and Clinical Phenotypes. <i>Biological Psychiatry</i> , 2020, 88, 829-842.	0.7	35
70	The initial prodrome of schizophrenia: different duration, different underlying deficits?. <i>Comprehensive Psychiatry</i> , 2007, 48, 479-488.	1.5	34
71	Abnormal involuntary movements are linked to psychosis-risk in children and adolescents: Results of a population-based study. <i>Schizophrenia Research</i> , 2016, 174, 58-64.	1.1	33
72	The concept of basic symptoms: its scientific and clinical relevance. <i>World Psychiatry</i> , 2017, 16, 104-105.	4.8	33

#	ARTICLE	IF	CITATIONS
73	Association of Magnetoencephalographically Measured High-Frequency Oscillations in Visual Cortex With Circuit Dysfunctions in Local and Large-scale Networks During Emerging Psychosis. <i>JAMA Psychiatry</i> , 2020, 77, 852.	6.0	33
74	Toward Generalizable and Transdiagnostic Tools for Psychosis Prediction: An Independent Validation and Improvement of the NAPLS-2 Risk Calculator in the Multisite PRONIA Cohort. <i>Biological Psychiatry</i> , 2021, 90, 632-642.	0.7	32
75	Psychosocial outcome in patients at clinical high risk of psychosis: a prospective follow-up. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 303-311.	1.6	31
76	Pathways to care in subjects at high risk for psychotic disorders – A European perspective. <i>Schizophrenia Research</i> , 2014, 152, 400-407.	1.1	31
77	Towards clinical application of prediction models for transition to psychosis: A systematic review and external validation study in the PRONIA sample. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 125, 478-492.	2.9	31
78	Individualized Prediction of Transition to Psychosis in 1,676 Individuals at Clinical High Risk: Development and Validation of a Multivariable Prediction Model Based on Individual Patient Data Meta-Analysis. <i>Frontiers in Psychiatry</i> , 2019, 10, 345.	1.3	29
79	Orienting of attention in unmedicated patients with schizophrenia, prodromal subjects and healthy relatives. <i>Schizophrenia Research</i> , 2007, 97, 35-42.	1.1	28
80	Age effect on prevalence of ultra-high risk for psychosis symptoms: replication in a clinical sample of an early detection of psychosis service. <i>European Child and Adolescent Psychiatry</i> , 2017, 26, 1401-1405.	2.8	28
81	General psychopathology links burden of recent life events and psychotic symptoms in a network approach. <i>NPJ Schizophrenia</i> , 2020, 6, 40.	2.0	28
82	The interrelationship between schizotypy, clinical high risk for psychosis and related symptoms: Cognitive disturbances matter. <i>Schizophrenia Research</i> , 2019, 210, 188-196.	1.1	27
83	Intensive community outreach for those at ultra high risk of psychosis: dilution, not solution. <i>Lancet Psychiatry</i> , 2016, 3, 18.	3.7	26
84	Attenuated psychotic and basic symptom characteristics in adolescents with ultra-high risk criteria for psychosis, other non-psychotic psychiatric disorders and early-onset psychosis. <i>European Child and Adolescent Psychiatry</i> , 2016, 25, 1091-1102.	2.8	26
85	Intervention in the at-risk state to prevent transition to psychosis. <i>Current Opinion in Psychiatry</i> , 2009, 22, 177-183.	3.1	24
86	Heterogeneity and Classification of Recent Onset Psychosis and Depression: A Multimodal Machine Learning Approach. <i>Schizophrenia Bulletin</i> , 2021, 47, 1130-1140.	2.3	23
87	Functioning mediates help-seeking for mental problems in the general population. <i>European Psychiatry</i> , 2018, 54, 1-9.	0.1	22
88	Prediction and prevention of psychosis: current progress and future tasks. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014, 264, 9-16.	1.8	21
89	Stimulant Medication and Psychotic Symptoms in Offspring of Parents With Mental Illness. <i>Pediatrics</i> , 2016, 137, .	1.0	21
90	Psychosis – risk criteria in the general population: frequent misinterpretations and current evidence. <i>World Psychiatry</i> , 2018, 17, 107-108.	4.8	21

#	ARTICLE	IF	CITATIONS
91	Striatal cerebral blood flow, executive functioning, and fronto-striatal functional connectivity in clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2018, 201, 231-236.	1.1	21
92	Pharmacological Prevention and Treatment in Clinical At-Risk States for Psychosis. <i>Current Pharmaceutical Design</i> , 2012, 18, 550-557.	0.9	20
93	Depression predicts persistence of paranoia in clinical high-risk patients to psychosis: results of the EPOS project. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 247-257.	1.6	20
94	Functional and structural correlates of abnormal involuntary movements in psychosis risk and first episode psychosis. <i>Schizophrenia Research</i> , 2019, 212, 196-203.	1.1	20
95	Predictors of help-seeking behaviour in people with mental health problems: a 3-year prospective community study. <i>BMC Psychiatry</i> , 2021, 21, 432.	1.1	20
96	Prevalence, course and psychosis-predictive value of negative symptoms in 22q11.2 deletion syndrome. <i>Schizophrenia Research</i> , 2019, 206, 386-393.	1.1	19
97	Age effects on basic symptoms in the community: A route to gain new insight into the neurodevelopment of psychosis?. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 311-324.	1.8	19
98	Main Symptomatic Treatment Targets in Suspected and Early Psychosis: New Insights From Network Analysis. <i>Schizophrenia Bulletin</i> , 2020, 46, 884-895.	2.3	19
99	Mediators Linking Childhood Adversities and Trauma to Suicidality in Individuals at Risk for Psychosis. <i>Frontiers in Psychiatry</i> , 2017, 8, 242.	1.3	17
100	Expressed emotion as a predictor of the first psychotic episode – Results of the European prediction of psychosis study. <i>Schizophrenia Research</i> , 2018, 199, 346-352.	1.1	17
101	Neuropsychological deficits in participants at clinical high risk for psychosis recruited from the community: relationships to functioning and clinical symptoms. <i>Psychological Medicine</i> , 2020, 50, 77-85.	2.7	17
102	Comparing the prodrome of schizophrenia-spectrum psychoses and affective disorders with and without psychotic features. <i>Schizophrenia Research</i> , 2012, 138, 218-222.	1.1	16
103	Screening instruments in child and adolescent psychiatry: general and methodological considerations. <i>European Child and Adolescent Psychiatry</i> , 2014, 23, 725-727.	2.8	16
104	Effects of age and sex on clinical high-risk for psychosis in the community. <i>World Journal of Psychiatry</i> , 2020, 10, 101-124.	1.3	16
105	Reliability of telephone assessments of at-risk criteria of psychosis: A comparison to face-to-face interviews. <i>Schizophrenia Research</i> , 2014, 153, 251-253.	1.1	15
106	The Italian version of the 92-item Prodromal Questionnaire: Concurrent validity with the SIPS and factor analysis in a sample of 258 outpatients aged 11–36 years. <i>Schizophrenia Research</i> , 2017, 189, 50-56.	1.1	15
107	Enhancing Psychosis-Spectrum Nosology Through an International Data Sharing Initiative. <i>Schizophrenia Bulletin</i> , 2018, 44, S460-S467.	2.3	15
108	The trait–state distinction between schizotypy and clinical high risk: results from a one-year follow-up. <i>World Psychiatry</i> , 2019, 18, 108-109.	4.8	15

#	ARTICLE	IF	CITATIONS
109	Cognitive subtypes in recent onset psychosis: distinct neurobiological fingerprints?. <i>Neuropsychopharmacology</i> , 2021, 46, 1475-1483.	2.8	15
110	Neurobiologically Based Stratification of Recent-Onset Depression and Psychosis: Identification of Two Distinct Transdiagnostic Phenotypes. <i>Biological Psychiatry</i> , 2022, 92, 552-562.	0.7	15
111	Childhood adversity predicts persistence of suicidal thoughts differently in females and males at clinical high-risk patients of psychosis. Results of the EPOS project. <i>Microbial Biotechnology</i> , 2019, 13, 935-942.	0.9	14
112	Association between age of cannabis initiation and gray matter covariance networks in recent onset psychosis. <i>Neuropsychopharmacology</i> , 2021, 46, 1484-1493.	2.8	14
113	The Psychopathology and Neuroanatomical Markers of Depression in Early Psychosis. <i>Schizophrenia Bulletin</i> , 2021, 47, 249-258.	2.3	13
114	No age effect in the prevalence and clinical significance of ultra-high risk symptoms and criteria for psychosis in 22q11 deletion syndrome: Confirmation of the genetically driven risk for psychosis?. <i>PLoS ONE</i> , 2017, 12, e0174797.	1.1	12
115	Grey-matter abnormalities in clinical high-risk participants for psychosis. <i>Schizophrenia Research</i> , 2020, 226, 120-128.	1.1	12
116	Basic symptoms in offspring of parents with mood and psychotic disorders. <i>BJPsych Open</i> , 2019, 5, e54.	0.3	10
117	The clinical relevance of formal thought disorder in the early stages of psychosis: results from the PRONIA study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 403-413.	1.8	10
118	Convergent and concurrent validity of the Frankfurt Complaint Questionnaire as a screener for psychosis risk. <i>Journal of Risk Research</i> , 2017, 20, 1480-1496.	1.4	9
119	Sex differences in symptomatology of psychosis-risk patients and in prediction of psychosis. <i>Archives of Women's Mental Health</i> , 2020, 23, 339-349.	1.2	9
120	The Bern Early Recognition and Intervention Centre for mental crisis (<sc>FETZ</sc> Bern)â€™s An 8â€™year evaluation. <i>Microbial Biotechnology</i> , 2022, 16, 289-301.	0.9	9
121	Characterising cognitive heterogeneity in individuals at clinical high-risk for psychosis: a cluster analysis with clinical and functional outcome prediction. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 437-448.	1.8	9
122	Prevalence and predictors of suicidality and non-suicidal self-harm among individuals at clinical high-risk for psychosis: Results from a community-recruited sample. <i>Microbial Biotechnology</i> , 2021, 15, 1256-1265.	0.9	9
123	Clinical high-risk criteria of psychosis in 8â€™17-year-old community subjects and inpatients not suspected of developing psychosis. <i>World Journal of Psychiatry</i> , 2022, 12, 425-449.	1.3	9
124	Personality dimensions in persons symptomatically at risk of psychosis: pronounced but lacking a characteristic profile. <i>Microbial Biotechnology</i> , 2015, 9, 242-247.	0.9	8
125	Influence of demographic characteristics on attenuated positive psychotic symptoms in a young, help-seeking, at-risk population. <i>Microbial Biotechnology</i> , 2019, 13, 53-56.	0.9	8
126	The relationship between cognitive deficits and impaired short-term functional outcome in clinical high-risk for psychosis participants: A machine learning and modelling approach. <i>Schizophrenia Research</i> , 2021, 231, 24-31.	1.1	8

#	ARTICLE	IF	CITATIONS
127	Validation of the Bullying Scale for Adults - Results of the PRONIA-study. <i>Journal of Psychiatric Research</i> , 2020, 129, 88-97.	1.5	8
128	The Frankfurt Complaint Questionnaire for self-assessment of basic symptoms in the early detection of psychosis – Factor structure, reliability, and predictive validity. <i>International Journal of Methods in Psychiatric Research</i> , 2018, 27, e1600.	1.1	7
129	Multimodal prognosis of negative symptom severity in individuals at increased risk of developing psychosis. <i>Translational Psychiatry</i> , 2021, 11, 312.	2.4	7
130	Early Detection and Treatment of Psychosis: The Bern Child and Adolescent Psychiatric Perspective. <i>Advances in Psychiatry</i> , 2014, 2014, 1-16.	0.4	6
131	Associations of psychosis-risk symptoms with quality of life and self-rated health in the Community. <i>European Psychiatry</i> , 2019, 62, 116-123.	0.1	6
132	The Important Role of Stereotypes in the relation between Mental Health Literacy and Stigmatization of Depression and Psychosis in the Community. <i>Community Mental Health Journal</i> , 2021, , 1.	1.1	6
133	The non-specific nature of mental health and structural brain outcomes following childhood trauma. <i>Psychological Medicine</i> , 2023, 53, 1005-1014.	2.7	6
134	Clinical, Brain, and Multilevel Clustering in Early Psychosis and Affective Stages. <i>JAMA Psychiatry</i> , 2022, 79, 677.	6.0	6
135	Demographic and clinical characteristics of diagnosed and non-diagnosed psychotic disorders in the community. <i>Microbial Biotechnology</i> , 2018, 12, 87-90.	0.9	5
136	Clinical high-risk of and conversion to psychosis in the community: A 3-year follow-up of a cohort study. <i>Schizophrenia Research</i> , 2021, 228, 616-618.	1.1	5
137	Basic symptoms and gray matter volumes of patients at clinical high risk for psychosis. <i>Psychological Medicine</i> , 2021, 51, 2666-2674.	2.7	5
138	Basic Symptoms Are Associated With Age in Patients With a Clinical High-Risk State for Psychosis: Results From the PRONIA Study. <i>Frontiers in Psychiatry</i> , 2020, 11, 552175.	1.3	5
139	(Attenuated) hallucinations join basic symptoms in a transdiagnostic network cluster analysis. <i>Schizophrenia Research</i> , 2022, 243, 43-54.	1.1	5
140	Altered Autonomic Function in Individuals at Clinical High Risk for Psychosis. <i>Frontiers in Psychiatry</i> , 2020, 11, 580503.	1.3	4
141	Positive psychotic symptoms in childhood and adolescence. <i>Current Opinion in Psychology</i> , 2022, 45, 101287.	2.5	4
142	Duration of basic and attenuated-psychotic symptoms in individuals at clinical high risk for psychosis: pattern of symptom onset and effects of duration on functioning and cognition. <i>BMC Psychiatry</i> , 2021, 21, 339.	1.1	3
143	Does childhood trauma predict schizotypal traits? A path modelling approach in a cohort of help-seeking subjects. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, , 1.	1.8	3
144	Relationships between global functioning and neuropsychological predictors in subjects at high risk of psychosis or with a recent onset of depression. <i>World Journal of Biological Psychiatry</i> , 2022, 23, 573-581.	1.3	3

#	ARTICLE	IF	CITATIONS
145	Can self-experienced neuropsychological deficits indicate propensity to schizophrenic psychosis? Results of an 8-year prospective follow-up study. <i>International Clinical Psychopharmacology</i> , 1998, 13, S75-S80.	0.9	2
146	S211. SCHIZOTYPY IN PATIENTS FROM A CLINICAL HIGH RISK SERVICE: TRAIT OR STATE?. <i>Schizophrenia Bulletin</i> , 2018, 44, S407-S408.	2.3	2
147	Trapped in a Glass Bell Jar: Neural Correlates of Depersonalization and Derealization in Subjects at Clinical High-Risk of Psychosis and Depersonalization/Derealization Disorder. <i>Frontiers in Psychiatry</i> , 2020, 11, 535652.	1.3	2
148	Novel Gyrfication Networks Reveal Links with Psychiatric Risk Factors in Early Illness. <i>Cerebral Cortex</i> , 2021, , .	1.6	2
149	Editorial: Children, Adolescents and Families With Severe Mental Illness: Toward a Comprehensive Early Identification of Risk. <i>Frontiers in Psychiatry</i> , 2021, 12, 812229.	1.3	2
150	Authors'™ reply. <i>British Journal of Psychiatry</i> , 2017, 211, 182-183.	1.7	1
151	Subjective disturbances in emerging psychosis. , 2020, , 59-80.		1
152	Is there a diagnosis-specific influence of childhood trauma on later educational attainment? A machine learning analysis in a large help-seeking sample. <i>Journal of Psychiatric Research</i> , 2021, 138, 591-597.	1.5	1
153	Basic symptoms in deficit states and their relation to negative symptoms. , 2020, , 19-38.		1
154	Using combined environmental/clinical classification models to predict role functioning outcome in clinical high-risk states for psychosis and recent-onset depression. <i>British Journal of Psychiatry</i> , 2022, 220, 229-245.	1.7	1
155	Pattern of predictive features of continued cannabis use in patients with recent-onset psychosis and clinical high-risk for psychosis. <i>NPJ Schizophrenia</i> , 2022, 8, 19.	2.0	1
156	Psychometric properties of the Kessler psychological scales in a Swiss young adult community sample indicate poor suitability for community screening for mental disorders. <i>Microbial Biotechnology</i> , 2023, 17, 85-95.	0.9	1
157	Facet theoretical analysis of the similarity relationships of personality factors and personality disorders. <i>European Psychiatry</i> , 1998, 13, 193s-193s.	0.1	0
158	T239. SINGLE-SUBJECT PREDICTION OF FUNCTIONAL OUTCOMES IN CLINICAL HIGH RISK SUBJECTS USING CLINICAL DATA. <i>Schizophrenia Bulletin</i> , 2018, 44, S209-S210.	2.3	0
159	O11.8. PREVALENCE AND PREDICTORS OF INTERVIEW-ASSESSED CLINICAL HIGH-RISK SYMPTOMS IN THE GENERAL POPULATION. <i>Schizophrenia Bulletin</i> , 2018, 44, S109-S109.	2.3	0
160	F26. THE NATURE OF CLINICAL HIGH-RISK SYMPTOMS: NEW INSIGHTS GAINED FROM AGE EFFECTS. <i>Schizophrenia Bulletin</i> , 2018, 44, S228-S229.	2.3	0
161	T223. MULTIVARIATE PREDICTION OF FOLLOW UP SOCIAL AND OCCUPATIONAL OUTCOME IN CLINICAL HIGH-RISK INDIVIDUALS BASED ON GRAY MATTER VOLUMES AND HISTORY OF ENVIRONMENTAL ADVERSE EVENTS. <i>Schizophrenia Bulletin</i> , 2020, 46, S317-S318.	2.3	0
162	M1. INVESTIGATING THE RELATIONSHIP BETWEEN CHILDHOOD TRAUMA AND PSYCHIATRIC DISEASE USING MACHINE LEARNING TECHNIQUES. <i>Schizophrenia Bulletin</i> , 2020, 46, S133-S133.	2.3	0

#	ARTICLE	IF	CITATIONS
163	S94. PREDICTION OF CANNABIS RELAPSE IN CLINICAL HIGH-RISK INDIVIDUALS AND RECENT ONSET PSYCHOSIS - PRELIMINARY RESULTS FROM THE PRONIA STUDY. Schizophrenia Bulletin, 2020, 46, S69-S70.	2.3	0
164	M121. CLINICAL PREDICTION MODELS FOR TRANSITION TO PSYCHOSIS: AN EXTERNAL VALIDATION STUDY IN THE PRONIA SAMPLE. Schizophrenia Bulletin, 2020, 46, S181-S181.	2.3	0
165	O6.6. MULTIMODAL PROGNOSIS OF NEGATIVE SYMPTOM SEVERITY IN INDIVIDUALS WITH INCREASED RISK OF DEVELOPING PSYCHOSIS. Schizophrenia Bulletin, 2020, 46, S15-S16.	2.3	0
166	O10.5. CLINICAL HIGH RISK (CHR) CRITERIA IN CHILDREN AND ADOLESCENTS NOT SUSPECTED TO DEVELOP PSYCHOSIS: NO TRANSDIAGNOSTIC SEVERITY MARKER OF MENTAL HEALTH PROBLEMS. Schizophrenia Bulletin, 2020, 46, S26-S26.	2.3	0
167	O6.4. ASSOCIATION BETWEEN CLUSTERS OF FORMAL THOUGHT DISORDERS SEVERITY AND NEUROCOGNITIVE AND FUNCTIONAL OUTCOME INDICES IN THE EARLY STAGES OF PSYCHOSIS – RESULTS FROM THE PRONIA COHORT. Schizophrenia Bulletin, 2020, 46, S14-S15.	2.3	0
168	S219. SINGLE-SUBJECT PREDICTION OF FUNCTIONAL OUTCOMES ACROSS DIAGNOSTIC GROUPS USING CLINICAL DATA. Schizophrenia Bulletin, 2020, 46, S122-S122.	2.3	0
169	O8.5. SIGNS OF ADVERSITY - A NOVEL MACHINE LEARNING APPROACH TO CHILDHOOD TRAUMA, BRAIN STRUCTURE AND CLINICAL PROFILES. Schizophrenia Bulletin, 2020, 46, S20-S20.	2.3	0
170	S64. COGNITIVE IMPAIRMENTS AND PREDICTION OF FUNCTIONAL OUTCOME IN INDIVIDUALS AT CLINICAL HIGH-RISK FOR PSYCHOSIS. Schizophrenia Bulletin, 2020, 46, S57-S58.	2.3	0
171	Heterogeneity and Classification of Recent Onset Psychosis and Depression: A Multimodal Machine Learning Approach. Biological Psychiatry, 2021, 89, S238-S239.	0.7	0
172	Schizotypie und Schizotype (Pers�nlichkeits-)St�rung. PTT – Pers�nlichkeitsst�rungen Theorie Und Therapie, 2021, 25, 96-109.	0.2	0
173	Detailed clinical phenotyping and generalisability in prognostic models of functioning in at-risk populations. British Journal of Psychiatry, 2021, , 1-4.	1.7	0
174	Clinical High Risk for Psychosis Syndromes Among Swiss and German Youth and Young Adults: Early Identification and Intervention. , 2019, , 115-142.		0
175	Detecting the first signs of emerging psychosis. , 2019, , 57-72.		0
176	MR-Spectroscopy of GABA and Glutamate/Glutamine Concentrations in Auditory Cortex in Clinical High-Risk for Psychosis Individuals. Frontiers in Psychiatry, 2022, 13, 859322.	1.3	0
177	Computerised cognitive training during early-stage psychosis improves cognitive deficits and gamma-band oscillations: A pilot study. Schizophrenia Research, 2022, 243, 217-219.	1.1	0