

Mathias LÃ¼hr Hansen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8118277/publications.pdf>

Version: 2024-02-01

19
papers

180
citations

1478280

6
h-index

1199470

12
g-index

24
all docs

24
docs citations

24
times ranked

228
citing authors

#	ARTICLE	IF	CITATIONS
1	Cerebral near-infrared spectroscopy monitoring versus treatment as usual for extremely preterm infants: a protocol for the SafeBoosC randomised clinical phase III trial. <i>Trials</i> , 2019, 20, 811.	0.7	48
2	Staging of necrotising enterocolitis by Bell's criteria is supported by a statistical pattern analysis of clinical and radiological variables. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2019, 108, 842-848.	0.7	19
3	Extremely Preterm Infant Admissions Within the SafeBoosC-III Consortium During the COVID-19 Lockdown. <i>Frontiers in Pediatrics</i> , 2021, 9, 647880.	0.9	18
4	Cerebral near-infrared spectroscopy monitoring (NIRS) in children and adults: a systematic review with meta-analysis. <i>Pediatric Research</i> , 2022, , .	1.1	17
5	Poor validity of the routine diagnosis of necrotising enterocolitis in preterm infants at discharge. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2017, 106, 394-398.	0.7	14
6	Postâ€“Endoscopic Retrograde Cholangiopancreatography complications in liver transplanted patients, a single-center experience. <i>Scandinavian Journal of Surgery</i> , 2015, 104, 86-91.	1.3	12
7	The clinical effects of cerebral near-infrared spectroscopy monitoring (NIRS) versus no monitoring: a protocol for a systematic review with meta-analysis and trial sequential analysis. <i>Systematic Reviews</i> , 2021, 10, 111.	2.5	8
8	Behavioural and neurodevelopmental impairment at school age following necrotising enterocolitis in the newborn period. <i>PLoS ONE</i> , 2019, 14, e0215220.	1.1	7
9	Detailed statistical analysis plan for the SafeBoosC III trial: a multinational randomised clinical trial assessing treatment guided by cerebral oxygenation monitoring versus treatment as usual in extremely preterm infants. <i>Trials</i> , 2019, 20, 746.	0.7	6
10	Central data monitoring in the multicentre randomised SafeBoosC-III trial â€“ a pragmatic approach. <i>BMC Medical Research Methodology</i> , 2021, 21, 160.	1.4	6
11	Cerebral Oximetry in Preterm Infantsâ€“To Use or Not to Use, That Is the Question. <i>Frontiers in Pediatrics</i> , 2021, 9, 747660.	0.9	6
12	Near-infrared spectroscopy for perioperative assessment and neonatal interventions. <i>Pediatric Research</i> , 2021, , .	1.1	5
13	Surgical findings during exploratory laparotomy are closely related to mortality in premature infants with necrotising enterocolitis. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2017, 106, 399-404.	0.7	4
14	Gastrointestinal sequelae and growth impairment at school age following necrotising enterocolitis in the newborn period. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2019, 108, 1911-1917.	0.7	2
15	Pilot test of an online training module on near-infrared spectroscopy monitoring for the randomised clinical trial SafeBoosC-III. <i>Trials</i> , 2020, 21, 356.	0.7	2
16	The impact of the COVID pandemic on prematurity rates: Conflicting results, publication ethics and academic frustration. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021, , .	0.7	2
17	Time trends and patient selection in the use of continuous electrocardiography for detecting atrial fibrillation after stroke: a nationwide cohort study. <i>European Journal of Neurology</i> , 2020, 27, 2191-2201.	1.7	1
18	Not Removing the Glossy White Cover from Adhesive INVOS Neonatal Sensors Affects the Oxygenation Measurement. <i>Advances in Experimental Medicine and Biology</i> , 2021, 1269, 353-357.	0.8	1

#	ARTICLE	IF	CITATIONS
19	P6073 Increased major bleeding risk with use of topical miconazole agents among users of oral anticoagulation: A population-level safety study. <i>European Heart Journal</i> , 2018, 39, .	1.0	0