

# Ricardo A F Machado

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/8118957/ricardo-a-f-machado-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

132  
papers

1,506  
citations

19  
h-index

31  
g-index

146  
ext. papers

1,900  
ext. citations

4.1  
avg, IF

5.13  
L-index

#	Paper	IF	Citations
132	Comparison of extraction of patchouli ( <i>Pogostemon cablin</i> ) essential oil with supercritical CO <sub>2</sub> and by steam distillation. <i>Journal of Supercritical Fluids</i> , <b>2009</b> , 48, 15-20	4.2	100
131	Extraction of lemongrass essential oil with dense carbon dioxide. <i>Journal of Supercritical Fluids</i> , <b>2001</b> , 21, 33-39	4.2	66
130	Separation of nutmeg essential oil and dense CO <sub>2</sub> with a cellulose acetate reverse osmosis membrane. <i>Journal of Membrane Science</i> , <b>2001</b> , 188, 173-179	9.6	54
129	Direct contact membrane distillation for textile wastewater treatment: a state of the art review. <i>Water Science and Technology</i> , <b>2017</b> , 76, 2565-2579	2.2	49
128	Thermal investigation of plastic solid waste pyrolysis via the deconvolution technique using the asymmetric double sigmoidal function: Determination of the kinetic triplet, thermodynamic parameters, thermal lifetime and pyrolytic oil composition for clean energy recovery. <i>Energy Conversion and Management</i> , <b>2019</b> , 200, 112031	10.6	48
127	Synthesis of PS/PMMA CoreShell Structured Particles by Seeded Suspension Polymerization. <i>Macromolecules</i> , <b>2008</b> , 41, 6960-6964	5.5	44
126	A novel organic-inorganic PMMA/polysilazane hybrid polymer for corrosion protection. <i>Progress in Organic Coatings</i> , <b>2015</b> , 89, 220-230	4.8	41
125	Effect of pre-treatments on drying, density and shrinkage of apple slices. <i>Journal of Food Engineering</i> , <b>2007</b> , 78, 1103-1110	6	39
124	Performance of reverse osmosis membranes in the separation of supercritical CO <sub>2</sub> and essential oils. <i>Journal of Membrane Science</i> , <b>2004</b> , 237, 71-76	9.6	36
123	Online Monitoring of Suspension Polymerization Reactions Using Raman Spectroscopy. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2004</b> , 43, 7282-7289	3.9	36
122	Polymer-Derived Ceramics with engineered mesoporosity: From design to application in catalysis. <i>Surface and Coatings Technology</i> , <b>2018</b> , 350, 569-586	4.4	34
121	Biodegradable Duo-functional Active Film: Antioxidant and Antimicrobial Actions for the Conservation of Beef. <i>Food and Bioprocess Technology</i> , <b>2015</b> , 8, 75-87	5.1	32
120	Valorization of royal palm tree agroindustrial waste by isolating cellulose nanocrystals. <i>Carbohydrate Polymers</i> , <b>2019</b> , 218, 188-198	10.3	31
119	Preparation of PMMA/hBN composite coatings for metal surface protection. <i>Materials Research</i> , <b>2013</b> , 16, 1366-1372	1.5	29
118	Separation of d-limonene from supercritical CO <sub>2</sub> by means of membranes. <i>Journal of Supercritical Fluids</i> , <b>2005</b> , 34, 143-147	4.2	27
117	Insights into the bioenergy potential of jackfruit wastes considering their physicochemical properties, bioenergy indicators, combustion behaviors, and emission characteristics. <i>Renewable Energy</i> , <b>2020</b> , 155, 1328-1338	8.1	26
116	Synthesis and Characterization of Silver Nanoparticles Produced with a Bifunctional Stabilizing Agent. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2014</b> , 53, 3426-3434	3.9	23

115	Mathematical modeling of polystyrene particle size distribution produced by suspension polymerization. <i>Brazilian Journal of Chemical Engineering</i> , <b>2000</b> , 17, 395-407	1.7	23
114	A novel PAN/silazane hybrid polymer for processing of carbon-based fibres with extraordinary oxidation resistance. <i>Journal of Materials Chemistry A</i> , <b>2017</b> , 5, 720-729	13	22
113	Influence of porous structures on O <sub>2</sub> flux of BSCF asymmetric membranes. <i>Separation and Purification Technology</i> , <b>2017</b> , 175, 164-169	8.3	19
112	Synthesis of fluorine-modified polysilazanes via Si-H bond activation and their application as protective hydrophobic coatings. <i>Journal of Materials Chemistry A</i> , <b>2017</b> , 5, 25509-25521	13	19
111	Pyrolysis of cocoa shell and its bioenergy potential: evaluating the kinetic triplet, thermodynamic parameters, and evolved gas analysis using TGA-FTIR. <i>Biomass Conversion and Biorefinery</i> , <b>2020</b> , 1	2.3	19
110	Tape casting of preceramic polymers toward advanced ceramics: A review. <i>International Journal of Ceramic Engineering &amp; Science</i> , <b>2019</b> , 1, 21-41	2	18
109	Supercritical fluid extraction of hernandulcin from <i>Lippia dulcis</i> Trev.. <i>Journal of Supercritical Fluids</i> , <b>2012</b> , 63, 161-168	4.2	18
108	Comparison of techniques for the determination of conversion during suspension polymerization reactions. <i>Brazilian Journal of Chemical Engineering</i> , <b>2008</b> , 25, 399-407	1.7	18
107	Characterization of the mucilage extracted from jaracatiçá ( <i>Carica quercifolia</i> (A. St. Hil.) Hieron). <i>Carbohydrate Polymers</i> , <b>2015</b> , 131, 370-6	10.3	16
106	Chitosan as a matrix of nanocomposites: A review on nanostructures, processes, properties, and applications. <i>Carbohydrate Polymers</i> , <b>2021</b> , 272, 118472	10.3	16
105	Molecular-Level Processing of Si-(B)-C Materials with Tailored Nano/Microstructures. <i>Chemistry - A European Journal</i> , <b>2017</b> , 23, 17103-17117	4.8	15
104	Ceramic membranes applied to membrane distillation: A comprehensive review. <i>International Journal of Applied Ceramic Technology</i> , <b>2019</b> , 16, 2161-2172	2	15
103	Demonstrating the Suitability of Tamarind Residues to Bioenergy Exploitation Via Combustion Through Physicochemical Properties, Performance Indexes, and Emission Characteristics. <i>Bioenergy Research</i> , <b>2020</b> , 13, 1308-1320	3.1	14
102	Control of batch suspension polymerization reactor. <i>Chemical Engineering Journal</i> , <b>1998</b> , 70, 1-8	14.7	14
101	Steady state evaluation with different operating times in the direct contact membrane distillation process applied to water recovery from dyeing wastewater. <i>Separation and Purification Technology</i> , <b>2020</b> , 230, 115892	8.3	14
100	OPTIMIZATION OF PRESSURE-SWING DISTILLATION FOR ANHYDROUS ETHANOL PURIFICATION BY THE SIMULATED ANNEALING ALGORITHM. <i>Brazilian Journal of Chemical Engineering</i> , <b>2019</b> , 36, 453-469	1.7	13
99	Membrane Surface Modification by Electrospinning, Coating, and Plasma for Membrane Distillation Applications: A State-of-the-Art Review. <i>Advanced Engineering Materials</i> , <b>2021</b> , 23, 2001456	3.5	13
98	Highly active, robust and reusable micro-/mesoporous TiN/Si <sub>3</sub> N <sub>4</sub> nanocomposite-based catalysts for clean energy: Understanding the key role of TiN nanoclusters and amorphous Si <sub>3</sub> N <sub>4</sub> matrix in the performance of the catalyst system. <i>Applied Catalysis B: Environmental</i> , <b>2020</b> , 272, 118975	21.8	12

97	Polystyrene recycling processes by dissolution in ethyl acetate. <i>Journal of Applied Polymer Science</i> , <b>2018</b> , 135, 46208	2.9	12
96	Effects of Operational Parameters on Particle Size Distributions in Methyl Methacrylate Suspension Polymerization. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2011</b> , 50, 9116-9122	3.9	12
95	Enhancing Chlorine-Free Purification Routes of Rice Husk Biomass Waste to Obtain Cellulose Nanocrystals. <i>Waste and Biomass Valorization</i> , <b>2020</b> , 11, 6595-6611	3.2	12
94	Dye synthetic solution treatment by direct contact membrane distillation using commercial membranes. <i>Environmental Technology (United Kingdom)</i> , <b>2020</b> , 41, 2253-2265	2.6	12
93	Understanding the effects of operational conditions on the membrane distillation process applied to the recovery of water from textile effluents. <i>Chemical Engineering Research and Design</i> , <b>2021</b> , 145, 285-292	5.5	12
92	Experimental evaluation of the separation of aromatic compounds using falling film distillation on a pilot scale. <i>Chemical Engineering and Processing: Process Intensification</i> , <b>2018</b> , 130, 296-308	3.7	12
91	Performance of reverse osmosis and nanofiltration membranes in the fractionation and retention of patchouli essential oil. <i>Journal of Supercritical Fluids</i> , <b>2016</b> , 107, 639-648	4.2	11
90	Dissolution of adhesive resins present in plastic waste to recover polyolefin by sink-float separation processes. <i>Journal of Environmental Management</i> , <b>2019</b> , 243, 453-462	7.9	11
89	Current developments of mixed conducting membranes on porous substrates. <i>Materials Research</i> , <b>2014</b> , 17, 242-249	1.5	11
88	Falling film distillation column with heat transfer by means of a vapor chamber [part I: isothermal operation. <i>Chemical Engineering Communications</i> , <b>2019</b> , 206, 994-1005	2.2	11
87	Direct Contact Membrane Distillation Applied to Colored Reactive or Disperse Dye Solutions. <i>Chemical Engineering and Technology</i> , <b>2019</b> , 42, 1045-1052	2	11
86	Influence of different textile fibers on characterization of dyeing wastewater and final effluent. <i>Environmental Monitoring and Assessment</i> , <b>2018</b> , 190, 693	3.1	11
85	Computational fluid dynamics simulation of the feed distribution system of a falling film distillation device. <i>Computer Aided Chemical Engineering</i> , <b>2012</b> , 31, 845-849	0.6	10
84	Swelling of organoclays in styrene. Effect on flammability in polystyrene nanocomposites. <i>EXPRESS Polymer Letters</i> , <b>2010</b> , 4, 500-508	3.4	10
83	Egg hatchability prediction by multiple linear regression and artificial neural networks. <i>Brazilian Journal of Poultry Science</i> , <b>2008</b> , 10, 97-102	1.3	10
82	Falling film distillation column with heat transfer by means of a vapor chamber. Part II: operation with a temperature profile. <i>Chemical Engineering Communications</i> , <b>2019</b> , 206, 1006-1014	2.2	10
81	Modeling and experimental validation of direct contact membrane distillation applied to synthetic dye solutions. <i>Journal of Chemical Technology and Biotechnology</i> , <b>2021</b> , 96, 909-922	3.5	10
80	Application of hybrid organic/inorganic polymers as coatings on metallic substrates. <i>Materials Research Express</i> , <b>2016</b> , 3, 095301	1.7	9

79	Dispersion polymerization of methyl methacrylate in supercritical carbon dioxide using vinyl terminated poly(dimethylsiloxane). <i>Chemical Engineering and Processing: Process Intensification</i> , <b>2016</b> , 103, 46-52	3.7	9
78	Adsorption of anthocyanins using clay/polyethylene nanocomposite particles. <i>Applied Clay Science</i> , <b>2014</b> , 87, 298-302	5.2	9
77	Continuous polymerization in tubular reactors with prepolymerization: Analysis using two-dimensional phenomenological model and hybrid model with neural networks. <i>Journal of Applied Polymer Science</i> , <b>2004</b> , 91, 871-882	2.9	9
76	Adsorption of natural dyes on clay fixed on polymers. <i>Brazilian Archives of Biology and Technology</i> , <b>2005</b> , 48, 275-280	1.8	9
75	ENERGY AND EXERGETIC EVALUATION OF THE MULTICOMPONENT SEPARATION OF PETROCHEMICAL NAPHTHA IN FALLING FILM DISTILLATION COLUMNS. <i>Brazilian Journal of Chemical Engineering</i> , <b>2019</b> , 36, 1357-1365	1.7	9
74	A closed-loop process design for recycling expanded polystyrene waste by dissolution and polymerization. <i>Polymer</i> , <b>2020</b> , 209, 122940	3.9	9
73	Thermo-kinetic investigation of the multi-step pyrolysis of smoked cigarette butts towards its energy recovery potential. <i>Biomass Conversion and Biorefinery</i> , <b>2020</b> , 1	2.3	9
72	Ethanol enrichment from an aqueous stream using an innovative multi-tube falling film distillation column equipped with a biphasic thermosiphon. <i>Chemical Engineering Research and Design</i> , <b>2020</b> , 139, 69-75	5.5	9
71	Fast and accurate numerical method for predicting gas chromatography retention time. <i>Journal of Chromatography A</i> , <b>2015</b> , 1406, 258-65	4.5	8
70	Foaming of poly(methyl methacrylate) particles. <i>Materials Science and Engineering C</i> , <b>2009</b> , 29, 479-484	8.3	8
69	Glycerol desorption from ion exchange and adsorbent resin using supercritical fluid technology: An optimization study. <i>Journal of Supercritical Fluids</i> , <b>2011</b> , 58, 226-232	4.2	8
68	Influence of process parameters and scalability of the semi-batch production of functionalized silver nanoparticles. <i>Canadian Journal of Chemical Engineering</i> , <b>2016</b> , 94, 1472-1485	2.3	8
67	Prospection of catole coconut ( <i>Syagrus cearensis</i> ) as a new bioenergy feedstock: Insights from physicochemical characterization, pyrolysis kinetics, and thermodynamics parameters. <i>Renewable Energy</i> , <b>2022</b> , 181, 207-218	8.1	8
66	Distributed Control Strategy with Smith's Predictor in a Pilot-Scale Diabatic Distillation Unit. <i>Chemical Engineering and Technology</i> , <b>2020</b> , 43, 1884-1896	2	7
65	Influence of dye class on the comparison of direct contact and vacuum membrane distillation applied to remediation of dyeing wastewater. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , <b>2019</b> , 54, 1337-1347	2.3	7
64	Effect of Cooling Fluid Flow Rate on the Estimation of Conversion by Calorimetry in a Lab-Scale Reactor. <i>Macromolecular Symposia</i> , <b>2008</b> , 271, 38-47	0.8	7
63	Distillation Tower with Distributed Control Strategy: Feed Temperature Loads. <i>Chemical Engineering and Technology</i> , <b>2007</b> , 30, 1292-1297	2	7
62	Intensification of water reclamation from textile dyeing wastewater using thermal membrane technologies [Performance comparison of vacuum membrane distillation and thermopervaporation. <i>Chemical Engineering and Processing: Process Intensification</i> , <b>2019</b> , 146, 107695	3.7	7

61	Synthesis and characterization of cellulose acetate from royal palm tree agroindustrial waste. <i>Polymer Engineering and Science</i> , <b>2019</b> , 59, 891-898	2.3	7
60	Kinetic Study of the Thermal Decomposition of Cellulose Nanocrystals with Different Crystal Structures and Morphologies. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2020</b> , 59, 13428-13439	3.9	6
59	New distributed-action control strategy with simultaneous heating and cooling in trays of a pilot-scale diabatic distillation column. <i>Chemical Engineering Research and Design</i> , <b>2020</b> , 159, 424-438	5.5	6
58	Influence of Semi-Batch Operations on Morphological Properties of Polystyrene Made in Suspension Polymerization. <i>Procedia Engineering</i> , <b>2012</b> , 42, 1045-1052		5
57	Distributed Heat Supply for Distillation Control to Reduce Feed Composition Disturbance Effects. <i>Chemical Engineering and Technology</i> , <b>2013</b> , 36, 2071-2079	2	5
56	Educational simulator for multicomponent distillation research and teaching in chemical engineering. <i>Computer Applications in Engineering Education</i> , <b>2009</b> , 18, n/a-n/a	1.6	5
55	Preparation and characterization of polyethersulfone membranes for use in supercritical medium. <i>Journal of Membrane Science</i> , <b>2002</b> , 205, 273-278	9.6	5
54	Additive-free low temperature sintering of amorphous Si B C powders derived from boron-modified polycarbosilanes: Toward the design of SiC with tunable mechanical, electrical and thermal properties. <i>Journal of the European Ceramic Society</i> , <b>2020</b> , 40, 2604-2612	6	5
53	Direct contact membrane distillation applied to wastewaters from different stages of the textile process. <i>Chemical Engineering Communications</i> , <b>2020</b> , 207, 1062-1073	2.2	5
52	Robust estimation of thermodynamic parameters ( $\Delta H$ , $\Delta S$ and $\Delta G_p$ ) for prediction of retention time in gas chromatography - Part I (Theoretical). <i>Journal of Chromatography A</i> , <b>2015</b> , 1425, 249-57	4.5	4
51	Modeling techniques and processes control application based on Neural Networks with on-line adjustment using Genetic Algorithms. <i>Brazilian Journal of Chemical Engineering</i> , <b>2009</b> , 26, 113-126	1.7	4
50	Effect of Foster Swelling Degree in Polystyrene/Clay Nanocomposites Obtained by In Situ Incorporation. <i>Macromolecular Symposia</i> , <b>2006</b> , 245-246, 337-342	0.8	4
49	Dynamic modeling with experimental validation and control of a two-phase closed thermosyphon as heat supplier of a novel pilot-scale falling film distillation unit. <i>Computers and Chemical Engineering</i> , <b>2020</b> , 143, 107078	4	4
48	Machine learning modeling and genetic algorithm-based optimization of a novel pilot-scale thermosyphon-assisted falling film distillation unit. <i>Separation and Purification Technology</i> , <b>2021</b> , 259, 118122	8.3	4
47	Optimization of Pressure-Swing Distillation for iC5-Methanol Azeotropic Mixture Purification. <i>Process Integration and Optimization for Sustainability</i> , <b>2020</b> , 4, 255-263	2	3
46	Fitting semi-empirical drying models using a tool based on wavelet neural networks: Modeling a maize drying process. <i>Journal of Food Process Engineering</i> , <b>2018</b> , 41, e12633	2.4	3
45	Dynamic Study of Distillation Column Operated with Tray Heat Source Combined with Reboiler. <i>Chemical Engineering Communications</i> , <b>2016</b> , 203, 364-371	2.2	3
44	Supercritical fluid extraction of <i>Drimys angustifolia</i> Miers: Experimental data and identification of the dynamic behavior of extraction curves using neural networks based on wavelets. <i>Journal of Supercritical Fluids</i> , <b>2016</b> , 112, 81-88	4.2	3



43	Experimental and CFD Study of a Vertically Stirred Tubular Reactor Designed for Suspension Polymerization Reactions. <i>Macromolecular Reaction Engineering</i> , <b>2017</b> , 11, 1600040	1.5	3
42	Fluid-Dynamics Study of Multiphase Flow in a Sieve Tray of a Distillation Column. <i>Computer Aided Chemical Engineering</i> , <b>2010</b> , 28, 73-78	0.6	3
41	Effect of Initiator on the Incorporation of Graphite into Polymer Matrix During Suspension Polymerization. <i>Macromolecular Symposia</i> , <b>2005</b> , 229, 72-80	0.8	3
40	Mathematical modeling of the membrane separation of nutmeg essential oil and dense CO <sub>2</sub> . <i>Journal of Membrane Science</i> , <b>2004</b> , 237, 87-95	9.6	3
39	Application of a new pilot-scale distillation system for monoethylene glycol recovery using an energy saving falling film distillation column. <i>Chemical Engineering Research and Design</i> , <b>2020</b> , 153, 263-275	5.5	3
38	In-Situ Synthesis and Characterization of Nanocomposites in the Si-Ti-N and Si-Ti-C Systems. <i>Molecules</i> , <b>2020</b> , 25,	4.8	3
37	Techno-economic and energetic assessment of an innovative pilot-scale thermosyphon-assisted falling film distillation unit for sanitizer-grade ethanol recovery. <i>Applied Energy</i> , <b>2021</b> , 297, 117185	10.7	3
36	Chemical resistance of core-shell particles (PS/PMMA) polymerized by seeded suspension. <i>Polimeros</i> , <b>2017</b> , 27, 225-229	1.6	2
35	Influence of stabilizer additives on thermochromic coating for temperature monitoring <b>2016</b> , 13, 1139-1144		2
34	Robust estimation of thermodynamic parameters ( $\Delta H$ , $\Delta S$ and $\Delta G_p$ ) for prediction of retention time in gas chromatography - Part II (Application). <i>Journal of Chromatography A</i> , <b>2015</b> , 1425, 258-64	4.5	2
33	Control Strategy with Distributed Action for Minimization of Transients in Distillation Column. <i>Computer Aided Chemical Engineering</i> , <b>2009</b> , 27, 1527-1532	0.6	2
32	Styrene Suspension Polymerization Using a Stirred Vertical Tubular Reactor. <i>Macromolecular Symposia</i> , <b>2006</b> , 245-246, 398-402	0.8	2
31	Use of reverse osmosis membranes for the separation of lemongrass essential oil and supercritical CO <sub>2</sub> . <i>Brazilian Journal of Chemical Engineering</i> , <b>2004</b> , 21, 285-291	1.7	2
30	Nonequilibrium Stage Based Modeling of a Falling Film Distillation Unit. <i>Theoretical Foundations of Chemical Engineering</i> , <b>2020</b> , 54, 1156-1172	0.9	2
29	Nonlinear multivariable tracking control: application to an ethanol process. <i>International Journal of Automation and Control</i> , <b>2019</b> , 13, 440	1.8	2
28	Potential of macauba endocarp ( <i>Acrocomia aculeate</i> ) for bioenergy production: Multi-component kinetic study and estimation of thermodynamic parameters of activation. <i>Thermochimica Acta</i> , <b>2022</b> , 708, 179134	2.9	2
27	Membrane Distillation: Experimental evaluation of Liquid Entry Pressure in commercial membranes with textile dye solutions. <i>Journal of Water Process Engineering</i> , <b>2021</b> , 44, 102339	6.7	2
26	The influence of pyrolysis temperature on the oxidation resistance of carbon-rich SiCN ceramics derived from reaction of silazanes with acrylonitrile. <i>Journal of the European Ceramic Society</i> , <b>2021</b> , 41, 3285-3291	6	2

25	Integration of banana crop residues as biomass feedstock into conventional production of first-generation fuel ethanol from sugarcane: a simulation-based case study. <i>Biofuels, Bioproducts and Biorefining</i> , <b>2021</b> , 15, 671-689	5.3	2
24	Low temperature formation of cobalt in silicon nitride toward functional nitride nanocomposites. <i>Chemical Communications</i> , <b>2021</b> , 57, 2057-2060	5.8	2
23	Dispersion Polymerization of Methyl Methacrylate in Supercritical CO <sub>2</sub> : A Preliminary Evaluation of In Situ Incorporation of Copaiba Oil. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2020</b> , 59, 9398-9407	3.9	1
22	SB-S Core-Shell Particles in Semicontinuous Seeded Emulsion Polymerization and their use as Impact Modifier. <i>Macromolecular Symposia</i> , <b>2014</b> , 344, 28-32	0.8	1
21	Influence of experimental conditions on the incorporation of water droplets in polystyrene. <i>Polimeros</i> , <b>2009</b> , 19, 292-296	1.6	1
20	Production of a Clay-Polymer Composite Aiming the Removal of Residual Sodium from Biodiesel. <i>Macromolecular Symposia</i> , <b>2006</b> , 245-246, 191-198	0.8	1
19	Nanocomposites production of polystyrene/silver obtained by embedding silver nanoparticles in situ with styrene polymerization. <i>Brazilian Journal of Chemical Engineering</i> , 1	1.7	1
18	Membrane distillation for the recovery textile wastewater: Influence of dye concentration. <i>Journal of Water Process Engineering</i> , <b>2022</b> , 46, 102611	6.7	1
17	OTIMIZAÇÃO VIA ALGORITMO SIMULATED ANNEALING DA SEPARAÇÃO DA MISTURA DE COOL ISOBUTÍLICO-ACETATO DE ISOBUTILA ATRAVÉS DA DESTILAÇÃO POR OSCILAÇÃO DE PRESSÃO		1
16	Influence of multi-component composition of dyeing bath in the membrane distillation performance. <i>Chemical Engineering Research and Design</i> , <b>2021</b> , 156, 184-195	5.5	1
15	Energy efficiency comparison between a conventional tray column and a novel heat-intensified thermosyphon-assisted falling film distillation unit: an assessment for mixtures with different relative volatilities. <i>Chemical Engineering Communications</i> , 1-12	2.2	1
14	Development and scale-up of thermoplastic poly(ether-ester) glycol polyurethanes for flexography. <i>Journal of Applied Polymer Science</i> , <b>2021</b> , 138, 51273	2.9	1
13	Flexible and Porous Nonwoven SiCN Ceramic Material via Electrospinning of an Optimized Silazane Solution. <i>Advanced Engineering Materials</i> , 2100321	3.5	1
12	PREDICTIVE CONTROL OF A BATCH POLYMERIZATION SYSTEM USING A FEEDFORWARD NEURAL NETWORK WITH ONLINE ADAPTATION BY GENETIC ALGORITHM. <i>Brazilian Journal of Chemical Engineering</i> , <b>2016</b> , 33, 177-190	1.7	1
11	Nonlinear multivariable tracking control: application to an ethanol process. <i>International Journal of Automation and Control</i> , <b>2019</b> , 13, 440	1.8	1
10	Viscosity monitoring study of the kinetics of aqueous-medium N-vinylpyrrolidone free-radical polymerization. <i>Journal of Applied Polymer Science</i> , <b>2019</b> , 136, 47261	2.9	1
9	A comprehensive investigation of waste expanded polystyrene recycling by dissolution technique combined with nanoprecipitation. <i>Environmental Nanotechnology, Monitoring and Management</i> , <b>2021</b> , 16, 100470	3.3	1
8	Evaluating the bioenergy potential of cupuassu shell through pyrolysis kinetics, thermodynamic parameters of activation, and evolved gas analysis with TG/FTIR technique. <i>Thermochimica Acta</i> , <b>2022</b> , 711, 179187	2.9	1



7	Investigation on prospective bioenergy from pyrolysis of butia seed waste using TGA-FTIR: Assessment of kinetic triplet, thermodynamic parameters and evolved volatiles. <i>Renewable Energy</i> , <b>2022</b> , 191, 238-250	8.1	1
6	A review on the manufacturing techniques of porous hydrophobic ceramic membranes applied to direct contact membrane distillation. <i>Advances in Applied Ceramics</i> , 1-22	2.3	0
5	Experimental Startup of a Distillation Column Using New Proposal of Distributed Heating for Reducing Transients. <i>Computer Aided Chemical Engineering</i> , <b>2009</b> , 27, 1533-1538	0.6	
4	Simulação numérica aplicada para avaliar o efeito da pré-polimerização no comportamento de reatores tubulares. <i>Polimeros</i> , <b>2007</b> , 17, 250-257	1.6	
3	Temperature Control of Reactors Using Neural Networks. <i>IFAC Postprint Volumes IPPV / International Federation of Automatic Control</i> , <b>1998</b> , 31, 471-476		
2	Flexible and Porous Nonwoven SiCN Ceramic Material via Electrospinning of an Optimized Silazane Solution. <i>Advanced Engineering Materials</i> , <b>2022</b> , 24, 2270005	3.5	
1	Triethylene glycol recovery by an energetically intensified thermosyphon-assisted falling film distillation unit: Experimental assessment on a pilot-scale unit and in-silico comparison with a conventional column from natural gas processing. <i>Chemical Engineering and Processing: Process Intensification</i> , <b>2022</b> , 176, 108970	3.7	