

Tatjana I Djukic

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8119124/publications.pdf>

Version: 2024-02-01

27
papers

594
citations

623188

14
h-index

610482

24
g-index

27
all docs

27
docs citations

27
times ranked

1023
citing authors

#	ARTICLE	IF	CITATIONS
1	Association of GSTO1, GSTO2, GSTP1, GPX1 and SOD2 polymorphism with primary open angle glaucoma. <i>Experimental Eye Research</i> , 2022, 214, 108863.	1.2	2
2	The Polymorphisms of Genes Encoding Catalytic Antioxidant Proteins Modulate the Susceptibility and Progression of Testicular Germ Cell Tumor. <i>Cancers</i> , 2022, 14, 1068.	1.7	6
3	<i>SOD2</i> rs4880 and <i>GPX1</i> rs1050450 polymorphisms do not confer risk of COVID-19, but influence inflammation or coagulation parameters in Serbian cohort. <i>Redox Report</i> , 2022, 27, 85-91.	1.4	14
4	GSTO1, GSTO2 and ACE2 Polymorphisms Modify Susceptibility to Developing COVID-19. <i>Journal of Personalized Medicine</i> , 2022, 12, 458.	1.1	11
5	Antioxidant Genetic Profile Modifies Probability of Developing Neurological Sequelae in Long-COVID. <i>Antioxidants</i> , 2022, 11, 954.	2.2	10
6	The association of glutathione transferase omega polymorphisms with laboratory inflammatory parameters in COVID-19. , 2022, 55, 59-66.		0
7	GSTP1 and GSTM3 Variant Alleles Affect Susceptibility and Severity of COVID-19. <i>Frontiers in Molecular Biosciences</i> , 2021, 8, 747493.	1.6	17
8	The influence of subchronic co-application of vitamins B6 and folic acid on cardiac oxidative stress and biochemical markers in monocrotaline-induced heart failure in male Wistar albino rats. <i>Canadian Journal of Physiology and Pharmacology</i> , 2020, 98, 93-102.	0.7	4
9	Folic acid affects cardiometabolic, oxidative stress, and immunohistochemical parameters in monocrotaline-induced rat heart failure. <i>Canadian Journal of Physiology and Pharmacology</i> , 2020, 98, 708-716.	0.7	6
10	Glutathione Transferase P1 Polymorphism Might Be a Risk Determinant in Heart Failure. <i>Disease Markers</i> , 2019, 2019, 1-11.	0.6	20
11	Markers of Oxidative Stress and Endothelial Dysfunction Predict Haemodialysis Patients Survival. <i>American Journal of Nephrology</i> , 2019, 50, 115-125.	1.4	19
12	GSTO1*CC Genotype (rs4925) Predicts Shorter Survival in Clear Cell Renal Cell Carcinoma Male Patients. <i>Cancers</i> , 2019, 11, 2038.	1.7	9
13	Glutathione Transferases: Potential Targets to Overcome Chemoresistance in Solid Tumors. <i>International Journal of Molecular Sciences</i> , 2018, 19, 3785.	1.8	90
14	The association of hs-CRP and fibrinogen with anthropometric and lipid parameters in non-obese adolescent girls with polycystic ovary syndrome. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2018, 31, 1213-1220.	0.4	12
15	GSTM1-null and GSTT1-active genotypes as risk determinants of primary open angle glaucoma among smokers. <i>International Journal of Ophthalmology</i> , 2018, 11, 1514-1520.	0.5	5
16	Upregulated glutathione transferase omega-1 correlates with progression of urinary bladder carcinoma. <i>Redox Report</i> , 2017, 22, 486-492.	1.4	18
17	GSTO1*C/GSTO2*C haplotype is associated with risk of transitional cell carcinoma of urinary bladder. <i>International Urology and Nephrology</i> , 2015, 47, 625-630.	0.6	7
18	Effect of hyperglycemia and hyperinsulinemia on glutathione peroxidase activity in non-obese women with polycystic ovary syndrome. <i>Hormones</i> , 2014, 14, 101-8.	0.9	23

#	ARTICLE	IF	CITATIONS
19	Association Between C-Reactive Protein, Anthropometric and Lipid Parameters Among Healthy Normal Weight and Overweight Postmenopausal Women in Montenegro. <i>Laboratory Medicine</i> , 2014, 45, 12-16.	0.8	28
20	Does Occupational Exposure to Solvents and Pesticides in Association with Glutathione S-Transferase A1, M1, P1, and T1 Polymorphisms Increase the Risk of Bladder Cancer? The Belgrade Case-Control Study. <i>PLoS ONE</i> , 2014, 9, e99448.	1.1	25
21	GSTA1, GSTM1, GSTP1, and GSTT1 polymorphisms and susceptibility to smoking-related bladder cancer: A case-control study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013, 31, 1184-1192.	0.8	50
22	Glutathione S-transferase A1, M1, P1 and T1 null or low-activity genotypes are associated with enhanced oxidative damage among haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 202-212.	0.4	56
23	GSTM1-null and GSTA1-low activity genotypes are associated with enhanced oxidative damage in bladder cancer. <i>Redox Report</i> , 2013, 18, 1-7.	1.4	21
24	The Role of Serum VCAM-1 and TNF- α as Predictors of Mortality and Morbidity in Patients with Chronic Heart Failure. <i>Journal of Clinical Laboratory Analysis</i> , 2013, 27, 105-112.	0.9	23
25	Glutathione S-Transferase T1, O1 and O2 Polymorphisms Are Associated with Survival in Muscle Invasive Bladder Cancer Patients. <i>PLoS ONE</i> , 2013, 8, e74724.	1.1	22
26	Markers of Oxidative Damage and Antioxidant Enzyme Activities as Predictors of Morbidity and Mortality in Patients With Chronic Heart Failure. <i>Journal of Cardiac Failure</i> , 2012, 18, 493-501.	0.7	55
27	Byproducts of protein, lipid and DNA oxidative damage and antioxidant enzyme activities in seizure. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2010, 19, 205-210.	0.9	41