

# Andreja RamÅjak

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8120097/publications.pdf>

Version: 2024-02-01

28  
papers

595  
citations

516710

16  
h-index

610901

24  
g-index

30  
all docs

30  
docs citations

30  
times ranked

951  
citing authors

#	ARTICLE	IF	CITATIONS
1	Unravelling the genetic diversity of ruminal bacteria belonging to the CFB phylum. FEMS Microbiology Ecology, 2000, 33, 69-79.	2.7	97
2	Lack of genetic structure in the jellyfish <i>Pelagia noctiluca</i> (Cnidaria: Scyphozoa: Semaestomeae) across European seas. Molecular Phylogenetics and Evolution, 2010, 57, 417-428.	2.7	56
3	Assessing chemical contamination in the coastal waters of the Adriatic Sea using active mussel biomonitoring with <i>Mytilus galloprovincialis</i> . Marine Pollution Bulletin, 2019, 141, 283-298.	5.0	46
4	Assessment of pollution level using <i>Mytilus galloprovincialis</i> as a bioindicator species: The case of the Gulf of Trieste. Marine Pollution Bulletin, 2014, 89, 455-463.	5.0	36
5	Comparative phylogeography of meroplanktonic species, <i>Aurelia</i> spp. and <i>Rhizostoma pulmo</i> (Cnidaria: Tj ETQq1 1,0,784314,4gBT /Ove	2.0	34
6	A Marine Biodiversity Observation Network for Genetic Monitoring of Hard-Bottom Communities (ARMS-MBON). Frontiers in Marine Science, 2020, 7, .	2.5	34
7	Variations of biomarkers response in mussels <i>Mytilus galloprovincialis</i> to low, moderate and high concentrations of organic chemicals and metals. Chemosphere, 2017, 174, 554-562.	8.2	33
8	Microsatellite DNA variation reveals high gene flow and panmictic populations in the Adriatic shared stocks of the European squid and cuttlefish (Cephalopoda). Heredity, 2004, 93, 166-174.	2.6	31
9	Ecological time series and integrative taxonomy unveil seasonality and diversity of the toxic diatom <i>Pseudo-nitzschia</i> H. Peragallo in the northern Adriatic Sea. Harmful Algae, 2020, 93, 101773.	4.8	30
10	Biomaterials and Bioactive Natural Products from Marine Invertebrates: From Basic Research to Innovative Applications. Marine Drugs, 2022, 20, 219.	4.6	26
11	Stem cells of aquatic invertebrates as an advanced tool for assessing ecotoxicological impacts. Science of the Total Environment, 2021, 771, 144565.	8.0	24
12	Systematics and evolution of ruminal species of the genus <i>Prevotella</i> . Folia Microbiologica, 2001, 46, 40-44.	2.3	17
13	p63 in <i>Mytilus galloprovincialis</i> and p53 family members in the phylum Mollusca. Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology, 2009, 154, 264-273.	1.6	17
14	Biochemical biomarker responses to pollution in selected sentinel organisms across the Eastern Mediterranean and the Black Sea. Environmental Science and Pollution Research, 2016, 23, 1789-1804.	5.3	17
15	Redescription of <i>Pelagia benovici</i> into a new jellyfish genus, <i>Mawia</i> , gen. nov., and its phylogenetic position within Pelagiidae (Cnidaria : Scyphozoa : Semaestomeae). Invertebrate Systematics, 2016, 30, 523.	1.3	16
16	Unravelling the genetic diversity of ruminal bacteria belonging to the CFB phylum. FEMS Microbiology Ecology, 2000, 33, 69-79.	2.7	16
17	PCR survey of 50 introns in animals: Cross-amplification of homologous EPIC loci in eight non-bilaterian, protostome and deuterostome phyla. Marine Genomics, 2013, 12, 1-8.	1.1	10
18	Maristemâ€™Stem Cells of Marine/Aquatic Invertebrates: From Basic Research to Innovative Applications. Sustainability, 2018, 10, 526.	3.2	9

#	ARTICLE	IF	CITATIONS
19	Novel polymorphic microsatellite markers for the common pandora ( <i>Pagellus erythrinus</i> ). <i>Molecular Ecology Notes</i> , 2003, 3, 553-555.	1.7	8
20	Reflection of hydrocarbon pollution on hepatic EROD activity in the black goby ( <i>Gobius niger</i> ). <i>Environmental Toxicology and Pharmacology</i> , 2007, 24, 304-310.	4.0	8
21	Variation of parasite and fungi infection between farmed and wild mussels ( <i>Mytilus</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 Association of the United Kingdom, 2018, 98, 1871-1879.	0.8	5
22	Comparative phylogeography of meroplanktonic species, <i>Aurelia</i> spp. and <i>Rhizostoma pulmo</i> (Cnidaria:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 4		
23	Species-specific microsatellite loci for the European squid ( <i>Loligo vulgaris</i> ). <i>Molecular Ecology Notes</i> , 2003, 3, 312-313.	1.7	4
24	Early Pleistocene divergence of <i>Pelagia noctiluca</i> populations (Cnidaria, Medusozoa) between the Atlantic Ocean and the Mediterranean Sea. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2019, 99, 1753-1764.	0.8	3
25	Molecular Microbiology of Gut Bacteria: Genetic Diversity and Community Structure Analysis. <i>Acta Microbiologica Et Immunologica Hungarica</i> , 2003, 50, 395-406.	0.8	2
26	Potential of the hepatic transcriptome expression profile of the striped seabream ( <i>Lithognathus</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 4	1.9	1
27	Introduction to the Proceedings of the 52nd European Marine Biology Symposium. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2018, 98, 1843-1844.	0.8	0
28	Sampling Site Specific Biomarker Responses in Mediterranean Mussels from the Adriatic Sea. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2021, 106, 310-317.	2.7	0