

Kirstine N Bojsen-Müller

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8120566/publications.pdf>

Version: 2024-02-01

51
papers

2,511
citations

279487

23
h-index

197535

49
g-index

52
all docs

52
docs citations

52
times ranked

3405
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | GIP and GLP-2 together improve bone turnover in humans supporting GIPR-GLP-2R co-agonists as future osteoporosis treatment. <i>Pharmacological Research</i> , 2022, 176, 106058. | 3.1 | 13 |
| 2 | Macrophage activation marker sCD163 is associated with liver injury and hepatic insulin resistance in obese patients before and after Roux-en-Y gastric bypass. <i>Physiological Reports</i> , 2022, 10, e15157. | 0.7 | 3 |
| 3 | On measurements of glucagon secretion in healthy, obese, and Roux-en-Y gastric bypass operated individuals using sandwich ELISA. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2022, 82, 75-83. | 0.6 | 7 |
| 4 | Early effects of Roux-en-Y gastric bypass on dietary fatty acid absorption and metabolism in people with obesity and normal glucose tolerance. <i>International Journal of Obesity</i> , 2022, 46, 1359-1365. | 1.6 | 0 |
| 5 | Effect of Meal Texture on Postprandial Glucose Excursions and Gut Hormones After Roux-en-Y Gastric Bypass and Sleeve Gastrectomy. <i>Frontiers in Nutrition</i> , 2022, 9, 889710. | 1.6 | 4 |
| 6 | Effects of Roux-en-Y gastric bypass on circulating follistatin, activin A, and peripheral ActRIIB signaling in humans with obesity and type 2 diabetes. <i>International Journal of Obesity</i> , 2021, 45, 316-325. | 1.6 | 3 |
| 7 | The Role of Hepatic Fat Accumulation in Glucose and Insulin Homeostasis Dysregulation by the Liver. <i>Journal of Clinical Medicine</i> , 2021, 10, 390. | 1.0 | 8 |
| 8 | Follistatin secretion is enhanced by protein, but not glucose or fat ingestion, in obese persons independently of previous gastric bypass surgery. <i>American Journal of Physiology - Renal Physiology</i> , 2021, 320, G753-G758. | 1.6 | 1 |
| 9 | Effects of Manipulating Circulating Bile Acid Concentrations on Postprandial GLP-1 Secretion and Glucose Metabolism After Roux-en-Y Gastric Bypass. <i>Frontiers in Endocrinology</i> , 2021, 12, 681116. | 1.5 | 7 |
| 10 | Healthy Weight Loss Maintenance with Exercise, Liraglutide, or Both Combined. <i>New England Journal of Medicine</i> , 2021, 384, 1719-1730. | 13.9 | 171 |
| 11 | The role of GLP-1 in postprandial glucose metabolism after bariatric surgery: a narrative review of human GLP-1 receptor antagonist studies. <i>Surgery for Obesity and Related Diseases</i> , 2021, 17, 1383-1391. | 1.0 | 19 |
| 12 | Neurotensin secretion after Roux-en-Y gastric bypass, sleeve gastrectomy, and truncal vagotomy with pyloroplasty. <i>Neurogastroenterology and Motility</i> , 2021, , e14210. | 1.6 | 2 |
| 13 | Plasma GDF15 levels are similar between subjects after bariatric surgery and matched controls and are unaffected by meals. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2021, 321, E443-E452. | 1.8 | 5 |
| 14 | Metabolic improvement after gastric bypass correlates with changes in IGF-regulatory proteins stanniocalcin-2 and IGFBP-4. <i>Metabolism: Clinical and Experimental</i> , 2021, 124, 154886. | 1.5 | 8 |
| 15 | Intestinal sensing and handling of dietary lipids in gastric bypass-operated patients and matched controls. <i>American Journal of Clinical Nutrition</i> , 2020, 111, 28-41. | 2.2 | 7 |
| 16 | Mechanisms Underlying Absent Training-Induced Improvement in Insulin Action in Lean, Hyperandrogenic Women With Polycystic Ovary Syndrome. <i>Diabetes</i> , 2020, 69, 2267-2280. | 0.3 | 13 |
| 17 | Bilio-enteric flow and plasma concentrations of bile acids after gastric bypass and sleeve gastrectomy. <i>International Journal of Obesity</i> , 2020, 44, 1872-1883. | 1.6 | 13 |
| 18 | No effects of a 6-week intervention with a glucagon-like peptide-1 receptor agonist on pancreatic volume and oedema in obese men without diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 1837-1846. | 2.2 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | The effect of acute dual SGLT1/SGLT2 inhibition on incretin release and glucose metabolism after gastric bypass surgery. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2020, 318, E956-E964. | 1.8 | 13 |
| 20 | Secretin release after Roux-en-Y gastric bypass reveals a population of glucose-sensitive S cells in distal small intestine. <i>International Journal of Obesity</i> , 2020, 44, 1859-1871. | 1.6 | 25 |
| 21 | Responses of gut and pancreatic hormones, bile acids, and fibroblast growth factor-21 differ to glucose, protein, and fat ingestion after gastric bypass surgery. <i>American Journal of Physiology - Renal Physiology</i> , 2020, 318, G661-G672. | 1.6 | 27 |
| 22 | Mechanisms involved in follistatin-induced hypertrophy and increased insulin action in skeletal muscle. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2019, 10, 1241-1257. | 2.9 | 47 |
| 23 | Sustained Improvements in Glucose Metabolism Late After Roux-En-Y Gastric Bypass Surgery in Patients with and Without Preoperative Diabetes. <i>Scientific Reports</i> , 2019, 9, 15154. | 1.6 | 6 |
| 24 | Pros and cons of Roux en-Y gastric bypass surgery in obese patients with type 2 diabetes. <i>Expert Review of Endocrinology and Metabolism</i> , 2019, 14, 243-257. | 1.2 | 5 |
| 25 | Postprandial Nutrient Handling and Gastrointestinal Hormone Secretion After Roux-en-Y Gastric Bypass vs Sleeve Gastrectomy. <i>Gastroenterology</i> , 2019, 156, 1627-1641.e1. | 0.6 | 99 |
| 26 | Effect of bariatric surgery on plasma GDF15 in humans. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2019, 316, E615-E621. | 1.8 | 25 |
| 27 | Mechanisms of action of a carbohydrate-reduced, high-protein diet in reducing the risk of postprandial hypoglycemia after Roux-en-Y gastric bypass surgery. <i>American Journal of Clinical Nutrition</i> , 2019, 110, 296-304. | 2.2 | 22 |
| 28 | Mechanisms in bariatric surgery: Gut hormones, diabetes resolution, and weight loss. <i>Surgery for Obesity and Related Diseases</i> , 2018, 14, 708-714. | 1.0 | 144 |
| 29 | Systems Signatures Reveal Unique Remission-path of Type 2 Diabetes Following Roux-en-Y Gastric Bypass Surgery. <i>EBioMedicine</i> , 2018, 28, 234-240. | 2.7 | 5 |
| 30 | Plasma Proteome Profiling Reveals Dynamics of Inflammatory and Lipid Homeostasis Markers after Roux-En-Y Gastric Bypass Surgery. <i>Cell Systems</i> , 2018, 7, 601-612.e3. | 2.9 | 80 |
| 31 | Hepatic Insulin Clearance in Regulation of Systemic Insulin Concentrations—Role of Carbohydrate and Energy Availability. <i>Diabetes</i> , 2018, 67, 2129-2136. | 0.3 | 74 |
| 32 | Variable reliability of surrogate measures of insulin sensitivity after Roux-en-Y gastric bypass. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2017, 312, R797-R805. | 0.9 | 15 |
| 33 | Chenodeoxycholic acid stimulates glucagon-like peptide-1 secretion in patients after Roux-en-Y gastric bypass. <i>Physiological Reports</i> , 2017, 5, e13140. | 0.7 | 32 |
| 34 | Circulating Glucagon 1-61 Regulates Blood Glucose by Increasing Insulin Secretion and Hepatic Glucose Production. <i>Cell Reports</i> , 2017, 21, 1452-1460. | 2.9 | 28 |
| 35 | Roux-en-Y gastric bypass surgery of morbidly obese patients induces swift and persistent changes of the individual gut microbiota. <i>Genome Medicine</i> , 2016, 8, 67. | 3.6 | 260 |
| 36 | Effects of endogenous GLP-1 and GIP on glucose tolerance after Roux-en-Y gastric bypass surgery. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2016, 310, E505-E514. | 1.8 | 56 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | No Islet Cell Hyperfunction, but Altered Gut-Islet Regulation and Postprandial Hypoglycemia in Glucose-Tolerant Patients 3 Years After Gastric Bypass Surgery. <i>Obesity Surgery</i> , 2016, 26, 2263-2267. | 1.1 | 20 |
| 38 | In vivo and in vitro degradation of peptide YY ₃₆ to inactive peptide YY ₃₄ in humans. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2016, 310, R866-R874. | 0.9 | 46 |
| 39 | Enhanced insulin signaling in human skeletal muscle and adipose tissue following gastric bypass surgery. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2015, 309, R510-R524. | 0.9 | 42 |
| 40 | Immediate enhancement of first-phase insulin secretion and unchanged glucose effectiveness in patients with type 2 diabetes after Roux-en-Y gastric bypass. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2015, 308, E535-E544. | 1.8 | 62 |
| 41 | Improvements in Glucose Metabolism Early After Gastric Bypass Surgery Are Not Explained by Increases in Total Bile Acids and Fibroblast Growth Factor 19 Concentrations. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, E396-E406. | 1.8 | 89 |
| 42 | Updates in weight loss surgery and gastrointestinal peptides. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2015, 22, 21-28. | 1.2 | 24 |
| 43 | Accelerated protein digestion and amino acid absorption after Roux-en-Y gastric bypass. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 600-607. | 2.2 | 50 |
| 44 | Mechanisms of improved glycaemic control after Roux-en-Y gastric bypass. <i>Danish Medical Journal</i> , 2015, 62, B5057. | 0.5 | 12 |
| 45 | Early Enhancements of Hepatic and Later of Peripheral Insulin Sensitivity Combined With Increased Postprandial Insulin Secretion Contribute to Improved Glycemic Control After Roux-en-Y Gastric Bypass. <i>Diabetes</i> , 2014, 63, 1725-1737. | 0.3 | 220 |
| 46 | Hyperglucagonaemia analysed by glucagon sandwich ELISA: nonspecific interference or truly elevated levels?. <i>Diabetologia</i> , 2014, 57, 1919-1926. | 2.9 | 156 |
| 47 | Effects of gastric bypass surgery on glucose absorption and metabolism during a mixed meal in glucose-tolerant individuals. <i>Diabetologia</i> , 2013, 56, 2250-2254. | 2.9 | 100 |
| 48 | Exaggerated release and preserved insulinotropic action of glucagon-like peptide-1 underlie insulin hypersecretion in glucose-tolerant individuals after Roux-en-Y gastric bypass. <i>Diabetologia</i> , 2013, 56, 2679-2687. | 2.9 | 82 |
| 49 | Reduction in cardiovascular risk factors and insulin dose, but no beta-cell regeneration 1 year after Roux-en-Y gastric bypass in an obese patient with type 1 diabetes: A case report. <i>Obesity Research and Clinical Practice</i> , 2013, 7, e269-e274. | 0.8 | 18 |
| 50 | Increased Hepatic Insulin Clearance After Roux-en-Y Gastric Bypass. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, E1066-E1071. | 1.8 | 66 |
| 51 | Exaggerated Glucagon-Like Peptide 1 Response Is Important for Improved β^2 -Cell Function and Glucose Tolerance After Roux-en-Y Gastric Bypass in Patients With Type 2 Diabetes. <i>Diabetes</i> , 2013, 62, 3044-3052. | 0.3 | 262 |