

Wen-Jun Wei

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8120914/publications.pdf>

Version: 2024-02-01

45
papers

978
citations

567281

15
h-index

477307

29
g-index

45
all docs

45
docs citations

45
times ranked

1463
citing authors

#	ARTICLE	IF	CITATIONS
1	Risk Factors for Neck Nodal Metastasis in Papillary Thyroid Microcarcinoma: A Study of 1066 Patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 1250-1257.	3.6	257
2	Confirmation of papillary thyroid cancer susceptibility loci identified by genome-wide association studies of chromosomes 14q13, 9q22, 2q35 and 8p12 in a Chinese population. <i>Journal of Medical Genetics</i> , 2013, 50, 689-695.	3.2	66
3	Histone methyltransferase KMT5A gene modulates oncogenesis and lipid metabolism of papillary thyroid cancer in vitro. <i>Oncology Reports</i> , 2018, 39, 2185-2192.	2.6	52
4	Surgical Confirmation of Incomplete Treatment for Primary Papillary Thyroid Carcinoma by Percutaneous Thermal Ablation: A Retrospective Case Review and Literature Review. <i>Thyroid</i> , 2018, 28, 1134-1142.	4.5	52
5	Immune Co-inhibitory Receptors PD-1, CTLA-4, TIM-3, LAG-3, and TIGIT in Medullary Thyroid Cancers: A Large Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, 120-132.	3.6	42
6	Association between the rs2910164 Polymorphism in Pre-Mir-146a Sequence and Thyroid Carcinogenesis. <i>PLoS ONE</i> , 2013, 8, e56638.	2.5	37
7	Association of the miR-149 Rs2292832 Polymorphism with Papillary Thyroid Cancer Risk and Clinicopathologic Characteristics in a Chinese Population. <i>International Journal of Molecular Sciences</i> , 2014, 15, 20968-20981.	4.1	34
8	Association study of single nucleotide polymorphisms in mature microRNAs and the risk of thyroid tumor in a Chinese population. <i>Endocrine</i> , 2015, 49, 436-444.	2.3	32
9	Association Between Programmed Death-Ligand 1 Expression and Clinicopathological Characteristics, Structural Recurrence, and Biochemical Recurrence/Persistent Disease in Medullary Thyroid Carcinoma. <i>Thyroid</i> , 2019, 29, 1269-1278.	4.5	27
10	The Efficacy and Safety of Anlotinib in Neoadjuvant Treatment of Locally Advanced Thyroid Cancer: A Single-Arm Phase II Clinical Trial. <i>Thyroid</i> , 2021, 31, 1808-1813.	4.5	27
11	The Trend of Age-Group Effect on Prognosis in Differentiated Thyroid Cancer. <i>Scientific Reports</i> , 2016, 6, 27086.	3.3	25
12	Downregulation of CSN6 attenuates papillary thyroid carcinoma progression by reducing Wnt/β-catenin signaling and sensitizes cancer cells to FH535 therapy. <i>Cancer Medicine</i> , 2018, 7, 285-296.	2.8	23
13	Association between breast cancer and thyroid cancer: A study based on 13978 patients with breast cancer. <i>Cancer Medicine</i> , 2018, 7, 6393-6400.	2.8	21
14	An Update of the Appropriate Treatment Strategies in Anaplastic Thyroid Cancer: A Population-Based Study of 735 Patients. <i>International Journal of Endocrinology</i> , 2019, 2019, 1-7.	1.5	20
15	SNHG9, a Papillary Thyroid Cancer Cell Exosome-Enriched lncRNA, Inhibits Cell Autophagy and Promotes Cell Apoptosis of Normal Thyroid Epithelial Cell Nthy-ori-3 Through YBOX3/P21 Pathway. <i>Frontiers in Oncology</i> , 2021, 11, 647034.	2.8	19
16	Aberrant hypermethylation of the HOXD10 gene in papillary thyroid cancer with BRAFV600E mutation. <i>Oncology Reports</i> , 2018, 39, 338-348.	2.6	17
17	Clinical significance of papillary thyroid cancer risk loci identified by genome-wide association studies. <i>Cancer Genetics</i> , 2015, 208, 68-75.	0.4	14
18	Prognostic value of primary tumor surgery in minor salivary-gland carcinoma patients with distant metastases at diagnosis: first evidence from a SEER-based study. <i>Cancer Management and Research</i> , 2018, Volume 10, 2163-2172.	1.9	13

#	ARTICLE	IF	CITATIONS
19	Predictive factors for recurrence of differentiated thyroid cancer in patients under 21 years of age and a meta-analysis of the current literature. <i>Tumor Biology</i> , 2016, 37, 7797-7808.	1.8	12
20	The extent of lymph node yield in central neck dissection can be affected by preoperative and intraoperative assessment and alter the prognosis of papillary thyroid carcinoma. <i>Cancer Medicine</i> , 2020, 9, 1017-1024.	2.8	12
21	Risk of malignancy in focal thyroid lesions identified by 18F-fluorodeoxyglucose positron emission tomography or positron emission tomography/computed tomography: evidence from a large series of studies. <i>Tumor Biology</i> , 2014, 35, 6139-6147.	1.8	11
22	Verteporfin inhibits papillary thyroid cancer cells proliferation and cell cycle through ERK1/2 signaling pathway. <i>Journal of Cancer</i> , 2018, 9, 1329-1336.	2.5	11
23	Prognostic Nomograms for Predicting Overall Survival and Cancer-Specific Survival of Patients with Major Salivary Gland Mucoepidermoid Carcinoma. <i>Journal of Cancer</i> , 2019, 10, 4380-4388.	2.5	11
24	Lingual ectopic papillary thyroid carcinoma: Two case reports and review of the literature. <i>Oral Oncology</i> , 2019, 88, 186-189.	1.5	11
25	IL-17A increases MHC class I expression and promotes T cell activation in papillary thyroid cancer patients with coexistent Hashimoto's thyroiditis. <i>Diagnostic Pathology</i> , 2019, 14, 52.	2.0	10
26	IL-10 Restores MHC Class I Expression and Interferes With Immunity in Papillary Thyroid Cancer With Hashimoto Thyroiditis. <i>Endocrinology</i> , 2020, 161, .	2.8	10
27	Immune Checkpoint Protein Expression Defines the Prognosis of Advanced Thyroid Carcinoma. <i>Frontiers in Endocrinology</i> , 2022, 13, 859013.	3.5	10
28	Relationship of body mass index with BRAF V600E mutation in papillary thyroid cancer. <i>Tumor Biology</i> , 2016, 37, 8383-8390.	1.8	9
29	The Positive Lymph Node Number and Postoperative N-Staging Used to Estimate Survival in Patients with Differentiated Thyroid Cancer: Results from the Surveillance, Epidemiology, and End Results Dataset (1988-2008). <i>World Journal of Surgery</i> , 2018, 42, 1762-1771.	1.6	9
30	NRG1 regulates redox homeostasis via NRF2 in papillary thyroid cancer. <i>International Journal of Oncology</i> , 2018, 53, 685-693.	3.3	9
31	Lymph node ratio (LNR) as a complementary staging system to TNM staging in salivary gland cancer. <i>European Archives of Oto-Rhino-Laryngology</i> , 2019, 276, 3425-3434.	1.6	9
32	Mitotically associated long non-coding RNA is a tumor promoter in anaplastic thyroid cancer. <i>Annals of Translational Medicine</i> , 2020, 8, 1226-1226.	1.7	9
33	IL-2 enhanced MHC class I expression in papillary thyroid cancer with Hashimoto's thyroiditis overcomes immune escape in vitro. <i>Journal of Cancer</i> , 2020, 11, 4250-4260.	2.5	9
34	Arms-qPCR Improves Detection Sensitivity of Earlier Diagnosis of Papillary Thyroid Cancers With Worse Prognosis Determined by Coexisting BRAF V600E and Tert Promoter Mutations. <i>Endocrine Practice</i> , 2021, 27, 698-705.	2.1	8
35	Different clinicopathologic features predispose to different patterns of distant metastasis with heterogeneous short-term prognosis in patients with differentiated thyroid cancer. <i>Clinical Endocrinology</i> , 2022, 96, 402-412.	2.4	6
36	Silencing of PPM1D inhibits cell proliferation and invasion through the p38 γ /2MAPK and p53 signaling pathway in papillary thyroid carcinoma. <i>Oncology Reports</i> , 2020, 43, 783-794.	2.6	6

#	ARTICLE	IF	CITATIONS
37	Correlation of mismatch repair deficiency with clinicopathological features and programmed death-ligand 1 expression in thyroid carcinoma. <i>Endocrine</i> , 2022, 76, 660-670.	2.3	6
38	Central Lymph Node Status has Significant Prognostic Value in the Clinically Node-Negative Tall-Cell Variant of Papillary Thyroid Cancer Regardless of T-Staging and Radioactive Iodine Administration: First Evidence From a Population-Based Study. <i>Annals of Surgical Oncology</i> , 2018, 25, 2316-2322.	1.5	5
39	A 4 Gene-based Immune Signature Predicts Dedifferentiation and Immune Exhaustion in Thyroid Cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e3208-e3220.	3.6	5
40	PRDM16 Inhibits Cell Proliferation and Migration via Epithelial-to-Mesenchymal Transition by Directly Targeting Pyruvate Carboxylase in Papillary Thyroid Cancer. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 723777.	3.7	4
41	Anatomic extent of lymph node metastases as an independent prognosticator in node-positive major salivary gland carcinoma: A study of the US SEER database and a Chinese multicenter cohort. <i>European Journal of Surgical Oncology</i> , 2019, 45, 2143-2150.	1.0	3
42	Dedifferentiation patterns in DTC: is PDTC an intermediate state between DTC and ATC?. <i>International Journal of Clinical and Experimental Pathology</i> , 2019, 12, 267-274.	0.5	3
43	Multiple lectin assays in detecting glycol-alteration status of serum NRG1 in papillary thyroid cancer. <i>Translational Cancer Research</i> , 2021, 10, 3218-3224.	1.0	2
44	Treating Clinically Node-Negative Insular Thyroid Carcinoma without Prophylactic Central Compartment Neck Dissection Is Associated with Decreased Survival Regardless of T Staging and Administration of Radioactive Iodine Therapy: The First Evidence. <i>International Journal of Endocrinology</i> , 2019, 2019, 1-8.	1.5	0
45	A novel method to reconstruct right recurrent laryngeal nerve by transforming into non recurrent laryngeal nerve: The end-to-free vagal laryngeal branch end anastomosis. <i>Head and Neck</i> , 2021, , .	2.0	0