## Roshan M Borkar

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8121157/publications.pdf

Version: 2024-02-01

		471509	4	434195	
50	1,096	17		31	
papers	citations	h-index		g-index	
50	50	50		1822	
all docs	docs citations	times ranked		citing authors	

#	Article	IF	CITATIONS
1	Naringin ameliorates gentamicin-induced nephrotoxicity and associated mitochondrial dysfunction, apoptosis and inflammation in rats: Possible mechanism of nephroprotection. Toxicology and Applied Pharmacology, 2014, 277, 8-20.	2.8	120
2	Garlic Attenuates Cardiac Oxidative Stress via Activation of PI3K/AKT/Nrf2-Keap1 Pathway in Fructose-Fed Diabetic Rat. PLoS ONE, 2014, 9, e94228.	2.5	114
3	Baicalein alleviates doxorubicin-induced cardiotoxicity via suppression of myocardial oxidative stress and apoptosis in mice. Life Sciences, 2016, 144, 8-18.	4.3	102
4	Enhanced oral bioavailability and anticancer efficacy of fisetin by encapsulating as inclusion complex with $HP\hat{l}^2CD$ in polymeric nanoparticles. Drug Delivery, 2017, 24, 224-232.	5.7	85
5	Formulation and evaluation of cyclodextrin complexes for improved anticancer activity of repurposed drug: Niclosamide. Carbohydrate Polymers, 2019, 212, 252-259.	10.2	55
6	Avascular Necrosis of Femoral Head: A Metabolomic, Biophysical, Biochemical, Electron Microscopic and Histopathological Characterization. Scientific Reports, 2017, 7, 10721.	3.3	53
7	Identification and characterization of stressed degradation products of metoprolol using LC/Qâ€TOFâ€ESlâ€MS/MS and MS <i><sup>n</sup></i> experiments. Biomedical Chromatography, 2012, 26, 720-736.	1.7	38
8	Novel Sulfur Metabolites of Garlic Attenuate Cardiac Hypertrophy and Remodeling through Induction of Na+/K+-ATPase Expression. Frontiers in Pharmacology, 2017, 8, 18.	3.5	37
9	IITZ-01, a novel potent lysosomotropic autophagy inhibitor, has single-agent antitumor efficacy in triple-negative breast cancer in vitro and in vivo. Oncogene, 2019, 38, 581-595.	5.9	36
10	Analytical method development and validation of reverse-phase high-performance liquid chromatography (RP-HPLC) method for simultaneous quantifications of quercetin and piperine in dual-drug loaded nanostructured lipid carriers. Journal of Pharmaceutical and Biomedical Analysis, 2020, 186, 113325.	2.8	35
11	Liquid chromatography/electrospray ionization tandem mass spectrometric study of milnacipran and its stressed degradation products. Rapid Communications in Mass Spectrometry, 2013, 27, 369-374.	1.5	24
12	Lower Serum Vitamin D Metabolite Levels in Relation to Circulating Cytokines/Chemokines and Metabolic Hormones in Pregnant Women with Hypertensive Disorders. Frontiers in Immunology, 2017, 8, 273.	4.8	23
13	Plasma protein binding, pharmacokinetics, tissue distribution and CYP450 biotransformation studies of fidarestat by ultra high performance liquid chromatography–high resolution mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2015, 102, 386-399.	2.8	22
14	Development and validation of liquid chromatography–mass spectrometric method for simultaneous determination of moxifloxacin and ketorolac in rat plasma: application to pharmacokinetic study. Biomedical Chromatography, 2012, 26, 1341-1347.	1.7	21
15	Characterization of degradation products of Ivabradine by LCâ€HRâ€MS/MS: a typical case of exhibition of different degradation behaviour in HCl and H <sub>2</sub> SO <sub>4</sub> acid hydrolysis. Journal of Mass Spectrometry, 2015, 50, 344-353.	1.6	21
16	Systems pharmacology–based integration of human and mouse data for drug repurposing to treat thoracic aneurysms. JCI Insight, 2019, 4, .	5.0	21
17	<i>In vivo</i> metabolic investigation of moxifloxacin using liquid chromatography/electrospray ionization tandem mass spectrometry in combination with online hydrogen/deuterium exchange experiments. Rapid Communications in Mass Spectrometry, 2012, 26, 1817-1831.	1.5	20
18	Lower Vitamin D Metabolites Levels Were Associated With Increased Coronary Artery Diseases in Type 2 Diabetes Patients in India. Scientific Reports, 2016, 6, 37593.	3.3	20

#	Article	IF	CITATIONS
19	Characterization of forced degradation products of ketorolac tromethamine using LC/ESI/Q/TOF/MS/MS and <scp><i>in silico</i></scp> toxicity prediction. Journal of Mass Spectrometry, 2014, 49, 380-391.	1.6	16
20	Levels of parabens and bisphenols in personal care products and urinary concentrations in Indian young adult women: Implications for human exposure and health risk assessment. Chemosphere, 2022, 297, 134028.	8.2	16
21	Identification of forced degradation products of tamsulosin using liquid chromatography/electrospray ionization tandem mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2014, 88, 245-255.	2.8	14
22	Identification and structural characterization of the stress degradation products of omeprazole using Q-TOF-LC-ESI-MS/MS and NMR experiments: evaluation of the toxicity of the degradation products. New Journal of Chemistry, 2019, 43, 7294-7306.	2.8	13
23	Isolation and structural characterization of degradation products of afatinib dimaleate by LC-Q-TOF/MS/MS and NMR: cytotoxicity evaluation of afatinib and isolated degradation products. Journal of Pharmaceutical and Biomedical Analysis, 2019, 166, 139-146.	2.8	13
24	Identification and structural characterization of <i>in vivo</i> metabolites of ketorolac using liquid chromatography electrospray ionization tandem mass spectrometry (LC/ESIâ€MS/MS). Journal of Mass Spectrometry, 2012, 47, 919-931.	1.6	12
25	Identification and characterization of stressed degradation products of rabeprazole using LC-ESI/MS/MS and <sup>1</sup> H-NMR experiments: in vitro toxicity evaluation of major degradation products. RSC Advances, 2016, 6, 10719-10735.	3.6	12
26	Liquid chromatography electrospray ionization tandem mass spectrometry study of nilutamide and its stress degradation products: <i>in silico</i> toxicity prediction of degradation products. Biomedical Chromatography, 2014, 28, 788-793.	1.7	11
27	Identification and structural characterization of in vivo metabolites of balofloxacin in rat plasma, urine and feces samples using Q-TOF/LC/ESI/MS/MS: In silico toxicity studies. Journal of Pharmaceutical and Biomedical Analysis, 2018, 159, 200-211.	2.8	11
28	Quantitative Application to a Polypill by the Development of Stability Indicating LC Method for the Simultaneous Estimation of Aspirin, Atorvastatin, Atenolol and Losartan Potassium. American Journal of Analytical Chemistry, 2010, 01, 59-69.	0.9	11
29	Extraction of small molecule from human plasma by prototyping 3D printed sorbent through extruded filament for LC-MS/MS analysis. Analytica Chimica Acta, 2021, 1187, 339142.	5.4	11
30	Identification of leads for antiproliferative activity on MDA-MB-435 human breast cancer cells through pharmacophore and CYP1A1-mediated metabolism. European Journal of Medicinal Chemistry, 2016, 115, 82-93.	5 <b>.</b> 5	10
31	Forced degradation studies of lansoprazole using LCâ€ESI HRMS and <sup>1</sup> Hâ€NMR experiments: <i>in vitro</i> toxicity evaluation of major degradation products. Journal of Mass Spectrometry, 2017, 52, 459-471.	1.6	10
32	Identification and characterization of stress degradation products of sumatriptan succinate by using LC/Qâ€TOFâ€ESIâ€MS/MS and NMR: Toxicity evaluation of degradation products. Journal of Mass Spectrometry, 2018, 53, 963-975.	1.6	10
33	Estimation of parabens and bisphenols in maternal products and urinary concentrations in Indian pregnant women: daily intake and health risk assessment. Environmental Science and Pollution Research, 2022, 29, 21642-21655.	<b>5.</b> 3	10
34	Vitamin D Supplementation Modulates Platelet-Mediated Inflammation in Subjects With Type 2 Diabetes: A Randomized, Double-Blind, Placebo-Controlled Trial. Frontiers in Immunology, 2022, 13, .	4.8	10
35	An evaluation of the CYP2D6 and CYP3A4 inhibition potential of metoprolol metabolites and their contribution to drug–drug and drug–herb interaction by LCâ€ESI/MS/MS. Biomedical Chromatography, 2016, 30, 1556-1572.	1.7	8
36	Analytical developments of <i>p</i> â€hydroxy prenylamine reference material for dope control research: Characterization and purity assessment. Drug Testing and Analysis, 2022, 14, 224-232.	2.6	8

#	Article	IF	Citations
37	In Vitro and In Vivo Evaluations of Berberine-Loaded Microparticles Filled In-House 3D Printed Hollow Capsular Device for Improved Oral Bioavailability. AAPS PharmSciTech, 2022, 23, 89.	3.3	7
38	Study of Forced Degradation Behaviour of Brinzolamide Using LC–ESI–Q-TOF and In Silico Toxicity Prediction. Chromatographia, 2016, 79, 1293-1308.	1.3	6
39	RP-HPLC SEPARATION METHOD FOR INDIVIDUAL COMPONENTS OF POLYCAP IN PRESENCE OF THEIR DEGRADATION/INTERACTION PRODUCTS. Journal of Liquid Chromatography and Related Technologies, 2012, 35, 662-676.	1.0	5
40	Synthesis, Characterizations, and Use of O-Stearoyl Mannose Ligand-Engineered Lipid Nanoarchitectonics for Alveolar Macrophage Targeting. Assay and Drug Development Technologies, 2020, 18, 249-260.	1,2	5
41	Transporter-mediated drug–drug interactions: advancement in models, analytical tools, and regulatory perspective. Drug Metabolism Reviews, 2021, 53, 285-320.	3.6	5
42	Determination of bisphenols and parabens in cow urine distillate from India: implication of human exposure and risk assessment. Environmental Science and Pollution Research, 2022, 29, 52507-52519.	5.3	4
43	In vivometabolic investigation of silodosin using UHPLC-QTOF-MS/MS andin silicotoxicological screening of its metabolites. Journal of Mass Spectrometry, 2016, 51, 867-882.	1.6	3
44	Stress Degradation Behavior of a Polypill and Development of Stability Indicating UHPLC Method for the Simultaneous Estimation of Aspirin, Atorvastatin, Ramipril and Metoprolol Succinate. American Journal of Analytical Chemistry, 2011, 02, 401-410.	0.9	3
45	Implications of endocrine-disrupting chemicalsÂon polycystic ovarian syndrome:ÂA comprehensive review. Environmental Science and Pollution Research, 2022, 29, 58484-58513.	5.3	2
46	Stress degradation study of bortezomib: effect of co-solvent, isolation and characterization of degradation products by UHPLC-Q-TOF-MS/MS and NMR and evaluation of the toxicity of the degradation products. New Journal of Chemistry, 2021, 45, 8178-8191.	2.8	1
47	Development and validation of UPLC-MS/MS method for in vitro quantitative analysis of pyrazinamide in lipid core-shell nanoarchitectonics for improved metabolic stability. Acta Chromatographica, 2021,	1.3	1
48	A sensitive UPLC/ESI/MS/MS method for concomitant quantification of active plant constituent combinations in rat plasma after single oral administration. Analytical Methods, 2022, 14, 834-842.	2.7	1
49	Identification and characterization of in vitro and in vivo fidarestat metabolites: Toxicity and efficacy evaluation of metabolites. Journal of Mass Spectrometry, 2021, 56, e4694.	1.6	0
50	A validated chiral chromatographic method for the enantiomeric separation of acalabrutinib. Chirality, $0$ , , .	2.6	0