

Askin Ates

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8122382/publications.pdf>

Version: 2024-02-01

67
papers

1,262
citations

393982

19
h-index

377514

34
g-index

67
all docs

67
docs citations

67
times ranked

1786
citing authors

#	ARTICLE	IF	CITATIONS
1	Identification of Multiple Genetic Susceptibility Loci in Takayasu Arteritis. <i>American Journal of Human Genetics</i> , 2013, 93, 298-305.	2.6	143
2	Characteristics of vascular involvement in Behçet's disease. <i>Scandinavian Journal of Rheumatology</i> , 2006, 35, 65-68.	0.6	130
3	A multicenter study of patients with adult-onset Still's disease compared with systemic juvenile idiopathic arthritis. <i>Clinical Rheumatology</i> , 2006, 25, 639-644.	1.0	111
4	Identification of Susceptibility Loci in <i>IL6</i> , <i>RPS9</i> , and <i>LILRB3</i> , and an Intergenic Locus on Chromosome 21q22 in Takayasu Arteritis in a Genome-Wide Association Study. <i>Arthritis and Rheumatology</i> , 2015, 67, 1361-1368.	2.9	79
5	Takayasu's arteritis is associated with HLA-B*52, but not with HLA-B*51, in Turkey. <i>Arthritis Research and Therapy</i> , 2012, 14, R27.	1.6	60
6	Analysis of the common genetic component of large-vessel vasculitides through a meta-ImmunoChip strategy. <i>Scientific Reports</i> , 2017, 7, 43953.	1.6	52
7	Association of serum KL-6 levels with interstitial lung disease in patients with connective tissue disease: a cross-sectional study. <i>Clinical Rheumatology</i> , 2016, 35, 663-666.	1.0	44
8	Serum homocysteine level is higher in Behçet's disease with vascular involvement. <i>Rheumatology International</i> , 2005, 25, 42-44.	1.5	43
9	Serum-Soluble Selectin Levels in Patients with Rheumatoid Arthritis and Systemic Sclerosis. <i>Scandinavian Journal of Immunology</i> , 2004, 59, 315-320.	1.3	35
10	Erosive arthritis in a patient with Behçet's disease. <i>Rheumatology International</i> , 2003, 23, 265-267.	1.5	31
11	Anti-interleukin-1 treatment in 26 patients with refractory familial mediterranean fever. <i>Modern Rheumatology</i> , 2017, 27, 350-355.	0.9	31
12	Lack of association of tumor necrosis factor-alpha gene polymorphisms with disease susceptibility and severity in Behçet's disease. <i>Rheumatology International</i> , 2006, 26, 348-353.	1.5	29
13	Predictive value of antibodies to cyclic citrullinated peptide in patients with early arthritis. <i>Clinical Rheumatology</i> , 2007, 26, 499-504.	1.0	28
14	HLA-DRB1 genes and disease severity in rheumatoid arthritis in Turkey. <i>Scandinavian Journal of Rheumatology</i> , 2003, 32, 277-280.	0.6	26
15	Identification of susceptibility loci for Takayasu arteritis through a large multi-ancestral genome-wide association study. <i>American Journal of Human Genetics</i> , 2021, 108, 84-99.	2.6	26
16	Bilateral ocular ischemic syndrome as an initial manifestation of Takayasu's arteritis associated with carotid steal syndrome. <i>Rheumatology International</i> , 2006, 27, 299-302.	1.5	25
17	Effects of rheumatoid factor isotypes on disease activity and severity in patients with rheumatoid arthritis: a comparative study. <i>Clinical Rheumatology</i> , 2007, 26, 538-545.	1.0	24
18	Association of simple hematological parameters with disease manifestations, activity, and severity in patients with systemic sclerosis. <i>Clinical Rheumatology</i> , 2020, 39, 77-83.	1.0	24

#	ARTICLE	IF	CITATIONS
19	The levels of serum-soluble Fas in patients with rheumatoid arthritis and systemic sclerosis. <i>Clinical Rheumatology</i> , 2004, 23, 421-425.	1.0	23
20	The Time Course of Serum C-Reactive Protein is More Predictive of Mortality than its Baseline Level in Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2005, 25, 256-268.	1.1	21
21	Dynamic Doppler Evaluation of the Hand Arteries to Distinguish Between Primary and Secondary Raynaud Phenomenon. <i>American Journal of Roentgenology</i> , 2011, 197, W175-W180.	1.0	19
22	Serum pro-matrix metalloproteinase-3 as an indicator of disease activity and severity in rheumatoid arthritis: comparison with traditional markers. <i>Rheumatology International</i> , 2007, 27, 715-722.	1.5	18
23	PTPN22 gene polymorphism in Takayasu's arteritis. <i>Rheumatology</i> , 2008, 47, 634-635.	0.9	18
24	Dynamic Doppler evaluation of the hand arteries of the patients with Raynaud's disease. <i>Clinical Rheumatology</i> , 2009, 28, 679-683.	1.0	18
25	Association of the PTPN22 gene polymorphism with autoantibody positivity in Turkish rheumatoid arthritis patients. <i>Tissue Antigens</i> , 2011, 78, 56-59.	1.0	15
26	Association between single nucleotide polymorphisms in prospective genes and susceptibility to ankylosing spondylitis and inflammatory bowel disease in a single centre in Turkey. <i>Turkish Journal of Gastroenterology</i> , 2020, 27, 317-324.	0.4	15
27	Factor V Gene (1691A and 4070G) and Prothrombin Gene 20210A Mutations in Patients with Behçet's Disease. <i>Pathophysiology of Haemostasis and Thrombosis: International Journal on Haemostasis and Thrombosis Research</i> , 2003, 33, 157-163.	0.5	14
28	Results for audiology and distortion product and transient evoked otoacoustic emissions in patients with systemic lupus erythematosus. <i>Journal of Laryngology and Otology</i> , 2010, 124, 137-140.	0.4	14
29	Antiphospholipid antibodies and non-thrombotic manifestations of systemic lupus erythematosus. <i>Lupus</i> , 2018, 27, 665-669.	0.8	14
30	Serum C-reactive Protein Level Is Associated with Renal Function and It Affects Echocardiographic Cardiovascular Disease in Pre-Dialysis Patients. <i>Nephron Clinical Practice</i> , 2005, 101, c190-c197.	2.3	12
31	Serum-soluble selectin levels in patients with Behçet's disease. <i>Clinical Rheumatology</i> , 2007, 26, 411-417.	1.0	12
32	Behçet's: A Disease or a Syndrome? Answer from an Expression Profiling Study. <i>PLoS ONE</i> , 2016, 11, e0149052.	1.1	12
33	Retro-orbital granuloma associated with granulomatosis with polyangiitis: a series of nine cases. <i>Rheumatology International</i> , 2015, 35, 1083-1092.	1.5	10
34	Uveitis-related Factors in Patients With Spondyloarthritis: TReasure Real-Life Results. <i>American Journal of Ophthalmology</i> , 2021, 228, 58-64.	1.7	10
35	Methodology of a new inflammatory arthritis registry: TReasure. <i>Turkish Journal of Medical Sciences</i> , 2018, 48, 856-861.	0.4	7
36	Clinical significance of aortic stiffness, carotid intima-media thickness and serum osteoprotegerin level in rheumatoid arthritis patients. <i>Egyptian Rheumatologist</i> , 2019, 41, 111-115.	0.5	7

#	ARTICLE	IF	CITATIONS
37	A case of Behçet's disease associated with necrotizing small vessel vasculitis. <i>Rheumatology International</i> , 2006, 27, 91-93.	1.5	6
38	C-type lectin domain family 12, member A: A common denominator in Behçet's syndrome and acute gouty arthritis. <i>Medical Hypotheses</i> , 2015, 85, 186-191.	0.8	6
39	Efficacy and safety of tofacitinib in rheumatoid arthritis-associated interstitial lung disease: Treasure real-life data. <i>Clinical and Experimental Rheumatology</i> , 0, , .	0.4	6
40	Regular abdominal pain and fever in each menstruation onset: an unusual menses-associated familial Mediterranean fever attacks and a favor result on colchicine treatment. <i>Rheumatology International</i> , 2006, 26, 760-761.	1.5	5
41	Clinical characteristics of pulmonary artery involvement in patients with Behçet's syndrome: single-centre experience of 61 patients. <i>Clinical Rheumatology</i> , 2021, 40, 4127-4134.	1.0	5
42	Analysis of vascular involvement in 460 patients with Behçet's syndrome: Clinical characteristics and associated factors. <i>Joint Bone Spine</i> , 2021, 89, 105277.	0.8	5
43	PREDICTORS OF FEAR OF MOVEMENT IN PATIENTS WITH RHEUMATOID ARTHRITIS. <i>Fizyoterapi Rehabilitasyon</i> , 0, , .	0.0	5
44	Relationship between HLA-DR, HLA-DQ alleles and MEFV gene mutations in familial Mediterranean fever (FMF) patients. <i>Turkish Journal of Gastroenterology</i> , 2005, 16, 143-6.	0.4	5
45	A Case of Wegener's Granulomatosis Complicated With Hydropneumothorax. <i>Journal of Clinical Rheumatology</i> , 2006, 12, 264-265.	0.5	4
46	Indications and risk factors for hospitalization in patients with primary Sjögren syndrome: experience from a tertiary center in Turkey. <i>Clinical Rheumatology</i> , 2022, 41, 1457-1463.	1.0	4
47	Third-degree heart block developing in a female patient with HLA-B27 positive ankylosing spondylitis. <i>Rheumatology International</i> , 2006, 26, 779-780.	1.5	3
48	Complete blood count derived haematological parameters do not correlate with disease activity in patients with radiographic axial spondyloarthritis. <i>Ulusal Romatoloji Dergisi</i> , 2021, 13, 6-11.	0.0	2
49	Urinary 8-isoprostaglandin F2± level in Behçet's disease. <i>Prostaglandins and Other Lipid Mediators</i> , 2005, 78, 96-106.	1.0	1
50	Lack of the Association of the PTPN22 C1858T Gene Polymorphism With Susceptibility to Familial Mediterranean Fever. <i>Archives of Rheumatology</i> , 2016, 31, 107-111.	0.3	1
51	Interstitial Lung Disease in Systemic Sclerosis: A Single-center Retrospective Analysis. <i>Current Rheumatology Reviews</i> , 2022, 18, 150-156.	0.4	1
52	Prognostic factors for relapse and poor outcome in neuro-Behçet's syndrome: results from a clinical long-term follow-up of a single centre. <i>Journal of Neurology</i> , 2022, 269, 2046-2054.	1.8	1
53	High mobility group box- 1 levels may be associated with disease activity of Behçet's disease. <i>Turkish Journal of Medical Sciences</i> , 2021, 51, 2690-2697.	0.4	1
54	Biological and targeted-synthetic disease-modifying anti-rheumatic drugs with concomitant methotrexate or leflunomide in rheumatoid arthritis: real-life Treasure prospective data. <i>Clinical and Experimental Rheumatology</i> , 2021, 39, 852-858.	0.4	1

#	ARTICLE	IF	CITATIONS
55	FRI0395â€¦SWITCHING RATE OF ANTI-TNF AGENTS IN SPONDYLOARTHRITIS PATIENTS: TREASURE â€œ REAL LIFE DATA. , 2019, , .		0
56	THU0410â€¦LIVEITIS RELATED FACTORS IN PATIENTS WITH SPONDYLOARTHRITIS. , 2019, , .		0
57	THU0720-HPRâ€¦FACTORS ASSOCIATED WITH PAIN CATASTROPHIZING IN INDIVIDUALS WITH SYSTEMIC LUPUS ERYTHEMATOSUS. , 2019, , .		0
58	FRI0295â€¦EVALUATION OF CLINICAL CHARACTERISTICS IN BEHCET SYNDROME BY GENDER AND AGE; A SINGLE CENTER EXPERIENCE WITH 665 PATIENTS. , 2019, , .		0
59	FRI0098â€¦SWITCHING RATE OF BIOLOGICAL DMARDS IN RHEUMATOID ARTHRITIS PATIENTS: TREASURE â€œ REAL LIFE DATA. , 2019, , .		0
60	AB0723â€¦SMOKING MAY BE RELATED TO SACROILIITIS IN ENTEROPATHIC ARTHRITIS PATIENTS: TREASURE REAL-LIFE PRELIMINARY DATA. , 2019, , .		0
61	Clinical Features of Patients with Antiphospholipid Syndrome and Differences of Patients with Recurrent Thrombosis, A Single Center Retrospective Study. Journal of Ankara University Faculty of Medicine, 2021, 74, 52-59.	0.0	0
62	Response to Secukinumab Treatment in Active Psoriatic Arthritis Patients- Single Center Experience. Journal of Ankara University Faculty of Medicine, 2021, 74, 161-165.	0.0	0
63	Tofacitinib in Patients with Rheumatoid Arthritis: Single-center Experience Rheumatoid Arthritis and Tofacitinib. Journal of Ankara University Faculty of Medicine, 2020, 73, 20-25.	0.0	0
64	Idiopathic retroperitoneal fibrosis: A single center case series of 17 patients. Ulusal Romatoloji Dergisi, 2020, 12, 22-26.	0.0	0
65	Evaluation of serum pregnancy associated plasma protein-A levels in patients with rheumatoid arthritis. Ulusal Romatoloji Dergisi, 2020, 12, 45-50.	0.0	0
66	Efficacy and safety of tofacitinib in rheumatoid arthritis-associated interstitial lung disease: TReasure real-life data.. Clinical and Experimental Rheumatology, 2022, , .	0.4	0
67	Tuberculin skin test before biologic and targeted therapies: does the same rule apply for all?. Rheumatology International, 2022, 42, 1797-1806.	1.5	0