

Enrique Castelao

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8122401/enrique-castelao-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

90 papers	3,242 citations	24 h-index	55 g-index
93 ext. papers	4,436 ext. citations	6.4 avg, IF	4.31 L-index

#	Paper	IF	Citations
90	Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depression. <i>Nature Genetics</i> , 2018 , 50, 668-681	36.3	1301
89	Meta-analysis of genome-wide association studies of anxiety disorders. <i>Molecular Psychiatry</i> , 2016 , 21, 1391-9	15.1	213
88	Genome-wide Association for Major Depression Through Age at Onset Stratification: Major Depressive Disorder Working Group of the Psychiatric Genomics Consortium. <i>Biological Psychiatry</i> , 2017 , 81, 325-335	7.9	129
87	Determinants of the development of post-traumatic stress disorder, in the general population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 447-57	4.5	106
86	F89. COGNITIVE IMPAIRMENT WORSENING ACROSS AFFECTIVE TO PSYCHOSIS SPECTRUM: A COHORT STUDY OF UNIPOLAR/BIPOLAR DEPRESSION AND BIPOLAR SCHIZOAFFECTIVE DISORDERS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S254-S254	1.3	78
85	An Analysis of Two Genome-wide Association Meta-analyses Identifies a New Locus for Broad Depression Phenotype. <i>Biological Psychiatry</i> , 2017 , 82, 322-329	7.9	68
84	Sleep characteristics and cognitive impairment in the general population: The HypnoLaus study. <i>Neurology</i> , 2017 , 88, 463-469	6.5	63
83	Prevalence and correlates of DSM-5 major depressive and related disorders in the community. <i>Psychiatry Research</i> , 2017 , 250, 50-58	9.9	61
82	Mental disorders in offspring of parents with bipolar and major depressive disorders. <i>Bipolar Disorders</i> , 2012 , 14, 641-53	3.8	59
81	The Genetics of the Mood Disorder Spectrum: Genome-wide Association Analyses of More Than 185,000 Cases and 439,000 Controls. <i>Biological Psychiatry</i> , 2020 , 88, 169-184	7.9	57
80	Prospective associations of depression subtypes with cardio-metabolic risk factors in the general population. <i>Molecular Psychiatry</i> , 2017 , 22, 1026-1034	15.1	54
79	Does Childhood Trauma Moderate Polygenic Risk for Depression? A Meta-analysis of 5765 Subjects From the Psychiatric Genomics Consortium. <i>Biological Psychiatry</i> , 2018 , 84, 138-147	7.9	48
78	Atypical depression and alcohol misuse are related to the cardiovascular risk in the general population. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 128, 282-93	6.5	48
77	Genome-wide gene-environment analyses of major depressive disorder and reported lifetime traumatic experiences in UK Biobank. <i>Molecular Psychiatry</i> , 2020 , 25, 1430-1446	15.1	47
76	Specificity of psychosis, mania and major depression in a contemporary family study. <i>Molecular Psychiatry</i> , 2014 , 19, 209-13	15.1	46
75	The specificity of the familial aggregation of early-onset bipolar disorder: A controlled 10-year follow-up study of offspring of parents with mood disorders. <i>Journal of Affective Disorders</i> , 2016 , 190, 26-33	6.6	45
74	Associations between mood, anxiety or substance use disorders and inflammatory markers after adjustment for multiple covariates in a population-based study. <i>Journal of Psychiatric Research</i> , 2014 , 58, 36-45	5.2	45

73	The protocadherin 17 gene affects cognition, personality, amygdala structure and function, synapse development and risk of major mood disorders. <i>Molecular Psychiatry</i> , 2018 , 23, 400-412	15.1	43
72	Factors associated with comorbidity patterns in full and partial PTSD: findings from the PsyCoLaus study. <i>Comprehensive Psychiatry</i> , 2014 , 55, 837-48	7.3	32
71	The bidirectional relationship between anxiety disorders and circulating levels of inflammatory markers: Results from a large longitudinal population-based study. <i>Depression and Anxiety</i> , 2018 , 35, 360-371	8.4	31
70	Aspirin and statin use and the subsequent development of depression in men and women: Results from a longitudinal population-based study. <i>Journal of Affective Disorders</i> , 2015 , 182, 126-31	6.6	26
69	Mood disorders and circulating levels of inflammatory markers in a longitudinal population-based study. <i>Psychological Medicine</i> , 2018 , 48, 961-973	6.9	26
68	Evidence for chronic low-grade systemic inflammation in individuals with agoraphobia from a population-based prospective study. <i>PLoS ONE</i> , 2015 , 10, e0123757	3.7	25
67	Life events, salivary cortisol, and cognitive performance in nondemented subjects: a population-based study. <i>Neurobiology of Aging</i> , 2017 , 51, 1-8	5.6	24
66	Risk of mental disorders in children of parents with alcohol or heroin dependence: a controlled high-risk study. <i>European Addiction Research</i> , 2012 , 18, 253-64	4.6	24
65	Personality, Cortisol, and Cognition in Non-demented Elderly Subjects: Results from a Population-Based Study. <i>Frontiers in Aging Neuroscience</i> , 2017 , 9, 63	5.3	21
64	The long and painful path towards arthroplasty: a qualitative study. <i>Journal of Health Psychology</i> , 2011 , 16, 549-60	3.1	21
63	Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depressive disorder		21
62	Clinical and course characteristics of depression and all-cause mortality: A prospective population-based study. <i>Journal of Affective Disorders</i> , 2016 , 189, 17-24	6.6	18
61	Childhood adversities as specific contributors to the co-occurrence of posttraumatic stress and alcohol use disorders. <i>Psychiatry Research</i> , 2015 , 228, 251-6	9.9	18
60	Associations of serum uric acid and SLC2A9 variant with depressive and anxiety disorders: a population-based study. <i>PLoS ONE</i> , 2013 , 8, e76336	3.7	18
59	Genome-wide Regional Heritability Mapping Identifies a Locus Within the TOX2 Gene Associated With Major Depressive Disorder. <i>Biological Psychiatry</i> , 2017 , 82, 312-321	7.9	17
58	A genetic risk score is differentially associated with migraine with and without aura. <i>Human Genetics</i> , 2017 , 136, 999-1008	6.3	16
57	Association of CRTC1 polymorphisms with obesity markers in subjects from the general population with lifetime depression. <i>Journal of Affective Disorders</i> , 2016 , 198, 43-9	6.6	15
56	High leptin levels are associated with migraine with aura. <i>Cephalalgia</i> , 2017 , 37, 435-441	6.1	14

55	Anxiety Disorders are Associated with Low Socioeconomic Status in Women but Not in Men. <i>Women's Health Issues</i> , 2017 , 27, 302-307	2.6	14
54	Posttraumatic stress avoidance symptoms as mediators in the development of alcohol use disorders after exposure to childhood sexual abuse in a Swiss community sample. <i>Child Abuse and Neglect</i> , 2015 , 46, 8-15	4.3	14
53	Predictors of remission from PTSD symptoms after sexual and non-sexual trauma in the community: A mediated survival-analytic approach. <i>Psychiatry Research</i> , 2018 , 260, 262-271	9.9	14
52	Psychiatric co-morbidities and cardiovascular risk factors in people with lifetime history of epilepsy of an urban community. <i>Clinical Neurology and Neurosurgery</i> , 2012 , 114, 26-30	2	14
51	Inter-informant agreement and prevalence estimates for mood syndromes: direct interview vs. family history method. <i>Journal of Affective Disorders</i> , 2015 , 171, 120-7	6.6	13
50	Sex-related and non-sex-related comorbidity subtypes of tic disorders: a latent class approach. <i>European Journal of Neurology</i> , 2014 , 21, 700-7, e44-5	6	13
49	Prevalence and correlates of DSM-5 bipolar and related disorders and hyperthymic personality in the community. <i>Journal of Affective Disorders</i> , 2014 , 167, 198-205	6.6	13
48	Tracing the associations between sex, the atypical and the combined atypical-melancholic depression subtypes: A path analysis. <i>Journal of Affective Disorders</i> , 2016 , 190, 807-818	6.6	12
47	Association of Whole-Genome and NETRIN1 Signaling Pathway-Derived Polygenic Risk Scores for Major Depressive Disorder and White Matter Microstructure in the UK Biobank. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019 , 4, 91-100	3.4	12
46	Partially distinct combinations of psychological, metabolic and inflammatory risk factors are prospectively associated with the onset of the subtypes of Major Depressive Disorder in midlife. <i>Journal of Affective Disorders</i> , 2017 , 222, 195-203	6.6	11
45	Influence of MCHR2 and MCHR2-AS1 Genetic Polymorphisms on Body Mass Index in Psychiatric Patients and In Population-Based Subjects with Present or Past Atypical Depression. <i>PLoS ONE</i> , 2015 , 10, e0139155	3.7	11
44	Psychosocial Stress Over the Lifespan, Psychological Factors, and Cardiometabolic Risk in the Community. <i>Psychosomatic Medicine</i> , 2018 , 80, 628-639	3.7	11
43	Dissecting the Shared Genetic Architecture of Suicide Attempt, Psychiatric Disorders, and Known Risk Factors. <i>Biological Psychiatry</i> , 2021 ,	7.9	11
42	Assessment and characterization of phenotypic heterogeneity of anxiety disorders across five large cohorts. <i>International Journal of Methods in Psychiatric Research</i> , 2016 , 25, 255-266	4.3	10
41	Impact of a cis-associated gene expression SNP on chromosome 20q11.22 on bipolar disorder susceptibility, hippocampal structure and cognitive performance. <i>British Journal of Psychiatry</i> , 2016 , 208, 128-37	5.4	10
40	Impact of HSD11B1 polymorphisms on BMI and components of the metabolic syndrome in patients receiving psychotropic treatments. <i>Pharmacogenetics and Genomics</i> , 2015 , 25, 246-58	1.9	9
39	Externalizing disorders and substance use: empirically derived subtypes in a population-based sample of adults. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015 , 50, 7-17	4.5	9
38	French version of the Family Attitude Scale: psychometric properties and relation of attitudes to the respondent's psychiatric status. <i>Psychiatry Research</i> , 2013 , 210, 641-6	9.9	9

37	Infectious, atopic and inflammatory diseases, childhood adversities and familial aggregation are independently associated with the risk for mental disorders: Results from a large Swiss epidemiological study. <i>World Journal of Psychiatry</i> , 2016 , 6, 419-430	3	9
36	Associations of Personality Traits With Chronic Low-Grade Inflammation in a Swiss Community Sample. <i>Frontiers in Psychiatry</i> , 2019 , 10, 819	5	9
35	Classical Human Leukocyte Antigen Alleles and C4 Haplotypes Are Not Significantly Associated With Depression. <i>Biological Psychiatry</i> , 2020 , 87, 419-430	7.9	9
34	Familial Aggregation and Coaggregation of Suicide Attempts and Comorbid Mental Disorders in Adults. <i>JAMA Psychiatry</i> , 2019 , 76, 826-833	14.5	8
33	Subtypes of stuttering determined by latent class analysis in two Swiss epidemiological surveys. <i>PLoS ONE</i> , 2018 , 13, e0198450	3.7	8
32	Factors associated with subjective cognitive decline in dementia-free older adults-A population-based study. <i>International Journal of Geriatric Psychiatry</i> , 2021 , 36, 1188-1196	3.9	8
31	The Lausanne-Genève cohort study of offspring of parents with mood disorders: methodology, findings, current sample characteristics, and perspectives. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017 , 52, 1041-1058	4.5	7
30	Comparing two basic subtypes in OCD across three large community samples: a pure compulsive versus a mixed obsessive-compulsive subtype. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015 , 265, 719-34	5.1	7
29	Common variants at 2q11.2, 8q21.3, and 11q13.2 are associated with major mood disorders. <i>Translational Psychiatry</i> , 2017 , 7, 1273	8.6	7
28	Pure animal phobia is more specific than other specific phobias: epidemiological evidence from the Zurich Study, the ZInEP and the PsyCoLaus. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016 , 266, 567-77	5.1	7
27	The Genetic Architecture of Depression in Individuals of East Asian Ancestry: A Genome-Wide Association Study. <i>JAMA Psychiatry</i> , 2021 , 78, 1258-1269	14.5	7
26	A step beyond the hygiene hypothesis-immune-mediated classes determined in a population-based study. <i>BMC Medicine</i> , 2019 , 17, 75	11.4	6
25	Low emotion-oriented coping and informal help-seeking behaviour as major predictive factors for improvement in major depression at 5-year follow-up in the adult community. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017 , 52, 1169-1182	4.5	6
24	Major depression subtypes are differentially associated with migraine subtype, prevalence and severity. <i>Cephalalgia</i> , 2020 , 40, 347-356	6.1	6
23	A pharmacogenetic risk score for the evaluation of major depression severity under treatment with antidepressants. <i>Drug Development Research</i> , 2020 , 81, 102-113	5.1	6
22	Association of PCK1 with Body Mass Index and Other Metabolic Features in Patients With Psychotropic Treatments. <i>Journal of Clinical Psychopharmacology</i> , 2015 , 35, 544-52	1.7	5
21	Sex differences in neurodevelopmental and common mental disorders examined from three epidemiological perspectives. <i>Psychiatry Research</i> , 2019 , 278, 213-217	9.9	4
20	Do bipolar subjects' responses to personality questionnaires lack reliability? Evidence from the PsyCoLaus study. <i>Psychiatry Research</i> , 2016 , 238, 299-303	9.9	4

19	Subtypes of alcohol use disorder in the general population: A latent class analysis. <i>Psychiatry Research</i> , 2020 , 285, 112712	9.9	4
18	Identifying the Common Genetic Basis of Antidepressant Response. <i>Biological Psychiatry Global Open Science</i> , 2021 ,		4
17	Hypomania Checklist-32 - cross-validation of shorter versions screening for bipolar disorders in an epidemiological study. <i>Acta Psychiatrica Scandinavica</i> , 2017 , 135, 539-547	6.5	3
16	Psychiatric symptoms and response quality to self-rated personality tests: Evidence from the PsyCoLaus study. <i>Psychiatry Research</i> , 2017 , 252, 118-125	9.9	3
15	Hay Fever is Associated with Prevalence, Age of Onset and Persistence of Stuttering. <i>Advances in Neurodevelopmental Disorders</i> , 2020 , 4, 67-73	1.1	3
14	Discrepancies between clinical needs and helpseeking behaviors in co-occurring posttraumatic stress and alcohol use disorders. <i>Comprehensive Psychiatry</i> , 2015 , 62, 209-17	7.3	2
13	Dissecting the shared genetic architecture of suicide attempt, psychiatric disorders and known risk factors		2
12	Social Phobia Is Associated with Delayed Onset of Chickenpox, Measles, and Mumps Infections. <i>Frontiers in Psychiatry</i> , 2016 , 7, 203	5	2
11	Do diurnal cortisol levels mediate the association between sleep disturbances and cognitive impairment?. <i>Neurobiology of Aging</i> , 2018 , 69, 65-67	5.6	2
10	Salivary cortisol and five-year change in cognitive performance in non-demented elderly subjects: a population-based study. <i>Neurobiology of Aging</i> , 2020 , 94, 34-37	5.6	1
9	La satisfaction à l'hôpital. Aspects motivationnels et relationnels dans des entretiens avec des enfants de six à douze ans. <i>Bulletin De Psychologie</i> , 2006 , Numéro 483, 271	0.3	1
8	Childhood adversity patterns differentially cluster with mental disorders and socioeconomic indicators in a large Swiss community sample. <i>Comprehensive Psychiatry</i> , 2021 , 112, 152282	7.3	1
7	Retrospectively assessed trajectories of PTSD symptoms and their subsequent comorbidities. <i>Journal of Psychiatric Research</i> , 2021 , 136, 71-79	5.2	1
6	Psychopathological precursors of the onset of mood disorders in offspring of parents with and without mood disorders: results of a 13-year prospective cohort high-risk study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2021 , 62, 404-413	7.9	1
5	Transcriptome-based polygenic score links depression-related corticolimbic gene expression changes to sex-specific brain morphology and depression risk. <i>Neuropsychopharmacology</i> , 2021 , 46, 2304-2311 ¹	8.7	1
4	Development and validation of a risk calculator for major mood disorders among the offspring of bipolar parents using information collected in routine clinical practice. <i>EClinicalMedicine</i> , 2021 , 39, 101083 ^{11.3}	11.3	0
3	Backtracing persistent biomarker shifts to the age of onset: A novel procedure applied to men and women white blood cell counts in post-traumatic stress disorder. <i>Biomarkers in Neuropsychiatry</i> , 2021 , 4, 100030	3.8	
2	Cortisol, life events and cognition in non-demented subjects: A population-based study. <i>European Psychiatry</i> , 2016 , 33, S77-S78	6	

- 1 Environmental factors in offspring of parents with mood disorders and their role in parent-child transmission: findings from a 14-year prospective high-risk study.. *International Journal of Bipolar Disorders*, **2022**, 10, 11 5.4