

# Merrie Mosedale

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8123503/publications.pdf>

Version: 2024-02-01

29  
papers

2,629  
citations

516561

16  
h-index

501076

28  
g-index

30  
all docs

30  
docs citations

30  
times ranked

4918  
citing authors

#	ARTICLE	IF	CITATIONS
1	Mitochondrial Overload and Incomplete Fatty Acid Oxidation Contribute to Skeletal Muscle Insulin Resistance. <i>Cell Metabolism</i> , 2008, 7, 45-56.	7.2	1,618
2	Drug-Induced liver injury: Advances in mechanistic understanding that will inform risk management. <i>Clinical Pharmacology and Therapeutics</i> , 2017, 101, 469-480.	2.3	155
3	PPAR $\gamma$ coactivator-1 $\alpha$ contributes to exercise-induced regulation of intramuscular lipid droplet programming in mice and humans. <i>Journal of Lipid Research</i> , 2013, 54, 522-534.	2.0	89
4	Sensitivity to hepatotoxicity due to epigallocatechin gallate is affected by genetic background in diversity outbred mice. <i>Food and Chemical Toxicology</i> , 2015, 76, 19-26.	1.8	80
5	Subtoxic Alterations in Hepatocyte-Derived Exosomes: An Early Step in Drug-Induced Liver Injury?. <i>Toxicological Sciences</i> , 2016, 151, 365-375.	1.4	71
6	Application of a Mechanistic Model to Evaluate Putative Mechanisms of Tolvaptan Drug-Induced Liver Injury and Identify Patient Susceptibility Factors. <i>Toxicological Sciences</i> , 2017, 155, 61-74.	1.4	71
7	Expression of Neurexin, Neuroligin, and Their Cytoplasmic Binding Partners in the Pancreatic $\beta$ -Cells and the Involvement of Neuroligin in Insulin Secretion. <i>Endocrinology</i> , 2008, 149, 6006-6017.	1.4	64
8	Bioprinted liver provides early insight into the role of Kupffer cells in TGF- $\beta$ 1 and methotrexate-induced fibrogenesis. <i>PLoS ONE</i> , 2019, 14, e0208958.	1.1	59
9	Candidate Risk Factors and Mechanisms for Tolvaptan-Induced Liver Injury Are Identified Using a Collaborative Cross Approach. <i>Toxicological Sciences</i> , 2017, 156, kfw269.	1.4	46
10	A Systems Biology Approach Utilizing a Mouse Diversity Panel Identifies Genetic Differences Influencing Isoniazid-Induced Microvesicular Steatosis. <i>Toxicological Sciences</i> , 2014, 140, 481-492.	1.4	44
11	miR-122 Release in Exosomes Precedes Overt Tolvaptan-Induced Necrosis in a Primary Human Hepatocyte Micropatterned Coculture Model. <i>Toxicological Sciences</i> , 2018, 161, 149-158.	1.4	40
12	Quantitative Systems Toxicology Analysis of <i>In Vitro</i> Mechanistic Assays Reveals Importance of Bile Acid Accumulation and Mitochondrial Dysfunction in TAK-875-Induced Liver Injury. <i>Toxicological Sciences</i> , 2019, 167, 458-467.	1.4	35
13	Understanding Idiosyncratic Toxicity: Lessons Learned from Drug-Induced Liver Injury. <i>Journal of Medicinal Chemistry</i> , 2020, 63, 6436-6461.	2.9	34
14	Neurexin-1 $\alpha$ Contributes to Insulin-containing Secretory Granule Docking. <i>Journal of Biological Chemistry</i> , 2012, 287, 6350-6361.	1.6	32
15	Hepatocyte-Derived Exosomes Promote Liver Immune Tolerance: Possible Implications for Idiosyncratic Drug-Induced Liver Injury. <i>Toxicological Sciences</i> , 2019, 170, 499-508.	1.4	30
16	Refining Liver Safety Risk Assessment: Application of Mechanistic Modeling and Serum Biomarkers to Cimaglermin Alfa (GGF2) Clinical Trials. <i>Clinical Pharmacology and Therapeutics</i> , 2017, 102, 961-969.	2.3	29
17	Identification of Candidate Risk Factor Genes for Human Idelalisib Toxicity Using a Collaborative Cross Approach. <i>Toxicological Sciences</i> , 2019, 172, 265-278.	1.4	22
18	Transient Changes in Hepatic Physiology That Alter Bilirubin and Bile Acid Transport May Explain Elevations in Liver Chemistries Observed in Clinical Trials of GGF2 (Cimaglermin Alfa). <i>Toxicological Sciences</i> , 2018, 161, 401-411.	1.4	17

#	ARTICLE	IF	CITATIONS
19	Dysregulation of protein degradation pathways may mediate the liver injury and phospholipidosis associated with a cationic amphiphilic antibiotic drug. <i>Toxicology and Applied Pharmacology</i> , 2014, 280, 21-29.	1.3	14
20	Pregnancy-Related Hormones Increase Nifedipine Metabolism in Human Hepatocytes by Inducing CYP3A4 Expression. <i>Journal of Pharmaceutical Sciences</i> , 2021, 110, 412-421.	1.6	14
21	Optimized Methods to Explore the Mechanistic and Biomarker Potential of Hepatocyte-Derived Exosomes in Drug-Induced Liver Injury. <i>Toxicological Sciences</i> , 2018, 163, 92-100.	1.4	13
22	Tolvaptan- and Tolvaptan-Metabolite-Responsive T Cells in Patients with Drug-Induced Liver Injury. <i>Chemical Research in Toxicology</i> , 2020, 33, 2745-2748.	1.7	13
23	Human-relevant mechanisms and risk factors for TAK-875-Induced liver injury identified via a gene pathway-based approach in Collaborative Cross mice. <i>Toxicology</i> , 2021, 461, 152902.	2.0	12
24	Differential Detergent Fractionation of Membrane Protein From Small Samples of Hepatocytes and Liver Tissue for Quantitative Proteomic Analysis of Drug Metabolizing Enzymes and Transporters. <i>Journal of Pharmaceutical Sciences</i> , 2021, 110, 87-96.	1.6	8
25	Mouse Population-Based Approaches to Investigate Adverse Drug Reactions. <i>Drug Metabolism and Disposition</i> , 2018, 46, 1787-1795.	1.7	7
26	Characterization of primary mouse hepatocyte spheroids as a model system to support investigations of drug-induced liver injury. <i>Toxicology in Vitro</i> , 2021, 70, 105010.	1.1	6
27	Challenges and Solutions for Future Pharmacy Practice in the Era of Precision Medicine. <i>American Journal of Pharmaceutical Education</i> , 2018, 82, 6652.	0.7	4
28	Shedding Light on Drug-Induced Liver Injury: Activation of T Cells From Drug Naive Human Donors With Tolvaptan and a Hydroxybutyric Acid Metabolite. <i>Toxicological Sciences</i> , 2021, 179, 95-107.	1.4	2
29	Fit-For-Purpose Hepatocyte Models Enable the Identification of Early Events Contributing to Idelalisib-Induced Liver Injury. <i>Applied in Vitro Toxicology</i> , 2020, 6, 110-119.	0.6	0