

Ana Joo Rodrigues

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8123559/ana-joao-rodrigues-publications-by-year.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

72
papers

2,882
citations

27
h-index

53
g-index

92
ext. papers

4,105
ext. citations

6.4
avg, IF

4.86
L-index

#	Paper	IF	Citations
72	Distinct role of nucleus accumbens D2-MSN projections to ventral pallidum in different phases of motivated behavior.. <i>Cell Reports</i> , 2022 , 38, 110380	10.6	1
71	Evaluation of the genetic risk for COVID-19 outcomes in COPD and differences among worldwide populations.. <i>PLoS ONE</i> , 2022 , 17, e0264009	3.7	1
70	The Duration of Stress Determines Sex Specificities in the Vulnerability to Depression and in the Morphologic Remodeling of Neurons and Microglia.. <i>Frontiers in Behavioral Neuroscience</i> , 2022 , 16, 834821	3.5	0
69	Chronic Stress Does Not Influence the Survival of Mouse Models of Glioblastoma.. <i>Frontiers in Oncology</i> , 2022 , 12, 856210	5.3	
68	Cell Cycle Regulation of Hippocampal Progenitor Cells in Experimental Models of Depression and after Treatment with Fluoxetine. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2
67	Resilience to stress and sex-specific remodeling of microglia and neuronal morphology in a rat model of anxiety and anhedonia. <i>Neurobiology of Stress</i> , 2021 , 14, 100302	7.6	10
66	Recent Advances in the Synthesis of the Antidepressant Paroxetine. <i>Current Medicinal Chemistry</i> , 2021 , 28, 2960-2973	4.3	
65	Prenatal Glucocorticoid-Exposed Infants Do Not Show an Age-Typical Fear Bias at 8 Months of Age - Preliminary Findings From the FinnBrain Birth Cohort Study. <i>Frontiers in Psychology</i> , 2021 , 12, 655654	3.4	0
64	Laterodorsal tegmentum-ventral tegmental area projections encode positive reinforcement signals. <i>Journal of Neuroscience Research</i> , 2021 , 99, 3084-3100	4.4	1
63	Hippocampal cytogenesis abrogation impairs inter-regional communication between the hippocampus and prefrontal cortex and promotes the time-dependent manifestation of emotional and cognitive deficits. <i>Molecular Psychiatry</i> , 2021 ,	15.1	3
62	Suppression of adult cytogenesis in the rat brain leads to sex-differentiated disruption of the HPA axis activity.. <i>Cell Proliferation</i> , 2021 , e13165	7.9	1
61	Alexithymic Traits and Hair Cortisol Concentrations in Pregnant Women. <i>Frontiers in Psychiatry</i> , 2020 , 11, 421	5	2
60	Maternal prenatal psychological distress and hair cortisol levels associate with infant fecal microbiota composition at 2.5 months of age. <i>Psychoneuroendocrinology</i> , 2020 , 119, 104754	5	12
59	Glial cells in Parkinson's disease: protective or deleterious?. <i>Cellular and Molecular Life Sciences</i> , 2020 , 77, 5171-5188	10.3	10
58	Amygdalar corticotropin-releasing factor mediates stress-induced anxiety. <i>Brain Research</i> , 2020 , 1729, 146622	3.7	5
57	Signatures of brain criticality unveiled by maximum entropy analysis across cortical states. <i>Physical Review E</i> , 2020 , 102, 012408	2.4	4
56	miR-409 and miR-411 Modulation in the Adult Brain of a Rat Model of Depression and After Fluoxetine Treatment. <i>Frontiers in Behavioral Neuroscience</i> , 2020 , 14, 136	3.5	3

55	Nucleus accumbens medium spiny neurons subtypes signal both reward and aversion. <i>Molecular Psychiatry</i> , 2020 , 25, 3241-3255	15.1	34
54	The Microbiota-Gut-Brain Axis. <i>Physiological Reviews</i> , 2019 , 99, 1877-2013	47.9	979
53	Role of laterodorsal tegmentum projections to nucleus accumbens in reward-related behaviors. <i>Nature Communications</i> , 2019 , 10, 4138	17.4	18
52	Criticality between Cortical States. <i>Physical Review Letters</i> , 2019 , 122, 208101	7.4	71
51	P.2.22 Finding new secretomes for Parkinson's disease regenerative medicine applications. <i>European Neuropsychopharmacology</i> , 2019 , 29, S670-S671	1.2	
50	Maternal prenatal hair cortisol is associated with prenatal depressive symptom trajectories. <i>Psychoneuroendocrinology</i> , 2019 , 109, 104383	5	19
49	The correlation between serum vascular endothelial growth factor (VEGF) and tumor VEGF receptor 3 in colorectal cancer. <i>Annals of Surgical Treatment and Research</i> , 2019 , 97, 15-20	2	10
48	Region-specific control of microglia by adenosine A receptors: uncoupling anxiety and associated cognitive deficits in female rats. <i>Glia</i> , 2019 , 67, 182-192	9	19
47	Evidence for lack of direct causality between pain and affective disturbances in a rat peripheral neuropathy model. <i>Genes, Brain and Behavior</i> , 2019 , 18, e12542	3.6	13
46	Hair cortisol concentration (HCC) as a measure for prenatal psychological distress - A systematic review. <i>Psychoneuroendocrinology</i> , 2018 , 92, 21-28	5	21
45	Mild Prenatal Stress Causes Emotional and Brain Structural Modifications in Rats of Both Sexes. <i>Frontiers in Behavioral Neuroscience</i> , 2018 , 12, 129	3.5	37
44	Anxiety-like behavior and structural changes of the bed nucleus of the stria terminalis (BNST) in gestational protein-restricted male offspring. <i>Journal of Developmental Origins of Health and Disease</i> , 2018 , 9, 536-543	2.4	7
43	Nucleus Accumbens Microcircuit Underlying D2-MSN-Driven Increase in Motivation. <i>ENeuro</i> , 2018 , 5,	3.9	27
42	Sorting nexin 3 mutation impairs development and neuronal function in <i>Caenorhabditis elegans</i> . <i>Cellular and Molecular Life Sciences</i> , 2018 , 75, 2027-2044	10.3	8
41	Trait determinants of impulsive behavior: a comprehensive analysis of 188 rats. <i>Scientific Reports</i> , 2018 , 8, 17666	4.9	8
40	Coupled variability in primary sensory areas and the hippocampus during spontaneous activity. <i>Scientific Reports</i> , 2017 , 7, 46077	4.9	6
39	Tau-dependent suppression of adult neurogenesis in the stressed hippocampus. <i>Molecular Psychiatry</i> , 2017 , 22, 1110-1118	15.1	39
38	Impact of the Secretome of Human Mesenchymal Stem Cells on Brain Structure and Animal Behavior in a Rat Model of Parkinson's Disease. <i>Stem Cells Translational Medicine</i> , 2017 , 6, 634-646	6.9	102

37	Adenosine A receptor regulation of microglia morphological remodeling-gender bias in physiology and in a model of chronic anxiety. <i>Molecular Psychiatry</i> , 2017 , 22, 1035-1043	15.1	51
36	Impairments in laterodorsal tegmentum to VTA projections underlie glucocorticoid-triggered reward deficits. <i>ELife</i> , 2017 , 6,	8.9	9
35	Activation of D2 dopamine receptor-expressing neurons in the nucleus accumbens increases motivation. <i>Nature Communications</i> , 2016 , 7, 11829	17.4	98
34	Day and night surgery: is there any influence in the patient postoperative period of urgent colorectal intervention?. <i>International Journal of Colorectal Disease</i> , 2016 , 31, 525-33	3	11
33	Chronic Stress and Glucocorticoids: From Neuronal Plasticity to Neurodegeneration. <i>Neural Plasticity</i> , 2016 , 2016, 6391686	3.3	130
32	Reappraising striatal D1- and D2-neurons in reward and aversion. <i>Neuroscience and Biobehavioral Reviews</i> , 2016 , 68, 370-386	9	67
31	Novel candidate blood-based transcriptional biomarkers of Machado-Joseph disease. <i>Movement Disorders</i> , 2015 , 30, 968-75	7	20
30	Stress induced risk-aversion is reverted by D2/D3 agonist in the rat. <i>European Neuropsychopharmacology</i> , 2015 , 25, 1744-52	1.2	16
29	ISDN2014_0325: Lack of H3K4 demethylase rbr-2/KDM5C leads to GABA-related behavioral defects in <i>C. elegans</i> . <i>International Journal of Developmental Neuroscience</i> , 2015 , 47, 100-100	2.7	
28	Female hippocampus vulnerability to environmental stress, a precipitating factor in Tau aggregation pathology. <i>Journal of Alzheimers Disease</i> , 2015 , 43, 763-74	4.3	28
27	A transcriptomic signature mediated by HOXA9 promotes human glioblastoma initiation, aggressiveness and resistance to temozolomide. <i>Oncotarget</i> , 2015 , 6, 7657-74	3.3	34
26	Heterozygous deletion of the Williams-Beuren syndrome critical interval in mice recapitulates most features of the human disorder. <i>Human Molecular Genetics</i> , 2014 , 23, 6481-94	5.6	43
25	Omental whirl associated with bilateral inguinal hernia: a case report. <i>Journal of Medical Case Reports</i> , 2014 , 8, 239	1.2	6
24	Submucosal lesion of the oesophagus: not everything is what it seems. <i>BMJ Case Reports</i> , 2014 , 2014,	0.9	
23	The motivational drive to natural rewards is modulated by prenatal glucocorticoid exposure. <i>Translational Psychiatry</i> , 2014 , 4, e397	8.6	12
22	The future is now: early life events preset adult behaviour. <i>Acta Physiologica</i> , 2014 , 210, 46-57	5.6	35
21	Ileal intussusception due to a parasite egg: a case report. <i>World Journal of Gastroenterology</i> , 2014 , 20, 13191-4	5.6	
20	Behavioral characterization of the 6-hydroxidopamine model of Parkinson's disease and pharmacological rescuing of non-motor deficits. <i>Molecular Neurodegeneration</i> , 2013 , 8, 14	19	111

19	Unveiling the effects of the secretome of mesenchymal progenitors from the umbilical cord in different neuronal cell populations. <i>Biochimie</i> , 2013 , 95, 2297-303	4.6	36
18	Gestational protein restriction induces CA3 dendritic atrophy in dorsal hippocampal neurons but does not alter learning and memory performance in adult offspring. <i>International Journal of Developmental Neuroscience</i> , 2013 , 31, 151-6	2.7	11
17	Using <i>C. elegans</i> to decipher the cellular and molecular mechanisms underlying neurodevelopmental disorders. <i>Molecular Neurobiology</i> , 2013 , 48, 465-89	6.2	26
16	Dopaminergic modulation of affective and social deficits induced by prenatal glucocorticoid exposure. <i>Neuropsychopharmacology</i> , 2013 , 38, 2068-79	8.7	25
15	Glucocorticoid programming of the mesopontine cholinergic system. <i>Frontiers in Endocrinology</i> , 2013 , 4, 190	5.7	13
14	Stress shifts the response of the bed nucleus of the stria terminalis to an anxiogenic mode. <i>European Journal of Neuroscience</i> , 2012 , 36, 3396-406	3.5	36
13	Mechanisms of initiation and reversal of drug-seeking behavior induced by prenatal exposure to glucocorticoids. <i>Molecular Psychiatry</i> , 2012 , 17, 1295-305	15.1	41
12	The bed nucleus of stria terminalis and the amygdala as targets of antenatal glucocorticoids: implications for fear and anxiety responses. <i>Psychopharmacology</i> , 2012 , 220, 443-53	4.7	31
11	Programming effects of antenatal corticosteroids exposure in male sexual behavior. <i>Journal of Sexual Medicine</i> , 2011 , 8, 1965-74	1.1	12
10	Potential programming of dopaminergic circuits by early life stress. <i>Psychopharmacology</i> , 2011 , 214, 107-20	4.7	68
9	Absence of ataxin-3 leads to enhanced stress response in <i>C. elegans</i> . <i>PLoS ONE</i> , 2011 , 6, e18512	3.7	19
8	Ataxin-3 plays a role in mouse myogenic differentiation through regulation of integrin subunit levels. <i>PLoS ONE</i> , 2010 , 5, e11728	3.7	24
7	Absence of ataxin-3 leads to cytoskeletal disorganization and increased cell death. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2010 , 1803, 1154-63	4.9	35
6	Kinetic profile of the transcriptome changes induced in the choroid plexus by peripheral inflammation. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2009 , 29, 921-32	7.3	82
5	ATX-3, CDC-48 and UBXN-5: a new trimolecular complex in <i>Caenorhabditis elegans</i> . <i>Biochemical and Biophysical Research Communications</i> , 2009 , 386, 575-81	3.4	13
4	Lipocalin 2 is a choroid plexus acute-phase protein. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2008 , 28, 450-5	7.3	69
3	NEDD8: a new ataxin-3 interactor. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2007 , 1773, 1619-27	4.9	47
2	Functional genomics and biochemical characterization of the <i>C. elegans</i> orthologue of the Machado-Joseph disease protein ataxin-3. <i>FASEB Journal</i> , 2007 , 21, 1126-36	0.9	53

- 1 Deletion of the *Caenorhabditis elegans* homologues of the CLN3 gene, involved in human juvenile neuronal ceroid lipofuscinosis, causes a mild progeric phenotype. *Journal of Inherited Metabolic Disease*, **2005**, 28, 1065-80 5.4 13