

Gui-sen Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8124607/publications.pdf>

Version: 2024-02-01

70
papers

1,021
citations

430874

18
h-index

526287

27
g-index

76
all docs

76
docs citations

76
times ranked

1503
citing authors

#	ARTICLE	IF	CITATIONS
1	Systematic review of sodium thiosulfate in treating calciphylaxis in chronic kidney disease patients. <i>Nephrology</i> , 2018, 23, 669-675.	1.6	86
2	A pig BodyMap transcriptome reveals diverse tissue physiologies and evolutionary dynamics of transcription. <i>Nature Communications</i> , 2021, 12, 3715.	12.8	60
3	Crush Syndrome and Acute Kidney Injury in the Wenchuan Earthquake. <i>Journal of Trauma</i> , 2011, 70, 1213-1218.	2.3	44
4	Kidney Failure Risk Prediction Equations in IgA Nephropathy: A Multicenter Risk Assessment Study in Chinese Patients. <i>American Journal of Kidney Diseases</i> , 2018, 72, 371-380.	1.9	38
5	Hyperuricemia and its related histopathological features on renal biopsy. <i>BMC Nephrology</i> , 2019, 20, 95.	1.8	38
6	An update on clinical significance of use of THSD7A in diagnosing idiopathic membranous nephropathy: a systematic review and meta-analysis of THSD7A in IMN. <i>Renal Failure</i> , 2018, 40, 306-313.	2.1	37
7	WNT1-inducible signaling protein 1 mediates TGF- β 1-induced renal fibrosis in tubular epithelial cells and unilateral ureteral obstruction mouse models via autophagy. <i>Journal of Cellular Physiology</i> , 2020, 235, 2009-2022.	4.1	34
8	Variants of the <i>ST6GALNAC2</i> promoter influence transcriptional activity and contribute to genetic susceptibility to IgA nephropathy. <i>Human Mutation</i> , 2007, 28, 950-957.	2.5	30
9	Interaction between variants of two glycosyltransferase genes in IgA nephropathy. <i>Kidney International</i> , 2009, 76, 190-198.	5.2	27
10	Isoliquiritigenin attenuates septic acute kidney injury by regulating ferritinophagy-mediated ferroptosis. <i>Renal Failure</i> , 2021, 43, 1551-1560.	2.1	27
11	Nephrotic syndrome associated with Kimura's disease: a case report and literature review. <i>BMC Nephrology</i> , 2018, 19, 316.	1.8	26
12	Abdominal aortic calcification is not superior over other vascular calcification in predicting mortality in hemodialysis patients: a retrospective observational study. <i>BMC Nephrology</i> , 2013, 14, 120.	1.8	25
13	Comparative effectiveness and tolerance of immunosuppressive treatments for idiopathic membranous nephropathy: A network meta-analysis. <i>PLoS ONE</i> , 2017, 12, e0184398.	2.5	25
14	The anti-inflammatory effects of curcumin on renal ischemia-reperfusion injury in rats. <i>Renal Failure</i> , 2018, 40, 680-686.	2.1	25
15	Down-regulated long non-coding RNA RNAZFHX4-AS1 suppresses invasion and migration of breast cancer cells via FAT4-dependent Hippo signaling pathway. <i>Cancer Gene Therapy</i> , 2019, 26, 374-387.	4.6	25
16	Isoliquiritigenin attenuates LPS-induced AKI by suppression of inflammation involving NF- κ B pathway. <i>American Journal of Translational Research (discontinued)</i> , 2018, 10, 4141-4151.	0.0	25
17	HMGB1-TLR4-IL-23-IL-17A axis accelerates renal ischemia-reperfusion injury via the recruitment and migration of neutrophils. <i>International Immunopharmacology</i> , 2021, 94, 107433.	3.8	23
18	Association of high body mass index with development of interstitial fibrosis in patients with IgA nephropathy. <i>BMC Nephrology</i> , 2018, 19, 381.	1.8	22

#	ARTICLE	IF	CITATIONS
19	Expression of THSD7A in neoplasm tissues and its relationship with proteinuria. <i>BMC Nephrology</i> , 2019, 20, 332.	1.8	22
20	Pioglitazone alleviates cisplatin nephrotoxicity by suppressing mitochondria-mediated apoptosis via SIRT1/p53 signalling. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 11718-11728.	3.6	20
21	Kidney manifestations of mild, moderate and severe coronavirus disease 2019: a retrospective cohort study. <i>CKJ: Clinical Kidney Journal</i> , 2020, 13, 340-346.	2.9	18
22	Label-free quantitative proteomics identifies Smarca4 is involved in vascular calcification. <i>Renal Failure</i> , 2019, 41, 220-228.	2.1	17
23	Comparative N-Glycoproteomics Analysis of Clinical Samples Via Different Mass Spectrometry Dissociation Methods. <i>Frontiers in Chemistry</i> , 2022, 10, 839470.	3.6	17
24	Executive Summary: Clinical Practice Guideline of Chronic Kidney Disease – Mineral and Bone Disorder (CKD-MBD) in China. <i>Kidney Diseases (Basel, Switzerland)</i> , 2019, 5, 197-203.	2.5	16
25	Clinical Predictors of Outcome in Patients with Anti-neutrophil Cytoplasmic Autoantibody-related Renal Vasculitis. <i>Chinese Medical Journal</i> , 2017, 130, 899-905.	2.3	15
26	Epidemiology investigation and analysis of patients with hemodialysis in Sichuan province of China. <i>Renal Failure</i> , 2019, 41, 644-649.	2.1	15
27	Hirudin ameliorates immunoglobulin A nephropathy by inhibition of fibrosis and inflammatory response. <i>Renal Failure</i> , 2019, 41, 104-112.	2.1	14
28	Clinical characteristics of 31 hemodialysis patients with 2019 novel coronavirus: a retrospective study. <i>Renal Failure</i> , 2020, 42, 726-732.	2.1	14
29	Serum levels of WNT1-inducible signaling pathway protein-1 (WISP-1): a noninvasive biomarker of renal fibrosis in subjects with chronic kidney disease. <i>American Journal of Translational Research (discontinued)</i> , 2017, 9, 2920-2932.	0.0	14
30	Relationship of cystatin-C change and the prevalence of death or dialysis need after acute kidney injury: A meta-analysis. <i>Nephrology</i> , 2014, 19, 679-684.	1.6	12
31	Peritoneal dialysis in Sichuan province of China – report from the Chinese National Renal Data System. <i>Renal Failure</i> , 2018, 40, 577-582.	2.1	12
32	Do the mutations of C1GALT1C1 gene play important roles in the genetic susceptibility to Chinese IgA nephropathy?. <i>BMC Medical Genetics</i> , 2009, 10, 101.	2.1	11
33	Replication of genome-wide association study identified seven susceptibility genes, affirming the effect of rs2856717 on renal function and poor outcome of IgA nephropathy. <i>Nephrology</i> , 2017, 22, 811-817.	1.6	11
34	A comprehensive analysis of NPHS1 gene mutations in patients with sporadic focal segmental glomerulosclerosis. <i>BMC Medical Genetics</i> , 2019, 20, 111.	2.1	11
35	Malnutrition and inflammation in acute kidney injury due to earthquake-related crush syndrome. <i>BMC Nephrology</i> , 2010, 11, 4.	1.8	10
36	Both pelvic radiography and lateral abdominal radiography correlate well with coronary artery calcification measured by computed tomography in hemodialysis patients: A cross-sectional study. <i>Hemodialysis International</i> , 2016, 20, 399-406.	0.9	10

#	ARTICLE	IF	CITATIONS
37	A comparison of the effectiveness of cyclophosphamide, leflunomide, corticosteroids, or conservative management alone in patients with IgA nephropathy: a retrospective observational study. <i>Scientific Reports</i> , 2018, 8, 13662.	3.3	10
38	Systems analysis of plasma IgG intact N-glycopeptides from patients with chronic kidney diseases via EThcD-sceHCD-MS/MS. <i>Analyst</i> , The, 2021, 146, 7274-7283.	3.5	10
39	Executive Summary: Clinical Practice Guideline for Autosomal Dominant Polycystic Kidney Disease in China. <i>Kidney Diseases (Basel, Switzerland)</i> , 2020, 6, 144-149.	2.5	9
40	Prevalence and associated factors of depressive symptoms among chronic kidney disease patients in China: Results from the Chinese Cohort Study of Chronic Kidney Disease (C-STRIDE). <i>Journal of Psychosomatic Research</i> , 2020, 128, 109869.	2.6	8
41	Occult Hepatitis B Virus Infection in Maintenance Hemodialysis Patients: Prevalence and Mutations in α -Determinant. <i>International Journal of Medical Sciences</i> , 2020, 17, 2299-2305.	2.5	7
42	Management of peritoneal dialysis under COVID-19: The experience in Sichuan Province People's Hospital, China. <i>Peritoneal Dialysis International</i> , 2021, 41, 42-48.	2.3	6
43	Macroscopic hematuria in wasp sting patients: a retrospective study. <i>Renal Failure</i> , 2021, 43, 500-509.	2.1	6
44	The interaction effect of rs4077515 and rs17019602 increases the susceptibility to IgA nephropathy. <i>Oncotarget</i> , 2017, 8, 76492-76497.	1.8	6
45	COL4A5 mutation causes Alport syndrome with focal segmental glomerulosclerosis lesion: Case report and literature review. <i>Clinical Nephrology</i> , 2019, 92, 98-102.	0.7	6
46	Dimethyl fumarate attenuates LPS induced septic acute kidney injury by suppression of NF κ B p65 phosphorylation and macrophage activation. <i>International Immunopharmacology</i> , 2022, 102, 108395.	3.8	6
47	Genetic effect of the NPHS2 gene variants on proteinuria in minimal change disease and immunoglobulin A nephropathy. <i>Nephrology</i> , 2009, 14, 728-734.	1.6	5
48	A single nucleotide polymorphism in the UMOD promoter is associated with end stage renal disease. <i>BMC Medical Genetics</i> , 2016, 17, 95.	2.1	5
49	The analysis of APOL1 genetic variation and haplotype diversity provided by 1000 Genomes project. <i>BMC Nephrology</i> , 2017, 18, 267.	1.8	5
50	Metabolic Syndrome without Diabetes or Hypertension Still Necessitates Early Screening for Chronic Kidney Disease: Information from a Chinese National Cross-Sectional Study. <i>PLoS ONE</i> , 2015, 10, e0132220.	2.5	5
51	Exploring agreement and feasibility between virtual home visits and in-person home visits for peritoneal dialysis patients—a paired study. <i>Renal Failure</i> , 2022, 44, 490-502.	2.1	5
52	Ubiquitin-specific protease 47 is associated with vascular calcification in chronic kidney disease by regulating osteogenic transdifferentiation of vascular smooth muscle cells. <i>Renal Failure</i> , 2022, 44, 752-766.	2.1	5
53	IgG4-related acute interstitial nephritis and the potential role of mCRP autoantibodies: a case report. <i>Renal Failure</i> , 2019, 41, 657-661.	2.1	4
54	Interaction between PLA2R1 and HLA-DQA1 variants contributes to the increased genetic susceptibility to membranous nephropathy in Western China. <i>Nephrology</i> , 2019, 24, 919-925.	1.6	4

#	ARTICLE	IF	CITATIONS
55	Comparison of the efficacy and safety of tacrolimus monotherapy and cyclophosphamide combined with glucocorticoid in the treatment of adult primary membranous nephropathy: protocol of a multicenter, randomized, controlled, open study. <i>Trials</i> , 2020, 21, 219.	1.6	4
56	HLA-DQB1 and HLA-DRB1 expression is associated with disease severity in IgAN. <i>Annals of Palliative Medicine</i> , 2021, 10, 9453-9466.	1.2	4
57	Predictive markers for severe hypocalcemia in dialysis patients with secondary hyperparathyroidism after near-total parathyroidectomy. <i>Annals of Palliative Medicine</i> , 2021, 10, 10712-10719.	1.2	4
58	Renoprotective Effect of Danhong Injection on Streptozotocin-Induced Diabetic Rats through a Peroxisome Proliferator-Activated Receptor β -Mediated Pathway. <i>Evidence-based Complementary and Alternative Medicine</i> , 2018, 2018, 1-10.	1.2	3
59	Managing the dialysis mode for people infected with COVID-19. <i>Renal Failure</i> , 2020, 42, 587-589.	2.1	3
60	Roxadustat in treating anemia in dialysis patients (ROAD): protocol and rationale of a multicenter prospective observational cohort study. <i>BMC Nephrology</i> , 2021, 22, 28.	1.8	3
61	The Effect of Hydroxychloroquine on Residual Proteinuria in Patients With Immunoglobulin A Nephropathy: A Retrospective Study Based on Propensity Score Matching. <i>Frontiers in Medicine</i> , 2021, 8, 645721.	2.6	3
62	Does copy number variation of APOL1 gene affect the susceptibility to focal segmental glomerulosclerosis?. <i>Renal Failure</i> , 2017, 39, 500-504.	2.1	2
63	Primary thymic mucosa-associated lymphoid tissue lymphoma complicated with renal amyloidosis. <i>Medicine (United States)</i> , 2020, 99, e19462.	1.0	2
64	The association between variants in PLA2R and HLA-DQA1 and renal outcomes in patients with primary membranous nephropathy in Western China. <i>BMC Medical Genomics</i> , 2021, 14, 123.	1.5	2
65	The relationship between prescription of ultrafiltration and intradialytic hypotension in Chinese hemodialysis patients. <i>Annals of Palliative Medicine</i> , 2021, 10, 5316-5321.	1.2	1
66	Effective prevention and management of COVID-19 in outpatient hemodialysis patients. <i>American Journal of Managed Care</i> , 2020, 26, e342-e343.	1.1	1
67	Clinicopathological features of IgG4-related kidney disease. <i>Clinical Nephrology</i> , 2020, 94, 135-141.	0.7	1
68	Elbasvir/grazoprevir treatment in an HCV-infected peritoneal dialysis patient. <i>Renal Failure</i> , 2020, 42, 377-380.	2.1	0
69	Erythropoietin and iron for anemia in HIV-infected patients undergoing maintenance hemodialysis in China: a cross-sectional study. <i>BMC Nephrology</i> , 2022, 23, 60.	1.8	0
70	Preparation of hemodialysis centers in fighting against the novel coronavirus disease during the 2019-2020 epidemic: the experience in Sichuan province, China. <i>Annals of Palliative Medicine</i> , 2021, 10, 12498-12506.	1.2	0