Gunnar Morken

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8125361/publications.pdf

Version: 2024-02-01

140 papers 13,146 citations

94269 37 h-index 29081 104 g-index

154 all docs

154 docs citations

154 times ranked 16741 citing authors

#	Article	IF	Citations
1	Genetic relationship between five psychiatric disorders estimated from genome-wide SNPs. Nature Genetics, 2013, 45, 984-994.	9.4	2,067
2	Association studies of up to 1.2 million individuals yield new insights into the genetic etiology of tobacco and alcohol use. Nature Genetics, 2019, 51, 237-244.	9.4	1,307
3	Large-scale genome-wide association analysis of bipolar disorder identifies a new susceptibility locus near ODZ4. Nature Genetics, 2011, 43, 977-983.	9.4	1,283
4	Genome-wide association study identifies 30 loci associated with bipolar disorder. Nature Genetics, 2019, 51, 793-803.	9.4	1,191
5	Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. Cell, 2019, 179, 1469-1482.e11.	13.5	935
6	Psychiatric genome-wide association study analyses implicate neuronal, immune and histone pathways. Nature Neuroscience, 2015, 18, 199-209.	7.1	701
7	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. Nature Genetics, 2021, 53, 817-829.	9.4	629
8	Genomic Dissection of Bipolar Disorder and Schizophrenia, Including 28 Subphenotypes. Cell, 2018, 173, 1705-1715.e16.	13.5	623
9	Non-adherence to antipsychotic medication, relapse and rehospitalisation in recent-onset schizophrenia. BMC Psychiatry, 2008, 8, 32.	1.1	232
10	Joint Analysis of Psychiatric Disorders Increases Accuracy of Risk Prediction for Schizophrenia, Bipolar Disorder, and Major Depressive Disorder. American Journal of Human Genetics, 2015, 96, 283-294.	2.6	225
11	GWAS of Suicide Attempt in Psychiatric Disorders and Association With Major Depression Polygenic Risk Scores. American Journal of Psychiatry, 2019, 176, 651-660.	4.0	186
12	Genome-wide association study of borderline personality disorder reveals genetic overlap with bipolar disorder, major depression and schizophrenia. Translational Psychiatry, 2017, 7, e1155-e1155.	2.4	150
13	Activation in Bipolar Disorders. JAMA Psychiatry, 2017, 74, 189.	6.0	138
14	The Genetics of the Mood Disorder Spectrum: Genome-wide Association Analyses of More Than 185,000 Cases and 439,000 Controls. Biological Psychiatry, 2020, 88, 169-184.	0.7	137
15	Treatment-Resistant Bipolar Depression: A Randomized Controlled Trial of Electroconvulsive Therapy Versus Algorithm-Based Pharmacological Treatment. American Journal of Psychiatry, 2015, 172, 41-51.	4.0	135
16	Dissecting the Shared Genetic Architecture of Suicide Attempt, Psychiatric Disorders, and Known Risk Factors. Biological Psychiatry, 2022, 91, 313-327.	0.7	114
17	Effects of high aerobic intensity training in patients with schizophrenia—A controlled trial. Nordic Journal of Psychiatry, 2011, 65, 269-275.	0.7	105
18	A genome-wide association study of bipolar disorder in Norwegian individuals, followed by replication in Icelandic sample. Journal of Affective Disorders, 2010, 126, 312-316.	2.0	100

#	Article	IF	Citations
19	Actigraphic Assessment of Motor Activity in Acutely Admitted Inpatients with Bipolar Disorder. PLoS ONE, 2014, 9, e89574.	1.1	89
20	Chronotype and cellular circadian rhythms predict the clinical response to lithium maintenance treatment in patients with bipolar disorder. Neuropsychopharmacology, 2019, 44, 620-628.	2.8	80
21	Seasonal variation in suicides and in admissions to hospital for mania and depression. Journal of Affective Disorders, 2002, 69, 39-45.	2.0	74
22	Short-term cognitive behavioral therapy for non-cardiac chest pain and benign palpitations: A randomized controlled trial. Journal of Psychosomatic Research, 2011, 70, 117-123.	1.2	69
23	Effects of digital cognitive behavioural therapy for insomnia on insomnia severity: a large-scale randomised controlled trial. The Lancet Digital Health, 2020, 2, e397-e406.	5.9	63
24	The Pharmacogenomics of Bipolar Disorder study (PGBD): identification of genes for lithium response in a prospective sample. BMC Psychiatry, 2016, 16, 129.	1.1	61
25	Seasonal Variation of Violence in Norway. American Journal of Psychiatry, 2000, 157, 1674-1678.	4.0	56
26	Sleep problems in bipolar disorders: more than just insomnia. Acta Psychiatrica Scandinavica, 2016, 133, 368-377.	2.2	53
27	Bipolar disorder patients have similar levels of education but lower socio-economic status than the general population. Journal of Affective Disorders, 2011, 129, 68-74.	2.0	52
28	The Effect of Electroconvulsive Therapy on Neurocognitive Function in Treatment-Resistant Bipolar Disorder Depression. Journal of Clinical Psychiatry, 2014, 75, e1306-e1313.	1.1	49
29	Paroxetine, Cognitive Therapy or Their Combination in the Treatment of Social Anxiety Disorder with and without Avoidant Personality Disorder: A Randomized Clinical Trial. Psychotherapy and Psychosomatics, 2016, 85, 346-356.	4.0	48
30	A study of age at onset and affective temperaments in a Norwegian sample of patients with mood disorders. Journal of Affective Disorders, 2009, 118, 229-233.	2.0	44
31	Delayed sleep phase: An important circadian subtype of sleep disturbance in bipolar disorders. Journal of Affective Disorders, 2016, 191, 156-163.	2.0	44
32	Relationship between sunlight and the age of onset of bipolar disorder: An international multisite study. Journal of Affective Disorders, 2014, 167, 104-111.	2.0	43
33	Effects of different interior decorations in the seclusion area of a psychiatric acute ward. Nordic Journal of Psychiatry, 2005, 59, 19-24.	0.7	42
34	Age at onset of first episode and time to treatment in in-patients with bipolar disorder. British Journal of Psychiatry, 2009, 194, 559-560.	1.7	41
35	Inflammatory markers are altered in severe mental disorders independent of comorbid cardiometabolic disease risk factors. Psychological Medicine, 2019, 49, 1749-1757.	2.7	40
36	Risk factors related to lifetime suicide attempts in acutely admitted bipolar disorder inpatients. Bipolar Disorders, 2012, 14, 727-734.	1.1	39

3

#	Article	IF	Citations
37	Therapeutic effects of maximal strength training on walking efficiency in patients with schizophrenia $\hat{a} \in \mathbb{C}$ a pilot study. BMC Research Notes, 2012, 5, 344.	0.6	39
38	Impact of sunlight on the age of onset of bipolar disorder. Bipolar Disorders, 2012, 14, 654-663.	1.1	39
39	Influence of light exposure during early life on the age of onset of bipolar disorder. Journal of Psychiatric Research, 2015, 64, 1-8.	1.5	39
40	Inflammatory evidence for the psychosis continuum model. Psychoneuroendocrinology, 2016, 67, 189-197.	1.3	39
41	Actigraphically Assessed Activity in Unipolar Depression. Journal of Clinical Psychiatry, 2015, 76, 1181-1187.	1.1	39
42	Association analysis of <i>ANK3</i> gene variants in nordic bipolar disorder and schizophrenia caseâ€"control samples. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2011, 156, 969-974.	1.1	37
43	The evening light environment in hospitals can be designed to produce less disruptive effects on the circadian system and improve sleep. Sleep, 2021, 44, .	0.6	37
44	Monthly variation in prevalence rates of comorbid depression and anxiety in the general population at 63–65° North: The HUNT study. Journal of Affective Disorders, 2008, 106, 273-278.	2.0	36
45	Differences in acute psychiatric admissions between asylum seekers and refugees. Nordic Journal of Psychiatry, 2004, 58, 465-470.	0.7	35
46	Short-term prediction of threatening and violent behaviour in an Acute Psychiatric Intensive Care Unit based on patient and environment characteristics. BMC Psychiatry, 2011, 11, 44.	1.1	34
47	Neurocognitive profiles in treatment-resistant bipolar I and bipolar II disorder depression. BMC Psychiatry, 2013, 13, 105.	1.1	34
48	Acute admissions among immigrants and asylum seekers to a psychiatric hospital in Norway. Social Psychiatry and Psychiatric Epidemiology, 2003, 38, 515-519.	1.6	33
49	Change and Impact of Illness Perceptions among Patients with Non-cardiac Chest Pain or Benign Palpitations Following Three Sessions of CBT. Behavioural and Cognitive Psychotherapy, 2013, 41, 398-407.	0.9	33
50	High Aerobic Intensity Training and Psychological States in Patients with Depression or Schizophrenia. Frontiers in Psychiatry, 2014, 5, 148.	1.3	33
51	A pilot study to determine whether combinations of objectively measured activity parameters can be used to differentiate between mixed states, mania, and bipolar depression. International Journal of Bipolar Disorders, 2017, 5, 5.	0.8	33
52	Increased circulating IL-18 levels in severe mental disorders indicate systemic inflammasome activation. Brain, Behavior, and Immunity, 2022, 99, 299-306.	2.0	33
53	Effects of a psychiatric intensive care unit in an acute psychiatric department. Nordic Journal of Psychiatry, 2006, 60, 144-149.	0.7	29
54	Substance use at admission to an acute psychiatric department. Nordic Journal of Psychiatry, 2009, 63, 113-119.	0.7	29

#	Article	IF	CITATIONS
55	Association analysis between suicidal behaviour and candidate genes of bipolar disorder and schizophrenia. Journal of Affective Disorders, 2014, 163, 110-114.	2.0	28
56	Influence of birth cohort on age of onset cluster analysis in bipolar I disorder. European Psychiatry, 2015, 30, 99-105.	0.1	28
57	The association between lithium use and neurocognitive performance in patients with bipolar disorder. Neuropsychopharmacology, 2020, 45, 1743-1749.	2.8	28
58	Patients with noncardiac chest pain and benign palpitations referred for cardiac outpatient investigation: a 6-month follow-up. General Hospital Psychiatry, 2010, 32, 406-412.	1.2	27
59	Variability of activity patterns across mood disorders and time of day. BMC Psychiatry, 2017, 17, 404.	1.1	27
60	Effects of Integrated Treatment on Antipsychotic Medication Adherence in a Randomized Trial in Recent-Onset Schizophrenia. Journal of Clinical Psychiatry, 2007, 68, 566-571.	1.1	27
61	Quantitative EEG findings in patients with acute, brief depression combined with other fluctuating psychiatric symptoms: a controlled study from an acute psychiatric department. BMC Psychiatry, 2008, 8, 89.	1.1	26
62	Integrated treatment vs. treatment-as-usual for recent onset schizophrenia; 12Âyear follow-up on a randomized controlled trial. BMC Psychiatry, 2013, 13, 200.	1.1	26
63	Association study of <i>PDE4B</i> gene variants in scandinavian schizophrenia and bipolar disorder multicenter case–control samples. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2010, 153B, 86-96.	1.1	25
64	Impact of sleep disturbance on patients in treatment for mental disorders. BMC Psychiatry, 2012, 12, 179.	1.1	25
65	Association between solar insolation and a history of suicide attempts in bipolar I disorder. Journal of Psychiatric Research, 2019, 113, 1-9.	1.5	25
66	DSM-5 and ICD-11 criteria for bipolar disorder: Implications for the prevalence of bipolar disorder and validity of the diagnosis $\hat{a} \in A$ narrative review from the ECNP bipolar disorders network. European Neuropsychopharmacology, 2021, 47, 54-61.	0.3	25
67	Cardiac and psychiatric diagnoses among patients referred for chest pain and palpitations. Scandinavian Cardiovascular Journal, 2009, 43, 256-259.	0.4	24
68	Evaluation of a Urine On-Site Drugs of Abuse Screening Test in Patients Admitted to a Psychiatric Emergency Unit. Journal of Clinical Psychopharmacology, 2009, 29, 248-254.	0.7	24
69	Analyzing Seasonal Variations in Suicide With Fourier Poisson Time-Series Regression: A Registry-Based Study From Norway, 1969–2007. American Journal of Epidemiology, 2015, 182, 244-254.	1.6	24
70	Solar insolation in springtime influences age of onset of bipolar I disorder. Acta Psychiatrica Scandinavica, 2017, 136, 571-582.	2.2	24
71	Acute unstable depressive syndrome (AUDS) is associated more frequently with epilepsy than major depression. BMC Neurology, 2010, 10, 67.	0.8	23
72	The study protocol of the Norwegian randomized controlled trial of electroconvulsive therapy in treatment resistant depression in bipolar disorder. BMC Psychiatry, 2010, 10, 16.	1.1	23

#	Article	IF	Citations
73	Mood and motor activity in euthymic bipolar disorder with sleep disturbance. Journal of Affective Disorders, 2016, 202, 23-31.	2.0	23
74	Persistent increase in TNF and ILâ€1 markers in severe mental disorders suggests traitâ€related inflammation: a one year followâ€up study. Acta Psychiatrica Scandinavica, 2017, 136, 400-408.	2.2	23
75	Sleep at night and association to aggressive behaviour; Patients in a Psychiatric Intensive Care Unit. Psychiatry Research, 2018, 263, 275-279.	1.7	23
76	Mid-pregnancy insomnia is associated with concurrent and postpartum maternal anxiety and obsessive-compulsive symptoms: A prospective cohort study. Journal of Affective Disorders, 2020, 266, 319-326.	2.0	23
77	The effects of motivational interviewing on patients with comorbid substance use admitted to a psychiatric emergency unit - a randomised controlled trial with two year follow-up. BMC Psychiatry, 2013, 13, 93.	1.1	22
78	Effects of high-intensity aerobic exercise on psychotic symptoms and neurocognition in outpatients with schizophrenia: study protocol for a randomized controlled trial. Trials, 2015, 16, 557.	0.7	22
79	Mid-Pregnancy Insomnia and its Association with Perinatal Depressive Symptoms: A Prospective Cohort Study. Behavioral Sleep Medicine, 2021, 19, 285-302.	1.1	22
80	Intron 12 in NTRK3 is associated with bipolar disorder. Psychiatry Research, 2011, 185, 358-362.	1.7	21
81	Illness perception among patients with chest pain and palpitations before and after negative cardiac evaluation. BioPsychoSocial Medicine, 2012, 6, 19.	0.9	21
82	Association analysis of <i>PALB2</i> and <i>BRCA2</i> in bipolar disorder and schizophrenia in a scandinavian case–control sample. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2010, 153B, 1276-1282.	1.1	20
83	Clinical predictors of nonâ€response to lithium treatment in the Pharmacogenomics of Bipolar Disorder (PGBD) study. Bipolar Disorders, 2021, 23, 821-831.	1.1	20
84	Reduced peak oxygen uptake and implications for cardiovascular health and quality of life in patients with schizophrenia. BMC Psychiatry, 2011 , 11 , 188 .	1.1	19
85	Actigraphy as an objective intra-individual marker of activity patterns in acute-phase bipolar disorder: a case series. International Journal of Bipolar Disorders, 2018, 6, 8.	0.8	19
86	Mode of delivery of Cognitive Behavioral Therapy for Insomnia: a randomized controlled non-inferiority trial of digital and face-to-face therapy. Sleep, 2021, 44, .	0.6	19
87	No association between DGKH and bipolar disorder in a Scandinavian case–control sample. Psychiatric Genetics, 2009, 19, 269-272.	0.6	18
88	Differences between patients' and clinicians' report of sleep disturbance: a field study in mental health care in Norway. BMC Psychiatry, 2011, 11, 186.	1.1	18
89	Cognitive behavioral therapy for insomnia in euthymic bipolar disorder: study protocol for a randomized controlled trial. Trials, 2014, 15, 24.	0.7	18
90	A randomized controlled trial comparing self-referral to inpatient treatment and treatment as usual in patients with severe mental disorders. Nordic Journal of Psychiatry, 2017, 71, 120-125.	0.7	18

#	Article	IF	Citations
91	Systemic Cell Adhesion Molecules in Severe Mental Illness: Potential Role of Intercellular CAM-1 in Linking Peripheral and Neuroinflammation. Biological Psychiatry, 2023, 93, 187-196.	0.7	18
92	Staff injuries after patient–staff incidences in psychiatric acute wards. Nordic Journal of Psychiatry, 2007, 61, 121-125.	0.7	17
93	Sleep patterns as a predictor for length of stay in a psychiatric intensive care unit. Psychiatry Research, 2016, 237, 252-256.	1.7	17
94	Aerobic interval training in standard treatment of outâ€patients with schizophrenia: a randomized controlled trial. Acta Psychiatrica Scandinavica, 2019, 140, 498-507.	2.2	17
95	Translating big data to better treatment in bipolar disorder - a manifesto for coordinated action. European Neuropsychopharmacology, 2020, 36, 121-136.	0.3	17
96	Occupational outcome in bipolar disorder is not predicted by premorbid functioning and intelligence. Bipolar Disorders, 2013, 15, 294-305.	1.1	16
97	Overcoming insomnia: protocol for a large-scale randomised controlled trial of online cognitive behaviour therapy for insomnia compared with online patient education about sleep. BMJ Open, 2018, 8, e025152.	0.8	16
98	Despite clinical differences, bipolar disorder patients from acute wards and outpatient clinics have similar educational and disability levels compared to the general population. Journal of Affective Disorders, 2011, 132, 209-215.	2.0	15
99	Replication Study and Meta-Analysis in European Samples Supports Association of the 3p21.1 Locus with Bipolar Disorder. Biological Psychiatry, 2012, 72, 645-650.	0.7	15
100	The long-term outcomes of an effectiveness trial of group versus individual psychoeducation for bipolar disorders. Journal of Affective Disorders, 2016, 202, 32-38.	2.0	15
101	Substance abuse and recovery in a Psychiatric Intensive Care Unit. General Hospital Psychiatry, 2006, 28, 65-70.	1.2	14
102	Patients' perceptions of their stay in a psychiatric seclusion area. Journal of Psychiatric Intensive Care, 2011, 7, 1-10.	0.2	13
103	The role of trauma and psychological distress on motivation for foreign language acquisition among refugees. International Journal of Culture and Mental Health, 2014, 7, 59-67.	0.6	13
104	Motor activity patterns in acute schizophrenia and other psychotic disorders can be differentiated from bipolar mania and unipolar depression. Psychiatry Research, 2018, 270, 418-425.	1.7	12
105	Patients with schizophrenia have impaired muscle forceâ€generating capacity and functional performance. Scandinavian Journal of Medicine and Science in Sports, 2019, 29, 1968-1979.	1.3	12
106	A comprehensive cardiovascular disease risk profile in patients with schizophrenia. Scandinavian Journal of Medicine and Science in Sports, 2019, 29, 575-585.	1.3	12
107	Risk factors of cycle acceleration in acutely admitted patients with bipolar disorder. Acta Psychiatrica Scandinavica, 2014, 130, 388-396.	2.2	11
108	Predictors of long term use of psychiatric services of patients with recent-onset schizophrenia: 12Âyears follow-up. BMC Psychiatry, 2017, 17, 18.	1.1	10

7

#	Article	IF	Citations
109	Clinical characteristics of patients with bipolar disorder and premorbid traumatic brain injury: a cross-sectional study. International Journal of Bipolar Disorders, 2018, 6, 19.	0.8	10
110	Oneâ€year aerobic interval training in outpatients with schizophrenia: A randomized controlled trial. Scandinavian Journal of Medicine and Science in Sports, 2020, 30, 2420-2436.	1.3	10
111	Plasma Levels of the Cytokines B Cell-Activating Factor (BAFF) and A Proliferation-Inducing Ligand (APRIL) in Schizophrenia, Bipolar, and Major Depressive Disorder: A Cross Sectional, Multisite Study. Schizophrenia Bulletin, 2022, 48, 37-46.	2.3	10
112	A Randomized Trial of Cognitive Group Therapy vs. Waiting List for Patients with Co-Morbid Psychiatric Disorders: Effect of Cognitive Group Therapy after Treatment and Six and Twelve Months Follow-Up. Behavioural and Cognitive Psychotherapy, 2005, 33, 33-44.	0.9	8
113	Correction of depressionâ€associated circadian rhythm abnormalities is associated with lithium response in bipolar disorder. Bipolar Disorders, 2022, 24, 521-529.	1.1	8
114	A help-line for children. Seasonal variations in issues. Psychiatry Research, 2004, 128, 191-197.	1.7	7
115	Right unilateral electroconvulsive therapy does not cause more cognitive impairment than pharmacologic treatment in treatmentâ€resistant bipolar depression: A 6â€month randomized controlled trial followâ€up study. Bipolar Disorders, 2018, 20, 531-538.	1.1	7
116	Symptoms of epilepsy and organic brain dysfunctions in patients with acute, brief depression combined with other fluctuating psychiatric symptoms: a controlled study from an acute psychiatric department. BMC Psychiatry, 2009, 9, 63.	1.1	6
117	Strength training restores forceâ€generating capacity in patients with schizophrenia. Scandinavian Journal of Medicine and Science in Sports, 2021, 31, 665-678.	1.3	6
118	Lower circulating neuron-specific enolase concentrations in adults and adolescents with severe mental illness. Psychological Medicine, 2023, 53, 1479-1488.	2.7	6
119	Variations in seasonal solar insolation are associated with a history of suicide attempts in bipolar I disorder. International Journal of Bipolar Disorders, 2021, 9, 26.	0.8	6
120	Digital cognitive–behavioural therapy for insomnia compared with digital patient education about insomnia in individuals referred to secondary mental health services in Norway: protocol for a multicentre randomised controlled trial. BMJ Open, 2021, 11, e050661.	0.8	5
121	Outcomes associated with different vaccines in individuals with bipolar disorder and impact on the current COVID-19 pandemic- a systematic review. European Neuropsychopharmacology, 2022, 54, 90-99.	0.3	5
122	Distribution and Characteristics of Active and Inactive Periods Distinguish Unipolar Depression With and Without Motor Retardation. Journal of Clinical Psychiatry, 2016, 77, 841-842.	1.1	5
123	A pragmatic effectiveness randomized controlled trial of the duration of psychiatric hospitalization in a trans-diagnostic sample of patients with acute mental illness admitted to a ward with either blue-depleted evening lighting or normal lighting conditions. Trials, 2019, 20, 472.	0.7	4
124	Is there an association between cardiorespiratory fitness and stage of illness in psychotic disorders? A systematic review and metaâ€analysis. Acta Psychiatrica Scandinavica, 2020, 141, 190-205.	2.2	4
125	Seasonal variations in children's calls to a help-line: implications for preventive services. Journal of Affective Disorders, 2002, 70, 175-180.	2.0	3
126	Copy number variations in affective disorders and meta-analysis. Psychiatric Genetics, 2011, 21, 319-322.	0.6	3

#	Article	IF	CITATIONS
127	Religious Convictions in Patients with Epilepsy-Associated Affective Disorders: A Controlled Study from a Psychiatric Acute Department. Journal of Religion and Health, 2015, 54, 1110-1117.	0.8	3
128	The Predictive Properties of Violence Risk Instruments May Increase by Adding Items Assessing Sleep. Frontiers in Psychiatry, 2019, 10, 323.	1.3	3
129	Effects of legal and illegal use of benzodiazepines at acute admission to a psychiatric acute department. BMC Research Notes, 2010, 3, 263.	0.6	2
130	Pharmacological treatment and adherence one week prior to acute psychiatric admissions. Nordic Journal of Psychiatry, 2012, 66, 222-224.	0.7	2
131	Digital Cognitive–Behavioural Therapy for Insomnia (dCBT-I) Is Associated with Improved Sleep and Less Self-Report Use of Sleep Medication: A Large-Scale Randomized Controlled Trial. SSRN Electronic Journal, 0, , .	0.4	1
132	Despite equal levels of education socioeconomic and occupational functioning is lower in bipolar disorder than in the general population. International Clinical Psychopharmacology, 2011, 26, e71.	0.9	0
133	The Authors Reply. American Journal of Epidemiology, 2015, 182, 820.2-821.	1.6	0
134	Response to Kellner and Fink. American Journal of Psychiatry, 2015, 172, 295-296.	4.0	0
135	Response to Kotzalidis et al American Journal of Psychiatry, 2015, 172, 294-295.	4.0	0
136	Cardiovascular Disease Risk Profile in Patients with Schizophrenia. Medicine and Science in Sports and Exercise, 2017, 49, 432.	0.2	0
137	Strength Training In Patients With Schizophrenia. Medicine and Science in Sports and Exercise, 2017, 49, 431.	0.2	0
138	Aerobic Interval Training Integrated In Collaborative Care Of Outpatients With Schizophrenia: One-year Outcomes. Medicine and Science in Sports and Exercise, 2020, 52, 678-678.	0.2	0
139	Mode of Delivery of Cognitive Behaviour Therapy for Insomnia: A Randomized Controlled Non-Inferiority Trial of Digital or Face-to-Face Therapy. SSRN Electronic Journal, 0, , .	0.4	0
140	12 Weeks Of Maximal Strength Training Restores Muscle Force-generating Capacity In Patients With Schizophrenia. Medicine and Science in Sports and Exercise, 2020, 52, 604-604.	0.2	0