

# Gunnar Morken

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/8125361/gunnar-morken-publications-by-citations.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

137  
papers

8,350  
citations

33  
h-index

90  
g-index

154  
ext. papers

11,179  
ext. citations

6.6  
avg, IF

6.46  
L-index

#	Paper	IF	Citations
137	Genetic relationship between five psychiatric disorders estimated from genome-wide SNPs. <i>Nature Genetics</i> , <b>2013</b> , 45, 984-94	36.3	1628
136	Large-scale genome-wide association analysis of bipolar disorder identifies a new susceptibility locus near ODZ4. <i>Nature Genetics</i> , <b>2011</b> , 43, 977-83	36.3	1094
135	Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , <b>2019</b> , 51, 793-803	36.3	662
134	Psychiatric genome-wide association study analyses implicate neuronal, immune and histone pathways. <i>Nature Neuroscience</i> , <b>2015</b> , 18, 199-209	25.5	572
133	Association studies of up to 1.2 million individuals yield new insights into the genetic etiology of tobacco and alcohol use. <i>Nature Genetics</i> , <b>2019</b> , 51, 237-244	36.3	516
132	Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. <i>Cell</i> , <b>2019</b> , 179, 1469-1482.e11	56.2	402
131	Genomic Dissection of Bipolar Disorder and Schizophrenia, Including 28 Subphenotypes. <i>Cell</i> , <b>2018</b> , 173, 1705-1715.e16	56.2	360
130	Non-adherence to antipsychotic medication, relapse and rehospitalisation in recent-onset schizophrenia. <i>BMC Psychiatry</i> , <b>2008</b> , 8, 32	4.2	190
129	Joint analysis of psychiatric disorders increases accuracy of risk prediction for schizophrenia, bipolar disorder, and major depressive disorder. <i>American Journal of Human Genetics</i> , <b>2015</b> , 96, 283-94	11	161
128	GWAS of Suicide Attempt in Psychiatric Disorders and Association With Major Depression Polygenic Risk Scores. <i>American Journal of Psychiatry</i> , <b>2019</b> , 176, 651-660	11.9	103
127	Treatment-resistant bipolar depression: a randomized controlled trial of electroconvulsive therapy versus algorithm-based pharmacological treatment. <i>American Journal of Psychiatry</i> , <b>2015</b> , 172, 41-51	11.9	103
126	Genome-wide association study of borderline personality disorder reveals genetic overlap with bipolar disorder, major depression and schizophrenia. <i>Translational Psychiatry</i> , <b>2017</b> , 7, e1155	8.6	100
125	Activation in Bipolar Disorders: A Systematic Review. <i>JAMA Psychiatry</i> , <b>2017</b> , 74, 189-196	14.5	91
124	A genome-wide association study of bipolar disorder in Norwegian individuals, followed by replication in Icelandic sample. <i>Journal of Affective Disorders</i> , <b>2010</b> , 126, 312-6	6.6	90
123	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , <b>2021</b> , 53, 817-829	36.3	83
122	Effects of high aerobic intensity training in patients with schizophrenia: a controlled trial. <i>Nordic Journal of Psychiatry</i> , <b>2011</b> , 65, 269-75	2.3	82
121	Actigraphic assessment of motor activity in acutely admitted inpatients with bipolar disorder. <i>PLoS ONE</i> , <b>2014</b> , 9, e89574	3.7	67

120	Seasonal variation in suicides and in admissions to hospital for mania and depression. <i>Journal of Affective Disorders</i> , <b>2002</b> , 69, 39-45	6.6	64
119	Short-term cognitive behavioral therapy for non-cardiac chest pain and benign palpitations: a randomized controlled trial. <i>Journal of Psychosomatic Research</i> , <b>2011</b> , 70, 117-23	4.1	58
118	The Genetics of the Mood Disorder Spectrum: Genome-wide Association Analyses of More Than 185,000 Cases and 439,000 Controls. <i>Biological Psychiatry</i> , <b>2020</b> , 88, 169-184	7.9	57
117	Seasonal variation of violence in Norway. <i>American Journal of Psychiatry</i> , <b>2000</b> , 157, 1674-8	11.9	44
116	Chronotype and cellular circadian rhythms predict the clinical response to lithium maintenance treatment in patients with bipolar disorder. <i>Neuropsychopharmacology</i> , <b>2019</b> , 44, 620-628	8.7	43
115	Bipolar disorder patients have similar levels of education but lower socio-economic status than the general population. <i>Journal of Affective Disorders</i> , <b>2011</b> , 129, 68-74	6.6	42
114	The Pharmacogenomics of Bipolar Disorder study (PGBD): identification of genes for lithium response in a prospective sample. <i>BMC Psychiatry</i> , <b>2016</b> , 16, 129	4.2	42
113	A study of age at onset and affective temperaments in a Norwegian sample of patients with mood disorders. <i>Journal of Affective Disorders</i> , <b>2009</b> , 118, 229-33	6.6	41
112	Relationship between sunlight and the age of onset of bipolar disorder: an international multisite study. <i>Journal of Affective Disorders</i> , <b>2014</b> , 167, 104-11	6.6	37
111	The effect of electroconvulsive therapy on neurocognitive function in treatment-resistant bipolar disorder depression. <i>Journal of Clinical Psychiatry</i> , <b>2014</b> , 75, e1306-13	4.6	37
110	Sleep problems in bipolar disorders: more than just insomnia. <i>Acta Psychiatrica Scandinavica</i> , <b>2016</b> , 133, 368-77	6.5	35
109	Effects of different interior decorations in the seclusion area of a psychiatric acute ward. <i>Nordic Journal of Psychiatry</i> , <b>2005</b> , 59, 19-24	2.3	35
108	Influence of light exposure during early life on the age of onset of bipolar disorder. <i>Journal of Psychiatric Research</i> , <b>2015</b> , 64, 1-8	5.2	34
107	Paroxetine, Cognitive Therapy or Their Combination in the Treatment of Social Anxiety Disorder with and without Avoidant Personality Disorder: A Randomized Clinical Trial. <i>Psychotherapy and Psychosomatics</i> , <b>2016</b> , 85, 346-356	9.4	33
106	Delayed sleep phase: An important circadian subtype of sleep disturbance in bipolar disorders. <i>Journal of Affective Disorders</i> , <b>2016</b> , 191, 156-63	6.6	33
105	Age at onset of first episode and time to treatment in in-patients with bipolar disorder. <i>British Journal of Psychiatry</i> , <b>2009</b> , 194, 559-60	5.4	33
104	Monthly variation in prevalence rates of comorbid depression and anxiety in the general population at 63-65 degrees North: the HUNT study. <i>Journal of Affective Disorders</i> , <b>2008</b> , 106, 273-8	6.6	33
103	Impact of sunlight on the age of onset of bipolar disorder. <i>Bipolar Disorders</i> , <b>2012</b> , 14, 654-63	3.8	31

102	Inflammatory evidence for the psychosis continuum model. <i>Psychoneuroendocrinology</i> , <b>2016</b> , 67, 189-97	5	30
101	Short-term prediction of threatening and violent behaviour in an Acute Psychiatric Intensive Care Unit based on patient and environment characteristics. <i>BMC Psychiatry</i> , <b>2011</b> , 11, 44	4.2	30
100	Association analysis of ANK3 gene variants in nordic bipolar disorder and schizophrenia case-control samples. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , <b>2011</b> , 156B, 969-74	3.5	30
99	Differences in acute psychiatric admissions between asylum seekers and refugees. <i>Nordic Journal of Psychiatry</i> , <b>2004</b> , 58, 465-70	2.3	30
98	Actigraphically assessed activity in unipolar depression: a comparison of inpatients with and without motor retardation. <i>Journal of Clinical Psychiatry</i> , <b>2015</b> , 76, 1181-7	4.6	30
97	Change and impact of illness perceptions among patients with non-cardiac chest pain or benign palpitations following three sessions of CBT. <i>Behavioural and Cognitive Psychotherapy</i> , <b>2013</b> , 41, 398-407 <sup>2.1</sup>		28
96	Acute admissions among immigrants and asylum seekers to a psychiatric hospital in Norway. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2003</b> , 38, 515-9	4.5	28
95	Genome-wide association study identifies 30 Loci Associated with Bipolar Disorder		28
94	High aerobic intensity training and psychological States in patients with depression or schizophrenia. <i>Frontiers in Psychiatry</i> , <b>2014</b> , 5, 148	5	27
93	Risk factors related to lifetime suicide attempts in acutely admitted bipolar disorder inpatients. <i>Bipolar Disorders</i> , <b>2012</b> , 14, 727-34	3.8	27
92	Therapeutic effects of maximal strength training on walking efficiency in patients with schizophrenia - a pilot study. <i>BMC Research Notes</i> , <b>2012</b> , 5, 344	2.3	27
91	Neurocognitive profiles in treatment-resistant bipolar I and bipolar II disorder depression. <i>BMC Psychiatry</i> , <b>2013</b> , 13, 105	4.2	26
90	Effects of integrated treatment on antipsychotic medication adherence in a randomized trial in recent-onset schizophrenia. <i>Journal of Clinical Psychiatry</i> , <b>2007</b> , 68, 566-71	4.6	26
89	Substance use at admission to an acute psychiatric department. <i>Nordic Journal of Psychiatry</i> , <b>2009</b> , 63, 113-9	2.3	25
88	Quantitative EEG findings in patients with acute, brief depression combined with other fluctuating psychiatric symptoms: a controlled study from an acute psychiatric department. <i>BMC Psychiatry</i> , <b>2008</b> , 8, 89	4.2	25
87	Association analysis between suicidal behaviour and candidate genes of bipolar disorder and schizophrenia. <i>Journal of Affective Disorders</i> , <b>2014</b> , 163, 110-4	6.6	24
86	Influence of birth cohort on age of onset cluster analysis in bipolar I disorder. <i>European Psychiatry</i> , <b>2015</b> , 30, 99-105	6	24
85	Effects of a psychiatric intensive care unit in an acute psychiatric department. <i>Nordic Journal of Psychiatry</i> , <b>2006</b> , 60, 144-9	2.3	23

84	Inflammatory markers are altered in severe mental disorders independent of comorbid cardiometabolic disease risk factors. <i>Psychological Medicine</i> , <b>2019</b> , 49, 1749-1757	6.9	22
83	Variability of activity patterns across mood disorders and time of day. <i>BMC Psychiatry</i> , <b>2017</b> , 17, 404	4.2	22
82	Patients with noncardiac chest pain and benign palpitations referred for cardiac outpatient investigation: a 6-month follow-up. <i>General Hospital Psychiatry</i> , <b>2010</b> , 32, 406-12	5.6	22
81	Evaluation of a urine on-site drugs of abuse screening test in patients admitted to a psychiatric emergency unit. <i>Journal of Clinical Psychopharmacology</i> , <b>2009</b> , 29, 248-54	1.7	22
80	A pilot study to determine whether combinations of objectively measured activity parameters can be used to differentiate between mixed states, mania, and bipolar depression. <i>International Journal of Bipolar Disorders</i> , <b>2017</b> , 5, 5	5.4	21
79	Analyzing Seasonal Variations in Suicide With Fourier Poisson Time-Series Regression: A Registry-Based Study From Norway, 1969-2007. <i>American Journal of Epidemiology</i> , <b>2015</b> , 182, 244-54	3.8	21
78	Integrated treatment vs. treatment-as-usual for recent onset schizophrenia; 12-year follow-up on a randomized controlled trial. <i>BMC Psychiatry</i> , <b>2013</b> , 13, 200	4.2	21
77	Cardiac and psychiatric diagnoses among patients referred for chest pain and palpitations. <i>Scandinavian Cardiovascular Journal</i> , <b>2009</b> , 43, 256-9	2	21
76	Mood and motor activity in euthymic bipolar disorder with sleep disturbance. <i>Journal of Affective Disorders</i> , <b>2016</b> , 202, 23-31	6.6	19
75	Impact of sleep disturbance on patients in treatment for mental disorders. <i>BMC Psychiatry</i> , <b>2012</b> , 12, 179	4.2	19
74	The effects of motivational interviewing on patients with comorbid substance use admitted to a psychiatric emergency unit - a randomised controlled trial with two year follow-up. <i>BMC Psychiatry</i> , <b>2013</b> , 13, 93	4.2	18
73	Persistent increase in TNF and IL-1 markers in severe mental disorders suggests trait-related inflammation: a one year follow-up study. <i>Acta Psychiatrica Scandinavica</i> , <b>2017</b> , 136, 400-408	6.5	18
72	Reduced peak oxygen uptake and implications for cardiovascular health and quality of life in patients with schizophrenia. <i>BMC Psychiatry</i> , <b>2011</b> , 11, 188	4.2	18
71	No association between DGKH and bipolar disorder in a Scandinavian case-control sample. <i>Psychiatric Genetics</i> , <b>2009</b> , 19, 269-72	2.9	18
70	Association analysis of PALB2 and BRCA2 in bipolar disorder and schizophrenia in a scandinavian case-control sample. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , <b>2010</b> , 153B, 1276-82	3.5	18
69	Effects of digital cognitive behavioural therapy for insomnia on insomnia severity: a large-scale randomised controlled trial. <i>The Lancet Digital Health</i> , <b>2020</b> , 2, e397-e406	14.4	18
68	Illness perception among patients with chest pain and palpitations before and after negative cardiac evaluation. <i>BioPsychoSocial Medicine</i> , <b>2012</b> , 6, 19	2.8	17
67	Sleep patterns as a predictor for length of stay in a psychiatric intensive care unit. <i>Psychiatry Research</i> , <b>2016</b> , 237, 252-6	9.9	16

66	Intron 12 in NTRK3 is associated with bipolar disorder. <i>Psychiatry Research</i> , <b>2011</b> , 185, 358-62	9.9	16
65	Association study of PDE4B gene variants in Scandinavian schizophrenia and bipolar disorder multicenter case-control samples. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , <b>2010</b> , 153B, 86-96	3.5	16
64	Acute Unstable Depressive Syndrome (AUDS) is associated more frequently with epilepsy than major depression. <i>BMC Neurology</i> , <b>2010</b> , 10, 67	3.1	16
63	Association between solar insolation and a history of suicide attempts in bipolar I disorder. <i>Journal of Psychiatric Research</i> , <b>2019</b> , 113, 1-9	5.2	15
62	Effects of high-intensity aerobic exercise on psychotic symptoms and neurocognition in outpatients with schizophrenia: study protocol for a randomized controlled trial. <i>Trials</i> , <b>2015</b> , 16, 557	2.8	15
61	Replication study and meta-analysis in European samples supports association of the 3p21.1 locus with bipolar disorder. <i>Biological Psychiatry</i> , <b>2012</b> , 72, 645-50	7.9	15
60	Differences between patients and clinicians' report of sleep disturbance: a field study in mental health care in Norway. <i>BMC Psychiatry</i> , <b>2011</b> , 11, 186	4.2	15
59	The study protocol of the Norwegian randomized controlled trial of electroconvulsive therapy in treatment resistant depression in bipolar disorder. <i>BMC Psychiatry</i> , <b>2010</b> , 10, 16	4.2	15
58	Staff injuries after patient-staff incidences in psychiatric acute wards. <i>Nordic Journal of Psychiatry</i> , <b>2007</b> , 61, 121-5	2.3	15
57	Sleep at night and association to aggressive behaviour; Patients in a Psychiatric Intensive Care Unit. <i>Psychiatry Research</i> , <b>2018</b> , 263, 275-279	9.9	14
56	Cognitive behavioral therapy for insomnia in euthymic bipolar disorder: study protocol for a randomized controlled trial. <i>Trials</i> , <b>2014</b> , 15, 24	2.8	14
55	Solar insolation in springtime influences age of onset of bipolar I disorder. <i>Acta Psychiatrica Scandinavica</i> , <b>2017</b> , 136, 571-582	6.5	14
54	A randomized controlled trial comparing self-referral to inpatient treatment and treatment as usual in patients with severe mental disorders. <i>Nordic Journal of Psychiatry</i> , <b>2017</b> , 71, 120-125	2.3	14
53	Substance abuse and recovery in a Psychiatric Intensive Care Unit. <i>General Hospital Psychiatry</i> , <b>2006</b> , 28, 65-70	5.6	12
52	The long-term outcomes of an effectiveness trial of group versus individual psychoeducation for bipolar disorders. <i>Journal of Affective Disorders</i> , <b>2016</b> , 202, 32-8	6.6	12
51	Translating big data to better treatment in bipolar disorder - a manifesto for coordinated action. <i>European Neuropsychopharmacology</i> , <b>2020</b> , 36, 121-136	1.2	11
50	Mid-pregnancy insomnia is associated with concurrent and postpartum maternal anxiety and obsessive-compulsive symptoms: A prospective cohort study. <i>Journal of Affective Disorders</i> , <b>2020</b> , 266, 319-326	6.6	11
49	Actigraphy as an objective intra-individual marker of activity patterns in acute-phase bipolar disorder: a case series. <i>International Journal of Bipolar Disorders</i> , <b>2018</b> , 6, 8	5.4	11

48	Occupational outcome in bipolar disorder is not predicted by premorbid functioning and intelligence. <i>Bipolar Disorders</i> , <b>2013</b> , 15, 294-305	3.8	11
47	Dissecting the Shared Genetic Architecture of Suicide Attempt, Psychiatric Disorders, and Known Risk Factors. <i>Biological Psychiatry</i> , <b>2021</b> ,	7.9	11
46	Despite clinical differences, bipolar disorder patients from acute wards and outpatient clinics have similar educational and disability levels compared to the general population. <i>Journal of Affective Disorders</i> , <b>2011</b> , 132, 209-15	6.6	10
45	Patients' Perceptions of their stay in a psychiatric seclusion area. <i>Journal of Psychiatric Intensive Care</i> , <b>2011</b> , 7, 1-10	0.3	10
44	Mid-Pregnancy Insomnia and its Association with Perinatal Depressive Symptoms: A Prospective Cohort Study. <i>Behavioral Sleep Medicine</i> , <b>2021</b> , 19, 285-302	4.2	10
43	Aerobic interval training in standard treatment of out-patients with schizophrenia: a randomized controlled trial. <i>Acta Psychiatrica Scandinavica</i> , <b>2019</b> , 140, 498-507	6.5	9
42	Risk factors of cycle acceleration in acutely admitted patients with bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , <b>2014</b> , 130, 388-96	6.5	9
41	Increased circulating IL-18 levels in severe mental disorders indicate systemic inflammasome activation. <i>Brain, Behavior, and Immunity</i> , <b>2022</b> , 99, 299-306	16.6	9
40	The evening light environment in hospitals can be designed to produce less disruptive effects on the circadian system and improve sleep. <i>Sleep</i> , <b>2021</b> , 44,	1.1	9
39	Motor activity patterns in acute schizophrenia and other psychotic disorders can be differentiated from bipolar mania and unipolar depression. <i>Psychiatry Research</i> , <b>2018</b> , 270, 418-425	9.9	9
38	Clinical predictors of non-response to lithium treatment in the Pharmacogenomics of Bipolar Disorder (PGBD) study. <i>Bipolar Disorders</i> , <b>2021</b> ,	3.8	8
37	DSM-5 and ICD-11 criteria for bipolar disorder: Implications for the prevalence of bipolar disorder and validity of the diagnosis - A narrative review from the ECNP bipolar disorders network. <i>European Neuropsychopharmacology</i> , <b>2021</b> , 47, 54-61	1.2	8
36	A comprehensive cardiovascular disease risk profile in patients with schizophrenia. <i>Scandinavian Journal of Medicine and Science in Sports</i> , <b>2019</b> , 29, 575-585	4.6	8
35	Overcoming insomnia: protocol for a large-scale randomised controlled trial of online cognitive behaviour therapy for insomnia compared with online patient education about sleep. <i>BMJ Open</i> , <b>2018</b> , 8, e025152	3	8
34	A Randomized Trial of Cognitive Group Therapy vs. Waiting List for Patients with Co-Morbid Psychiatric Disorders: Effect of Cognitive Group Therapy after Treatment and Six and Twelve Months Follow-Up. <i>Behavioural and Cognitive Psychotherapy</i> , <b>2005</b> , 33, 33-44	2.1	7
33	The association between lithium use and neurocognitive performance in patients with bipolar disorder. <i>Neuropsychopharmacology</i> , <b>2020</b> , 45, 1743-1749	8.7	6
32	Patients with schizophrenia have impaired muscle force-generating capacity and functional performance. <i>Scandinavian Journal of Medicine and Science in Sports</i> , <b>2019</b> , 29, 1968-1979	4.6	6
31	Predictors of long term use of psychiatric services of patients with recent-onset schizophrenia: 12 years follow-up. <i>BMC Psychiatry</i> , <b>2017</b> , 17, 18	4.2	6

30	Symptoms of epilepsy and organic brain dysfunctions in patients with acute, brief depression combined with other fluctuating psychiatric symptoms: a controlled study from an acute psychiatric department. <i>BMC Psychiatry</i> , <b>2009</b> , 9, 63	4.2	6
29	A help-line for children. Seasonal variations in issues. <i>Psychiatry Research</i> , <b>2004</b> , 128, 191-7	9.9	6
28	The role of trauma and psychological distress on motivation for foreign language acquisition among refugees. <i>International Journal of Culture and Mental Health</i> , <b>2014</b> , 7, 59-67		5
27	Right unilateral electroconvulsive therapy does not cause more cognitive impairment than pharmacologic treatment in treatment-resistant bipolar depression: A 6-month randomized controlled trial follow-up study. <i>Bipolar Disorders</i> , <b>2018</b> , 20, 531-538	3.8	4
26	A pragmatic effectiveness randomized controlled trial of the duration of psychiatric hospitalization in a trans-diagnostic sample of patients with acute mental illness admitted to a ward with either blue-depleted evening lighting or normal lighting conditions. <i>Trials</i> , <b>2019</b> , 20, 472	2.8	4
25	Distribution and Characteristics of Active and Inactive Periods Distinguish Unipolar Depression With and Without Motor Retardation. <i>Journal of Clinical Psychiatry</i> , <b>2016</b> , 77, 841-2	4.6	4
24	Copy number variations in affective disorders and meta-analysis. <i>Psychiatric Genetics</i> , <b>2011</b> , 21, 319-22	2.9	3
23	Seasonal variations in children's calls to a help-line: implications for preventive services. <i>Journal of Affective Disorders</i> , <b>2002</b> , 70, 175-80	6.6	3
22	Is there an association between cardiorespiratory fitness and stage of illness in psychotic disorders? A systematic review and meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , <b>2020</b> , 141, 190-205	6.5	3
21	Clinical characteristics of patients with bipolar disorder and premorbid traumatic brain injury: a cross-sectional study. <i>International Journal of Bipolar Disorders</i> , <b>2018</b> , 6, 19	5.4	3
20	Mode of delivery of Cognitive Behavioral Therapy for Insomnia: a randomized controlled non-inferiority trial of digital and face-to-face therapy. <i>Sleep</i> , <b>2021</b> , 44,	1.1	3
19	Religious convictions in patients with epilepsy-associated affective disorders: a controlled study from a psychiatric acute department. <i>Journal of Religion and Health</i> , <b>2015</b> , 54, 1110-7	2.6	2
18	Effects of legal and illegal use of benzodiazepines at acute admission to a psychiatric acute department. <i>BMC Research Notes</i> , <b>2010</b> , 3, 263	2.3	2
17	Genome-wide association study of suicide attempt in psychiatric disorders identifies association with major depression polygenic risk scores		2
16	Dissecting the shared genetic architecture of suicide attempt, psychiatric disorders and known risk factors		2
15	Digital cognitive-behavioural therapy for insomnia compared with digital patient education about insomnia in individuals referred to secondary mental health services in Norway: protocol for a multicentre randomised controlled trial. <i>BMJ Open</i> , <b>2021</b> , 11, e050661	3	2
14	Plasma Levels of the Cytokines B Cell-Activating Factor (BAFF) and A Proliferation-Inducing Ligand (APRIL) in Schizophrenia, Bipolar, and Major Depressive Disorder: A Cross Sectional, Multisite Study. <i>Schizophrenia Bulletin</i> , <b>2021</b> ,	1.3	2
13	The Predictive Properties of Violence Risk Instruments May Increase by Adding Items Assessing Sleep. <i>Frontiers in Psychiatry</i> , <b>2019</b> , 10, 323	5	1



12	Pharmacological treatment and adherence one week prior to acute psychiatric admissions. <i>Nordic Journal of Psychiatry</i> , <b>2012</b> , 66, 222-4	2.3	1
11	Correction of depression-associated circadian rhythm abnormalities is associated with lithium response in bipolar disorder. <i>Bipolar Disorders</i> , <b>2021</b> ,	3.8	1
10	One-year aerobic interval training in outpatients with schizophrenia: A randomized controlled trial. <i>Scandinavian Journal of Medicine and Science in Sports</i> , <b>2020</b> , 30, 2420-2436	4.6	1
9	Strength training restores force-generating capacity in patients with schizophrenia. <i>Scandinavian Journal of Medicine and Science in Sports</i> , <b>2021</b> , 31, 665-678	4.6	1
8	Lower circulating neuron-specific enolase concentrations in adults and adolescents with severe mental illness.. <i>Psychological Medicine</i> , <b>2021</b> , 1-10	6.9	1
7	Outcomes associated with different vaccines in individuals with bipolar disorder and impact on the current COVID-19 pandemic- a systematic review. <i>European Neuropsychopharmacology</i> , <b>2021</b> , 54, 90-90	1.2	1
6	Variations in seasonal solar insolation are associated with a history of suicide attempts in bipolar I disorder. <i>International Journal of Bipolar Disorders</i> , <b>2021</b> , 9, 26	5.4	0
5	Response to Kellner and Fink. <i>American Journal of Psychiatry</i> , <b>2015</b> , 172, 295-6	11.9	
4	Response to Kotzalidis et al. <i>American Journal of Psychiatry</i> , <b>2015</b> , 172, 294-5	11.9	
3	Cardiovascular Disease Risk Profile in Patients with Schizophrenia. <i>Medicine and Science in Sports and Exercise</i> , <b>2017</b> , 49, 432	1.2	
2	The authors reply. <i>American Journal of Epidemiology</i> , <b>2015</b> , 182, 820-1	3.8	
1	12 Weeks Of Maximal Strength Training Restores Muscle Force-generating Capacity In Patients With Schizophrenia. <i>Medicine and Science in Sports and Exercise</i> , <b>2020</b> , 52, 604-604	1.2	