List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/812569/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Environmental exposures to pesticides, phthalates, phenols and trace elements are associated with neurodevelopment in the CHARGE study. Environment International, 2022, 161, 107075.	10.0	23
2	Reductions in particulate matter concentrations resulting from air filtration: A randomized shamâ€controlled crossover study. Indoor Air, 2022, 32, e12982.	4.3	10
3	Cardiometabolic Pregnancy Complications in Association With Autism-Related Traits as Measured by the Social Responsiveness Scale in ECHO. American Journal of Epidemiology, 2022, 191, 1407-1419.	3.4	9
4	Exposure to Contemporary and Emerging Chemicals in Commerce among Pregnant Women in the United States: The Environmental influences on Child Health Outcome (ECHO) Program. Environmental Science & Technology, 2022, 56, 6560-6573.	10.0	41
5	A quest to identify suitable organic tracers for estimating children's dust ingestion rates. Journal of Exposure Science and Environmental Epidemiology, 2021, 31, 70-81.	3.9	10
6	Temporal variability of indoor dust concentrations of semivolatile organic compounds. Indoor Air, 2021, 31, 693-701.	4.3	12
7	In utero pyrethroid pesticide exposure in relation to autism spectrum disorder (ASD) and other neurodevelopmental outcomes at 3 years in the MARBLES longitudinal cohort. Environmental Research, 2021, 194, 110495.	7.5	23
8	Evaluating couch polyurethane foam for a potential passive sampler of semivolatile organic compounds. Chemosphere, 2021, 271, 129349.	8.2	1
9	Prenatal exposure to per- and polyfluoroalkyl substances in association with autism spectrum disorder in the MARBLES study. Environment International, 2021, 147, 106328.	10.0	40
10	Are Cal/OSHA Regulations Protecting Farmworkers in California From Heat-Related Illness?. Journal of Occupational and Environmental Medicine, 2021, 63, 532-539.	1.7	11
11	Quantification of Nonpersistent Pesticides in Small Volumes of Human Breast Milk with Ultrahigh Performance Liquid Chromatography Coupled to Tandem Mass Spectrometry. Journal of Agricultural and Food Chemistry, 2021, 69, 6676-6689.	5.2	8
12	Changes in maternal serum concentrations of per- and polyfluoroalkyl substances from pregnancy to two years postpartum. ISEE Conference Abstracts, 2021, 2021, .	0.0	0
13	Temporal Trends of Phenol, Paraben, and Triclocarban Exposure in California Pregnant Women during 2007–2014. Environmental Science & Technology, 2021, 55, 11155-11165.	10.0	18
14	Variability of Urinary Concentrations of Phenols, Parabens, and Triclocarban during Pregnancy in First Morning Voids and Pooled Samples. Environmental Science & Technology, 2021, 55, 16001-16010.	10.0	9
15	Measured concentrations of consumer product chemicals in California house dust: Implications for sources, exposure, and toxicity potential. Indoor Air, 2020, 30, 60-75.	4.3	56
16	A framework for assessing the impact of chemical exposures on neurodevelopment in ECHO: Opportunities and challenges. Environmental Research, 2020, 188, 109709.	7.5	15
17	Modeled prenatal exposure to per- and polyfluoroalkyl substances in association with child autism spectrum disorder: A case-control study. Environmental Research, 2020, 186, 109514.	7.5	26
18	Temporal trends and determinants of serum concentrations of per- and polyfluoroalkyl substances among Northern California mothers with a young child, 2009–2016. Environmental Research, 2020, 186. 109491.	7.5	28

#	Article	IF	CITATIONS
19	Opportunities for evaluating chemical exposures and child health in the United States: the Environmental influences on Child Health Outcomes (ECHO) Program. Journal of Exposure Science and Environmental Epidemiology, 2020, 30, 397-419.	3.9	44
20	Impacts of weather, work rate, hydration, and clothing in heatâ€related illness in California farmworkers. American Journal of Industrial Medicine, 2019, 62, 1038-1046.	2.1	27
21	Identifying and Prioritizing Chemicals with Uncertain Burden of Exposure: Opportunities for Biomonitoring and Health-Related Research. Environmental Health Perspectives, 2019, 127, 126001.	6.0	56
22	Exposure Assessment For Air-To-Skin Uptake of Semivolatile Organic Compounds (SVOCs) Indoors. Environmental Science & Technology, 2019, 53, 1608-1616.	10.0	35
23	Variability of urinary concentrations of phthalate metabolites during pregnancy in first morning voids and pooled samples. Environment International, 2019, 122, 222-230.	10.0	49
24	Consensus Modeling of Median Chemical Intake for the U.S. Population Based on Predictions of Exposure Pathways. Environmental Science & amp; Technology, 2019, 53, 719-732.	10.0	78
25	Prenatal exposure to organophosphate pesticides and risk of autism spectrum disorders and other non-typical development at 3 years in a high-risk cohort. International Journal of Hygiene and Environmental Health, 2018, 221, 548-555.	4.3	59
26	Household Dust as a Repository of Chemical Accumulation: New Insights from a Comprehensive High-Resolution Mass Spectrometric Study. Environmental Science & Technology, 2018, 52, 2878-2887.	10.0	88
27	A Prospective Study of Environmental Exposures and Early Biomarkers in Autism Spectrum Disorder: Design, Protocols, and Preliminary Data from the MARBLES Study. Environmental Health Perspectives, 2018, 126, 117004.	6.0	77
28	Prenatal exposure to phthalates and autism spectrum disorder in the MARBLES study. Environmental Health, 2018, 17, 85.	4.0	47
29	Organophosphate exposures during pregnancy and child neurodevelopment: Recommendations for essential policy reforms. PLoS Medicine, 2018, 15, e1002671.	8.4	168
30	Physical activity and common tasks of California farm workers: California Heat Illness Prevention Study (CHIPS). Journal of Occupational and Environmental Hygiene, 2018, 15, 857-869.	1.0	18
31	Variability of urinary pesticide metabolite concentrations during pregnancy in the MARBLES Study. Environmental Research, 2018, 165, 400-409.	7.5	22
32	Combined Prenatal Pesticide Exposure and Folic Acid Intake in Relation to Autism Spectrum Disorder. Environmental Health Perspectives, 2017, 125, 097007.	6.0	72
33	Recruitment, Methods, and Descriptive Results of a Physiologic Assessment of Latino Farmworkers. Journal of Occupational and Environmental Medicine, 2017, 59, 649-658.	1.7	24
34	Volatilization of low vapor pressure – volatile organic compounds (LVP–VOCs) during three cleaning products-associated activities: Potential contributions to ozone formation. Chemosphere, 2016, 153, 130-137.	8.2	13
35	Phthalate concentrations in house dust in relation to autism spectrum disorder and developmental delay in the CHildhood Autism Risks from Genetics and the Environment (CHARGE) study. Environmental Health, 2015, 14, 56.	4.0	80
36	Risk-Based High-Throughput Chemical Screening and Prioritization using Exposure Models and in Vitro Bioactivity Assays. Environmental Science & 2017, 100, 2015, 49, 6760-6771.	10.0	63

#	Article	IF	CITATIONS
37	Polybrominated diphenyl ether serum concentrations in a Californian population of children, their parents, and older adults: an exposure assessment study. Environmental Health, 2015, 14, 23.	4.0	36
38	Particulate Matter, Endotoxin, and Worker Respiratory Health on Large Californian Dairies. Journal of Occupational and Environmental Medicine, 2015, 57, 79-87.	1.7	21
39	Polybrominated diphenyl ether (PBDE) concentrations and resulting exposure in homes in California: relationships among passive air, surface wipe and dust concentrations, and temporal variability. Indoor Air, 2015, 25, 220-229.	4.3	54
40	Serum concentrations of perfluorinated compounds (PFC) among selected populations of children and Adults in California. Environmental Research, 2015, 136, 264-273.	7.5	107
41	Agricultural Work Exposures and Pulmonary Function Among Hired Farm Workers in California (The) Tj ETQq1 1	0.784314 1.5	rgBT /Overlo
42	Concentrations of the urinary pyrethroid metabolite 3-phenoxybenzoic acid in farm worker families in the MICASA study. Environmental Research, 2014, 131, 153-159.	7.5	37
43	Urinary Pyrethroid and Chlorpyrifos Metabolite Concentrations in Northern California Families and Their Relationship to Indoor Residential Insecticide Levels, Part of the Study of Use of Products and Exposure Related Behavior (SUPERB). Environmental Science & Technology, 2014, 48, 1931-1939.	10.0	81
44	Attributing population-scale human exposure to various source categories: Merging exposure models and biomonitoring data. Environment International, 2014, 70, 183-191.	10.0	9
45	Occupational exposure to particulate matter from three agricultural crops in California. International Journal of Hygiene and Environmental Health, 2014, 217, 226-230.	4.3	17
46	Spatial and seasonal patterns of particulate matter less than 2.5 microns in the Sierra Nevada Mountains, California. Atmospheric Pollution Research, 2014, 5, 581-590.	3.8	17
47	Tracking Contributions to Human Body Burden of Environmental Chemicals by Correlating Environmental Measurements with Biomarkers. PLoS ONE, 2014, 9, e93678.	2.5	1
48	Pyrethroids in house dust from the homes of farm worker families in the MICASA study. Environment International, 2013, 61, 57-63.	10.0	46
49	Temporal variation of residential pesticide use and comparison of two survey platforms: a longitudinal study among households with young children in Northern California. Environmental Health, 2013, 12, 65.	4.0	14
50	Quantitative analysis of organophosphate and pyrethroid insecticides, pyrethroid transformation products, polybrominated diphenyl ethers and bisphenol A in residential surface wipe samples. Journal of Chromatography A, 2013, 1273, 1-11.	3.7	14
51	Occupational exposure to particulate matter and endotoxin for California dairy workers. International Journal of Hygiene and Environmental Health, 2013, 216, 56-62.	4.3	40
52	Indoor Residence Times of Semivolatile Organic Compounds: Model Estimation and Field Evaluation. Environmental Science & Technology, 2013, 47, 859-867.	10.0	57
53	Agricultural Injury in California Hispanic Farm Workers: MICASA Follow-up Survey. Journal of Agromedicine, 2013, 18, 39-49.	1.5	13
54	Acute Pulmonary Function Change Associated With Work on Large Dairies in California. Journal of Occupational and Environmental Medicine, 2013, 55, 74-79.	1.7	18

#	Article	IF	CITATIONS
55	A Survey of Particulate Matter on California Dairy Farms. Journal of Environmental Quality, 2013, 42, 40-47.	2.0	6
56	Passive sampling methods to determine household and personal care product use. Journal of Exposure Science and Environmental Epidemiology, 2012, 22, 148-160.	3.9	25
57	Analysing the effects of the 2002 McNally fire on air quality in the San Joaquin Valley and southern Sierra Nevada, California. International Journal of Wildland Fire, 2012, 21, 1065.	2.4	13
58	Indoor Particle Levels in Small- and Medium-Sized Commercial Buildings in California. Environmental Science & Technology, 2012, 46, 12355-12363.	10.0	38
59	Intake Fraction for the Indoor Environment: A Tool for Prioritizing Indoor Chemical Sources. Environmental Science & Technology, 2012, 46, 10063-10072.	10.0	49
60	Macroscopic to microscopic scales of particle dosimetry: from source to fate in the body. Air Quality, Atmosphere and Health, 2012, 5, 169-187.	3.3	25
61	Ventilation, temperature, and HVAC characteristics in small and medium commercial buildings in California. Indoor Air, 2012, 22, 309-320.	4.3	34
62	Frequency and longitudinal trends of household care product use. Atmospheric Environment, 2012, 55, 417-424.	4.1	30
63	Volatile Organic Compounds in Small- and Medium-Sized Commercial Buildings in California. Environmental Science & Technology, 2011, 45, 9075-9083.	10.0	83
64	Polybrominated diphenyl ethers in relation to autism and developmental delay: a case-control study. Environmental Health, 2011, 10, 1.	4.0	115
65	Longitudinal variability of time-location/activity patterns of population at different ages: a longitudinal study in California. Environmental Health, 2011, 10, 80.	4.0	30
66	Study of Use of Products and Exposure-Related Behaviors (SUPERB): study design, methods, and demographic characteristics of cohorts. Environmental Health, 2010, 9, 54.	4.0	30
67	PBDEs in 2â^'5 Year-Old Children from California and Associations with Diet and Indoor Environment. Environmental Science & Technology, 2010, 44, 2648-2653.	10.0	100
68	Usage pattern of personal care products in California households. Food and Chemical Toxicology, 2010, 48, 3109-3119.	3.6	101
69	Origin, Occurrence, and Source Emission Rate of Acrolein in Residential Indoor Air. Environmental Science & Technology, 2007, 41, 6940-6946.	10.0	67
70	Measured and Modeled Personal Exposures to and Risks from Volatile Organic Compounds. Environmental Science & Technology, 2007, 41, 8498-8505.	10.0	60
71	Ranking Cancer Risks of Organic Hazardous Air Pollutants in the United States. Environmental Health Perspectives, 2007, 115, 1160-1168.	6.0	140
72	Measured Concentrations of VOCs in Several Non-Residential Microenvironments in the United States. Environmental Science & amp; Technology, 2006, 40, 6903-6911.	10.0	61

#	Article	IF	CITATIONS
73	Determining the infiltration of outdoor particles in the indoor environment using a dynamic model. Journal of Aerosol Science, 2006, 37, 766-785.	3.8	94
74	A Cancer Risk Assessment of Inner-City Teenagers Living in New York City and Los Angeles. Environmental Health Perspectives, 2006, 114, 1558-1566.	6.0	77
75	Rethinking Environmental Performance from a Public Health Perspective: A Comparative Industry Analysis. Journal of Industrial Ecology, 2005, 9, 143-167.	5.5	9
76	Temporal variability of urinary levels of nonpersistent insecticides in adult men. Journal of Exposure Science and Environmental Epidemiology, 2005, 15, 271-281.	3.9	98
77	The Relationship of Urinary Metabolites of Carbaryl/Naphthalene and Chlorpyrifos with Human Semen Quality. Environmental Health Perspectives, 2004, 112, 1665-1670.	6.0	130
78	Urinary levels of insecticide metabolites and DNA damage in human sperm. Human Reproduction, 2004, 19, 2573-2580.	0.9	95
79	Dependence of Intake Fraction on Release Location in a Multimedia Framework Journal of Industrial Ecology, 2004, 8, 89-102.	5.5	25
80	Fugacity-Based Indoor Residential Pesticide Fate Model. Environmental Science & Technology, 2004, 38, 2142-2152.	10.0	98
81	Intake Fraction for Multimedia Pollutants: A Tool for Life Cycle Analysis and Comparative Risk Assessment. Risk Analysis, 2002, 22, 905-918.	2.7	84
82	Defining intake fraction. Environmental Science & amp; Technology, 2002, 36, 207A-211A.	10.0	31
83	Predicting Long-Range Transport:  A Systematic Evaluation of Two Multimedia Transport Models. Environmental Science & Technology, 2001, 35, 1181-1189.	10.0	50
84	General Formulation of Characteristic Time for Persistent Chemicals in a Multimedia Environment. Environmental Science & Technology, 1999, 33, 503-509.	10.0	48
85	Chemical Dynamics of Persistent Organic Pollutants:Â A Sensitivity Analysis Relating Soil Concentration Levels to Atmospheric Emissions. Environmental Science & Technology, 1998, 32, 115-123.	10.0	28
86	General Formulation of Characteristic Travel Distance for Semivolatile Organic Chemicals in a Multimedia Environment. Environmental Science & amp; Technology, 1998, 32, 4023-4030.	10.0	149