

Bernardo Castellano

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8127431/bernardo-castellano-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

96
papers

3,681
citations

34
h-index

57
g-index

109
ext. papers

4,000
ext. citations

4.7
avg, IF

4.94
L-index

#	Paper	IF	Citations
96	Microglial and astroglial reactions to ischemic and kainic acid-induced lesions of the adult rat hippocampus. <i>Experimental Neurology</i> , 1993 , 120, 70-88	5.7	229
95	Demonstration of poly-N-acetyl lactosamine residues in ameboid and ramified microglial cells in rat brain by tomato lectin binding. <i>Journal of Histochemistry and Cytochemistry</i> , 1994 , 42, 1033-41	3.4	168
94	Neonatal handling and environmental enrichment effects on emotionality, novelty/reward seeking, and age-related cognitive and hippocampal impairments: focus on the Roman rat lines. <i>Behavior Genetics</i> , 1997 , 27, 513-26	3.2	145
93	Ontogeny of sensorimotor gating and immune impairment induced by prenatal immune challenge in rats: implications for the etiopathology of schizophrenia. <i>Molecular Psychiatry</i> , 2010 , 15, 372-83	15.1	125
92	Dynamics of microglia in the developing rat brain. <i>Journal of Comparative Neurology</i> , 2003 , 458, 144-57	3.4	119
91	Neuronal, astroglial and microglial cytokine expression after an excitotoxic lesion in the immature rat brain. <i>European Journal of Neuroscience</i> , 2000 , 12, 3505-20	3.5	116
90	Neurobehavioral and immunological consequences of prenatal immune activation in rats. Influence of antipsychotics. <i>Neuropsychopharmacology</i> , 2007 , 32, 1791-804	8.7	112
89	Microglial and astroglial reactions to anterograde axonal degeneration: a histochemical and immunocytochemical study of the adult rat fascia dentata after entorhinal perforant path lesions. <i>Experimental Brain Research</i> , 1994 , 98, 245-60	2.3	111
88	Development of microglia in the postnatal rat hippocampus. <i>Hippocampus</i> , 1998 , 8, 458-74	3.5	102
87	Antigen presentation in EAE: role of microglia, macrophages and dendritic cells. <i>Frontiers in Bioscience - Landmark</i> , 2011 , 16, 1157-71	2.8	95
86	Leukocyte infiltration and glial reactions in xenografts of mouse brain tissue undergoing rejection in the adult rat brain. A light and electron microscopical immunocytochemical study. <i>Journal of Neuroimmunology</i> , 1991 , 32, 159-83	3.5	95
85	Development of microglia in the prenatal rat hippocampus. <i>Journal of Comparative Neurology</i> , 1997 , 377, 70-84	3.4	75
84	Primary cortical glial reaction versus secondary thalamic glial response in the excitotoxically injured young brain: astroglial response and metallothionein expression. <i>Neuroscience</i> , 1999 , 92, 827-39	3.9	74
83	Increased levels of proinflammatory cytokines in the aged rat brain attenuate injury-induced cytokine response after excitotoxic damage. <i>Journal of Neuroscience Research</i> , 2009 , 87, 2484-97	4.4	69
82	A double staining technique for simultaneous demonstration of astrocytes and microglia in brain sections and astroglial cell cultures. <i>Journal of Histochemistry and Cytochemistry</i> , 1991 , 39, 561-8	3.4	69
81	Caspase-3 activation in astrocytes following postnatal excitotoxic damage correlates with cytoskeletal remodeling but not with cell death or proliferation. <i>Glia</i> , 2007 , 55, 954-65	9	66
80	Microglial response to N-methyl-D-aspartate-mediated excitotoxicity in the immature rat brain. <i>Journal of Comparative Neurology</i> , 1996 , 367, 361-74	3.4	65

79	Effect of zinc, copper and glucocorticoids on metallothionein levels of cultured neurons and astrocytes from rat brain. <i>Chemico-Biological Interactions</i> , 1994 , 93, 197-219	5	57
78	STAT3 and NFkappaB activation precedes glial reactivity in the excitotoxically injured young cortex but not in the corresponding distal thalamic nuclei. <i>Journal of Neuropathology and Experimental Neurology</i> , 2000 , 59, 151-63	3.1	56
77	Morphology and distribution of microglial cells in the young and adult mouse cerebellum. <i>Journal of Comparative Neurology</i> , 1995 , 361, 602-16	3.4	56
76	NF-kappaB and IkappaBalphalpha expression following traumatic brain injury to the immature rat brain. <i>Journal of Neuroscience Research</i> , 2002 , 67, 772-80	4.4	49
75	Primary cortical glial reaction versus secondary thalamic glial response in the excitotoxically injured young brain: microglial/macrophage response and major histocompatibility complex class I and II expression. <i>Neuroscience</i> , 1999 , 89, 549-65	3.9	47
74	Expression of inducible nitric oxide synthase and cyclooxygenase-2 after excitotoxic damage to the immature rat brain. <i>Journal of Neuroscience Research</i> , 2002 , 68, 745-54	4.4	44
73	Role of the CD200-CD200R Axis During Homeostasis and Neuroinflammation. <i>Neuroscience</i> , 2019 , 405, 118-136	3.9	43
72	Increase in Th17 and T-reg lymphocytes and decrease of IL22 correlate with the recovery phase of acute EAE in rat. <i>PLoS ONE</i> , 2011 , 6, e27473	3.7	42
71	TNF gene cluster deletion abolishes lipopolysaccharide-mediated sensitization of the neonatal brain to hypoxic ischemic insult. <i>Laboratory Investigation</i> , 2011 , 91, 328-41	5.9	42
70	Immunotoxic depletion of microglia in mouse hippocampal slice cultures enhances ischemia-like neurodegeneration. <i>Brain Research</i> , 2009 , 1291, 140-52	3.7	42
69	Activated microglial cells acquire an immature dendritic cell phenotype and may terminate the immune response in an acute model of EAE. <i>Journal of Neuroimmunology</i> , 2010 , 223, 39-54	3.5	41
68	Triflusul posttreatment inhibits glial nuclear factor-kappaB, downregulates the glial response, and is neuroprotective in an excitotoxic injury model in postnatal brain. <i>Stroke</i> , 2001 , 32, 2394-402	6.7	41
67	The microglial reaction in spinal cords of jimpy mice is related to apoptotic oligodendrocytes. <i>Brain Research</i> , 1996 , 712, 134-42	3.7	40
66	Decrease of proinflammatory molecules correlates with neuroprotective effect of the fluorinated salicylate triflusul after postnatal excitotoxic damage. <i>Stroke</i> , 2002 , 33, 2499-505	6.7	39
65	Expression of growth inhibitory factor (metallothionein-III) mRNA and protein following excitotoxic immature brain injury. <i>Journal of Neuropathology and Experimental Neurology</i> , 1999 , 58, 389-97	3.1	37
64	Interleukin-10 and interleukin-10 receptor-I are upregulated in glial cells after an excitotoxic injury to the postnatal rat brain. <i>Journal of Neuropathology and Experimental Neurology</i> , 2009 , 68, 391-403	3.1	36
63	CD4 microglial expression correlates with spontaneous clinical improvement in the acute Lewis rat EAE model. <i>Journal of Neuroimmunology</i> , 2009 , 209, 65-80	3.5	36
62	Temporal expression of cytokines and signal transducer and activator of transcription factor 3 activation after neonatal hypoxia/ischemia in mice. <i>Developmental Neuroscience</i> , 2013 , 35, 212-25	2.2	34

61	Time course of proliferation and elimination of microglia/macrophages in different neurodegenerative conditions. <i>Journal of Neurotrauma</i> , 2002 , 19, 1503-20	5.4	34
60	Astrocyte-targeted production of IL-10 induces changes in microglial reactivity and reduces motor neuron death after facial nerve axotomy. <i>Glia</i> , 2015 , 63, 1166-84	9	33
59	Alterations in microglial phenotype and hippocampal neuronal function in transgenic mice with astrocyte-targeted production of interleukin-10. <i>Brain, Behavior, and Immunity</i> , 2015 , 45, 80-97	16.6	33
58	Glial expression of small heat shock proteins following an excitotoxic lesion in the immature rat brain. <i>Glia</i> , 2002 , 38, 1-14	9	33
57	Expression of LFA-1alpha and ICAM-1 in the developing rat brain: a potential mechanism for the recruitment of microglial cell precursors. <i>Developmental Brain Research</i> , 1997 , 103, 163-70		31
56	Cu/Zn superoxide dismutase expression in the postnatal rat brain following an excitotoxic injury. <i>Journal of Neuroinflammation</i> , 2005 , 2, 12	10.1	31
55	Proliferation dynamics of germinative zone cells in the intact and excitotoxically lesioned postnatal rat brain. <i>BMC Neuroscience</i> , 2005 , 6, 26	3.2	31
54	Astrocyte-targeted production of interleukin-6 reduces astroglial and microglial activation in the cuprizone demyelination model: Implications for myelin clearance and oligodendrocyte maturation. <i>Glia</i> , 2016 , 64, 2104-2119	9	30
53	Induction of metallothionein in astrocytes and microglia in the spinal cord from the myelin-deficient jimpy mouse. <i>Brain Research</i> , 1997 , 767, 345-55	3.7	30
52	Expression of purine metabolism-related enzymes by microglial cells in the developing rat brain. <i>Journal of Comparative Neurology</i> , 1998 , 398, 333-46	3.4	29
51	Quantitative analysis of microglial reaction to a cortical excitotoxic lesion in the early postnatal brain. <i>Experimental Neurology</i> , 1997 , 147, 410-7	5.7	28
50	Survivin and heat shock protein 25/27 colocalize with cleaved caspase-3 in surviving reactive astrocytes following excitotoxicity to the immature brain. <i>Neuroscience</i> , 2008 , 153, 108-19	3.9	28
49	Distinct pattern of microglial response, cyclooxygenase-2, and inducible nitric oxide synthase expression in the aged rat brain after excitotoxic damage. <i>Journal of Neuroscience Research</i> , 2008 , 86, 3170-83	4.4	28
48	Identification and distribution of microglial cells in the cerebral cortex of the lizard: a histochemical study. <i>Journal of Comparative Neurology</i> , 1991 , 311, 434-44	3.4	28
47	Immobilized cells: behaviour of carrageenan entrapped yeast during continuous ethanol fermentation. <i>Applied Microbiology and Biotechnology</i> , 1987 , 26, 342	5.7	28
46	Effects of astrocyte-targeted production of interleukin-6 in the mouse on the host response to nerve injury. <i>Glia</i> , 2014 , 62, 1142-61	9	27
45	Short and long-term analysis and comparison of neurodegeneration and inflammatory cell response in the ipsilateral and contralateral hemisphere of the neonatal mouse brain after hypoxia/ischemia. <i>Neurology Research International</i> , 2012 , 2012, 781512	1.7	26
44	Substantial migration of SVZ cells to the cortex results in the generation of new neurons in the excitotoxically damaged immature rat brain. <i>Molecular and Cellular Neurosciences</i> , 2008 , 38, 170-82	4.8	26

43	Delayed neurodegeneration and early astrogliosis after excitotoxicity to the aged brain. <i>Experimental Gerontology</i> , 2007 , 42, 343-54	4.5	26
42	Neuroprotection from NMDA excitotoxic lesion by Cu/Zn superoxide dismutase gene delivery to the postnatal rat brain by a modular protein vector. <i>BMC Neuroscience</i> , 2006 , 7, 35	3.2	26
41	Astroglial nitration after postnatal excitotoxic damage: correlation with nitric oxide sources, cytoskeletal, apoptotic and antioxidant proteins. <i>Journal of Neurotrauma</i> , 2005 , 22, 189-200	5.4	26
40	Understanding glial abnormalities associated with myelin deficiency in the jimpy mutant mouse. <i>Brain Research Reviews</i> , 1998 , 26, 29-42		25
39	Oral administration of the anti-inflammatory substance triflusil results in the downregulation of constitutive transcription factor NF-kappaB in the postnatal rat brain. <i>Neuroscience Letters</i> , 2000 , 288, 41-4	3.3	22
38	Tomato lectin histochemistry for microglial visualization. <i>Methods in Molecular Biology</i> , 2013 , 1041, 261-79		21
37	Neonatal treatment with monosodium glutamate lastingly facilitates spreading depression in the rat cortex. <i>Life Sciences</i> , 2013 , 93, 388-92	6.8	20
36	Nonviral gene delivery to the central nervous system based on a novel integrin-targeting multifunctional protein. <i>Human Gene Therapy</i> , 2003 , 14, 1215-23	4.8	20
35	Microglial cell reaction in the gray and white matter in spinal cords from jimpy mice. An enzyme histochemical study at the light and electron microscope level. <i>Brain Research</i> , 1995 , 694, 287-98	3.7	19
34	The role of interleukin-6 in central nervous system demyelination. <i>Neural Regeneration Research</i> , 2016 , 11, 1922-1923	4.5	19
33	Distinct spatial and temporal activation of caspase pathways in neurons and glial cells after excitotoxic damage to the immature rat brain. <i>Journal of Neuroscience Research</i> , 2007 , 85, 3545-56	4.4	18
32	Stat3 and NFkappaB glial expression after excitotoxic damage to the postnatal brain. <i>NeuroReport</i> , 1998 , 9, 2869-73	1.7	18
31	Histochemical demonstration of purine nucleoside phosphorylase (PNPase) in microglial and astroglial cells of adult rat brain. <i>Journal of Histochemistry and Cytochemistry</i> , 1990 , 38, 1535-9	3.4	18
30	Glial activation in the immature rat brain: implication of inflammatory transcription factors and cytokine expression. <i>Progress in Brain Research</i> , 2001 , 132, 375-89	2.9	17
29	Transitory disappearance of microglia during the regeneration of the lizard medial cortex. <i>Glia</i> , 1994 , 12, 52-61	9	17
28	Are Microglial Cells the Regulators of Lymphocyte Responses in the CNS?. <i>Frontiers in Cellular Neuroscience</i> , 2015 , 9, 440	6.1	16
27	Abnormal expression of the proliferating cell nuclear antigen (PCNA) in the spinal cord of the hypomyelinated Jimpy mutant mice. <i>Brain Research</i> , 1997 , 747, 130-9	3.7	16
26	Spreading depression features and Iba1 immunoreactivity in the cerebral cortex of developing rats submitted to treadmill exercise after treatment with monosodium glutamate. <i>International Journal of Developmental Neuroscience</i> , 2014 , 33, 98-105	2.7	15

25	RGD domains neuroprotect the immature brain by a glial-dependent mechanism. <i>Annals of Neurology</i> , 2007 , 62, 251-61	9.4	15
24	Expression of 27 kDa heat shock protein (Hsp27) in immature rat brain after a cortical aspiration lesion. <i>Glia</i> , 2001 , 36, 259-70	9	14
23	Decreased myeloperoxidase expressing cells in the aged rat brain after excitotoxic damage. <i>Experimental Gerontology</i> , 2011 , 46, 723-30	4.5	13
22	Purine Signaling and Microglial Wrapping. <i>Advances in Experimental Medicine and Biology</i> , 2016 , 949, 147-165	13	
21	Reduced cuprizone-induced cerebellar demyelination in mice with astrocyte-targeted production of IL-6 is associated with chronically activated, but less responsive microglia. <i>Journal of Neuroimmunology</i> , 2017 , 310, 97-102	3.5	12
20	Neuroprotective effects of the anti-inflammatory compound triflusil on ischemia-like neurodegeneration in mouse hippocampal slice cultures occur independent of microglia. <i>Experimental Neurology</i> , 2009 , 218, 11-23	5.7	12
19	Antioxidant Cu/Zn SOD: expression in postnatal brain progenitor cells. <i>Neuroscience Letters</i> , 2006 , 401, 71-6	3.3	10
18	Immunological reactions to neural grafts in the central nervous system. <i>Restorative Neurology and Neuroscience</i> , 1991 , 2, 271-82	2.8	10
17	Electrophysiological evaluation of spinal reflexes during epidural anesthesia in an experimental model. <i>Muscle and Nerve</i> , 1996 , 19, 29-36	3.4	8
16	Astrocyte-targeted IL-10 production decreases proliferation and induces a downregulation of activated microglia/macrophages after PPT. <i>Glia</i> , 2019 , 67, 741-758	9	8
15	Prolongation of Nerve and Epidural Anesthetic Blockade by Bupivacaine in a Lipid Emulsion. <i>Anesthesia and Analgesia</i> , 1999 , 89, 121-127	3.9	7
14	Chronic exposure to IL-6 induces a desensitized phenotype of the microglia. <i>Journal of Neuroinflammation</i> , 2021 , 18, 31	10.1	7
13	Reduction of the microglial cell number in rat primary glial cell cultures by exogenous addition of dibutyryl cyclic adenosine monophosphate. <i>Journal of Neuroimmunology</i> , 1996 , 70, 123-9	3.5	6
12	Cytochemical demonstration of TPPase in myelinated fibers in the central and peripheral nervous system of the rat. <i>Brain Research</i> , 1989 , 492, 203-10	3.7	6
11	Brain effects of the lectin from <i>Canavalia ensiformis</i> in adult rats previously suckled in favorable and unfavorable conditions: A spreading depression and microglia immunolabeling study. <i>Nutritional Neuroscience</i> , 2015 , 18, 307-15	3.6	5
10	Microglia detection by enzymatic histochemistry. <i>Methods in Molecular Biology</i> , 2013 , 1041, 243-59	1.4	5
9	Interleukin-10 overexpression does not synergize with the neuroprotective action of RGD-containing vectors after postnatal brain excitotoxicity but modulates the main inflammatory cell responses. <i>Journal of Neuroscience Research</i> , 2012 , 90, 143-59	4.4	3
8	Differential Roles of TREM2+ Microglia in Anterograde and Retrograde Axonal Injury Models. <i>Frontiers in Cellular Neuroscience</i> , 2020 , 14, 567404	6.1	3

LIST OF PUBLICATIONS

7	Glial Response to Excitotoxic Injury in the Immature Rat Brain 1998 , 271-295	3
6	Evaluation of Myelin Phagocytosis by Microglia/Macrophages in Nervous Tissue Using Flow Cytometry. <i>Current Protocols</i> , 2021 , 1, e73	2
5	Formació en medicina no convencional en el plan de estudios del grado de medicina de la Universidad Autónoma de Barcelona. <i>Revista Internacional De Acupuntura</i> , 2011 , 5, 68-71	0.1 1
4	Prolongation of nerve and epidural anesthetic blockade by bupivacaine in a lipid emulsion. <i>Anesthesia and Analgesia</i> , 1999 , 89, 121-7	3.9 1
3	Chronic IL-10 overproduction disrupts microglia-neuron dialogue similar to aging, resulting in impaired hippocampal neurogenesis and spatial memory.. <i>Brain, Behavior, and Immunity</i> , 2022 , 101, 231-245 ^{16,6}	1
2	Specific microglial phagocytic phenotype and decrease of lipid oxidation in white matter areas during aging: Implications of different microenvironments. <i>Neurobiology of Aging</i> , 2021 , 105, 280-295	5.6 1
1	Glial Abnormalities in Genetically Determined Disorders of Myelin 1998 , 363-384	1