

Bruno Paiva

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8127624/publications.pdf>

Version: 2024-02-01

226
papers

22,156
citations

13827

67
h-index

9839

141
g-index

232
all docs

232
docs citations

232
times ranked

14412
citing authors

#	ARTICLE	IF	CITATIONS
1	International Myeloma Working Group updated criteria for the diagnosis of multiple myeloma. <i>Lancet Oncology, The</i> , 2014, 15, e538-e548.	5.1	3,343
2	International Myeloma Working Group consensus criteria for response and minimal residual disease assessment in multiple myeloma. <i>Lancet Oncology, The</i> , 2016, 17, e328-e346.	5.1	1,866
3	Revised International Staging System for Multiple Myeloma: A Report From International Myeloma Working Group. <i>Journal of Clinical Oncology</i> , 2015, 33, 2863-2869.	0.8	1,525
4	Next Generation Flow for highly sensitive and standardized detection of minimal residual disease in multiple myeloma. <i>Leukemia</i> , 2017, 31, 2094-2103.	3.3	486
5	Lenalidomide plus Dexamethasone for High-Risk Smoldering Multiple Myeloma. <i>New England Journal of Medicine</i> , 2013, 369, 438-447.	13.9	449
6	Superiority of bortezomib, thalidomide, and dexamethasone (VTD) as induction pretransplantation therapy in multiple myeloma: a randomized phase 3 PETHEMA/GEM study. <i>Blood</i> , 2012, 120, 1589-1596.	0.6	429
7	Bortezomib, melphalan, and prednisone versus bortezomib, thalidomide, and prednisone as induction therapy followed by maintenance treatment with bortezomib and thalidomide versus bortezomib and prednisone in elderly patients with untreated multiple myeloma: a randomised trial. <i>Lancet Oncology, The</i> , 2010, 11, 934-941.	5.1	427
8	Multiparameter flow cytometric remission is the most relevant prognostic factor for multiple myeloma patients who undergo autologous stem cell transplantation. <i>Blood</i> , 2008, 112, 4017-4023.	0.6	425
9	Prognostic value of deep sequencing method for minimal residual disease detection in multiple myeloma. <i>Blood</i> , 2014, 123, 3073-3079.	0.6	380
10	Role of Magnetic Resonance Imaging in the Management of Patients With Multiple Myeloma: A Consensus Statement. <i>Journal of Clinical Oncology</i> , 2015, 33, 657-664.	0.8	330
11	International myeloma working group consensus recommendations on imaging in monoclonal plasma cell disorders. <i>Lancet Oncology, The</i> , 2019, 20, e302-e312.	5.1	290
12	Whole-genome fingerprint of the DNA methylome during human B cell differentiation. <i>Nature Genetics</i> , 2015, 47, 746-756.	9.4	278
13	High-risk cytogenetics and persistent minimal residual disease by multiparameter flow cytometry predict unsustained complete response after autologous stem cell transplantation in multiple myeloma. <i>Blood</i> , 2012, 119, 687-691.	0.6	274
14	Influence of Pre- and Post-Transplantation Responses on Outcome of Patients With Multiple Myeloma: Sequential Improvement of Response and Achievement of Complete Response Are Associated With Longer Survival. <i>Journal of Clinical Oncology</i> , 2008, 26, 5775-5782.	0.8	263
15	Human peripheral blood B α cell compartments: A crossroad in B α cell traffic. <i>Cytometry Part B - Clinical Cytometry</i> , 2010, 78B, S47-60.	0.7	258
16	New criteria for response assessment: role of minimal residual disease in multiple myeloma. <i>Blood</i> , 2015, 125, 3059-3068.	0.6	256
17	Target Expression, Generation, Preclinical Activity, and Pharmacokinetics of the BCMA-T Cell Bispecific Antibody EM801 for Multiple Myeloma Treatment. <i>Cancer Cell</i> , 2017, 31, 396-410.	7.7	251
18	Depth of Response in Multiple Myeloma: A Pooled Analysis of Three PETHEMA/GEM Clinical Trials. <i>Journal of Clinical Oncology</i> , 2017, 35, 2900-2910.	0.8	248

#	ARTICLE	IF	CITATIONS
19	Bortezomib-Based Versus Nonbortezomib-Based Induction Treatment Before Autologous Stem-Cell Transplantation in Patients With Previously Untreated Multiple Myeloma: A Meta-Analysis of Phase III Randomized, Controlled Trials. <i>Journal of Clinical Oncology</i> , 2013, 31, 3279-3287.	0.8	238
20	MYD88 L265P is a marker highly characteristic of, but not restricted to, Waldenström's macroglobulinemia. <i>Leukemia</i> , 2013, 27, 1722-1728.	3.3	238
21	Circulating human B and plasma cells. Age-associated changes in counts and detailed characterization of circulating normal CD138- and CD138+ plasma cells. <i>Haematologica</i> , 2010, 95, 1016-1020.	1.7	210
22	Comparison of Immunofixation, Serum Free Light Chain, and Immunophenotyping for Response Evaluation and Prognostication in Multiple Myeloma. <i>Journal of Clinical Oncology</i> , 2011, 29, 1627-1633.	0.8	202
23	A large meta-analysis establishes the role of MRD negativity in long-term survival outcomes in patients with multiple myeloma. <i>Blood Advances</i> , 2020, 4, 5988-5999.	2.5	198
24	Age and organ damage correlate with poor survival in myeloma patients: meta-analysis of 1435 individual patient data from 4 randomized trials. <i>Haematologica</i> , 2013, 98, 980-987.	1.7	193
25	Long-term prognostic significance of response in multiple myeloma after stem cell transplantation. <i>Blood</i> , 2011, 118, 529-534.	0.6	183
26	Diagnosis, treatment, and response assessment in solitary plasmacytoma: updated recommendations from a European Expert Panel. <i>Journal of Hematology and Oncology</i> , 2018, 11, 10.	6.9	181
27	Single cell dissection of plasma cell heterogeneity in symptomatic and asymptomatic myeloma. <i>Nature Medicine</i> , 2018, 24, 1867-1876.	15.2	179
28	Immunophenotype of normal vs. myeloma plasma cells: Toward antibody panel specifications for <scp>MRD</scp> detection in multiple myeloma. <i>Cytometry Part B - Clinical Cytometry</i> , 2016, 90, 61-72.	0.7	177
29	Measurable Residual Disease by Next-Generation Flow Cytometry in Multiple Myeloma. <i>Journal of Clinical Oncology</i> , 2020, 38, 784-792.	0.8	175
30	PD-L1/PD-1 presence in the tumor microenvironment and activity of PD-1 blockade in multiple myeloma. <i>Leukemia</i> , 2015, 29, 2110-2113.	3.3	170
31	Daratumumab plus pomalidomide and dexamethasone versus pomalidomide and dexamethasone alone in previously treated multiple myeloma (APOLLO): an open-label, randomised, phase 3 trial. <i>Lancet Oncology</i> , 2021, 22, 801-812.	5.1	162
32	The Mechanism of Action of the Anti-CD38 Monoclonal Antibody Isatuximab in Multiple Myeloma. <i>Clinical Cancer Research</i> , 2019, 25, 3176-3187.	3.2	156
33	Critical evaluation of ASO RQ-PCR for minimal residual disease evaluation in multiple myeloma. A comparative analysis with flow cytometry. <i>Leukemia</i> , 2014, 28, 391-397.	3.3	155
34	Combination of International Scoring System 3, High Lactate Dehydrogenase, and t(4;14) and/or del(17p) Identifies Patients With Multiple Myeloma (MM) Treated With Front-Line Autologous Stem-Cell Transplantation at High Risk of Early MM Progression-Related Death. <i>Journal of Clinical Oncology</i> , 2014, 32, 2173-2180.	0.8	150
35	Bortezomib, lenalidomide, and dexamethasone as induction therapy prior to autologous transplant in multiple myeloma. <i>Blood</i> , 2019, 134, 1337-1345.	0.6	148
36	Consensus guidelines on plasma cell myeloma minimal residual disease analysis and reporting. <i>Cytometry Part B - Clinical Cytometry</i> , 2016, 90, 31-39.	0.7	144

#	ARTICLE	IF	CITATIONS
37	Minimal residual disease monitoring in multiple myeloma: a comparison between allelic-specific oligonucleotide real-time quantitative polymerase chain reaction and flow cytometry. <i>Haematologica</i> , 2005, 90, 1365-72.	1.7	135
38	Analysis of the immune system of multiple myeloma patients achieving long-term disease control by multidimensional flow cytometry. <i>Haematologica</i> , 2013, 98, 79-86.	1.7	132
39	Detailed characterization of multiple myeloma circulating tumor cells shows unique phenotypic, cytogenetic, functional, and circadian distribution profile. <i>Blood</i> , 2013, 122, 3591-3598.	0.6	131
40	Minimal residual disease monitoring and immune profiling in multiple myeloma in elderly patients. <i>Blood</i> , 2016, 127, 3165-3174.	0.6	129
41	The Progression from MGUS to Smoldering Myeloma and Eventually to Multiple Myeloma Involves a Clonal Expansion of Genetically Abnormal Plasma Cells. <i>Clinical Cancer Research</i> , 2011, 17, 1692-1700.	3.2	128
42	Lenalidomide plus dexamethasone versus observation in patients with high-risk smoldering multiple myeloma (QuiRedex): long-term follow-up of a randomised, controlled, phase 3 trial. <i>Lancet Oncology</i> , The, 2016, 17, 1127-1136.	5.1	128
43	Second Revision of the International Staging System (R2-ISS) for Overall Survival in Multiple Myeloma: A European Myeloma Network (EMN) Report Within the HARMONY Project. <i>Journal of Clinical Oncology</i> , 2022, 40, 3406-3418.	0.8	115
44	Genetic Abnormalities and Patterns of Antigenic Expression in Multiple Myeloma. <i>Clinical Cancer Research</i> , 2005, 11, 3661-3667.	3.2	109
45	Utility of flow cytometry immunophenotyping in multiple myeloma and other clonal plasma cell-related disorders. <i>Cytometry Part B - Clinical Cytometry</i> , 2010, 78B, 239-252.	0.7	109
46	Discovery of first-in-class reversible dual small molecule inhibitors against G9a and DNMTs in hematological malignancies. <i>Nature Communications</i> , 2017, 8, 15424.	5.8	109
47	Consensus guidelines for myeloma minimal residual disease sample staining and data acquisition. <i>Cytometry Part B - Clinical Cytometry</i> , 2016, 90, 26-30.	0.7	108
48	Busulfan 12 mg/kg plus melphalan 140 mg/m ² versus melphalan 200 mg/m ² as conditioning regimens for autologous transplantation in newly diagnosed multiple myeloma patients included in the PETHEMA/GEM2000 study. <i>Haematologica</i> , 2010, 95, 1913-1920.	1.7	101
49	Remission status defined by immunofixation vs. electrophoresis after autologous transplantation has a major impact on the outcome of multiple myeloma patients. <i>British Journal of Haematology</i> , 2000, 109, 438-446.	1.2	100
50	GEM2005 trial update comparing VMP/VTP as induction in elderly multiple myeloma patients: do we still need alkylators?. <i>Blood</i> , 2014, 124, 1887-1893.	0.6	95
51	Carfilzomib or bortezomib with melphalan-prednisone for transplant-ineligible patients with newly diagnosed multiple myeloma. <i>Blood</i> , 2019, 133, 1953-1963.	0.6	94
52	Multiparameter flow cytometry quantification of bone marrow plasma cells at diagnosis provides more prognostic information than morphological assessment in myeloma patients. <i>Haematologica</i> , 2009, 94, 1599-1602.	1.7	92
53	The Mutational Landscape of Circulating Tumor Cells in Multiple Myeloma. <i>Cell Reports</i> , 2017, 19, 218-224.	2.9	92
54	Update on PD-1/PD-L1 Inhibitors in Multiple Myeloma. <i>Frontiers in Immunology</i> , 2018, 9, 2431.	2.2	85

#	ARTICLE	IF	CITATIONS
55	Veno-Occlusive Disease of the Liver after High-Dose Cytoreductive Therapy with Busulfan and Melphalan for Autologous Blood Stem Cell Transplantation in Multiple Myeloma Patients. <i>Biology of Blood and Marrow Transplantation</i> , 2007, 13, 1448-1454.	2.0	83
56	Differentiation stage of myeloma plasma cells: biological and clinical significance. <i>Leukemia</i> , 2017, 31, 382-392.	3.3	83
57	Phenotypic and genomic analysis of multiple myeloma minimal residual disease tumor cells: a new model to understand chemoresistance. <i>Blood</i> , 2016, 127, 1896-1906.	0.6	81
58	Clinical predictors of long-term survival in newly diagnosed transplant eligible multiple myeloma – an IMWG Research Project. <i>Blood Cancer Journal</i> , 2018, 8, 123.	2.8	81
59	The cellular origin and malignant transformation of Waldenström macroglobulinemia. <i>Blood</i> , 2015, 125, 2370-2380.	0.6	80
60	Deep MRD profiling defines outcome and unveils different modes of treatment resistance in standard- and high-risk myeloma. <i>Blood</i> , 2021, 137, 49-60.	0.6	80
61	A multiparameter flow cytometry immunophenotypic algorithm for the identification of newly diagnosed symptomatic myeloma with an MGUS-like signature and long-term disease control. <i>Leukemia</i> , 2013, 27, 2056-2061.	3.3	78
62	Mass spectrometry for the evaluation of monoclonal proteins in multiple myeloma and related disorders: an International Myeloma Working Group Mass Spectrometry Committee Report. <i>Blood Cancer Journal</i> , 2021, 11, 24.	2.8	77
63	Multiparameter flow cytometry for the identification of the Waldenström's clone in IgM-MGUS and Waldenström's Macroglobulinemia: new criteria for differential diagnosis and risk stratification. <i>Leukemia</i> , 2014, 28, 166-173.	3.3	76
64	Immunogenomic identification and characterization of granulocytic myeloid-derived suppressor cells in multiple myeloma. <i>Blood</i> , 2020, 136, 199-209.	0.6	76
65	Competition between clonal plasma cells and normal cells for potentially overlapping bone marrow niches is associated with a progressively altered cellular distribution in MGUS vs myeloma. <i>Leukemia</i> , 2011, 25, 697-706.	3.3	75
66	Minimal Residual Disease Status as a Surrogate Endpoint for Progression-free Survival in Newly Diagnosed Multiple Myeloma Studies: A Meta-analysis. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020, 20, e30-e37.	0.2	75
67	Next generation flow for minimally-invasive blood characterization of MGUS and multiple myeloma at diagnosis based on circulating tumor plasma cells (CTPC). <i>Blood Cancer Journal</i> , 2018, 8, 117.	2.8	74
68	Clinical significance of CD81 expression by clonal plasma cells in high-risk smoldering and symptomatic multiple myeloma patients. <i>Leukemia</i> , 2012, 26, 1862-1869.	3.3	73
69	Long non-coding RNAs discriminate the stages and gene regulatory states of human humoral immune response. <i>Nature Communications</i> , 2019, 10, 821.	5.8	73
70	Phenotypic identification of subclones in multiple myeloma with different chemoresistant, cytogenetic and clonogenic potential. <i>Leukemia</i> , 2015, 29, 1186-1194.	3.3	71
71	Randomized Phase II Study of Bortezomib, Thalidomide, and Dexamethasone With or Without Cyclophosphamide As Induction Therapy in Previously Untreated Multiple Myeloma. <i>Journal of Clinical Oncology</i> , 2013, 31, 247-255.	0.8	69
72	International harmonization in performing and reporting minimal residual disease assessment in multiple myeloma trials. <i>Leukemia</i> , 2021, 35, 18-30.	3.3	69

#	ARTICLE	IF	CITATIONS
73	Immune status of high-risk smoldering multiple myeloma patients and its therapeutic modulation under LenDex: a longitudinal analysis. <i>Blood</i> , 2016, 127, 1151-1162.	0.6	68
74	The persistence of immunophenotypically normal residual bone marrow plasma cells at diagnosis identifies a good prognostic subgroup of symptomatic multiple myeloma patients. <i>Blood</i> , 2009, 114, 4369-4372.	0.6	67
75	Multiparameter flow cytometry for staging of solitary bone plasmacytoma: new criteria for risk of progression to myeloma. <i>Blood</i> , 2014, 124, 1300-1303.	0.6	67
76	Maintenance Treatment and Survival in Patients With Myeloma. <i>JAMA Oncology</i> , 2018, 4, 1389.	3.4	67
77	Blood monitoring of circulating tumor plasma cells by next generation flow in multiple myeloma after therapy. <i>Blood</i> , 2019, 134, 2218-2222.	0.6	66
78	Sustained minimal residual disease negativity in newly diagnosed multiple myeloma and the impact of daratumumab in MAIA and ALCYONE. <i>Blood</i> , 2022, 139, 492-501.	0.6	64
79	Primary plasma cell leukemia: consensus definition by the International Myeloma Working Group according to peripheral blood plasma cell percentage. <i>Blood Cancer Journal</i> , 2021, 11, 192.	2.8	62
80	Comparison of next-generation sequencing (NGS) and next-generation flow (NGF) for minimal residual disease (MRD) assessment in multiple myeloma. <i>Blood Cancer Journal</i> , 2020, 10, 108.	2.8	60
81	The clinical utility and prognostic value of multiparameter flow cytometry immunophenotyping in light-chain amyloidosis. <i>Blood</i> , 2011, 117, 3613-3616.	0.6	59
82	Double Vs Single Autologous Stem Cell Transplantation After Bortezomib-Based Induction Regimens For Multiple Myeloma: An Integrated Analysis Of Patient-Level Data From Phase European III Studies. <i>Blood</i> , 2013, 122, 767-767.	0.6	56
83	Combination of Intra-Articular and Intraosseous Injections of Platelet Rich Plasma for Severe Knee Osteoarthritis: A Pilot Study. <i>BioMed Research International</i> , 2016, 2016, 1-10.	0.9	55
84	Outcome according to cytogenetic abnormalities and DNA ploidy in myeloma patients receiving short induction with weekly bortezomib followed by maintenance. <i>Blood</i> , 2011, 118, 4547-4553.	0.6	53
85	A predictive model for risk of early grade 3 infection in patients with multiple myeloma not eligible for transplant: analysis of the FIRST trial. <i>Leukemia</i> , 2018, 32, 1404-1413.	3.3	53
86	Evaluation of minimal residual disease in multiple myeloma patients by fluorescent polymerase chain reaction: the prognostic impact of achieving molecular response. <i>British Journal of Haematology</i> , 2008, 142, 766-774.	1.2	52
87	Flow cytometry detection of minimal residual disease in multiple myeloma: Lessons learned at FDA-NCI roundtable symposium. <i>American Journal of Hematology</i> , 2014, 89, 1159-1160.	2.0	52
88	Sequential vs alternating administration of VMP and Rd in elderly patients with newly diagnosed MM. <i>Blood</i> , 2016, 127, 420-425.	0.6	51
89	Critical analysis of the stringent complete response in multiple myeloma: contribution of sFLC and bone marrow clonality. <i>Blood</i> , 2015, 126, 858-862.	0.6	50
90	Anti-PD1 associated fulminant myocarditis after a single pembrolizumab dose: the role of occult pre-existing autoimmunity. <i>Haematologica</i> , 2018, 103, e318-e321.	1.7	50

#	ARTICLE	IF	CITATIONS
91	Isatuximab as monotherapy and combined with dexamethasone in patients with relapsed/refractory multiple myeloma. <i>Blood</i> , 2021, 137, 1154-1165.	0.6	49
92	Treatment for patients with newly diagnosed multiple myeloma in 2015. <i>Blood Reviews</i> , 2015, 29, 387-403.	2.8	48
93	Utility of <scp>CD</scp>54, <scp>CD</scp>229, and <scp>CD</scp>319 for the identification of plasma cells in patients with clonal plasma cell diseases. <i>Cytometry Part B - Clinical Cytometry</i> , 2016, 90, 91-100.	0.7	47
94	CD117 expression in gammopathies is associated with an altered maturation of the myeloid and lymphoid hematopoietic cell compartments and favorable disease features. <i>Haematologica</i> , 2011, 96, 328-332.	1.7	46
95	Targeting vasculogenesis to prevent progression in multiple myeloma. <i>Leukemia</i> , 2016, 30, 1103-1115.	3.3	46
96	Current applications of multiparameter flow cytometry in plasma cell disorders. <i>Blood Cancer Journal</i> , 2017, 7, e617-e617.	2.8	45
97	Analytical and clinical validation of a novel in-house deep-sequencing method for minimal residual disease monitoring in a phase II trial for multiple myeloma. <i>Leukemia</i> , 2017, 31, 1446-1449.	3.3	44
98	Automated database-guided expert-supervised orientation for immunophenotypic diagnosis and classification of acute leukemia. <i>Leukemia</i> , 2018, 32, 874-881.	3.3	44
99	Roadmap to cure multiple myeloma. <i>Cancer Treatment Reviews</i> , 2021, 100, 102284.	3.4	44
100	Prognostic value of minimal residual disease negativity in myeloma: combined analysis of POLLUX, CASTOR, ALCYONE, and MAIA. <i>Blood</i> , 2022, 139, 835-844.	0.6	43
101	Bortezomib cumulative dose, efficacy, and tolerability with three different bortezomib-melphalan-prednisone regimens in previously untreated myeloma patients ineligible for high-dose therapy. <i>Haematologica</i> , 2014, 99, 1114-1122.	1.7	42
102	Is immunotherapy here to stay in multiple myeloma?. <i>Haematologica</i> , 2017, 102, 423-432.	1.7	42
103	Endogenous Retroelement Activation by Epigenetic Therapy Reverses the Warburg Effect and Elicits Mitochondrial-Mediated Cancer Cell Death. <i>Cancer Discovery</i> , 2021, 11, 1268-1285.	7.7	42
104	Epstein-Barr Virus and the Origin of Myalgic Encephalomyelitis or Chronic Fatigue Syndrome. <i>Frontiers in Immunology</i> , 2021, 12, 656797.	2.2	42
105	The prognostic value of multiparameter flow cytometry minimal residual disease assessment in relapsed multiple myeloma. <i>Haematologica</i> , 2015, 100, e53-e55.	1.7	41
106	Is This the Time to Introduce Minimal Residual Disease in Multiple Myeloma Clinical Practice?. <i>Clinical Cancer Research</i> , 2015, 21, 2001-2008.	3.2	41
107	Transcriptional profiling of circulating tumor cells in multiple myeloma: a new model to understand disease dissemination. <i>Leukemia</i> , 2020, 34, 589-603.	3.3	41
108	Immune signatures associated with improved progression-free and overall survival for myeloma patients treated with AHST. <i>Blood Advances</i> , 2017, 1, 1056-1066.	2.5	40

#	ARTICLE	IF	CITATIONS
109	Circulating Tumor Cells for the Staging of Patients With Newly Diagnosed Transplant-Eligible Multiple Myeloma. <i>Journal of Clinical Oncology</i> , 2022, 40, 3151-3161.	0.8	40
110	Evaluation of minimal residual disease using next-generation flow cytometry in patients with AL amyloidosis. <i>Blood Cancer Journal</i> , 2018, 8, 46.	2.8	39
111	Minimal residual disease negativity by next-generation flow cytometry is associated with improved organ response in AL amyloidosis. <i>Blood Cancer Journal</i> , 2021, 11, 34.	2.8	39
112	Prognostic value of antigen expression in multiple myeloma: a PETHEMA/GEM study on 1265 patients enrolled in four consecutive clinical trials. <i>Leukemia</i> , 2018, 32, 971-978.	3.3	38
113	Cytogenetic profiles in multiple myeloma and monoclonal gammopathy of undetermined significance: a study in highly purified aberrant plasma cells. <i>Haematologica</i> , 2013, 98, 279-287.	1.7	36
114	Assessment of minimal residual disease in myeloma and the need for a consensus approach. <i>Cytometry Part B - Clinical Cytometry</i> , 2016, 90, 21-25.	0.7	35
115	EuroFlow Lymphoid Screening Tube (LST) data base for automated identification of blood lymphocyte subsets. <i>Journal of Immunological Methods</i> , 2019, 475, 112662.	0.6	35
116	Single-agent venetoclax induces MRD-negative response in relapsed primary plasma cell leukemia with t(11;14). <i>American Journal of Hematology</i> , 2019, 94, E35-E37.	2.0	35
117	Chromatin activation as a unifying principle underlying pathogenic mechanisms in multiple myeloma. <i>Genome Research</i> , 2020, 30, 1217-1227.	2.4	35
118	CD20 positive cells are undetectable in the majority of multiple myeloma cell lines and are not associated with a cancer stem cell phenotype. <i>Haematologica</i> , 2012, 97, 1110-1114.	1.7	34
119	Phenotypic, transcriptomic, and genomic features of clonal plasma cells in light-chain amyloidosis. <i>Blood</i> , 2016, 127, 3035-3039.	0.6	34
120	Deficient Spindle Assembly Checkpoint in Multiple Myeloma. <i>PLoS ONE</i> , 2011, 6, e27583.	1.1	33
121	Imaging and bone marrow assessments improve minimal residual disease prediction in multiple myeloma. <i>American Journal of Hematology</i> , 2019, 94, 853-861.	2.0	33
122	miR-21 antagonism abrogates Th17 tumor promoting functions in multiple myeloma. <i>Leukemia</i> , 2021, 35, 823-834.	3.3	33
123	Impact of measurable residual disease by decentralized flow cytometry: a PETHEMA real-world study in 1076 patients with acute myeloid leukemia. <i>Leukemia</i> , 2021, 35, 2358-2370.	3.3	31
124	Upregulation of Dicer is more frequent in monoclonal gammopathies of undetermined significance than in multiple myeloma patients and is associated with longer survival in symptomatic myeloma patients. <i>Haematologica</i> , 2011, 96, 468-471.	1.7	29
125	Minimal residual disease evaluation by flow cytometry is a complementary tool to cytogenetics for treatment decisions in acute myeloid leukaemia. <i>Leukemia Research</i> , 2016, 40, 1-9.	0.4	29
126	A systematic literature review and network meta-analysis of treatments for patients with untreated multiple myeloma not eligible for stem cell transplantation. <i>Leukemia and Lymphoma</i> , 2017, 58, 153-161.	0.6	29

#	ARTICLE	IF	CITATIONS
127	Detection of MYD88 L265P Mutation by Real-Time Allele-Specific Oligonucleotide Polymerase Chain Reaction. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2014, 22, 768-773.	0.6	28
128	Early mortality in multiple myeloma: the timeâ€dependent impact of comorbidity: A populationâ€based study in 621 realâ€life patients. <i>American Journal of Hematology</i> , 2016, 91, 700-704.	2.0	28
129	Characterization of complete lncRNAs transcriptome reveals the functional and clinical impact of lncRNAs in multiple myeloma. <i>Leukemia</i> , 2021, 35, 1438-1450.	3.3	28
130	Clinical applicability and prognostic significance of molecular response assessed by fluorescentâ€PCR</scp> of immunoglobulin genes in multiple myeloma. Results from a <scp>GEM</scp>/<scp>PETHEMA</scp> study. <i>British Journal of Haematology</i> , 2013, 163, 581-589.	1.2	27
131	Bortezomib, thalidomide and dexamethasone, with or without cyclophosphamide, for patients with previously untreated multiple myeloma: 5â€year followâ€up. <i>British Journal of Haematology</i> , 2015, 171, 344-354.	1.2	26
132	Circulating tumor cells for comprehensive and multiregional non-invasive genetic characterization of multiple myeloma. <i>Leukemia</i> , 2020, 34, 3007-3018.	3.3	26
133	Minimal Residual Disease in Myeloma: Application for Clinical Care and New Drug Registration. <i>Clinical Cancer Research</i> , 2021, 27, 5195-5212.	3.2	26
134	Bortezomib, melphalan, prednisone (VMP) versus melphalan, prednisone, thalidomide (MPT) in elderly newly diagnosed multiple myeloma patients: A retrospective caseâ€matched study. <i>American Journal of Hematology</i> , 2014, 89, 355-362.	2.0	24
135	Richter transformation driven by Epsteinâ€Barr virus reactivation during therapyâ€related immunosuppression in chronic lymphocytic leukaemia. <i>Journal of Pathology</i> , 2018, 245, 61-73.	2.1	24
136	Measurable residual disease in multiple myeloma: ready for clinical practice?. <i>Journal of Hematology and Oncology</i> , 2020, 13, 82.	6.9	24
137	Biological and clinical significance of dysplastic hematopoiesis in patients with newly diagnosed multiple myeloma. <i>Blood</i> , 2020, 135, 2375-2387.	0.6	24
138	Phenotypic, Genomic and Functional Characterization Reveals No Differences between CD138++ and CD138low Subpopulations in Multiple Myeloma Cell Lines. <i>PLoS ONE</i> , 2014, 9, e92378.	1.1	23
139	Circulating clonotypic B cells in multiple myeloma and monoclonal gammopathy of undetermined significance. <i>Haematologica</i> , 2014, 99, 155-162.	1.7	23
140	Bone Marrow Stroma and Vascular Contributions to Myeloma Bone Homing. <i>Current Osteoporosis Reports</i> , 2017, 15, 499-506.	1.5	23
141	How to make usage of the standardized EuroFlow 8-color protocols possible for instruments of different manufacturers. <i>Journal of Immunological Methods</i> , 2019, 475, 112388.	0.6	23
142	Validation of the International Myeloma Working Group standard response criteria in the PETHEMA/GEM2012MENOS65 study: are these times of change?. <i>Blood</i> , 2021, 138, 1901-1905.	0.6	23
143	Multiparameter Flow Cytometry Evaluation of Plasma Cell DNA Content and Proliferation in 595 Transplant-Eligible Patients with Myeloma Included in the Spanish GEM2000 and GEM2005<65y Trials. <i>American Journal of Pathology</i> , 2012, 181, 1870-1878.	1.9	22
144	Prediction of peripheral neuropathy in multiple myeloma patients receiving bortezomib and thalidomide: a genetic study based on a single nucleotide polymorphism array. <i>Hematological Oncology</i> , 2017, 35, 746-751.	0.8	22

#	ARTICLE	IF	CITATIONS
145	CAR T-Cells in Multiple Myeloma Are Ready for Prime Time. <i>Journal of Clinical Medicine</i> , 2020, 9, 3577.	1.0	21
146	Preneoplastic somatic mutations including <i>MYD88</i> ^{L265P} in lymphoplasmacytic lymphoma. <i>Science Advances</i> , 2022, 8, eabl4644.	4.7	21
147	Modulation of Synovial Fluid-Derived Mesenchymal Stem Cells by Intra-Articular and Intraosseous Platelet Rich Plasma Administration. <i>Stem Cells International</i> , 2016, 2016, 1-10.	1.2	20
148	Utility of flow cytometry studies in the management of patients with multiple myeloma. <i>Current Opinion in Oncology</i> , 2016, 28, 511-517.	1.1	20
149	Flow Cytometry. <i>Hematology/Oncology Clinics of North America</i> , 2018, 32, 765-775.	0.9	20
150	Daratumumab in combination with urelumab to potentiate anti-myeloma activity in lymphocyte-deficient mice reconstituted with human NK cells. <i>Oncolimmunology</i> , 2019, 8, e1599636.	2.1	20
151	Impact of Minimal Residual Disease Detection by Next-Generation Flow Cytometry in Multiple Myeloma Patients with Sustained Complete Remission after Frontline Therapy. <i>HemaSphere</i> , 2019, 3, e300.	1.2	20
152	Flow cytometry for fast screening and automated risk assessment in systemic light-chain amyloidosis. <i>Leukemia</i> , 2019, 33, 1256-1267.	3.3	20
153	First-in-Human Phase I Study of ABBV-838, an Antibody-Drug Conjugate Targeting SLAMF7/CS1 in Patients with Relapsed and Refractory Multiple Myeloma. <i>Clinical Cancer Research</i> , 2020, 26, 2308-2317.	3.2	20
154	Bendamustine, bortezomib and prednisone for the treatment of newly diagnosed multiple myeloma patients: results of a prospective phase 2 Spanish/Pethema trial. <i>Haematologica</i> , 2015, 100, 1096-102.	1.7	19
155	Multiple Myeloma Minimal Residual Disease. <i>Cancer Treatment and Research</i> , 2016, 169, 103-122.	0.2	19
156	BMT CTN Myeloma Intergroup Workshop on Minimal Residual Disease and Immune Profiling: Summary and Recommendations from the Organizing Committee. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 641-648.	2.0	19
157	FlowCT for the analysis of large immunophenotypic data sets and biomarker discovery in cancer immunology. <i>Blood Advances</i> , 2022, 6, 690-703.	2.5	19
158	Prognostic utility of serum free light chain ratios and heavy-light chain ratios in multiple myeloma in three PETHEMA/GEM phase III clinical trials. <i>PLoS ONE</i> , 2018, 13, e0203392.	1.1	18
159	Measurable residual disease in elderly acute myeloid leukemia: results from the PETHEMA-FLUGAZA phase 3 clinical trial. <i>Blood Advances</i> , 2021, 5, 760-770.	2.5	18
160	Impact of Next-Generation Flow (NGF) Minimal Residual Disease (MRD) Monitoring in Multiple Myeloma (MM): Results from the Pethema/GEM2012 Trial. <i>Blood</i> , 2017, 130, 905-905.	0.6	18
161	Mass spectrometry vs immunofixation for treatment monitoring in multiple myeloma. <i>Blood Advances</i> , 2022, 6, 3234-3239.	2.5	18
162	Post-Treatment Bone Marrow Residual Disease > 5% by Flow Cytometry Is Highly Predictive of Short Progression-Free and Overall Survival in Patients With Waldenström's Macroglobulinemia. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2011, 11, 168-171.	0.2	17

#	ARTICLE	IF	CITATIONS
163	Myelodysplasia-associated immunophenotypic alterations of bone marrow cells in myeloma: are they present at diagnosis or are they induced by lenalidomide?. <i>Haematologica</i> , 2012, 97, 1608-1611.	1.7	17
164	Origin of Waldenstrom's macroglobulinaemia. <i>Best Practice and Research in Clinical Haematology</i> , 2016, 29, 136-147.	0.7	17
165	Characterization of freshly isolated bone marrow mesenchymal stromal cells from healthy donors and patients with multiple myeloma: transcriptional modulation of the microenvironment. <i>Haematologica</i> , 2020, 105, e470-473.	1.7	17
166	Integrated Analysis of Randomized Controlled Trials Evaluating Bortezomib + Lenalidomide + Dexamethasone or Bortezomib + Thalidomide + Dexamethasone Induction in Transplant-Eligible Newly Diagnosed Multiple Myeloma. <i>Blood</i> , 2018, 132, 3245-3245.	0.6	17
167	Differential Diagnosis of IgM MGUS and WM According to B-Lymphoid Infiltration by Morphology and Flow Cytometry. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2011, 11, 93-95.	0.2	16
168	A phase 3 trial of azacitidine versus a semi-intensive fludarabine and cytarabine schedule in older patients with untreated acute myeloid leukemia. <i>Cancer</i> , 2021, 127, 2003-2014.	2.0	16
169	Automated identification of leukocyte subsets improves standardization of database-guided expert-supervised diagnostic orientation in acute leukemia: a EuroFlow study. <i>Modern Pathology</i> , 2021, 34, 59-69.	2.9	15
170	Immunological Biomarkers of Fatal COVID-19: A Study of 868 Patients. <i>Frontiers in Immunology</i> , 2021, 12, 659018.	2.2	14
171	Lenalidomide and dexamethasone with or without clarithromycin in patients with multiple myeloma ineligible for autologous transplant: a randomized trial. <i>Blood Cancer Journal</i> , 2021, 11, 101.	2.8	14
172	Qip-Mass Spectrometry in High Risk Smoldering Multiple Myeloma Patients Included in the GEM-CESAR Trial: Comparison with Conventional and Minimal Residual Disease IMWG Response Assessment. <i>Blood</i> , 2019, 134, 581-581.	0.6	14
173	A Machine Learning Model Based on Tumor and Immune Biomarkers to Predict Undetectable MRD and Survival Outcomes in Multiple Myeloma. <i>Clinical Cancer Research</i> , 2022, 28, 2598-2609.	3.2	14
174	Immune biomarkers to predict SARS-CoV-2 vaccine effectiveness in patients with hematological malignancies. <i>Blood Cancer Journal</i> , 2021, 11, 202.	2.8	14
175	Immunophenotypic alterations of bone marrow myeloid cell compartments in multiple myeloma patients predict for myelodysplasia-associated cytogenetic alterations. <i>Leukemia</i> , 2014, 28, 1747-1750.	3.3	13
176	Mutational screening of newly diagnosed multiple myeloma patients by deep targeted sequencing. <i>Haematologica</i> , 2018, 103, e544-e548.	1.7	13
177	Immunologic characterization of COVID-19 patients with hematological cancer. <i>Haematologica</i> , 2021, 106, 1457-1460.	1.7	13
178	Expression of p53 protein isoforms predicts survival in patients with multiple myeloma. <i>American Journal of Hematology</i> , 2022, , .	2.0	13
179	Patterns of relapse and outcome of elderly multiple myeloma patients treated as front-line therapy with novel agents combinations. <i>Leukemia Research Reports</i> , 2015, 4, 64-69.	0.2	12
180	MRD in multiple myeloma: does CR really matter?. <i>Blood</i> , 2022, 140, 2423-2428.	0.6	12

#	ARTICLE	IF	CITATIONS
181	Engineering Anti-myeloma Responses Using Affinity-Enhanced TCR-Engineered T Cells. <i>Cancer Cell</i> , 2015, 28, 281-283.	7.7	11
182	Role of urine immunofixation in the complete response assessment of MM patients other than light-chain-only disease. <i>Blood</i> , 2019, 133, 2664-2668.	0.6	11
183	Predicting long-term disease control in transplant-ineligible patients with multiple myeloma: impact of an MGUS-like signature. <i>Blood Cancer Journal</i> , 2019, 9, 36.	2.8	11
184	Tumor cells in light-chain amyloidosis and myeloma show distinct transcriptional rewiring of normal plasma cell development. <i>Blood</i> , 2021, 138, 1583-1589.	0.6	11
185	Reference Values to Assess Hemodilution and Warn of Potential False-Negative Minimal Residual Disease Results in Myeloma. <i>Cancers</i> , 2021, 13, 4924.	1.7	11
186	Circulating microRNAs and Their Role in Multiple Myeloma. <i>Non-coding RNA</i> , 2019, 5, 37.	1.3	10
187	Immunogenetic characterization of clonal plasma cells in systemic light-chain amyloidosis. <i>Leukemia</i> , 2021, 35, 245-249.	3.3	10
188	Monocyte Subsets and Serum Inflammatory and Bone-Associated Markers in Monoclonal Gammopathy of Undetermined Significance and Multiple Myeloma. <i>Cancers</i> , 2021, 13, 1454.	1.7	10
189	Target Expression, Preclinical Activity and Mechanism of Action of EM801: A Novel First-in-Class Bcma T-Cell Bispecific Antibody for the Treatment of Multiple Myeloma. <i>Blood</i> , 2015, 126, 117-117.	0.6	10
190	New Tools for Diagnosis and Monitoring of Multiple Myeloma. <i>American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting</i> , 2013, 33, e313-e318.	1.8	10
191	An N-glycosylation hotspot in immunoglobulin λ light chains is associated with AL amyloidosis. <i>Leukemia</i> , 2022, 36, 2076-2085.	3.3	10
192	Biological Characterization and Clinical Relevance of Circulating Tumor Cells: Opening the Pandora's Box of Multiple Myeloma. <i>Cancers</i> , 2022, 14, 1430.	1.7	9
193	New Tools for Diagnosis and Monitoring of Multiple Myeloma. <i>American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting</i> , 2013, , e313-e318.	1.8	8
194	Early myeloma-related death in elderly patients: development of a clinical prognostic score and evaluation of response sustainability role. <i>Leukemia</i> , 2018, 32, 2427-2434.	3.3	8
195	Evaluating gene expression profiling by quantitative polymerase chain reaction to develop a clinically feasible test for outcome prediction in multiple myeloma. <i>British Journal of Haematology</i> , 2013, 163, 223-234.	1.2	7
196	Genetic and Pharmacologic Evidence That mTOR Targeting Outweighs mTORC1 Inhibition as an Antimyeloma Strategy. <i>Molecular Cancer Therapeutics</i> , 2014, 13, 504-516.	1.9	7
197	Pembrolizumab as Consolidation Strategy in Patients with Multiple Myeloma: Results of the GEM-Pembresid Clinical Trial. <i>Cancers</i> , 2020, 12, 3615.	1.7	7
198	Early detection of treatment failure and early rescue intervention in multiple myeloma: time for new approaches. <i>Blood Advances</i> , 2021, 5, 1340-1343.	2.5	7

#	ARTICLE	IF	CITATIONS
199	The Mutational Landscape of Acute Myeloid Leukaemia Predicts Responses and Outcomes in Elderly Patients from the PETHEMA-FLUGAZA Phase 3 Clinical Trial. <i>Cancers</i> , 2021, 13, 2458.	1.7	7
200	B-Cell Regeneration Profile and Minimal Residual Disease Status in Bone Marrow of Treated Multiple Myeloma Patients. <i>Cancers</i> , 2021, 13, 1704.	1.7	6
201	Transcriptomic Profiling of Circulating Tumor Cells (CTCs) in Multiple Myeloma (MM): A New Model to Understand Disease Dissemination. <i>Blood</i> , 2018, 132, 245-245.	0.6	5
202	Network meta-analysis of randomized trials in multiple myeloma: Efficacy and safety in frontline therapy for patients not eligible for transplant. <i>Hematological Oncology</i> , 2022, 40, 987-998.	0.8	5
203	Use of human pharyngeal and palatine tonsils as a reservoir for the analysis of B-cell ontogeny in 10 paired samples. <i>Clinical Otolaryngology</i> , 2016, 41, 606-611.	0.6	4
204	Immune profiling in diffuse large B-cell lymphoma and mantle cell lymphoma patients treated with autologous hematopoietic cell transplant. <i>Bone Marrow Transplantation</i> , 2020, 55, 77-85.	1.3	4
205	Comparison Of Sequential Vs Alternating Administration Of Bortezomib, Melphalan and Prednisone (VMP) and Lenalidomide Plus Dexamethasone (Rd) In Elderly Patients With Newly Diagnosed Multiple Myeloma (MM) Patients: GEM2010MAS65 Trial. <i>Blood</i> , 2013, 122, 403-403.	0.6	4
206	Next Generation Flow (NGF): A High Sensitive Technique to Detect Circulating Peripheral Blood (PB) Clonal Plasma Cells (cPC) in Patients with Newly Diagnosed of Plasma Cell Neoplasms (PCN). <i>Blood</i> , 2015, 126, 4180-4180.	0.6	4
207	The Current Role of the Heavy/Light Chain Assay in the Diagnosis, Prognosis and Monitoring of Multiple Myeloma: An Evidence-Based Approach. <i>Diagnostics</i> , 2021, 11, 2020.	1.3	4
208	Waldenström's Macroglobulinemia Immunophenotype. , 2017, , 21-34.		3
209	Engineering a Humanised Niche to Support Human Haematopoiesis in Mice: Novel Opportunities in Modelling Cancer. <i>Cancers</i> , 2020, 12, 2205.	1.7	3
210	The 2020 BMT CTN Myeloma Intergroup Workshop on Immune Profiling and Minimal Residual Disease Testing in Multiple Myeloma. <i>Transplantation and Cellular Therapy</i> , 2021, 27, 807-816.	0.6	3
211	Absence of Contribution to a Differential Outcome of the Stringent Complete Response IMWG Category Respect to the Conventional CR in Multiple Myeloma. a Validation Analysis Based on the Pethema/GEM2012MENOS65 Phase III Clinical Trial. <i>Blood</i> , 2018, 132, 1943-1943.	0.6	3
212	Minimal Residual Disease in Multiple Myeloma. <i>Hematologic Malignancies</i> , 2018, , 97-109.	0.2	2
213	Prognostic implications of MRD assessment in multiple myeloma patients: comparison of Next-Generation Sequencing and Next-Generation Flow. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019, 19, e47.	0.2	2
214	Analysis of Immunophenotypic Response (IR) by Multiparameter Flow Cytometry In 516 Myeloma Patients Included In Three Consecutive Spanish Trials. <i>Blood</i> , 2010, 116, 1910-1910.	0.6	2
215	Next Generation Flow (NGF) for High Sensitive Detection of Minimal Residual Disease (MRD) in Multiple Myeloma (MM). <i>Blood</i> , 2015, 126, 367-367.	0.6	2
216	Deconvolution of the hematopoietic stem cell microenvironment reveals a high degree of specialization and conservation. <i>IScience</i> , 2022, 25, 104225.	1.9	2

#	ARTICLE	IF	CITATIONS
217	Reply to "Response to "CD20 positive cells are undetectable in the majority of multiple myeloma cell lines and are not associated with a cancer stem cell phenotype". Haematologica 2012;97(7):1110-1114. Haematologica, 2013, 98, e10-e10.	1.7	1
218	How deep is the myeloma iceberg?. Blood, 2018, 132, 2424-2425.	0.6	1
219	Impact of Treatment on B-Cell Regeneration By Next Generation Flow Cytometry in Patients with Multiple Myeloma. Blood, 2018, 132, 4491-4491.	0.6	1
220	Análisis de subpoblaciones monocitarias en relación con los factores de riesgo cardiovascular. Clínica E Investigación En Arteriosclerosis, 2019, 31, 152-159.	0.4	1
221	Circulating Tumor Cells (CTCs) for Comprehensive and Multiregional Non-Invasive Genetic Characterization of Multiple Myeloma (MM). Blood, 2019, 134, 3064-3064.	0.6	1
222	Landscape and clinical significance of long noncoding <sc>RNAs</sc> involved in multiple myeloma expressed fusion transcripts. American Journal of Hematology, 2022, 97, .	2.0	1
223	Tumor Reduction in Multiple Myeloma: New Concepts for New Therapeutics. Frontiers in Oncology, 2021, 11, 800309.	1.3	1
224	Recent Advancements in Hematology: Knowledge, Methods and Dissemination, Part 1. Hemato, 2020, 1, 10-22.	0.2	0
225	Long-Term Follow-Up of the Gem2010 Trial of Bortezomib-Melphalan-Prednisone and Lenalidomide-Dexamethasone in Elderly, Newly Diagnosed Multiple Myeloma Patients: Impact of Age, High-Risk Cytogenetics and Minimal Residual Disease. SSRN Electronic Journal, 0, , .	0.4	0
226	Immunofixation (IF) in Urine Is Really Necessary to Define Complete Remission in Multiple Myeloma (MM)? a Subanalysis from the Pethema/GEM2012MENOS65 Phase III Clinical Trial. Blood, 2018, 132, 474-474.	0.6	0