## Cailong Zhou

## List of Publications by Citations

Source: https://exaly.com/author-pdf/8129245/cailong-zhou-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

49 1,964 21 44 g-index

49 2,456 7.6 2.26 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
49	Durably Antibacterial and Bacterially Antiadhesive Cotton Fabrics Coated by Cationic Fluorinated Polymers. <i>ACS Applied Materials &amp; Dolymers. ACS Applied Materials &amp; Dolymers. Polymers. ACS Applied Materials &amp; Dolymers. Polymers. ACS Applied Materials &amp; Dolymers. Do</i>	9.5	257
48	Nature-Inspired Strategy toward Superhydrophobic Fabrics for Versatile Oil/Water Separation. <i>ACS Applied Materials &amp; Discourse (Materials &amp; Discourse)</i> 194	9.5	247
47	Inspired by Stenocara Beetles: From Water Collection to High-Efficiency Water-in-Oil Emulsion Separation. <i>ACS Nano</i> , <b>2017</b> , 11, 760-769	16.7	196
46	Superhydrophilic and underwater superoleophobic titania nanowires surface for oil repellency and oil/water separation. <i>Chemical Engineering Journal</i> , <b>2016</b> , 301, 249-256	14.7	142
45	Underwater superoleophobic mesh based on BiVO 4 nanoparticles with sunlight-driven self-cleaning property for oil/water separation. <i>Chemical Engineering Journal</i> , <b>2017</b> , 320, 342-351	14.7	107
44	Facile generation of robust POSS-based superhydrophobic fabrics via thiol-ene click chemistry. <i>Chemical Engineering Journal</i> , <b>2018</b> , 332, 150-159	14.7	91
43	Preparation of CuWO4@Cu2O film on copper mesh by anodization for oil/water separation and aqueous pollutant degradation. <i>Chemical Engineering Journal</i> , <b>2017</b> , 307, 803-811	14.7	86
42	Droplet Motion on a Shape Gradient Surface. <i>Langmuir</i> , <b>2017</b> , 33, 4172-4177	4	83
41	A durable underwater superoleophobic and underoil superhydrophobic fabric for versatile oil/water separation. <i>Chemical Engineering Journal</i> , <b>2019</b> , 370, 1218-1227	14.7	55
40	Superhydrophobic Cu2S@Cu2O film on copper surface fabricated by a facile chemical bath deposition method and its application in oil-water separation. <i>Applied Surface Science</i> , <b>2017</b> , 396, 566-5	<b>7</b> 9 <sup>.7</sup>	54
39	HKUST-1 MOFs decorated 3D copper foam with superhydrophobicity/superoleophilicity for durable oil/water separation. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2019</b> , 573, 222-2	2 <sup>5.1</sup>	53
38	Matchstick-Like Cu2S@CuxO Nanowire Film: Transition of Superhydrophilicity to Superhydrophobicity. <i>Journal of Physical Chemistry C</i> , <b>2017</b> , 121, 19716-19726	3.8	51
37	Thermo and light-responsive strategies of smart titanium-containing composite material surface for enhancing bacterially anti-adhesive property. <i>Chemical Engineering Journal</i> , <b>2021</b> , 407, 125783	14.7	51
36	Durable underwater superoleophobic PDDA/halloysite nanotubes decorated stainless steel mesh for efficient oilwater separation. <i>Applied Surface Science</i> , <b>2017</b> , 416, 344-352	6.7	45
35	Opposite Superwetting Nickel Meshes for On-Demand and Continuous Oil/Water Separation. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2018</b> , 57, 1059-1070	3.9	44
34	Novel flexible bifunctional amperometric biosensor based on laser engraved porous graphene array electrodes: Highly sensitive electrochemical determination of hydrogen peroxide and glucose. <i>Journal of Hazardous Materials</i> , <b>2021</b> , 402, 123774	12.8	37
33	A self-cleaning titanium mesh with underwater superoleophobicity for oil/water separation and aqueous pollutant degradation. <i>Surface and Coatings Technology</i> , <b>2017</b> , 313, 55-62	4.4	33

## (2021-2016)

32	A novel superhydrophilic-underwater superoleophobic Cu 2 S coated copper mesh for efficient oil-water separation. <i>Materials Letters</i> , <b>2016</b> , 182, 68-71	3.3	33
31	A durable superwetting clusters-inlayed mesh with high efficiency and flux for emulsion separation. Journal of Hazardous Materials, <b>2021</b> , 403, 123620	12.8	28
30	Conversion of solid Cu2(OH)2CO3 into HKUST-1 metal-organic frameworks: Toward an under-liquid superamphiphobic surface. <i>Surface and Coatings Technology</i> , <b>2019</b> , 363, 282-290	4.4	26
29	Fabrication of superhydrophilic PVDF membranes by one-step modification with eco-friendly phytic acid and polyethyleneimine complex for oil-in-water emulsions separation. <i>Chemosphere</i> , <b>2021</b> , 264, 128395	8.4	25
28	Ultrafast preparation of hydrophobic ZIF-67/copper mesh via electrodeposition and hydrophobization for oil/water separation and dyes adsorption. <i>Separation and Purification Technology</i> , <b>2021</b> , 272, 118871	8.3	21
27	Hard-and-Soft Integration Strategy for Preparation of Exceptionally Stable Zr(Hf)-UiO-66 via Thiol-Ene Click Chemistry. <i>ACS Applied Materials &amp; Englisher States</i> , 2020, 12, 28576-28585	9.5	17
26	Natural polyphenol chemistry inspired organic-inorganic composite coating decorated PVDF membrane for oil-in-water emulsions separation. <i>Materials Research Bulletin</i> , <b>2020</b> , 132, 110995	5.1	17
25	Gate-Embedding Strategy for Pore Size Manipulation on Stainless Steel Mesh: Toward Highly Efficient Water-in-Oil Nanoemulsions Separation. <i>Industrial &amp; Discourse Chemistry Research</i> , <b>2019</b> , 58, 15288-15296	3.9	14
24	Microwave-Assisted Solvothermal Synthesis of Covalent Organic Frameworks (COFs) with Stable Superhydrophobicity for Oil/Water Separation. <i>Chemistry - an Asian Journal</i> , <b>2020</b> , 15, 3421-3427	4.5	14
23	CuC2O4 nanoribbons on copper mesh with underwater superoleophobicity for oil/water separation. <i>Materials Letters</i> , <b>2016</b> , 185, 403-406	3.3	14
22	ZrO2-coated stainless steel mesh with underwater superoleophobicity by electrophoretic deposition for durable oil/water separation. <i>Journal of Sol-Gel Science and Technology</i> , <b>2018</b> , 85, 23-30	2.3	13
21	A cross-linked coating decorated mesh prepared by brush-painting method for oil-in-water emulsions separation. <i>Materials Chemistry and Physics</i> , <b>2020</b> , 242, 122541	4.4	13
20	Tunable electrochemical of electrosynthesized layer-by-layer multilayer films based on multi-walled carbon nanotubes and metal-organic framework as high-performance electrochemical sensor for simultaneous determination cadmium and lead. Sensors and Actuators B: Chemical, 2021,	8.5	13
19	326, 128957  Ag nanoparticles-coated cotton fabric for durable antibacterial activity: derived from phytic acidAg complex. <i>Journal of the Textile Institute</i> , <b>2020</b> , 111, 855-861	1.5	11
18	Superwetting charged copper foams with long permeation channels for ultrafast emulsion separation and surfactant removal. <i>Journal of Materials Chemistry A</i> , <b>2021</b> , 9, 13170-13181	13	10
17	A novel Janus sponge fabricated by a green strategy for simultaneous separation of oil/water emulsions and dye contaminants. <i>Journal of Hazardous Materials</i> , <b>2022</b> , 424, 127543	12.8	8
16	High-Performance Freshwater Harvesting System by Coupling Solar Desalination and Fog Collection with Hierarchical Porous Microneedle Arrays. <i>Advanced Functional Materials</i> ,2113264	15.6	8
15	Room-temperature fabrication of superhydrophobic covalent organic framework (COF) decorated cotton fabric for high-flux water-in-oil emulsion separation. <i>Chemical Communications</i> , <b>2021</b> , 57, 11533-	1 <sup>5</sup> 1836	7

14	Nitrogen-doped carbon frameworks decorated with palladium nanoparticles for simultaneous electrochemical voltammetric determination of uric acid and dopamine in the presence of ascorbic acid. <i>Mikrochimica Acta</i> , <b>2019</b> , 186, 795	5.8	6
13	Catalytic activity and stability of Cu modified ZSM-5 zeolite membrane catalysts prepared by metal-organic chemical vapor deposition for trichloroethylene oxidation. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , <b>2020</b> , 109, 103-110	5.3	6
12	Strong Near-Infrared Solid Emission and Enhanced N-Type Mobility for Poly(naphthalene Diimide) Vinylene by a Random Polymerization Strategy. <i>Macromolecules</i> , <b>2019</b> , 52, 8332-8338	5.5	5
11	Janus copper mesh with asymmetric wettability for on-demand oil/water separation and direction-independent fog collection. <i>Journal of Environmental Chemical Engineering</i> , <b>2021</b> , 9, 105899	6.8	5
10	Effect of gradient wettability on capillary imbibition in open semicircular copper channel. <i>Physics of Fluids</i> , <b>2020</b> , 32, 112004	4.4	3
9	Fog collection on a conical copper wire: effect of fog flow velocity and surface morphology. <i>Micro and Nano Letters</i> , <b>2018</b> , 13, 1068-1070	0.9	3
8	ZIF-L(Co) coated stainless steel meshes with superwettability for efficient multiphase liquid separation. <i>Journal of Environmental Chemical Engineering</i> , <b>2021</b> , 9, 105325	6.8	3
7	Enhancement of compatibility between covalent organic framework and polyamide membrane via an interfacial bridging method: Toward highly efficient water purification. <i>Journal of Membrane Science</i> , <b>2022</b> , 120590	9.6	3
6	Hydrothermal synthesis of tungsten doped tin dioxide nanocrystals. <i>Materials Research Express</i> , <b>2018</b> , 5, 015911	1.7	2
5	Stainless steel mesh coated with defect engineered ZIF-67 toward pH-switchable wettability and efficient organic liquids separation. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2022</b> , 634, 127950	5.1	2
4	Directed motion of two-component droplets on wedge-shaped composite copper surfaces without back-end pinning. <i>Microfluidics and Nanofluidics</i> , <b>2020</b> , 24, 1	2.8	1
3	Stable Zr-UiO-67 constructed through polymeric network assisted post-synthetic modification and its wettability modulation. <i>Chemical Communications</i> , <b>2021</b> , 57, 11021-11024	5.8	1
2	A superwetting stainless steel mesh with Janus surface charges for efficient emulsion separation Journal of Hazardous Materials, <b>2022</b> , 430, 128378	12.8	O
1	Vinylene Flanked Naphtho[1,2-c:5,6-c?]bis[1,2,5]thiadiazole Polymer for Low-Crystallinity Ambipolar Transistors. <i>Macromolecules</i> , <b>2022</b> , 55, 331-337	5.5	О