

# Filomena Conforti

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/812932/publications.pdf>

Version: 2024-02-01

125  
papers

4,890  
citations

81900

39  
h-index

110387

64  
g-index

125  
all docs

125  
docs citations

125  
times ranked

6731  
citing authors

#	ARTICLE	IF	CITATIONS
1	<i>In vitro</i> antioxidant and anti-denaturation effects of <i>Buglossoides purpureocaerulea</i> (L.) I. M. Johnst. fruit extract. <i>Natural Product Research</i> , 2023, 37, 1012-1015.	1.8	2
2	<i>Olea europaea</i> bud extracts: inhibitory effects on pancreatic lipase and $\alpha$ -amylase activities of different cultivars from Calabria region (Italy). <i>Plant Biosystems</i> , 2022, 156, 338-344.	1.6	6
3	<i>Ranunculus</i> species suppress nitric oxide production in LPS-stimulated RAW 264.7 macrophages. <i>Natural Product Research</i> , 2022, 36, 2859-2863.	1.8	8
4	Phytochemical and biological characterization of dry outer scales extract from Tropea red onion ( <i>Allium cepa</i> L. var. Tropea) – A promising inhibitor of pancreatic lipase. <i>Phytomedicine Plus</i> , 2022, 2, 100235.	2.0	9
5	Beneficial Role of Fruits, Their Juices, and Freeze-Dried Powders on Inflammatory Bowel Disease and Related Dysbiosis. <i>Plants</i> , 2022, 11, 4.	3.5	5
6	Green Veterinary Pharmacology for Honey Bee Welfare and Health: <i>Origanum heracleoticum</i> L. (Lamiaceae) Essential Oil for the Control of the <i>Apis mellifera</i> Varroa infestation. <i>Veterinary Sciences</i> , 2022, 9, 124.	1.7	14
7	Cryptotanshinone and tanshinone IIA from <i>Salvia miltiorrhiza</i> Bunge (Danshen) as a new class of potential pancreatic lipase inhibitors. <i>Natural Product Research</i> , 2021, 35, 863-866.	1.8	13
8	Genetic, metabolic and antioxidant differences among three different Calabrian populations of <i>Cynara cardunculus</i> subsp. <i>cardunculus</i> . <i>Plant Biosystems</i> , 2021, 155, 598-608.	1.6	2
9	Rutin Is a Low Micromolar Inhibitor of SARS-CoV-2 Main Protease 3CLpro: Implications for Drug Design of Quercetin Analogs. <i>Biomedicines</i> , 2021, 9, 375.	3.2	57
10	Phytochemical Content and Antioxidant Activity of Ancient Majorca and Carosella ( <i>Triticum aestivum</i> ) Tj ETQq0 0 0,rgBT /Overlock 10 T	3.6	6
11	Sub-Micromolar Inhibition of SARS-CoV-2 3CLpro by Natural Compounds. <i>Pharmaceuticals</i> , 2021, 14, 892.	3.8	16
12	Assessment of Photo-Induced Cytotoxic Activity of <i>Cachrys sicula</i> and <i>Cachrys libanotis</i> Enriched-Coumarin Extracts against Human Melanoma Cells. <i>Plants</i> , 2021, 10, 123.	3.5	11
13	<i>Cachrys ferulacea</i> (L.) Calest. Extracts as Natural Photosensitizers: An In Vitro Photobiological Study. , 2021, 11, .		0
14	<i>Echinophora tenuifolia</i> L. branches phytochemical profile and antiproliferative activity on human cancer cell lines. <i>Natural Product Research</i> , 2020, 34, 2664-2667.	1.8	2
15	Potential use in the treatment of inflammatory disorders and obesity of selected wild edible plants from Calabria region (Southern Italy). <i>South African Journal of Botany</i> , 2020, 128, 304-311.	2.5	15
16	Essential Oils of <i>Foeniculum vulgare</i> subsp. <i>piperitum</i> and Their <i>In Vitro</i> Anti-Arthritic Potential. <i>Chemistry and Biodiversity</i> , 2020, 17, e2000388.	2.1	10
17	Essential Oils and Bioactive Components against Arthritis: A Novel Perspective on Their Therapeutic Potential. <i>Plants</i> , 2020, 9, 1252.	3.5	11
18	Viscosified Solid Lipidic Nanoparticles Based on Naringenin and Linolenic Acid for the Release of Cyclosporine A on the Skin. <i>Molecules</i> , 2020, 25, 3535.	3.8	13

#	ARTICLE	IF	CITATIONS
19	A Review of Biologically Active Natural Products from Mediterranean Wild Edible Plants: Benefits in the Treatment of Obesity and Its Related Disorders. <i>Molecules</i> , 2020, 25, 649.	3.8	36
20	<i>Lobularia maritima</i> (L.) Desv. Aerial Parts Methanolic Extract: In Vitro Screening of Biological Activity. <i>Plants</i> , 2020, 9, 89.	3.5	13
21	<i>Hypericum</i> spp.: An Update on the Biological Activities and Metabolic Profiles. <i>Mini-Reviews in Medicinal Chemistry</i> , 2020, 20, 66-87.	2.4	30
22	<i>Cachrys libanotis</i> L. Extracts: Photocytotoxic Effects on UVA-Irradiated Human Melanoma Cells. , 2020, 4, .		0
23	<i>Chenopodium album</i> L. and <i>Sisymbrium officinale</i> (L.) Scop.: Phytochemical Content and In Vitro Antioxidant and Anti-Inflammatory Potential. <i>Plants</i> , 2019, 8, 505.	3.5	26
24	Biological Properties and Bioactive Components of <i>Allium cepa</i> L.: Focus on Potential Benefits in the Treatment of Obesity and Related Comorbidities. <i>Molecules</i> , 2019, 24, 119.	3.8	112
25	Metabolite profiling and biological properties of aerial parts from <i>Leopoldia comosa</i> (L.) Parl.: Antioxidant and anti-obesity potential. <i>South African Journal of Botany</i> , 2019, 120, 104-111.	2.5	6
26	<i>Origanum</i> spp.: an update of their chemical and biological profiles. <i>Phytochemistry Reviews</i> , 2018, 17, 873-888.	6.5	34
27	Seasonal and environmental variability of non-cultivated edible Cichorioideae (Asteraceae). <i>Plant Biosystems</i> , 2018, 152, 759-766.	1.6	9
28	Potential Health Benefits of <i>Origanum heracleoticum</i> Essential Oil: Phytochemical and Biological Variability among Different Calabrian Populations. <i>Natural Product Communications</i> , 2018, 13, 1934578X1801300.	0.5	5
29	Phytochemical and Biological Profile of <i>Moricandia arvensis</i> (L.) DC.: An Inhibitor of Pancreatic Lipase. <i>Molecules</i> , 2018, 23, 2829.	3.8	29
30	Phytochemical profile of three <i>Ballota</i> species essential oils and evaluation of the effects on human cancer cells. <i>Natural Product Research</i> , 2017, 31, 436-444.	1.8	18
31	Variation of <i>Malva sylvestris</i> essential oil yield, chemical composition and biological activity in response to different environments across Southern Italy. <i>Industrial Crops and Products</i> , 2017, 98, 29-37.	5.2	26
32	Inhibition of nitric oxide production by natural oxyprenylated coumarins and alkaloids in RAW 264.7 cells. <i>Phytochemistry Letters</i> , 2017, 20, 181-185.	1.2	4
33	Investigation of the Potential Health Benefits as Lipase Inhibitor and Antioxidant of <i>Leopoldia comosa</i> (L.) Parl.: Variability of Chemical Composition of Wild and Cultivated Bulbs. <i>Plant Foods for Human Nutrition</i> , 2017, 72, 274-279.	3.2	5
34	±-Tocopheryl linolenate solid lipid nanoparticles for the encapsulation, protection, and release of the omega-3 polyunsaturated fatty acid: in vitro anti-melanoma activity evaluation. <i>Colloids and Surfaces B: Biointerfaces</i> , 2017, 151, 128-133.	5.0	36
35	<i>Echinophora tenuifolia</i> L. inflorescences: phytochemistry and in vitro antioxidant and anti-inflammatory properties in LPS-stimulated RAW 264.7 macrophages. <i>Plant Biosystems</i> , 2017, 151, 1073-1081.	1.6	4
36	Antioxidant, Enzyme-Inhibitory and Antitumor Activity of the Wild Dietary Plant <i>Muscari comosum</i> (L.) Mill.. <i>International Journal of Plant Biology</i> , 2017, 8, 6895.	2.6	12

#	ARTICLE	IF	CITATIONS
37	Red Clover Characterization: <i>Trifolium patulum</i> Tausch. <i>Revista De Chimie</i> (discontinued), 2017, 68, 2523-2528.	0.4	2
38	Natural Products in Anti-Obesity Therapy. <i>Molecules</i> , 2016, 21, 1750.	3.8	13
39	Effects of Saponins on Lipid Metabolism: A Review of Potential Health Benefits in the Treatment of Obesity. <i>Molecules</i> , 2016, 21, 1404.	3.8	167
40	Hypolipidemic and Antioxidant Properties of Hot Pepper Flower ( <i>Capsicum annuum</i> L.). <i>Plant Foods for Human Nutrition</i> , 2016, 71, 301-306.	3.2	25
41	Inhibitory Effect on Lipid Absorption and Variability of Chemical Constituents from <i>Capparis sicula</i> subsp. <i>sicula</i> and <i>Capparis orientalis</i> . <i>Chemistry and Biodiversity</i> , 2016, 13, 755-761.	2.1	8
42	<i>Crocus cancellatus</i> subsp. <i>damascenus</i> stigmas: chemical profile, and inhibition of $\alpha$ -amylase, $\alpha$ -glucosidase and lipase, key enzymes related to type 2 diabetes and obesity. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2016, 31, 212-218.	5.2	26
43	Composition, antibacterial, antioxidant and antiproliferative activities of essential oils from three <i>Origanum</i> species growing wild in Lebanon and Greece. <i>Natural Product Research</i> , 2016, 30, 735-739.	1.8	42
44	New Potential Pharmaceutical Applications of <i>Hypericum</i> Species. <i>Mini-Reviews in Medicinal Chemistry</i> , 2016, 16, 710-720.	2.4	37
45	Inhibition of Cancer Cell Proliferation and Antiradical Effects of Decoction, Hydroalcoholic Extract, and Principal Constituents of <i>Hemidesmus indicus</i> R. Br.. <i>Phytotherapy Research</i> , 2015, 29, 857-863.	5.8	6
46	<i>Trifolium pratense</i> and <i>T. repens</i> (Leguminosae): Edible Flower Extracts as Functional Ingredients. <i>Foods</i> , 2015, 4, 338-348.	4.3	30
47	A comparative study of <i>Zingiber officinale</i> Roscoe pulp and peel: phytochemical composition and evaluation of antitumour activity. <i>Natural Product Research</i> , 2015, 29, 2045-2049.	1.8	31
48	Inhibitory effects of wild dietary plants on lipid peroxidation and on the proliferation of human cancer cells. <i>Food and Chemical Toxicology</i> , 2015, 86, 16-24.	3.6	47
49	Fatty acids, coumarins and polyphenolic compounds of <i>Ficus carica</i> L. cv. Dottato: variation of bioactive compounds and biological activity of aerial parts. <i>Natural Product Research</i> , 2014, 28, 271-274.	1.8	11
50	<i>In vitro</i> investigation of the potential health benefits of wild Mediterranean dietary plants as anti-obesity agents with $\alpha$ -amylase and pancreatic lipase inhibitory activities. <i>Journal of the Science of Food and Agriculture</i> , 2014, 94, 2217-2224.	3.5	61
51	<i>Hypericum perforatum</i> : Influences of the habitat on chemical composition, photo-induced cytotoxicity, and antiradical activity. <i>Pharmaceutical Biology</i> , 2014, 52, 909-918.	2.9	38
52	Applications of Natural Compounds in the Photodynamic Therapy of Skin Cancer. <i>Current Medicinal Chemistry</i> , 2014, 21, 1371-1390.	2.4	24
53	Conjugation of l-NAME to prenyloxycinnamic acids improves its inhibitory effects on nitric oxide production. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013, 23, 2933-2935.	2.2	10
54	<i>Hypericum perforatum</i> L. subsp. <i>perforatum</i> induces inhibition of free radicals and enhanced phototoxicity in human melanoma cells under ultraviolet light. <i>Cell Proliferation</i> , 2013, 46, 193-202.	5.3	30

#	ARTICLE	IF	CITATIONS
55	<i>Berberis aetnensis</i> and <i>B. libanotica</i> : a comparative study on the chemical composition, inhibitory effect on key enzymes linked to Alzheimer's disease and antioxidant activity. <i>Journal of Pharmacy and Pharmacology</i> , 2013, 65, 1726-1735.	2.4	31
56	<i>Croton lechleri</i> Mill. Arg. (Euphorbiaceae) stem bark essential oil as possible mutagen-protective food ingredient against heterocyclic amines from cooked food. <i>Food Chemistry</i> , 2013, 139, 439-447.	8.2	24
57	Antioxidant and hypoglycaemic activities and their relationship to phytochemicals in <i>Capsicum annuum</i> cultivars during fruit development. <i>LWT - Food Science and Technology</i> , 2013, 53, 370-377.	5.2	65
58	A comparative study of phytochemical composition of genetically and non-genetically modified soybean ( <i>Glycine max</i> L.) and evaluation of antitumor activity. <i>Natural Product Research</i> , 2013, 27, 574-578.	1.8	6
59	Allelopathic potential of <i>Artemisia arborescens</i> : Isolation, identification and quantification of phytotoxic compounds through fractionation-guided bioassays. <i>Natural Product Research</i> , 2013, 27, 880-887.	1.8	27
60	Inhibition of Key Enzymes Linked to Obesity by Preparations From Mediterranean Dietary Plants: Effects on $\alpha$ -Amylase and Pancreatic Lipase Activities. <i>Plant Foods for Human Nutrition</i> , 2013, 68, 340-346.	3.2	55
61	Synthesis of a new bis(indolyl)methane that inhibits growth and induces apoptosis in human prostate cancer cells. <i>Natural Product Research</i> , 2013, 27, 2039-2045.	1.8	44
62	Cytotoxic Properties of <i>Marrubium globosum</i> ssp. <i>libanoticum</i> and its Bioactive Components. <i>Natural Product Communications</i> , 2013, 8, 1934578X1300800.	0.5	2
63	<i>Anthemis wiedemanniana</i> essential oil prevents LPS-induced production of NO in RAW 264.7 macrophages and exerts antiproliferative and antibacterial activities in vitro. <i>Natural Product Research</i> , 2012, 26, 1594-1601.	1.8	28
64	Fig Latex ( <i>Ficus carica</i> L. cultivar Dottato) in Combination with UV Irradiation Decreases the Viability of A375 Melanoma Cells In Vitro. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2012, 12, 959-965.	1.7	21
65	Comparative chemical composition and antioxidant activity of <i>Calamintha nepeta</i> (L.) Savi subsp. <i>glandulosa</i> (Req.) Nyman and <i>Calamintha grandiflora</i> (L.) Moench (Labiatae). <i>Natural Product Research</i> , 2012, 26, 91-97.	1.8	31
66	Changes in the phenolic and lipophilic composition, in the enzyme inhibition and antiproliferative activity of <i>Ficus carica</i> L. cultivar Dottato fruits during maturation. <i>Food and Chemical Toxicology</i> , 2012, 50, 726-733.	3.6	53
67	Air-dried <i>Capsicum annuum</i> var. <i>acuminatum</i> medium and big: Determination of bioactive constituents, antioxidant activity and carbohydrate-hydrolyzing enzymes inhibition. <i>Food Research International</i> , 2012, 45, 170-176.	6.2	22
68	Antioxidant and Anti-cholinesterase Activity of <i>Globularia meridionalis</i> Extracts and Isolated Constituents. <i>Natural Product Communications</i> , 2012, 7, 1934578X1200700.	0.5	11
69	Wild Mediterranean Dietary Plants as Inhibitors of Pancreatic Lipase. <i>Phytotherapy Research</i> , 2012, 26, 600-604.	5.8	60
70	<i>Cachrys pungens</i> Jan inhibits human melanoma cell proliferation through photo-induced cytotoxic activity. <i>Cell Proliferation</i> , 2012, 45, 39-47.	5.3	17
71	Evaluation of phototoxic potential of aerial components of the fig tree against human melanoma. <i>Cell Proliferation</i> , 2012, 45, 279-285.	5.3	34
72	Chemical composition and bioactivity of <i>Citrus medica</i> L. cv. Diamante essential oil obtained by hydrodistillation, cold-pressing and supercritical carbon dioxide extraction. <i>Natural Product Research</i> , 2011, 25, 789-799.	1.8	42

#	ARTICLE	IF	CITATIONS
73	Characterisation of the essential oil of <i>Nepeta glomerata</i> Montbret et Aucher ex Bentham from Lebanon and its biological activities. <i>Natural Product Research</i> , 2011, 25, 614-626.	1.8	32
74	Phytochemical profile, antioxidant, anti-inflammatory and hypoglycemic potential of hydroalcoholic extracts from <i>Citrus medica</i> L. cv Diamante flowers, leaves and fruits at two maturity stages. <i>Food and Chemical Toxicology</i> , 2011, 49, 1549-1555.	3.6	66
75	Protective effect of <i>Hypericum calabricum</i> Sprengel on oxidative damage and its inhibition of nitric oxide in lipopolysaccharide-stimulated RAW 264.7 macrophages. <i>Biological Research</i> , 2011, 44, 213-218.	3.4	4
76	Comparative Study on the Chemical Composition, Antioxidant Properties and Hypoglycaemic Activities of Two <i>Capsicum annum</i> L. Cultivars ( <i>Acuminatum</i> small and <i>Cerasiferum</i> ). <i>Plant Foods for Human Nutrition</i> , 2011, 66, 261-269.	3.2	69
77	Correlation between Environmental Factors, Chemical Composition, and Antioxidative Properties of Caper Species Growing Wild in Calabria (South Italy). <i>Chemistry and Biodiversity</i> , 2011, 8, 518-531.	2.1	9
78	Bioactive phytonutrients (omega fatty acids, tocopherols, polyphenols), in vitro inhibition of nitric oxide production and free radical scavenging activity of non-cultivated Mediterranean vegetables. <i>Food Chemistry</i> , 2011, 129, 1413-1419.	8.2	63
79	Essential oils of four Rwandese hepatoprotective herbs: Gas chromatography-mass spectrometry analysis and antioxidant activities. <i>Food Chemistry</i> , 2011, 129, 753-760.	8.2	21
80	Biological Potential and Structure-Activity Relationships of Most Recently Developed Vascular Disrupting Agents: An Overview of New Derivatives of Natural Combretastatin A-4. <i>Current Medicinal Chemistry</i> , 2011, 18, 3035-3081.	2.4	64
81	Phenolic Compounds from Plants as Nitric Oxide Production Inhibitors. <i>Current Medicinal Chemistry</i> , 2011, 18, 1137-1145.	2.4	62
82	Chemical composition and protective effect of oregano ( <i>Origanum heracleoticum</i> L.) ethanolic extract on oxidative damage and on inhibition of NO in LPS-stimulated RAW 264.7 macrophages. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2011, 26, 404-411.	5.2	17
83	The Influence of Collection Zone on Glucosinolates, Polyphenols and Flavonoids Contents and Biological Profiles of <i>Capparis sicula</i> ssp. <i>sicula</i> . <i>Food Science and Technology International</i> , 2011, 17, 87-97.	2.2	21
84	Protective effect of <i>Hypericum calabricum</i> Sprengel on oxidative damage and its inhibition of nitric oxide in lipopolysaccharide-stimulated RAW 264.7 macrophages. <i>Biological Research</i> , 2011, 44, 213-8.	3.4	1
85	Quantitative determination of Amaryllidaceae alkaloids from <i>Galanthus reginae</i> -olgae subsp. <i>vernalis</i> and in vitro activities relevant for neurodegenerative diseases. <i>Pharmaceutical Biology</i> , 2010, 48, 2-9.	2.9	19
86	Protective Effect of <i>Pimpinella anisoides</i> Ethanolic Extract and Its Constituents on Oxidative Damage and Its Inhibition of Nitric Oxide in Lipopolysaccharide-Stimulated RAW 264.7 Macrophages. <i>Journal of Medicinal Food</i> , 2010, 13, 137-141.	1.5	32
87	Acetylcholinesterase and butyrylcholinesterase inhibitory activity of <i>Pinus</i> species essential oils and their constituents. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2010, 25, 622-628.	5.2	92
88	<i>Salvia leriifolia</i> Benth (Lamiaceae) extract demonstrates in vitro antioxidant properties and cholinesterase inhibitory activity. <i>Nutrition Research</i> , 2010, 30, 823-830.	2.9	67
89	Metabolite profile and in vitro activities of <i>Phagnalon saxatile</i> (L.) Cass. relevant to treatment of Alzheimer's disease. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2010, 25, 97-104.	5.2	25
90	A potential role of alkaloid extracts from <i>Salsola</i> species (Chenopodiaceae) in the treatment of Alzheimer's disease. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2009, 24, 818-824.	5.2	47

#	ARTICLE	IF	CITATIONS
91	Antiproliferative Activity on Human Cancer Cell Lines after Treatment with Polyphenolic Compounds Isolated from <i>Iris pseudopumila</i> Flowers and Rhizomes. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2009, 64, 490-494.	1.4	19
92	Natural and Synthetic Furanocoumarins as Treatment for Vitiligo and Psoriasis. <i>Current Drug Therapy</i> , 2009, 4, 38-58.	0.3	45
93	Protection against neurodegenerative diseases of <i>Iris pseudopumila</i> extracts and their constituents. <i>FÄ-toterapÄ-Äç</i> , 2009, 80, 62-67.	2.2	50
94	Acetylcholinesterase and butyrylcholinesterase inhibition of ethanolic extract and monoterpenes from <i>Pimpinella anisoides</i> V Brig. (Apiaceae). <i>FÄ-toterapÄ-Äç</i> , 2009, 80, 297-300.	2.2	73
95	The influence of fruit ripening on the phytochemical content and biological activity of <i>Capsicum chinense</i> Jacq. cv Habanero. <i>Food Chemistry</i> , 2009, 114, 553-560.	8.2	213
96	Phytochemical composition, anti-inflammatory and antitumour activities of four <i>Teucrium</i> essential oils from Greece. <i>Food Chemistry</i> , 2009, 115, 679-686.	8.2	126
97	Comparative chemical composition, free radical-scavenging and cytotoxic properties of essential oils of six <i>Stachys</i> species from different regions of the Mediterranean Area. <i>Food Chemistry</i> , 2009, 116, 898-905.	8.2	96
98	Chemical analysis, antioxidant, antiinflammatory and anticholinesterase activities of <i>Origanum ehrenbergii</i> Boiss and <i>Origanum syriacum</i> L. essential oils. <i>Food Chemistry</i> , 2009, 117, 174-180.	8.2	156
99	The protective ability of Mediterranean dietary plants against the oxidative damage: The role of radical oxygen species in inflammation and the polyphenol, flavonoid and sterol contents. <i>Food Chemistry</i> , 2009, 112, 587-594.	8.2	121
100	Cytotoxic activity and inhibitory effect on nitric oxide production of triterpene saponins from the roots of <i>Physospermum verticillatum</i> (Waldst & Kit) (Apiaceae). <i>Bioorganic and Medicinal Chemistry</i> , 2009, 17, 4542-4547.	3.0	48
101	Comparative free radical scavenging potential and cytotoxicity of different extracts from <i>Iris pseudopumila</i> flowers and rhizomes. <i>Natural Product Research</i> , 2009, 23, 17-25.	1.8	19
102	Synthesis, inhibition of NO production and antiproliferative activities of some indole derivatives. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2009, 24, 1148-1153.	5.2	37
103	Inhibition of angiotensin converting enzyme activity by five <i>Senecio</i> species. <i>Pharmaceutical Biology</i> , 2009, 47, 516-520.	2.9	11
104	In vitro Biological Activity of <i>Salvia leriifolia</i> Benth Essential Oil Relevant to the Treatment of Alzheimer's Disease. <i>Journal of Oleo Science</i> , 2009, 58, 443-446.	1.4	51
105	Antioxidant, $\alpha$ -amylase inhibitory and brine-shrimp toxicity studies on <i>Centaurea centaurium</i> L. methanolic root extract. <i>Natural Product Research</i> , 2008, 22, 1457-1466.	1.8	21
106	In vivo anti-inflammatory and in vitro antioxidant activities of Mediterranean dietary plants. <i>Journal of Ethnopharmacology</i> , 2008, 116, 144-151.	4.1	237
107	Antiproliferative activity against human tumor cell lines and toxicity test on Mediterranean dietary plants. <i>Food and Chemical Toxicology</i> , 2008, 46, 3325-3332.	3.6	134
108	Effects on free radicals and inhibition of $\alpha$ -amylase of <i>Cardamine battagliae</i> (Cruciferae), an apoenemic Calabrian (southern Italy) plant. <i>Natural Product Research</i> , 2008, 22, 101-107.	1.8	1

#	ARTICLE	IF	CITATIONS
109	Methanolic Extract of <i>Cynara Cardunculus</i> L. Inhibits Cell Proliferation and Bcr/Abl Expression in K562 Cell Line. <i>Blood</i> , 2008, 112, 4247-4247.	1.4	10
110	Escalated Dasatinib Dose up to 60 Mg O.D. in Elderly Patients with Chronic Myeloid Leukemia in Late Chronic Phase Resistant to or Intolerant of Imatinib-12 Months Follow-up. <i>Blood</i> , 2008, 112, 4283-4283.	1.4	0
111	Cytotoxic activity of antioxidant constituents from <i>Hypericum triquetrifolium</i> Turra. <i>Natural Product Research</i> , 2007, 21, 42-46.	1.8	27
112	Chemical and biological variability of hot pepper fruits ( <i>Capsicum annuum</i> var. <i>acuminatum</i> L.) in relation to maturity stage. <i>Food Chemistry</i> , 2007, 102, 1096-1104.	8.2	161
113	Comparative chemical composition, antioxidant and hypoglycaemic activities of <i>Juniperus oxycedrus</i> ssp. <i>oxycedrus</i> L. berry and wood oils from Lebanon. <i>Food Chemistry</i> , 2007, 105, 572-578.	8.2	97
114	In vitro activities of <i>Citrus medica</i> L. cv. Diamante (Diamante citron) relevant to treatment of diabetes and Alzheimer's disease. <i>Phytotherapy Research</i> , 2007, 21, 427-433.	5.8	91
115	Antioxidant and cytotoxic activities of methanolic extract and fractions from <i>Senecio gibbosus</i> subsp. <i>gibbosus</i> (GUSS) DC. <i>Natural Product Research</i> , 2006, 20, 805-812.	1.8	28
116	Biological properties of different extracts of two <i>Senecio</i> species. <i>International Journal of Food Sciences and Nutrition</i> , 2006, 57, 1-8.	2.8	31
117	Comparative Chemical Composition and Antioxidant Activities of Wild and Cultivated <i>Laurus nobilis</i> L. Leaves and <i>Foeniculum vulgare</i> subsp. <i>piperitum</i> (Ucria) Coutinho Seeds. <i>Biological and Pharmaceutical Bulletin</i> , 2006, 29, 2056-2064.	1.4	132
118	Comparative Radical Scavenging and Antidiabetic Activities of Methanolic Extract and Fractions from <i>Achillea ligustica</i> ALL.. <i>Biological and Pharmaceutical Bulletin</i> , 2005, 28, 1791-1794.	1.4	51
119	In Vitro Antioxidant Effect and Inhibition of .ALPHA.-Amylase of Two Varieties of <i>Amaranthus caudatus</i> Seeds. <i>Biological and Pharmaceutical Bulletin</i> , 2005, 28, 1098-1102.	1.4	109
120	Comparative chemical variability of the non-polar extracts from <i>Senecio cineraria</i> group (Asteraceae). <i>Biochemical Systematics and Ecology</i> , 2005, 33, 1071-1076.	1.3	8
121	Chemical and biological diversity of Bergamot ( <i>Citrus bergamia</i> ) in relation to environmental factors. <i>FÄ-toterapÄ-Äç</i> , 2004, 75, 212-216.	2.2	14
122	Antimicrobial activity and cytotoxicity of <i>Cirsium tenoreanum</i> . <i>FÄ-toterapÄ-Äç</i> , 2004, 75, 577-580.	2.2	19
123	Antioxidant and cytotoxic activities of <i>Retama raetam</i> subsp. <i>Gussonei</i> . <i>Phytotherapy Research</i> , 2004, 18, 585-587.	5.8	25
124	Antibacterial and antifungal activity of <i>Senecio inaequidens</i> DC. and <i>Senecio vulgaris</i> L.. <i>Phytotherapy Research</i> , 2004, 18, 777-779.	5.8	39
125	Antioxidant activity of methanolic extract of <i>Hypericum triquetrifolium</i> Turra aerial part. <i>FÄ-toterapÄ-Äç</i> , 2002, 73, 479-483.	2.2	93