

# Mara Llana-Ruiz-Cabello

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8130427/maria-llana-ruiz-cabello-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

27  
papers

741  
citations

15  
h-index

27  
g-index

37  
ext. papers

873  
ext. citations

4.7  
avg, IF

3.86  
L-index

#	Paper	IF	Citations
27	Cylindrospermopsin-Microcystin-LR Combinations May Induce Genotoxic and Histopathological Damage in Rats. <i>Toxins</i> , <b>2020</b> , 12,	4.9	12
26	Microcystin-RR: Occurrence, content in water and food and toxicological studies. A review. <i>Environmental Research</i> , <b>2019</b> , 168, 467-489	7.9	41
25	In vivo genotoxicity evaluation of cylindrospermopsin in rats using a combined micronucleus and comet assay. <i>Food and Chemical Toxicology</i> , <b>2019</b> , 132, 110664	4.7	12
24	Preservation of phytosterol and PUFA during ready-to-eat lettuce shelf-life in active bio-package. <i>Food Packaging and Shelf Life</i> , <b>2019</b> , 22, 100410	8.2	8
23	Analysis of the Use of Cylindrospermopsin and/or Microcystin-Contaminated Water in the Growth, Mineral Content, and Contamination of and. <i>Toxins</i> , <b>2019</b> , 11,	4.9	14
22	Characterisation and antimicrobial activity of active polypropylene films containing oregano essential oil and Allium extract to be used in packaging for meat products. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , <b>2018</b> , 35, 782-791	3.2	15
21	Use of micronucleus and comet assay to evaluate evaluate the genotoxicity of oregano essential oil ( <i>Origanum vulgare</i> l. <i>Virens</i> ) in rats orally exposed for 90 days. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , <b>2018</b> , 81, 525-533	3.2	11
20	New Method for Simultaneous Determination of Microcystins and Cylindrospermopsin in Vegetable Matrices by SPE-UPLC-MS/MS. <i>Toxins</i> , <b>2018</b> , 10,	4.9	25
19	New advances in active packaging incorporated with essential oils or their main components for food preservation. <i>Food Reviews International</i> , <b>2017</b> , 33, 447-515	5.5	57
18	A subchronic 90-day oral toxicity study of <i>Origanum vulgare</i> essential oil in rats. <i>Food and Chemical Toxicology</i> , <b>2017</b> , 101, 36-47	4.7	25
17	Toxicological assessment of two silane-modified clay minerals with potential use as food contact materials in human hepatoma cells and <i>Salmonella typhimurium</i> strains. <i>Applied Clay Science</i> , <b>2017</b> , 150, 98-105	5.2	4
16	Pyrolysis-gas chromatography-isotope ratio mass spectrometry for monitoring natural additives in polylactic acid active food packages. <i>Journal of Chromatography A</i> , <b>2017</b> , 1525, 145-151	4.5	10
15	Genotoxicity evaluation of carvacrol in rats using a combined micronucleus and comet assay. <i>Food and Chemical Toxicology</i> , <b>2016</b> , 98, 240-250	4.7	17
14	Toxicological evaluation of an Allium-based commercial product in a 90-day feeding study in Sprague-Dawley rats. <i>Food and Chemical Toxicology</i> , <b>2016</b> , 90, 18-29	4.7	14
13	Molecular characterisation of a bio-based active packaging containing <i>Origanum vulgare</i> L. essential oil using pyrolysis gas chromatography-mass spectrometry. <i>Journal of the Science of Food and Agriculture</i> , <b>2016</b> , 96, 3207-12	4.3	11
12	Characterisation of a bio-based packaging containing a natural additive from <i>Allium</i> spp. using analytical pyrolysis and carbon stable isotopes. <i>Journal of Analytical and Applied Pyrolysis</i> , <b>2016</b> , 120, 334-340	6	10
11	Development of PLA films containing oregano essential oil ( <i>Origanum vulgare</i> L. <i>virens</i> ) intended for use in food packaging. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , <b>2016</b> , 33, 1374-86	3.2	17

10	In vitro pro-oxidant/antioxidant role of carvacrol, thymol and their mixture in the intestinal Caco-2 cell line. <i>Toxicology in Vitro</i> , <b>2015</b> , 29, 647-56	3.6	79
9	In vitro toxicological evaluation of essential oils and their main compounds used in active food packaging: A review. <i>Food and Chemical Toxicology</i> , <b>2015</b> , 81, 9-27	4.7	88
8	Characterisation and evaluation of PLA films containing an extract of <i>Allium</i> spp. to be used in the packaging of ready-to-eat salads under controlled atmospheres. <i>LWT - Food Science and Technology</i> , <b>2015</b> , 64, 1354-1361	5.4	50
7	Cytotoxic and mutagenic in vitro assessment of two organosulfur compounds derived from onion to be used in the food industry. <i>Food Chemistry</i> , <b>2015</b> , 166, 423-431	8.5	20
6	Acute toxicological studies of the main organosulfur compound derived from <i>Allium</i> sp. intended to be used in active food packaging. <i>Food and Chemical Toxicology</i> , <b>2015</b> , 82, 1-11	4.7	32
5	Genotoxicity assessment of propyl thiosulfinate oxide, an organosulfur compound from <i>Allium</i> extract, intended to food active packaging. <i>Food and Chemical Toxicology</i> , <b>2015</b> , 86, 365-73	4.7	16
4	Evaluation of the mutagenicity and genotoxic potential of carvacrol and thymol using the Ames Salmonella test and alkaline, Endo III- and FPG-modified comet assays with the human cell line Caco-2. <i>Food and Chemical Toxicology</i> , <b>2014</b> , 72, 122-8	4.7	37
3	In vivo toxicity evaluation of the migration extract of an organomodified clay-poly(lactic) acid nanocomposite. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , <b>2014</b> , 77, 731-46 <sup>3,2</sup>		17
2	In vivo evaluation of activities and expression of antioxidant enzymes in Wistar rats exposed for 90 days to a modified clay. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , <b>2014</b> , 77, 456-66	3.2	9
1	Cytotoxicity and morphological effects induced by carvacrol and thymol on the human cell line Caco-2. <i>Food and Chemical Toxicology</i> , <b>2014</b> , 64, 281-90	4.7	87