

# Haruo Kanno

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/8131402/haruo-kanno-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66

papers

8,082

citations

22

h-index

73

g-index

73

ext. papers

9,126

ext. citations

3.6

avg, IF

4.52

L-index

#	Paper	IF	Citations
66	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , <b>2016</b> , 12, 1-222	10.2	3838
65	Guidelines for the use and interpretation of assays for monitoring autophagy. <i>Autophagy</i> , <b>2012</b> , 8, 445-546.2	10.2	2783
64	Rapamycin promotes autophagy and reduces neural tissue damage and locomotor impairment after spinal cord injury in mice. <i>Journal of Neurotrauma</i> , <b>2012</b> , 29, 946-56	5.4	140
63	Spinal cord injury induces upregulation of Beclin 1 and promotes autophagic cell death. <i>Neurobiology of Disease</i> , <b>2009</b> , 33, 143-8	7.5	118
62	Combination of engineered Schwann cell grafts to secrete neurotrophin and chondroitinase promotes axonal regeneration and locomotion after spinal cord injury. <i>Journal of Neuroscience</i> , <b>2014</b> , 34, 1838-55	6.6	116
61	Induction of autophagy and autophagic cell death in damaged neural tissue after acute spinal cord injury in mice. <i>Spine</i> , <b>2011</b> , 36, E1427-34	3.3	96
60	Schwann cell transplantation for spinal cord injury repair: its significant therapeutic potential and prospectus. <i>Reviews in the Neurosciences</i> , <b>2015</b> , 26, 121-8	4.7	68
59	The role of mTOR signaling pathway in spinal cord injury. <i>Cell Cycle</i> , <b>2012</b> , 11, 3175-9	4.7	67
58	Adjacent segment degeneration after fusion spinal surgery-a systematic review. <i>International Orthopaedics</i> , <b>2019</b> , 43, 987-993	3.8	64
57	The role of autophagy in spinal cord injury. <i>Autophagy</i> , <b>2009</b> , 5, 390-2	10.2	60
56	Prevalence and Distribution of Ossified Lesions in the Whole Spine of Patients with Cervical Ossification of the Posterior Longitudinal Ligament A Multicenter Study (JOSL CT study). <i>PLoS ONE</i> , <b>2016</b> , 11, e0160117	3.7	50
55	Rapamycin suppresses microglial activation and reduces the development of neuropathic pain after spinal cord injury. <i>Journal of Orthopaedic Research</i> , <b>2017</b> , 35, 93-103	3.8	49
54	Dynamic change of dural sac cross-sectional area in axial loaded magnetic resonance imaging correlates with the severity of clinical symptoms in patients with lumbar spinal canal stenosis. <i>Spine</i> , <b>2012</b> , 37, 207-13	3.3	49
53	Low-energy extracorporeal shock wave therapy promotes vascular endothelial growth factor expression and improves locomotor recovery after spinal cord injury. <i>Journal of Neurosurgery</i> , <b>2014</b> , 121, 1514-25	3.2	47
52	Diagram specific to sacroiliac joint pain site indicated by one-finger test. <i>Journal of Orthopaedic Science</i> , <b>2008</b> , 13, 492-7	1.6	47
51	Genetic ablation of transcription repressor Bach1 reduces neural tissue damage and improves locomotor function after spinal cord injury in mice. <i>Journal of Neurotrauma</i> , <b>2009</b> , 26, 31-9	5.4	39
50	Axial loading during magnetic resonance imaging in patients with lumbar spinal canal stenosis: does it reproduce the positional change of the dural sac detected by upright myelography?. <i>Spine</i> , <b>2012</b> , 37, E985-92	3.3	34

49	Low-energy extracorporeal shock wave therapy for promotion of vascular endothelial growth factor expression and angiogenesis and improvement of locomotor and sensory functions after spinal cord injury. <i>Journal of Neurosurgery: Spine</i> , <b>2016</b> , 25, 745-755	2.8	32
48	Changes in lumbar spondylolisthesis on axial-loaded MRI: do they reproduce the positional changes in the degree of olisthesis observed on X-ray images in the standing position?. <i>Spine Journal</i> , <b>2015</b> , 15, 1255-62	4	26
47	Prevalence and distribution of ossification of the supra/interspinous ligaments in symptomatic patients with cervical ossification of the posterior longitudinal ligament of the spine: a CT-based multicenter cross-sectional study. <i>BMC Musculoskeletal Disorders</i> , <b>2016</b> , 17, 492	2.8	25
46	Increasing Incidence of Degenerative Spinal Diseases in Japan during 25 Years: The Registration System of Spinal Surgery in Tohoku University Spine Society. <i>Tohoku Journal of Experimental Medicine</i> , <b>2016</b> , 238, 153-63	2.4	24
45	Reoperation rates after fenestration for lumbar spinal canal stenosis: a 20-year period survival function method analysis. <i>European Spine Journal</i> , <b>2015</b> , 24, 381-7	2.7	22
44	Upregulation of the receptor-interacting protein 3 expression and involvement in neural tissue damage after spinal cord injury in mice. <i>BMC Neuroscience</i> , <b>2015</b> , 16, 62	3.2	22
43	Minimally invasive discectomy for lumbar disc herniation: current concepts, surgical techniques, and outcomes. <i>International Orthopaedics</i> , <b>2019</b> , 43, 917-922	3.8	22
42	Prevalence and Distribution of Diffuse Idiopathic Skeletal Hyperostosis on Whole-spine Computed Tomography in Patients With Cervical Ossification of the Posterior Longitudinal Ligament: A Multicenter Study. <i>Clinical Spine Surgery</i> , <b>2018</b> , 31, E460-E465	1.8	22
41	Spine-shortening vertebral osteotomy in a patient with tethered cord syndrome and a vertebral fracture. Case report. <i>Journal of Neurosurgery: Spine</i> , <b>2008</b> , 9, 62-6	2.8	20
40	Successful Management of Gorham-Stout Disease in the Cervical Spine by Combined Conservative and Surgical Treatments: A Case Report. <i>Tohoku Journal of Experimental Medicine</i> , <b>2017</b> , 241, 249-254	2.4	18
39	Distribution of ossified spinal lesions in patients with severe ossification of the posterior longitudinal ligament and prediction of ossification at each segment based on the cervical OP index classification: a multicenter study (JOSL CT study). <i>BMC Musculoskeletal Disorders</i> , <b>2018</b> , 19, 107	2.8	18
38	Dynamic changes in the dural sac cross-sectional area on axial loaded MR imaging: is there a difference between degenerative spondylolisthesis and spinal stenosis?. <i>American Journal of Neuroradiology</i> , <b>2012</b> , 33, 1191-7	4.4	17
37	Study protocol for the G-SPIRIT trial: a randomised, placebo-controlled, double-blinded phase III trial of granulocyte colony-stimulating factor-mediated neuroprotection for acute spinal cord injury. <i>BMJ Open</i> , <b>2018</b> , 8, e019083	3	14
36	Co-existence of ossification of the nuchal ligament is associated with severity of ossification in the whole spine in patients with cervical ossification of the posterior longitudinal ligament -A multi-center CT study. <i>Journal of Orthopaedic Science</i> , <b>2019</b> , 24, 35-41	1.6	14
35	Recurrence of ossification of ligamentum flavum at the same intervertebral level in the thoracic spine: a report of two cases and review of the literature. <i>European Spine Journal</i> , <b>2018</b> , 27, 359-367	2.7	11
34	Low-energy extracorporeal shock wave therapy promotes BDNF expression and improves functional recovery after spinal cord injury in rats. <i>Experimental Neurology</i> , <b>2020</b> , 328, 113251	5.7	8
33	Comparison of low back pain sites identified by patient's finger versus hand: prospective randomized controlled clinical trial. <i>Journal of Orthopaedic Science</i> , <b>2007</b> , 12, 254-9	1.6	8
32	Surgical Management of Giant Sacral Schwannoma: A Case Series and Literature Review. <i>World Neurosurgery</i> , <b>2019</b> , 129, e216-e223	2.1	7

31	Diagnosis of benign notochordal cell tumor of the spine: is a biopsy necessary?. <i>Clinical Case Reports (discontinued)</i> , <b>2018</b> , 6, 63-67	0.7	7
30	An increase in the degree ofolisthesis during axial loading reduces the dural sac size and worsens clinical symptoms in patients with degenerative spondylolisthesis. <i>Spine Journal</i> , <b>2018</b> , 18, 726-733	4	7
29	Epidemiology of surgically treated primary spinal cord tumors in Miyagi, Japan. <i>Neuroepidemiology</i> , <b>2013</b> , 41, 156-60	5.4	7
28	Enhancing percutaneous pedicle screw fixation with hydroxyapatite granules: A biomechanical study using an osteoporotic bone model. <i>PLoS ONE</i> , <b>2019</b> , 14, e0223106	3.7	6
27	Randomized trial of granulocyte colony-stimulating factor for spinal cord injury. <i>Brain</i> , <b>2021</b> , 144, 789-799	1.2	5
26	Novel augmentation technique of percutaneous pedicle screw fixation using hydroxyapatite granules in the osteoporotic lumbar spine: a cadaveric biomechanical analysis. <i>European Spine Journal</i> , <b>2021</b> , 30, 71-78	2.7	5
25	Chaperone-Mediated Autophagy after Spinal Cord Injury. <i>Journal of Neurotrauma</i> , <b>2020</b> , 37, 1687-1695	5.4	4
24	Increased Facet Fluid Predicts Dynamic Changes in the Dural Sac Size on Axial-Loaded MRI in Patients with Lumbar Spinal Canal Stenosis. <i>American Journal of Neuroradiology</i> , <b>2016</b> , 37, 730-5	4.4	4
23	Spinal Cord Swelling After Surgery in Cervical Spondylotic Myelopathy: Relationship With Intramedullary Gd-DTPA Enhancement on MRI. <i>Clinical Spine Surgery</i> , <b>2018</b> , 31, E363-E367	1.8	4
22	T1 radiculopathy caused by intervertebral disc herniation: symptomatic and neurological features. <i>Journal of Orthopaedic Science</i> , <b>2009</b> , 14, 103-6	1.6	4
21	Comparison of Surgical Outcomes After Open- and Double-Door Laminoplasties for Patients with Cervical Ossification of the Posterior Longitudinal Ligament: A Prospective Multicenter Study. <i>Spine</i> , <b>2021</b> , 46, E1238-E1245	3.3	4
20	Machine Learning Approach in Predicting Clinically Significant Improvements After Surgery in Patients with Cervical Ossification of the Posterior Longitudinal Ligament. <i>Spine</i> , <b>2021</b> , 46, 1683-1689	3.3	4
19	Atypical findings on magnetic resonance imaging in the patients with active pyogenic spondylitis in Japanese university hospitals. <i>Tohoku Journal of Experimental Medicine</i> , <b>2013</b> , 231, 13-9	2.4	3
18	The characteristics of the patients with radiologically severe cervical ossification of the posterior longitudinal ligament of the spine: A CT-based multicenter cross-sectional study. <i>Journal of Orthopaedic Science</i> , <b>2020</b> , 25, 746-750	1.6	3
17	Reoperation Rates after Laminoplasty for Cervical Disorders: A 26-Year Period Survival Function Method Analysis. <i>Spine Surgery and Related Research</i> , <b>2019</b> , 3, 304-311	1.7	3
16	B-RAF Inhibitor Dabrafenib Attenuates RIPK3-Mediated Necroptosis and Promotes Functional Recovery after Spinal Cord Injury. <i>Cells</i> , <b>2019</b> , 8,	7.9	3
15	Changes in Expression of Receptor-Interacting Protein Kinase 1 in Secondary Neural Tissue Damage Following Spinal Cord Injury. <i>Neuroscience Insights</i> , <b>2020</b> , 15, 2633105520906402	3	2
14	Recurrent primary osseous hemangiopericytoma in the thoracic spine: a case report and literature review. <i>European Spine Journal</i> , <b>2018</b> , 27, 386-392	2.7	2

13	Perioperative Complications in Posterior Surgeries for Cervical Ossification of the Posterior Longitudinal Ligament: A Prospective Nationwide Investigation. <i>Clinical Spine Surgery</i> , <b>2021</b> , 34, E594-E600	1.8	2
12	Chaperone-Mediated Autophagy in Neurodegenerative Diseases and Acute Neurological Insults in the Central Nervous System.. <i>Cells</i> , <b>2022</b> , 11,	7.9	2
11	Answer to the Letter to the Editor of T. Morimoto et al. concerning "Novel augmentation technique of percutaneous pedicle screw fixation using hydroxyapatite granules in the osteoporotic lumbar spine: A cadaveric biomechanical analysis" by Kanno, et al. [ <i>Eur Spine J.</i> 2021 Jan;30(1):71-78]. <i>European Spine Journal</i> , <b>2021</b> , 31, 212	2.7	1
10	Surgical results of nonambulatory patients caused by ossification of the posterior longitudinal ligaments in the thoracic spine: retrospective comparative study between posterior decompression and instrumented spinal fusion versus anterior decompression through a posterior approach. <i>Journal of Clinical Medicine</i> , <b>2022</b> , 11, 100107	2.8	1
9	Mid- to Long-Term Outcomes After Resection of Thoracic Dumbbell Tumors Managed by Laminectomy and Unilateral Total Facetectomy Without Instrumented Fusion. <i>Global Spine Journal</i> , <b>2021</b> , 21925682211008836	2.7	1
8	Impact of Diabetes Mellitus on Cervical Spine Surgery for Ossification of the Posterior Longitudinal Ligament. <i>Journal of Clinical Medicine</i> , <b>2021</b> , 10,	5.1	1
7	Association of occupational direct radiation exposure to the hands with longitudinal melanonychia and hand eczema in spine surgeons: a survey by the society for minimally invasive spinal treatment (MIST). <i>European Spine Journal</i> , <b>2021</b> , 30, 3702-3708	2.7	1
6	Reinforcement of Percutaneous Pedicle Screw Fixation with Hydroxyapatite Granules in Patients with Osteoporotic Spine: Biomechanical Performance and Clinical Outcomes. <i>Medicina (Lithuania)</i> , <b>2022</b> , 58, 579	3.1	1
5	Comparison of laminoplasty and posterior fusion surgery for cervical ossification of posterior longitudinal ligament.. <i>Scientific Reports</i> , <b>2022</b> , 12, 748	4.9	0
4	Anterior decompression through a posterior approach for thoracic myelopathy caused by ossification of the posterior longitudinal ligament: a novel concept in anterior decompression and technical notes with the preliminary outcomes. <i>Journal of Neurosurgery: Spine</i> , <b>2021</b> , 1-11	2.8	0
3	Autophagy in Spinal Cord Injury: Pathogenic Roles and Therapeutic Implications <b>2014</b> , 19-30		
2	Neurological improvement is associated with neck pain attenuation after surgery for cervical ossification of the posterior longitudinal ligament. <i>Scientific Reports</i> , <b>2021</b> , 11, 11910	4.9	
1	Rate of spinal surgery in a rapidly aging society: the 27-year changes in Miyagi prefecture, Japan. <i>Journal of Neurosurgical Sciences</i> , <b>2020</b> , 64, 525-530	1.3	