

Alice S Whittemore

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8131765/alice-s-whittemore-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

128
papers

6,210
citations

37
h-index

76
g-index

134
ext. papers

7,763
ext. citations

7.2
avg, IF

4.9
L-index

#	Paper	IF	Citations
128	Outdoor ambient air pollution and breast cancer survival among California participants of the Multiethnic Cohort Study.. <i>Environment International</i> , 2022 , 161, 107088	12.9	1
127	Cross-Cancer Genome-Wide Association Study of Endometrial Cancer and Epithelial Ovarian Cancer Identifies Genetic Risk Regions Associated with Risk of Both Cancers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 217-228	4	7
126	Comparing 5-Year and Lifetime Risks of Breast Cancer Using the Prospective Family Study Cohort. <i>Journal of the National Cancer Institute</i> , 2021 , 113, 785-791	9.7	5
125	Alcohol and Tobacco Use in Relation to Mammographic Density in 23,456 Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 1039-1048	4	5
124	Clinical and pathological associations of PTEN expression in ovarian cancer: a multicentre study from the Ovarian Tumour Tissue Analysis Consortium. <i>British Journal of Cancer</i> , 2020 , 123, 793-802	8.7	16
123	Identification of novel epithelial ovarian cancer loci in women of African ancestry. <i>International Journal of Cancer</i> , 2020 , 146, 2987-2998	7.5	8
122	Identification of 31 loci for mammographic density phenotypes and their associations with breast cancer risk. <i>Nature Communications</i> , 2020 , 11, 5116	17.4	9
121	Association between ambient air pollution and breast cancer risk: The multiethnic cohort study. <i>International Journal of Cancer</i> , 2020 , 146, 699-711	7.5	28
120	Considerations When Using Breast Cancer Risk Models for Women with Negative BRCA1/BRCA2 Mutation Results. <i>Journal of the National Cancer Institute</i> , 2020 , 112, 418-422	9.7	1
119	Shared heritability and functional enrichment across six solid cancers. <i>Nature Communications</i> , 2019 , 10, 431	17.4	45
118	Racial, Ethnic, and Socioeconomic Disparities in Retinoblastoma Enucleation: A Population-Based Study, SEER 18 2000-2014. <i>American Journal of Ophthalmology</i> , 2019 , 207, 215-223	4.9	12
117	Evaluation of vitamin D biosynthesis and pathway target genes reveals UGT2A1/2 and EGFR polymorphisms associated with epithelial ovarian cancer in African American Women. <i>Cancer Medicine</i> , 2019 , 8, 2503-2513	4.8	4
116	Data-adaptive multi-locus association testing in subjects with arbitrary genealogical relationships. <i>Statistical Applications in Genetics and Molecular Biology</i> , 2019 , 18,	1.2	1
115	Genome-wide association study of germline variants and breast cancer-specific mortality. <i>British Journal of Cancer</i> , 2019 , 120, 647-657	8.7	28
114	Persistent Postoperative Opioid Use in Older Head and Neck Cancer Patients. <i>Otolaryngology - Head and Neck Surgery</i> , 2019 , 160, 380-387	5.5	28
113	10-year performance of four models of breast cancer risk: a validation study. <i>Lancet Oncology</i> , 2019 , 20, 504-517	21.7	73
112	Polygenic Risk Scores for Prediction of Breast Cancer and Breast Cancer Subtypes. <i>American Journal of Human Genetics</i> , 2019 , 104, 21-34	11	363

111	A comprehensive gene-environment interaction analysis in Ovarian Cancer using genome-wide significant common variants. <i>International Journal of Cancer</i> , 2019 , 144, 2192-2205	7.5	11
110	Evaluating disease prediction models using a cohort whose covariate distribution differs from that of the target population. <i>Statistical Methods in Medical Research</i> , 2019 , 28, 309-320	2.3	5
109	MyD88 and TLR4 Expression in Epithelial Ovarian Cancer. <i>Mayo Clinic Proceedings</i> , 2018 , 93, 307-320	6.4	14
108	Adult height is associated with increased risk of ovarian cancer: a Mendelian randomisation study. <i>British Journal of Cancer</i> , 2018 , 118, 1123-1129	8.7	10
107	Racial/ethnic differences in the epidemiology of ovarian cancer: a pooled analysis of 12 case-control studies. <i>International Journal of Epidemiology</i> , 2018 , 47, 460-472	7.8	16
106	Susceptibility Loci-Associated Cutaneous Squamous Cell Carcinoma Invasiveness. <i>Journal of Investigative Dermatology</i> , 2018 , 138, 557-561	4.3	9
105	Association of p16 expression with prognosis varies across ovarian carcinoma histotypes: an Ovarian Tumor Tissue Analysis consortium study. <i>Journal of Pathology: Clinical Research</i> , 2018 , 4, 250-261	5.3	38
104	Variants in genes encoding small GTPases and association with epithelial ovarian cancer susceptibility. <i>PLoS ONE</i> , 2018 , 13, e0197561	3.7	9
103	Metabolomic profiles in breast cancer: a pilot case-control study in the breast cancer family registry. <i>BMC Cancer</i> , 2018 , 18, 532	4.8	11
102	A transcriptome-wide association study of 229,000 women identifies new candidate susceptibility genes for breast cancer. <i>Nature Genetics</i> , 2018 , 50, 968-978	36.3	101
101	A Prediction Tool to Facilitate Risk-Stratified Screening for Squamous Cell Skin Cancer. <i>Journal of Investigative Dermatology</i> , 2018 , 138, 2589-2594	4.3	8
100	Gene expression imputation identifies candidate genes and susceptibility loci associated with cutaneous squamous cell carcinoma. <i>Nature Communications</i> , 2018 , 9, 4264	17.4	14
99	Genetic susceptibility markers for a breast-colorectal cancer phenotype: Exploratory results from genome-wide association studies. <i>PLoS ONE</i> , 2018 , 13, e0196245	3.7	2
98	Genetic variants in the HLA class II region associated with risk of cutaneous squamous cell carcinoma. <i>Cancer Immunology, Immunotherapy</i> , 2018 , 67, 1123-1133	7.4	8
97	Enrichment of putative PAX8 target genes at serous epithelial ovarian cancer susceptibility loci. <i>British Journal of Cancer</i> , 2017 , 116, 524-535	8.7	18
96	Cigarette smoking is associated with adverse survival among women with ovarian cancer: Results from a pooled analysis of 19 studies. <i>International Journal of Cancer</i> , 2017 , 140, 2422-2435	7.5	18
95	Does radiotherapy still have a role in unresected biliary tract cancer?. <i>Cancer Medicine</i> , 2017 , 6, 129-141	4.8	24
94	Identification of 12 new susceptibility loci for different histotypes of epithelial ovarian cancer. <i>Nature Genetics</i> , 2017 , 49, 680-691	36.3	190

93	Dose-Response Association of CD8+ Tumor-Infiltrating Lymphocytes and Survival Time in High-Grade Serous Ovarian Cancer. <i>JAMA Oncology</i> , 2017 , 3, e173290	13.4	152
92	Association analysis identifies 65 new breast cancer risk loci. <i>Nature</i> , 2017 , 551, 92-94	50.4	643
91	Identification of ten variants associated with risk of estrogen-receptor-negative breast cancer. <i>Nature Genetics</i> , 2017 , 49, 1767-1778	36.3	186
90	Circulating sex hormones in relation to anthropometric, sociodemographic and behavioural factors in an international dataset of 12,300 men. <i>PLoS ONE</i> , 2017 , 12, e0187741	3.7	23
89	Age at Menarche and Late Adolescent Adiposity Associated with Mammographic Density on Processed Digital Mammograms in 24,840 Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017 , 26, 1450-1458	4	6
88	Pubertal development in girls by breast cancer family history: the LEGACY girls cohort. <i>Breast Cancer Research</i> , 2017 , 19, 69	8.3	13
87	Predicting Prostate Cancer Recurrence After Radical Prostatectomy. <i>Prostate</i> , 2017 , 77, 291-298	4.2	4
86	Breast Cancer Risk and Mammographic Density Assessed with Semiautomated and Fully Automated Methods and BI-RADS. <i>Radiology</i> , 2017 , 282, 348-355	20.5	54
85	No Evidence That Genetic Variation in the Myeloid-Derived Suppressor Cell Pathway Influences Ovarian Cancer Survival. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017 , 26, 420-424	4	3
84	Germline whole exome sequencing and large-scale replication identifies a likely high grade serous ovarian cancer susceptibility gene. <i>Oncotarget</i> , 2017 , 8, 50930-50940	3.3	30
83	Genome-Wide Meta-Analyses of Breast, Ovarian, and Prostate Cancer Association Studies Identify Multiple New Susceptibility Loci Shared by at Least Two Cancer Types. <i>Cancer Discovery</i> , 2016 , 6, 1052-67	24.4	104
82	Identification of four novel susceptibility loci for oestrogen receptor negative breast cancer. <i>Nature Communications</i> , 2016 , 7, 11375	17.4	64
81	Functional mechanisms underlying pleiotropic risk alleles at the 19p13.1 breast-ovarian cancer susceptibility locus. <i>Nature Communications</i> , 2016 , 7, 12675	17.4	53
80	Cohort Profile: The Breast Cancer Prospective Family Study Cohort (ProF-SC). <i>International Journal of Epidemiology</i> , 2016 , 45, 683-92	7.8	37
79	Two-stage sampling designs for external validation of personal risk models. <i>Statistical Methods in Medical Research</i> , 2016 , 25, 1313-29	2.3	10
78	Assessment of Multifactor Gene-Environment Interactions and Ovarian Cancer Risk: Candidate Genes, Obesity, and Hormone-Related Risk Factors. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016 , 25, 780-90	4	8
77	The association between socioeconomic status and tumour stage at diagnosis of ovarian cancer: A pooled analysis of 18 case-control studies. <i>Cancer Epidemiology</i> , 2016 , 41, 71-9	2.8	17
76	Assessment of variation in immunosuppressive pathway genes reveals TGFBR2 to be associated with risk of clear cell ovarian cancer. <i>Oncotarget</i> , 2016 , 7, 69097-69110	3.3	4

75	Inherited variants affecting RNA editing may contribute to ovarian cancer susceptibility: results from a large-scale collaboration. <i>Oncotarget</i> , 2016 , 7, 72381-72394	3.3	11
74	Genetically Predicted Body Mass Index and Breast Cancer Risk: Mendelian Randomization Analyses of Data from 145,000 Women of European Descent. <i>PLoS Medicine</i> , 2016 , 13, e1002105	11.6	80
73	Adult body mass index and risk of ovarian cancer by subtype: a Mendelian randomization study. <i>International Journal of Epidemiology</i> , 2016 , 45, 884-95	7.8	45
72	Parity and Oral Contraceptive Use in Relation to Ovarian Cancer Risk in Older Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016 , 25, 1059-63	4	18
71	A GWAS of Cutaneous Squamous Cell Carcinoma-Letter. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016 , 25, 1534	4	1
70	Case-control study of mammographic density and breast cancer risk using processed digital mammograms. <i>Breast Cancer Research</i> , 2016 , 18, 53	8.3	15
69	The impact of body mass index on treatment outcomes for patients with low-intermediate risk prostate cancer. <i>BMC Cancer</i> , 2016 , 16, 557	4.8	11
68	Identification of independent association signals and putative functional variants for breast cancer risk through fine-scale mapping of the 12p11 locus. <i>Breast Cancer Research</i> , 2016 , 18, 64	8.3	25
67	Identification of Susceptibility Loci for Cutaneous Squamous Cell Carcinoma. <i>Journal of Investigative Dermatology</i> , 2016 , 136, 930-937	4.3	64
66	Assessing the genetic architecture of epithelial ovarian cancer histological subtypes. <i>Human Genetics</i> , 2016 , 135, 741-56	6.3	18
65	Association of genetic susceptibility variants for type 2 diabetes with breast cancer risk in women of European ancestry. <i>Cancer Causes and Control</i> , 2016 , 27, 679-93	2.8	15
64	Association of vitamin D levels and risk of ovarian cancer: a Mendelian randomization study. <i>International Journal of Epidemiology</i> , 2016 , 45, 1619-1630	7.8	77
63	Geographic variation in Medicare treatment costs and outcomes for advanced head and neck cancer. <i>Oral Oncology</i> , 2016 , 61, 83-8	4.4	11
62	Identification of six new susceptibility loci for invasive epithelial ovarian cancer. <i>Nature Genetics</i> , 2015 , 47, 164-71	36.3	177
61	Genome-wide association analysis of more than 120,000 individuals identifies 15 new susceptibility loci for breast cancer. <i>Nature Genetics</i> , 2015 , 47, 373-80	36.3	406
60	Network-Based Integration of GWAS and Gene Expression Identifies a HOX-Centric Network Associated with Serous Ovarian Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 1574-84	4	24
59	Genome-wide Analysis Identifies Novel Loci Associated with Ovarian Cancer Outcomes: Findings from the Ovarian Cancer Association Consortium. <i>Clinical Cancer Research</i> , 2015 , 21, 5264-76	12.9	24
58	Genetic determinants of telomere length and risk of common cancers: a Mendelian randomization study. <i>Human Molecular Genetics</i> , 2015 , 24, 5356-66	5.6	104

57	Evaluating the ovarian cancer gonadotropin hypothesis: a candidate gene study. <i>Gynecologic Oncology</i> , 2015 , 136, 542-8	4.9	12
56	Cis-eQTL analysis and functional validation of candidate susceptibility genes for high-grade serous ovarian cancer. <i>Nature Communications</i> , 2015 , 6, 8234	17.4	40
55	Common variants at the CHEK2 gene locus and risk of epithelial ovarian cancer. <i>Carcinogenesis</i> , 2015 , 36, 1341-53	4.6	20
54	Shared genetics underlying epidemiological association between endometriosis and ovarian cancer. <i>Human Molecular Genetics</i> , 2015 , 24, 5955-64	5.6	48
53	Epithelial-Mesenchymal Transition (EMT) Gene Variants and Epithelial Ovarian Cancer (EOC) Risk. <i>Genetic Epidemiology</i> , 2015 , 39, 689-97	2.6	18
52	Common Genetic Variation In Cellular Transport Genes and Epithelial Ovarian Cancer (EOC) Risk. <i>PLoS ONE</i> , 2015 , 10, e0128106	3.7	15
51	Practical problems with clinical guidelines for breast cancer prevention based on remaining lifetime risk. <i>Journal of the National Cancer Institute</i> , 2015 , 107,	9.7	31
50	Assessing absolute changes in breast cancer risk due to modifiable risk factors. <i>Breast Cancer Research and Treatment</i> , 2015 , 152, 193-197	4.4	8
49	Germline mutation in BRCA1 or BRCA2 and ten-year survival for women diagnosed with epithelial ovarian cancer. <i>Clinical Cancer Research</i> , 2015 , 21, 652-7	12.9	107
48	Common Genetic Variation in Circadian Rhythm Genes and Risk of Epithelial Ovarian Cancer (EOC). <i>Journal of Genetics and Genome Research</i> , 2015 , 2,		22
47	Assessing the goodness of fit of personal risk models. <i>Statistics in Medicine</i> , 2014 , 33, 3179-90	2.3	9
46	Clinical evaluation of a multiple-gene sequencing panel for hereditary cancer risk assessment. <i>Journal of Clinical Oncology</i> , 2014 , 32, 2001-9	2.2	363
45	Predictors of bronchopulmonary dysplasia or death in premature infants with a patent ductus arteriosus. <i>Pediatric Research</i> , 2014 , 75, 570-5	3.2	25
44	DNA glycosylases involved in base excision repair may be associated with cancer risk in BRCA1 and BRCA2 mutation carriers. <i>PLoS Genetics</i> , 2014 , 10, e1004256	6	33
43	Variation in NF- κ B signaling pathways and survival in invasive epithelial ovarian cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 1421-7	4	11
42	The role of genome sequencing in personalized breast cancer prevention. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 2322-7	4	9
41	Reply to D.G. Evans et al. <i>Journal of Clinical Oncology</i> , 2012 , 30, 1143-1144	2.2	1
40	Evaluating health risk models. <i>Statistics in Medicine</i> , 2010 , 29, 2438-52	2.3	20

39	No evidence of familial correlation in breast cancer metastasis. <i>Breast Cancer Research and Treatment</i> , 2009 , 118, 575-81	4.4	2
38	Consortium analysis of 7 candidate SNPs for ovarian cancer. <i>International Journal of Cancer</i> , 2008 , 123, 380-388	7.5	66
37	A Bayesian False Discovery Rate for Multiple Testing. <i>Journal of Applied Statistics</i> , 2007 , 34, 1-9	1	23
36	Assessing environmental modifiers of disease risk associated with rare mutations. <i>Human Heredity</i> , 2007 , 63, 134-43	1.1	7
35	Nonparametric linkage analysis using person-specific covariates. <i>Genetic Epidemiology</i> , 2006 , 30, 369-79	2.6	10
34	Prostate specific antigen levels in young adulthood predict prostate cancer risk: results from a cohort of Black and White Americans. <i>Journal of Urology</i> , 2005 , 174, 872-6; discussion 876	2.5	65
33	Covariate adjustment in family-based association studies. <i>Genetic Epidemiology</i> , 2005 , 28, 244-55	2.6	17
32	Genetic association studies: time for a new paradigm?. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005 , 14, 1359-60	4	13
31	Prevalence of BRCA1 mutation carriers among U.S. non-Hispanic Whites. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2004 , 13, 2078-83	4	58
30	Genetic association tests for family data with missing parental genotypes: a comparison. <i>Genetic Epidemiology</i> , 2003 , 25, 80-91	2.6	5
29	Logistic regression of family data from retrospective study designs. <i>Genetic Epidemiology</i> , 2003 , 25, 177-86	2.6	23
28	Breast cancer in Marin County. <i>Breast Cancer Research</i> , 2003 , 5, 232-4	8.3	1
27	Observational studies and randomized trials of hormone replacement therapy: what can we learn from them?. <i>Epidemiology</i> , 2003 , 14, 8-10	3.1	25
26	Correction. <i>Statistics in Medicine</i> , 2000 , 19, 1251	2.3	
25	Pregnancy recency and risk of ovarian cancer. <i>Cancer Causes and Control</i> , 1999 , 10, 397-402	2.8	26
24	Estimating genetic influence on disease from population-based case-control data: application to cancers of the breast and ovary. <i>Statistics in Medicine</i> , 1999 , 18, 3321-36	2.3	2
23	Race, prostate cancer survival, and membership in a large health maintenance organization. <i>Journal of the National Cancer Institute</i> , 1998 , 90, 986-90	9.7	86
22	Testing Covariance Structure in Multivariate Models: Application to Family Disease Data. <i>Journal of the American Statistical Association</i> , 1998 , 93, 518-525	2.8	4

21	Genetic predisposition to prostate cancer: possible explanations for ethnic differences in risk. <i>Prostate</i> , 1997 , 32, 65-72	4.2	52
20	Multi-stage sampling in genetic epidemiology. <i>Statistics in Medicine</i> , 1997 , 16, 153-67	2.3	44
19	Different disease rates in two populations: how much is due to differences in risk factors?. <i>Statistics in Medicine</i> , 1997 , 16, 2543-54	2.3	10
18	Use of biological markers in risk assessment. <i>Risk Analysis</i> , 1994 , 14, 807-13	3.9	5
17	Personal characteristics relating to risk of invasive epithelial ovarian cancer in older women in the United States. <i>Cancer</i> , 1993 , 71, 558-65	6.4	18
16	Use of NHANES data to assign nutrient densities to food groups in a multiethnic diet history questionnaire. <i>Nutrition and Cancer</i> , 1993 , 20, 223-30	2.8	8
15	Localized prostate cancer. Relationship of tumor volume to clinical significance for treatment of prostate cancer. <i>Cancer</i> , 1993 , 71, 933-8	6.4	609
14	Errors-in-Variables Regression Using Stein Estimates. <i>American Statistician</i> , 1989 , 43, 226-228	5	17
13	Colorectal cancer incidence among Chinese in North America and the People's Republic of China: variation with sex, age and anatomical site. <i>International Journal of Epidemiology</i> , 1989 , 18, 563-8	7.8	36
12	Analysis of case-control data with covariate measurement error: application to diet and colon cancer. <i>Statistics in Medicine</i> , 1989 , 8, 1151-63; discussion 1165-6	2.3	99
11	Methods for testing interactions, with applications to occupational exposures, smoking, and lung cancer. <i>American Journal of Industrial Medicine</i> , 1988 , 13, 131-47	2.7	16
10	Effect of cigarette smoking in epidemiological studies of lung cancer. <i>Statistics in Medicine</i> , 1988 , 7, 223-38	2.3	25
9	Approximations for Regression with Covariate Measurement Error. <i>Journal of the American Statistical Association</i> , 1988 , 83, 1057-1066	2.8	63
8	Methods old and new for analyzing occupational cohort data. <i>American Journal of Industrial Medicine</i> , 1987 , 12, 233-48	2.7	5
7	Pharmacokinetics in Low Dose Extrapolation Using Animal Cancer Data. <i>Toxicological Sciences</i> , 1986 , 7, 183-190	4.4	
6	Analyzing Cohort Mortality Data. <i>American Statistician</i> , 1985 , 39, 437-441	5	7
5	Early precursors of urogenital cancers in former college men. <i>Journal of Urology</i> , 1984 , 132, 1256-61	2.5	50
4	Statistical methods for estimating attributable risk from retrospective data. <i>Statistics in Medicine</i> , 1982 , 1, 229-43	2.3	89

3	Sample Size for Logistic Regression with Small Response Probability. <i>Journal of the American Statistical Association</i> , 1981 , 76, 27-32	2.8	97
2	Sample Size for Logistic Regression with Small Response Probability		29
1	Approximations for Regression with Covariate Measurement Error		13