

Martine Ammassari-Teule

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8132556/publications.pdf>

Version: 2024-02-01

124
papers

4,459
citations

109321

35
h-index

123424

61
g-index

125
all docs

125
docs citations

125
times ranked

5967
citing authors

#	ARTICLE	IF	CITATIONS
1	Editorial: Dendritic Spines: From Biophysics to Neuropathology. <i>Frontiers in Synaptic Neuroscience</i> , 2021, 13, 652117.	2.5	2
2	Transcranial Magnetic Stimulation Exerts "Rejuvenation" Effects on Corticostriatal Synapses after Partial Dopamine Depletion. <i>Movement Disorders</i> , 2021, 36, 2254-2263.	3.9	10
3	Impaired adult neurogenesis is an early event in Alzheimer's disease neurodegeneration, mediated by intracellular A β oligomers. <i>Cell Death and Differentiation</i> , 2020, 27, 934-948.	11.2	97
4	Early-Occurring Dendritic Spines Alterations in Mouse Models of Alzheimer's Disease Inform on Primary Causes of Neurodegeneration. <i>Frontiers in Synaptic Neuroscience</i> , 2020, 12, 566615.	2.5	6
5	Mechanisms by which autophagy regulates memory capacity in ageing. <i>Aging Cell</i> , 2020, 19, e13189.	6.7	27
6	Neural compensation in presymptomatic hAPP mouse models of Alzheimer's disease. <i>Learning and Memory</i> , 2020, 27, 390-394.	1.3	6
7	Transient upregulation of translational efficiency in prodromal and early symptomatic Tg2576 mice contributes to A β pathology. <i>Neurobiology of Disease</i> , 2020, 139, 104787.	4.4	8
8	Passive immunotherapy for N-truncated tau ameliorates the cognitive deficits in two mouse Alzheimer's disease models. <i>Brain Communications</i> , 2020, 2, fcaa039.	3.3	29
9	Coincident Pre- and Post-Synaptic Cortical Remodelling Disengages Episodic Memory from Its Original Context. <i>Molecular Neurobiology</i> , 2019, 56, 8513-8523.	4.0	4
10	Activity-Induced Amyloid- β Oligomers Drive Compensatory Synaptic Rearrangements in Brain Circuits Controlling Memory of Presymptomatic Alzheimer's Disease Mice. <i>Biological Psychiatry</i> , 2019, 86, 185-195.	1.3	15
11	AD-Related N-Terminal Truncated Tau Is Sufficient to Recapitulate In Vivo the Early Perturbations of Human Neuropathology: Implications for Immunotherapy. <i>Molecular Neurobiology</i> , 2018, 55, 8124-8153.	4.0	16
12	Ambra1 Shapes Hippocampal Inhibition/Excitation Balance: Role in Neurodevelopmental Disorders. <i>Molecular Neurobiology</i> , 2018, 55, 7921-7940.	4.0	28
13	Dopamine loss alters the hippocampus-nucleus accumbens synaptic transmission in the Tg2576 mouse model of Alzheimer's disease. <i>Neurobiology of Disease</i> , 2018, 116, 142-154.	4.4	50
14	Entorhinal Cortex dysfunction can be rescued by inhibition of microglial RAGE in an Alzheimer's disease mouse model. <i>Scientific Reports</i> , 2017, 7, 42370.	3.3	64
15	Extracellular matrix controls neuronal features that mediate the persistence of fear. <i>Brain Structure and Function</i> , 2017, 222, 3889-3898.	2.3	7
16	The non-coding RNA BC1 regulates experience-dependent structural plasticity and learning. <i>Nature Communications</i> , 2017, 8, 293.	12.8	42
17	Dendritic Spine Plasticity and Memory Formation. , 2017, , 199-215.		1
18	eEF1B β binds the Che-1 and TP53 gene promoters and their transcripts. <i>Journal of Experimental and Clinical Cancer Research</i> , 2016, 35, 146.	8.6	15

#	ARTICLE	IF	CITATIONS
19	Is structural remodeling in regions governing memory an univocal correlate of memory?. <i>Neurobiology of Learning and Memory</i> , 2016, 136, 28-33.	1.9	5
20	Pin1 Modulates the Synaptic Content of NMDA Receptors via Prolyl-Isomerization of PSD-95. <i>Journal of Neuroscience</i> , 2016, 36, 5437-5447.	3.6	24
21	Electrophysiology of glioma: a Rho GTPase-activating protein reduces tumor growth and spares neuron structure and function. <i>Neuro-Oncology</i> , 2016, 18, 1634-1643.	1.2	21
22	SMN affects membrane remodelling and anchoring of the protein synthesis machinery. <i>Journal of Cell Science</i> , 2016, 129, 804-16.	2.0	20
23	Inhibition of hippocampal plasticity in rats performing contrafreeloading for water under repeated administrations of pramipexole. <i>Psychopharmacology</i> , 2016, 233, 727-737.	3.1	7
24	Opposite Dysregulation of Fragile-X Mental Retardation Protein and Heteronuclear Ribonucleoprotein C Protein Associates with Enhanced APP Translation in Alzheimer Disease. <i>Molecular Neurobiology</i> , 2016, 53, 3227-3234.	4.0	35
25	CREB Regulates Experience-Dependent Spine Formation and Enlargement in Mouse Barrel Cortex. <i>Neural Plasticity</i> , 2015, 2015, 1-11.	2.2	14
26	Post-extinction selective persistence of large dendritic spines in fear remodeled circuits may serve to reactivate fear. <i>Current Opinion in Neurobiology</i> , 2015, 35, 1-5.	4.2	6
27	Progression of activity and structural changes in the anterior cingulate cortex during remote memory formation. <i>Neurobiology of Learning and Memory</i> , 2015, 123, 67-71.	1.9	29
28	NH2-truncated human tau induces deregulated mitophagy in neurons by aberrant recruitment of Parkin and UCHL-1: implications in Alzheimer's disease. <i>Human Molecular Genetics</i> , 2015, 24, 3058-3081.	2.9	103
29	Selective inhibition of miR-92 in hippocampal neurons alters contextual fear memory. <i>Hippocampus</i> , 2014, 24, 1458-1465.	1.9	41
30	Synaptic plasticity under learning challenge. <i>Neurobiology of Learning and Memory</i> , 2014, 115, 108-115.	1.9	14
31	Environmental enrichment restores CA1 hippocampal LTP and reduces severity of seizures in epileptic mice. <i>Experimental Neurology</i> , 2014, 261, 320-327.	4.1	25
32	Enhanced mGlu5-receptor dependent long-term depression at the Schaffer collateral-CA1 synapse of congenitally learned helpless rats. <i>Neuropharmacology</i> , 2013, 66, 339-347.	4.1	19
33	CREB is necessary for synaptic maintenance and learning-induced changes of the ampa receptor GluA1 subunit. <i>Hippocampus</i> , 2013, 23, 488-499.	1.9	52
34	NS.4.2 - PRAMIPEXOLE DISRUPTS SYNAPTIC PLASTICITY IN THE CA1 AREA OF THE HIPOCAMPUS OF RATS THAT DEVELOP CONTRAFREELOADING FOR WATER, AN ANIMAL MODEL OF COMPULSIVE BEHAVIOR. <i>Behavioural Pharmacology</i> , 2013, 24, e21.	1.7	0
35	Indistinguishable pattern of amygdala and hippocampus rewiring following tone or contextual fear conditioning in C57BL/6 mice. <i>Frontiers in Behavioral Neuroscience</i> , 2013, 7, 156.	2.0	20
36	Reactivating fear memory under propranolol resets pre-trauma levels of dendritic spines in basolateral amygdala but not dorsal hippocampus neurons. <i>Frontiers in Behavioral Neuroscience</i> , 2013, 7, 211.	2.0	19

#	ARTICLE	IF	CITATIONS
37	Pre-synaptic control of remote fear extinction in the neocortex. <i>Frontiers in Behavioral Neuroscience</i> , 2012, 6, 34.	2.0	7
38	CREB selectively controls learning-induced structural remodeling of neurons. <i>Learning and Memory</i> , 2012, 19, 330-336.	1.3	30
39	<scp>T</scp>yr682 in the <scp>A</scp>Î² precursor protein intracellular domain regulates synaptic connectivity, cholinergic function, and cognitive performance. <i>Aging Cell</i> , 2012, 11, 1084-1093.	6.7	36
40	A Gateway between Recent and Remote Memory. <i>Frontiers in Neuroscience</i> , 2012, 6, 153.	2.8	0
41	Viral-mediated expression of a constitutively active form of CREB in the dentate gyrus does not induce abnormally enduring fear memory. <i>Behavioural Brain Research</i> , 2011, 222, 394-396.	2.2	8
42	Extinction partially reverts structural changes associated with remote fear memory. <i>Learning and Memory</i> , 2011, 18, 554-557.	1.3	41
43	Caspase-3 triggers early synaptic dysfunction in a mouse model of Alzheimer's disease. <i>Nature Neuroscience</i> , 2011, 14, 69-76.	14.8	479
44	Intensification of maternal care by double maternal care boosts cognitive function and hippocampal morphology in the adult offspring. <i>Hippocampus</i> , 2011, 21, 298-308.	1.9	25
45	Spine growth in the anterior cingulate cortex is necessary for the consolidation of contextual fear memory. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 8456-8460.	7.1	152
46	Learning discloses abnormal structural and functional plasticity at hippocampal synapses in the APP23 mouse model of Alzheimer's disease. <i>Learning and Memory</i> , 2010, 17, 236-240.	1.3	26
47	Synaptic Adaptations of CA1 Pyramidal Neurons Induced by a Highly Effective Combinational Antidepressant Therapy. <i>Biological Psychiatry</i> , 2010, 67, 146-154.	1.3	35
48	The 70kDa Heat Shock Protein Family and Learning. <i>Heat Shock Proteins</i> , 2010, , 217-240.	0.2	0
49	Viral-mediated expression of a constitutively active form of CREB in hippocampal neurons increases memory. <i>Hippocampus</i> , 2009, 19, 228-234.	1.9	73
50	Reelin haploinsufficiency reduces the density of PV+ neurons in circumscribed regions of the striatum and selectively alters striatal-based behaviors. <i>Psychopharmacology</i> , 2009, 204, 511-521.	3.1	34
51	Phosphodiesterase type IV inhibition prevents sequestration of CREB binding protein, protects striatal parvalbumin interneurons and rescues motor deficits in the R6/2 mouse model of Huntington's disease. <i>European Journal of Neuroscience</i> , 2009, 29, 902-910.	2.6	77
52	Epilepsy-induced abnormal striatal plasticity in Bassoon mutant mice. <i>European Journal of Neuroscience</i> , 2009, 29, 1979-1993.	2.6	26
53	The Formation of Recent and Remote Memory Is Associated with Time-Dependent Formation of Dendritic Spines in the Hippocampus and Anterior Cingulate Cortex. <i>Journal of Neuroscience</i> , 2009, 29, 8206-8214.	3.6	279
54	Abnormal medial prefrontal cortex connectivity and defective fear extinction in the presymptomatic G93A SOD1 mouse model of ALS. <i>Genes, Brain and Behavior</i> , 2008, 7, 427-434.	2.2	34

#	ARTICLE	IF	CITATIONS
55	Region-specific changes in the microanatomy of single dendritic spines over time might account for selective memory alterations in ageing hAPP ^{swe} Tg2576 mice, a mouse model for Alzheimer disease. <i>Neurobiology of Learning and Memory</i> , 2008, 90, 467-471.	1.9	13
56	The Promnesic Effect of G-protein-Coupled 5-HT ₄ Receptors Activation Is Mediated by a Potentiation of Learning-Induced Spine Growth in the Mouse Hippocampus. <i>Neuropsychopharmacology</i> , 2008, 33, 2427-2434.	5.4	44
57	N-cofilin is associated with neuronal migration disorders and cell cycle control in the cerebral cortex. <i>Genes and Development</i> , 2007, 21, 2347-2357.	5.9	167
58	Landmark-based but not vestibular-based orientation elicits mossy fiber synaptogenesis in the mouse hippocampus. <i>Neurobiology of Learning and Memory</i> , 2007, 87, 174-180.	1.9	15
59	Molecular and synaptic changes in the hippocampus underlying superior spatial abilities in pre-symptomatic G93A ^{+/+} mice overexpressing the human Cu/Zn superoxide dismutase (Gly93 [→] ALA) mutation. <i>Experimental Neurology</i> , 2006, 197, 505-514.	4.1	43
60	Altered cortico-striatal synaptic plasticity and related behavioural impairments in reeler mice. <i>European Journal of Neuroscience</i> , 2006, 24, 2061-2070.	2.6	54
61	Progressive cognitive decline in a transgenic mouse model of Alzheimer's disease overexpressing mutant hAPP ^{swe} . <i>Genes, Brain and Behavior</i> , 2006, 5, 249-256.	2.2	28
62	Strain Differences in Rewarded Discrimination Learning Using the Olfactory Tubing Maze. <i>Behavior Genetics</i> , 2006, 36, 923-934.	2.1	11
63	Plastic and behavioral abnormalities in experimental Huntington's disease: A crucial role for cholinergic interneurons. <i>Neurobiology of Disease</i> , 2006, 22, 143-152.	4.4	79
64	Simultaneous olfactory discrimination elicits a strain-specific increase in dendritic spines in the hippocampus of inbred mice. <i>Hippocampus</i> , 2006, 16, 472-479.	1.9	35
65	Hippocampal 72-kDa heat shock protein expression varies according to mice learning performance independently from chronic exposure to stress. <i>Hippocampus</i> , 2005, 15, 413-417.	1.9	23
66	Enriched environment promotes behavioral and morphological recovery in a mouse model for the fragile X syndrome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 11557-11562.	7.1	279
67	Strains of Rodents and the Pharmacology of Learning and Memory. <i>Neural Plasticity</i> , 2004, 11, 205-216.	2.2	9
68	Preserved Fronto-Striatal Plasticity and Enhanced Procedural Learning in a Transgenic Mouse Model of Alzheimer's Disease Overexpressing Mutant hAPP ^{swe} . <i>Learning and Memory</i> , 2004, 11, 447-452.	1.3	43
69	Reversible inactivation of hippocampus and dorsolateral striatum in C57BL/6 and DBA/2 inbred mice failed to show interaction between memory systems in these genotypes. <i>Behavioural Brain Research</i> , 2004, 154, 527-534.	2.2	15
70	Altered long-term corticostriatal synaptic plasticity in transgenic mice overexpressing human CU/ZN superoxide dismutase (GLY93 [→] ALA) mutation. <i>Neuroscience</i> , 2003, 118, 399-408.	2.3	38
71	Enhanced procedural learning following beta-amyloid protein (1-42) infusion in the rat. <i>NeuroReport</i> , 2002, 13, 1679-1682.	1.2	17
72	The strain-specific involvement of nucleus accumbens in latent inhibition might depend on differences in processing configural- and cue-based information between C57BL/6 and DBA mice. <i>Brain Research Bulletin</i> , 2002, 57, 35-39.	3.0	28

#	ARTICLE	IF	CITATIONS
73	Genetic approach to variability of memory systems: Analysis of place vs. response learning and Fos-related expression in hippocampal and striatal areas of C57BL/6 and DBA/2 mice. <i>Hippocampus</i> , 2002, 12, 63-75.	1.9	52
74	A Synaptic Mechanism Underlying the Behavioral Abnormalities Induced by Manganese Intoxication. <i>Neurobiology of Disease</i> , 2001, 8, 419-432.	4.4	72
75	Learning about the context in genetically-defined mice. <i>Behavioural Brain Research</i> , 2001, 125, 195-204.	2.2	16
76	Contextual-dependent effects of nucleus accumbens lesions on spatial learning in mice. <i>NeuroReport</i> , 2000, 11, 2485-2490.	1.2	8
77	Fear conditioning in C57/BL/6 and DBA/2 mice: variability in nucleus accumbens function according to the strain predisposition to show contextual or cue-based responding. <i>European Journal of Neuroscience</i> , 2000, 12, 4467-4474.	2.6	1
78	Age-related modifications of contextual information processing in rats: role of emotional reactivity, arousal and testing procedure. <i>Behavioural Brain Research</i> , 2000, 114, 153-165.	2.2	44
79	Fear conditioning in C57/BL/6 and DBA/2 mice: variability in nucleus accumbens function according to the strain predisposition to show contextual- or cue-based responding. <i>European Journal of Neuroscience</i> , 2000, 12, 4467-4474.	2.6	18
80	Title is missing!. <i>Behavior Genetics</i> , 1999, 29, 283-289.	2.1	15
81	Visual Discrimination in Inbred Mice. <i>Physiology and Behavior</i> , 1999, 67, 393-399.	2.1	12
82	N -Methyl- D -aspartate receptors in the nucleus accumbens are involved in detection of spatial novelty in mice. <i>Psychopharmacology</i> , 1998, 137, 175-183.	3.1	52
83	What do comparative studies of inbred mice add to current investigations on the neural basis of spatial behaviors?. <i>Experimental Brain Research</i> , 1998, 123, 36-44.	1.5	33
84	Posterior parietal cortex lesions severely disrupt spatial learning in DBA mice characterized by a genetic hippocampal dysfunction. <i>Behavioural Brain Research</i> , 1998, 95, 85-90.	2.2	17
85	The dorsal hippocampus is selectively involved in the processing of spatial information even in mice with a genetic hippocampal dysfunction. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 1997, 25, 118-125.	1.3	14
86	The differences shown by C57BL/6 and DBA/2 inbred mice in detecting spatial novelty are subserved by a different hippocampal and parietal cortex interplay. <i>Behavioural Brain Research</i> , 1996, 80, 33-40.	2.2	88
87	Spatial and visual discrimination learning in CD1 mice: Partial analogy between the effect of lesions to the hippocampus and the amygdala. <i>Physiology and Behavior</i> , 1996, 60, 265-271.	2.1	15
88	Involvement of glutamatergic and dopaminergic systems in the reactivity of mice to spatial and non-spatial change. <i>Psychopharmacology</i> , 1996, 126, 55-61.	3.1	42
89	Reactions to spatial and nonspatial change in two inbred strains of mice: Further evidence supporting the hippocampal dysfunction hypothesis in the DBA/2 strain. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 1995, 23, 284-289.	1.3	38
90	Radial maze performance and open-field behaviours in aged C57BL/6 mice: Further evidence for preserved cognitive abilities during senescence. <i>Physiology and Behavior</i> , 1994, 55, 341-345.	2.1	44

#	ARTICLE	IF	CITATIONS
91	Radial maze performance in inbred mice: Evidence for strain-dependent neural nets subserving spatial learning abilities. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 1994, 22, 320-327.	1.3	9
92	Learning in inbred mice: Strain-specific abilities across three radial maze problems. <i>Behavior Genetics</i> , 1993, 23, 405-412.	2.1	78
93	Effects of oxiracetam, physostigmine, and their combination on active and passive avoidance learning in mice. <i>Pharmacology Biochemistry and Behavior</i> , 1993, 44, 451-455.	2.9	6
94	Mechanical deafferentation of basal forebrain-cortical pathways and neurotoxic lesions of the nucleus basalis magnocellularis: comparative effect on spatial learning and cortical acetylcholine release in vivo. <i>Behavioural Brain Research</i> , 1993, 54, 145-152.	2.2	24
95	Age-Dependent Learning Performance during Development and Aging in C57BL/6 Mice. <i>Dementia and Geriatric Cognitive Disorders</i> , 1992, 3, 247-250.	1.5	1
96	Modifications of open field and novelty behaviours by hippocampal and amygdaloid lesions in two inbred strains of mice: Lack of strain \times lesion interactions. <i>Behavioural Processes</i> , 1992, 27, 155-164.	1.1	15
97	Enhancement by oxiracetam of passive avoidance improvement induced by the presynaptic muscarinic antagonist secoverine in mice. <i>Behavioural Brain Research</i> , 1992, 47, 93-95.	2.2	5
98	Choice behavior of fornix-damaged rats in radial maze error-free situations and subsequent learning. <i>Physiology and Behavior</i> , 1992, 51, 563-567.	2.1	6
99	Genotype-dependent involvement of limbic areas in spatial learning and postlesion recovery. <i>Physiology and Behavior</i> , 1992, 52, 505-510.	2.1	18
100	Amygdala and dorsal hippocampus lesions block the effects of GABAergic drugs on memory storage. <i>Brain Research</i> , 1991, 551, 104-109.	2.2	52
101	Clonidine reverses spatial learning deficits and reinstates \hat{I} frequencies in rats with partial fornix section. <i>Behavioural Brain Research</i> , 1991, 45, 1-8.	2.2	25
102	Spatial learning in two inbred strains of mice: genotype-dependent effect of amygdaloid and hippocampal lesions. <i>Behavioural Brain Research</i> , 1991, 45, 9-16.	2.2	49
103	Effects of oxiracetam-nicotine combinations on active and passive avoidance learning in mice. <i>Pharmacology Biochemistry and Behavior</i> , 1991, 39, 197-200.	2.9	30
104	Prenatal exposure to gamma/neutron irradiation: Sensorimotor alterations and paradoxical effects on learning. <i>Teratology</i> , 1991, 43, 61-70.	1.6	17
105	Open field behaviours and spatial learning performance in C57BL/6 mice: early stage effects of chronic GM1 ganglioside administration. <i>Psychopharmacology</i> , 1991, 105, 209-212.	3.1	12
106	Limited and extensive cuing inversely control spatial learning performance in fornix-damaged and nonlesioned rats. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 1991, 19, 323-331.	1.3	5
107	Oxiracetam prevents mecamylamine-induced impairment of active, but not passive, avoidance learning in mice. <i>Pharmacology Biochemistry and Behavior</i> , 1990, 36, 389-392.	2.9	22
108	Chronic administration of phosphatidylserine during ontogeny enhances subject-environment interactions and radial maze performance in C57BL/6 mice. <i>Physiology and Behavior</i> , 1990, 47, 755-760.	2.1	7

#	ARTICLE	IF	CITATIONS
109	Blocking of morphine-induced locomotor hyperactivity by amygdaloid lesions in C57BL/6 mice. <i>Brain Research</i> , 1989, 479, 1-5.	2.2	7
110	Enhancement of radial maze performances in CD1 mice after prenatal exposure to oxiracetam: Possible role of sustained investigative responses developed during ontogeny. <i>Physiology and Behavior</i> , 1988, 42, 281-285.	2.1	5
111	The amygdala mediates the impairing effect of the selective μ -opioid receptor agonist U-50,488 on memory in CD1 mice. <i>Behavioural Brain Research</i> , 1988, 30, 259-263.	2.2	16
112	Parallel modifications of spatial memory performances, exploration patterns, and hippocampal theta rhythms in fornix-damaged rats: Reversal of oxotremorine.. <i>Behavioral Neuroscience</i> , 1988, 102, 601-604.	1.2	25
113	Avoidance facilitation in adult mice by prenatal administration of the nootropic drug oxiracetam. <i>Pharmacological Research Communications</i> , 1986, 18, 1169-1176.	0.2	6
114	Spatial learning and memory, maze running strategies and cholinergic mechanisms in two inbred strains of mice. <i>Behavioural Brain Research</i> , 1985, 17, 9-16.	2.2	109
115	Properties of mapping induced by fornix damages: Learning and memorizing the radial maze task. <i>Physiological Psychology</i> , 1985, 13, 230-234.	0.8	9
116	Prenatal exposure to morphine in mice: Enhanced responsiveness to morphine and stress. <i>Pharmacology Biochemistry and Behavior</i> , 1984, 21, 103-108.	2.9	36
117	Facilitation of generalization performances in spatial learning problems by posttrial stimulation of the mesencephalic reticular formation. <i>Physiology and Behavior</i> , 1984, 32, 1027-1031.	2.1	5
118	Mossy fiber distribution in four lines of rats: A correlative study with avoidance abilities and excitability thresholds. <i>Physiological Psychology</i> , 1984, 12, 30-34.	0.8	10
119	Ontogenic And Genetic Variability In The Morphology Of The Somatosensory Cortex In Developing C57BL/6 AND SEC/RelJ Mice. <i>International Journal of Neuroscience</i> , 1983, 19, 221-226.	1.6	1
120	Different mossy fiber patterns in two inbred strains of mice: A functional hypothesis. <i>Neuroscience Letters</i> , 1983, 36, 111-116.	2.1	15
121	Selective effects of hippocampal and frontal cortex lesions on a spatial learning problem in two inbred strains of mice. <i>Behavioural Brain Research</i> , 1982, 5, 189-197.	2.2	27
122	Spatial learning in golden hamsters: Relationship between food-searching strategies and difficulty of the task. <i>Behavioural Processes</i> , 1982, 7, 353-365.	1.1	6
123	Different effects of apomorphine on locomotor activity in C57BL/6 and DBA/2 mice. <i>Pharmacology Biochemistry and Behavior</i> , 1981, 14, 741-743.	2.9	33
124	Inbred Mice Again at Stake: How the Cognitive Profile of the Wild-Type Mouse Background Discloses Pathogenic Effects of APP Mutations. <i>Frontiers in Behavioral Neuroscience</i> , 0, 16, .	2.0	3