David C. Currow

List of Publications by Citations

Source: https://exaly.com/author-pdf/8132830/david-c-currow-publications-by-citations.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

607 papers

15,804 citations

61 h-index

105 g-index

728 ext. papers

18,992 ext. citations

avg, IF

6.78 L-index

#	Paper	IF	Citations
607	Randomised, double blind, placebo controlled crossover trial of sustained release morphine for the management of refractory dyspnoea. <i>BMJ, The</i> , 2003 , 327, 523-8	5.9	365
606	A systematic review of prognostic/end-of-life communication with adults in the advanced stages of a life-limiting illness: patient/caregiver preferences for the content, style, and timing of information. <i>Journal of Pain and Symptom Management</i> , 2007 , 34, 81-93	4.8	361
605	Effect of palliative oxygen versus room air in relief of breathlessness in patients with refractory dyspnoea: a double-blind, randomised controlled trial. <i>Lancet, The</i> , 2010 , 376, 784-93	40	343
604	Anamorelin in patients with non-small-cell lung cancer and cachexia (ROMANA 1 and ROMANA 2): results from two randomised, double-blind, phase 3 trials. <i>Lancet Oncology, The</i> , 2016 , 17, 519-531	21.7	330
603	Safety and benefit of discontinuing statin therapy in the setting of advanced, life-limiting illness: a randomized clinical trial. <i>JAMA Internal Medicine</i> , 2015 , 175, 691-700	11.5	300
602	Palliative cancer care a decade later: accomplishments, the need, next steps from the American Society of Clinical Oncology. <i>Journal of Clinical Oncology</i> , 2009 , 27, 3052-8	2.2	288
601	Truth-telling in discussing prognosis in advanced life-limiting illnesses: a systematic review. <i>Palliative Medicine</i> , 2007 , 21, 507-17	5.5	284
600	The Australia-modified Karnofsky Performance Status (AKPS) scale: a revised scale for contemporary palliative care clinical practice [ISRCTN81117481]. <i>BMC Palliative Care</i> , 2005 , 4, 7	3	274
599	Progress in cancer survival, mortality, and incidence in seven high-income countries 1995-2014 (ICBP SURVMARK-2): a population-based study. <i>Lancet Oncology, The</i> , 2019 , 20, 1493-1505	21.7	270
598	Randomized controlled trial of a prompt list to help advanced cancer patients and their caregivers to ask questions about prognosis and end-of-life care. <i>Journal of Clinical Oncology</i> , 2007 , 25, 715-23	2.2	257
597	Physical, psychosocial, relationship, and economic burden of caring for people with cancer: a review. <i>Journal of Oncology Practice</i> , 2013 , 9, 197-202	3.1	242
596	Integration of oncology and palliative care: a Lancet Oncology Commission. <i>Lancet Oncology, The</i> , 2018 , 19, e588-e653	21.7	230
595	Sustaining hope when communicating with terminally ill patients and their families: a systematic review. <i>Psycho-Oncology</i> , 2008 , 17, 641-59	3.9	220
594	Clinical practice guidelines for communicating prognosis and end-of-life issues with adults in the advanced stages of a life-limiting illness, and their caregivers. <i>Medical Journal of Australia</i> , 2007 , 186, S77-S105	4	209
593	Once-daily opioids for chronic dyspnea: a dose increment and pharmacovigilance study. <i>Journal of Pain and Symptom Management</i> , 2011 , 42, 388-99	4.8	207
592	Efficacy of Oral Risperidone, Haloperidol, or Placebo for Symptoms of Delirium Among Patients in Palliative Care: A Randomized Clinical Trial. <i>JAMA Internal Medicine</i> , 2017 , 177, 34-42	11.5	205
591	Safety of benzodiazepines and opioids in very severe respiratory disease: national prospective study. <i>BMJ, The</i> , 2014 , 348, g445	5.9	187

(2015-2008)

590	Preference for place of care and place of death in palliative care: are these different questions?. <i>Palliative Medicine</i> , 2008 , 22, 787-95	5.5	162
589	Prescribing in palliative care as death approaches. <i>Journal of the American Geriatrics Society</i> , 2007 , 55, 590-5	5.6	158
588	Caregiving for the terminally ill: at what cost?. <i>Palliative Medicine</i> , 2005 , 19, 551-5	5.5	156
587	Do the trajectories of dyspnea differ in prevalence and intensity by diagnosis at the end of life? A consecutive cohort study. <i>Journal of Pain and Symptom Management</i> , 2010 , 39, 680-90	4.8	150
586	Health-related quality of life measured using the EQ-5D-5L: South Australian population norms. Health and Quality of Life Outcomes, 2016 , 14, 133	3	148
585	Randomized, double-blind, placebo-controlled study to assess the efficacy and toxicity of subcutaneous ketamine in the management of cancer pain. <i>Journal of Clinical Oncology</i> , 2012 , 30, 3611-	- 7 .2	146
584	Towards an expert consensus to delineate a clinical syndrome of chronic breathlessness. <i>European Respiratory Journal</i> , 2017 , 49,	13.6	138
583	The effect of ranitidine versus proton pump inhibitors on gastric secretions: a meta-analysis of randomised control trials. <i>Anaesthesia</i> , 2009 , 64, 652-7	6.6	134
582	Guidelines for the diagnosis and treatment of malignant pleural mesothelioma. <i>Journal of Thoracic Disease</i> , 2013 , 5, E254-307	2.6	132
581	Cancer as a chronic disease. <i>Collegian</i> , 2010 , 17, 47-50	1.6	124
580	Effects of opioids on breathlessness and exercise capacity in chronic obstructive pulmonary disease. A systematic review. <i>Annals of the American Thoracic Society</i> , 2015 , 12, 1079-92	4.7	122
579	Hospital and emergency department use in the last year of life: a baseline for future modifications to end-of-life care. <i>Medical Journal of Australia</i> , 2011 , 194, 570-3	4	112
578	Discrepant perceptions about end-of-life communication: a systematic review. <i>Journal of Pain and Symptom Management</i> , 2007 , 34, 190-200	4.8	109
577	Oxygen for relief of dyspnoea in mildly- or non-hypoxaemic patients with cancer: a systematic review and meta-analysis. <i>British Journal of Cancer</i> , 2008 , 98, 294-9	8.7	106
576	Experience of advanced chronic obstructive pulmonary disease: metasynthesis of qualitative research. <i>Journal of Pain and Symptom Management</i> , 2014 , 48, 1182-99	4.8	101
575	A community population survey of prevalence and severity of dyspnea in adults. <i>Journal of Pain and Symptom Management</i> , 2009 , 38, 533-45	4.8	99
574	Clinically important differences in the intensity of chronic refractory breathlessness. <i>Journal of Pain and Symptom Management</i> , 2013 , 46, 957-63	4.8	98
573	Polypharmacy in patients with advanced cancer and the role of medication discontinuation. <i>Lancet Oncology, The</i> , 2015 , 16, e333-41	21.7	97

57 ²	Community-based palliative care: the natural evolution for palliative care delivery in the U.S. <i>Journal of Pain and Symptom Management</i> , 2013 , 46, 254-64	4.8	96
571	EAPC White Paper on outcome measurement in palliative care: Improving practice, attaining outcomes and delivering quality services - Recommendations from the European Association for Palliative Care (EAPC) Task Force on Outcome Measurement. <i>Palliative Medicine</i> , 2016 , 30, 6-22	5.5	93
570	Managing comorbidities in patients at the end of life. BMJ, The, 2004, 329, 909-12	5.9	93
569	Comparison of ECOG/WHO performance status and ASA score as a measure of functional status. Journal of Pain and Symptom Management, 2015 , 49, 258-64	4.8	91
568	The Australian Palliative Care Outcomes Collaboration (PCOC)measuring the quality and outcomes of palliative care on a routine basis. <i>Australian Health Review</i> , 2010 , 34, 186-92	1.8	87
567	Specialized palliative care services are associated with improved short- and long-term caregiver outcomes. <i>Supportive Care in Cancer</i> , 2008 , 16, 585-97	3.9	87
566	Cancer specialists' palliative care referral practices and perceptions: results of a national survey. <i>Palliative Medicine</i> , 2008 , 22, 51-7	5.5	85
565	ROMANA 3: a phase 3 safety extension study of anamorelin in advanced non-small-cell lung cancer (NSCLC) patients with cachexia. <i>Annals of Oncology</i> , 2017 , 28, 1949-1956	10.3	81
564	Indicators of integration of oncology and palliative care programs: an international consensus. <i>Annals of Oncology</i> , 2015 , 26, 1953-1959	10.3	79
563	Dying in the margins: understanding palliative care and socioeconomic deprivation in the developed world. <i>Journal of Pain and Symptom Management</i> , 2011 , 42, 105-18	4.8	78
562	Improving national hospice/palliative care service symptom outcomes systematically through point-of-care data collection, structured feedback and benchmarking. <i>Supportive Care in Cancer</i> , 2015 , 23, 307-15	3.9	71
561	One evidence base; three stories: do opioids relieve chronic breathlessness?. <i>Thorax</i> , 2018 , 73, 88-90	7.3	71
560	Researching breathlessness in palliative care: consensus statement of the National Cancer Research Institute Palliative Care Breathlessness Subgroup. <i>Palliative Medicine</i> , 2009 , 23, 213-27	5.5	71
559	Specialist palliative care needs of whole populations: a feasibility study using a novel approach. <i>Palliative Medicine</i> , 2004 , 18, 239-47	5.5	70
558	Double-blind, placebo-controlled, randomized trial of octreotide in malignant bowel obstruction. Journal of Pain and Symptom Management, 2015 , 49, 814-21	4.8	69
557	End-of-life delirium: issues regarding recognition, optimal management, and the role of sedation in the dying phase. <i>Journal of Pain and Symptom Management</i> , 2014 , 48, 215-30	4.8	69
556	Opioids for chronic refractory breathlessness: patient predictors of beneficial response. <i>European Respiratory Journal</i> , 2013 , 42, 758-66	13.6	69
555	Delivery strategies to optimize resource utilization and performance status for patients with advanced life-limiting illness: results from the "palliative care trial" [ISRCTN 81117481]. <i>Journal of Pain and Symptom Management</i> , 2013 , 45, 488-505	4.8	67

(2013-2011)

554	Aggregating single patient (n-of-1) trials in populations where recruitment and retention was difficult: the case of palliative care. <i>Journal of Clinical Epidemiology</i> , 2011 , 64, 471-80	5.7	67
553	End-of-life care in oxygen-dependent ILD compared with lung cancer: a national population-based study. <i>Thorax</i> , 2016 , 71, 510-6	7.3	67
552	Development of the palliative care needs assessment tool (PC-NAT) for use by multi-disciplinary health professionals. <i>Palliative Medicine</i> , 2008 , 22, 956-64	5.5	65
551	Changes in the quantity and level of evidence of palliative and hospice care literature: the last century. <i>Journal of Clinical Oncology</i> , 2008 , 26, 5679-83	2.2	64
550	A strategy to advance the evidence base in palliative medicine: formation of a palliative care research cooperative group. <i>Journal of Palliative Medicine</i> , 2010 , 13, 1407-13	2.2	62
549	Association between tobacco plain packaging and Quitline calls: a population-based, interrupted time-series analysis. <i>Medical Journal of Australia</i> , 2014 , 200, 29-32	4	61
548	Consensus-based standards for best supportive care in clinical trials in advanced cancer. <i>Lancet Oncology, The</i> , 2012 , 13, e77-82	21.7	61
547	Dyspnea review for the palliative care professional: treatment goals and therapeutic options. <i>Journal of Palliative Medicine</i> , 2012 , 15, 106-14	2.2	61
546	Cannabinoids and cancer: causation, remediation, and palliation. <i>Lancet Oncology, The</i> , 2005 , 6, 35-42	21.7	60
545	What Aspects of Quality of Life Are Important From Palliative Care Patients' Perspectives? A Systematic Review of Qualitative Research. <i>Journal of Pain and Symptom Management</i> , 2016 , 52, 318-33	28 ^{1.8} 5	60
544	Palliation of dyspnoea in advanced COPD: revisiting a role for opioids. <i>Thorax</i> , 2009 , 64, 910-5	7.3	57
543	Oxygen therapy for dyspnoea in adults. Cochrane Database of Systematic Reviews, 2008, CD004769		57
542	The pharmacokinetics of morphine and morphine glucuronide metabolites after subcutaneous bolus injection and subcutaneous infusion of morphine. <i>British Journal of Clinical Pharmacology</i> , 2000 , 49, 207-14	3.8	57
541	Changes in anticholinergic load from regular prescribed medications in palliative care as death approaches. <i>Palliative Medicine</i> , 2009 , 23, 257-65	5.5	56
540	Treating an established episode of delirium in palliative care: expert opinion and review of the current evidence base with recommendations for future development. <i>Journal of Pain and Symptom Management</i> , 2014 , 48, 231-248	4.8	55
539	The management of chronic breathlessness in patients with advanced and terminal illness. <i>BMJ, The</i> , 2015 , 350, g7617	5.9	55
538	Reliability testing of the FAMCARE-2 scale: measuring family carer satisfaction with palliative care. <i>Palliative Medicine</i> , 2010 , 24, 674-81	5.5	54
537	Early admission to community-based palliative care reduces use of emergency departments in the ninety days before death. <i>Journal of Palliative Medicine</i> , 2013 , 16, 774-9	2.2	53

536	A framework for generalizability in palliative care. <i>Journal of Pain and Symptom Management</i> , 2009 , 37, 373-86	4.8	53
535	A pragmatic 2 x 2 x 2 factorial cluster randomized controlled trial of educational outreach visiting and case conferencing in palliative care-methodology of the Palliative Care Trial [ISRCTN 81117481]. <i>Contemporary Clinical Trials</i> , 2006 , 27, 83-100	2.3	51
534	Populations who die without specialist palliative care: does lower uptake equate with unmet need?. <i>Palliative Medicine</i> , 2008 , 22, 43-50	5.5	50
533	Use of ondansetron in palliative medicine. <i>Journal of Pain and Symptom Management</i> , 1997 , 13, 302-7	4.8	48
532	The active identification and management of chronic refractory breathlessness is a human right. <i>Thorax</i> , 2014 , 69, 393-4	7.3	47
531	Predictors of chronic breathlessness: a large population study. <i>BMC Public Health</i> , 2011 , 11, 33	4.1	47
530	Is it feasible and desirable to collect voluntarily quality and outcome data nationally in palliative oncology care?. <i>Journal of Clinical Oncology</i> , 2008 , 26, 3853-9	2.2	46
529	Computer-based symptom assessment is feasible in patients with advanced cancer: results from an international multicenter study, the EPCRC-CSA. <i>Journal of Pain and Symptom Management</i> , 2012 , 44, 639-54	4.8	45
528	Making decisions about delirium: a qualitative comparison of decision making between nurses working in palliative care, aged care, aged care psychiatry, and oncology. <i>Palliative Medicine</i> , 2012 , 26, 887-96	5.5	45
527	Uncovering an invisible network of direct caregivers at the end of life: a population study. <i>Palliative Medicine</i> , 2013 , 27, 608-15	5.5	45
526	Physical activity and fitness in women with metastatic breast cancer. <i>Journal of Cancer Survivorship</i> , 2014 , 8, 647-56	5.1	44
525	Overcoming recruitment challenges in palliative care clinical trials. <i>Journal of Oncology Practice</i> , 2013 , 9, 277-82	3.1	44
524	Does palliative home oxygen improve dyspnoea? A consecutive cohort study. <i>Palliative Medicine</i> , 2009 , 23, 309-16	5.5	44
523	Palliative care for people living with heart failure: European Association for Palliative Care Task Force expert position statement. <i>Cardiovascular Research</i> , 2020 , 116, 12-27	9.9	44
522	Validated screening tools for the assessment of cachexia, sarcopenia, and malnutrition: a systematic review. <i>American Journal of Clinical Nutrition</i> , 2018 , 108, 1196-1208	7	44
521	A social capital framework for palliative care: supporting health and well-being for people with life-limiting illness and their carers through social relations and networks. <i>Journal of Pain and Symptom Management</i> , 2013 , 45, 92-103	4.8	42
520	Prescribing palliative oxygen: a clinician survey of expected benefit and patterns of use. <i>Palliative Medicine</i> , 2005 , 19, 168-70	5.5	42
519	Gaps in the evidence base of opioids for refractory breathlessness. A future work plan?. <i>Journal of Pain and Symptom Management</i> , 2012 , 43, 614-24	4.8	41

(2014-2007)

518	Terminally-ill people living alone without a caregiver: an Australian national scoping study of palliative care needs. <i>Palliative Medicine</i> , 2007 , 21, 29-34	5.5	41
5 1 7	Do community specialist palliative care services that provide home nursing increase rates of home death for people with life-limiting illnesses? A systematic review and meta-analysis of comparative studies. <i>Journal of Pain and Symptom Management</i> , 2013 , 45, 279-97	4.8	40
516	Facilitating needs-based support and palliative care for people with chronic heart failure: preliminary evidence for the acceptability, inter-rater reliability, and validity of a needs assessment tool. <i>Journal of Pain and Symptom Management</i> , 2013 , 45, 912-25	4.8	39
515	CYP2B6*6 allele and age substantially reduce steady-state ketamine clearance in chronic pain patients: impact on adverse effects. <i>British Journal of Clinical Pharmacology</i> , 2015 , 80, 276-84	3.8	39
514	Improving the methodologic and ethical validity of best supportive care studies in oncology: lessons from a systematic review. <i>Journal of Clinical Oncology</i> , 2009 , 27, 5476-86	2.2	39
513	Australian general practitioners' and oncology specialists' perceptions of barriers and facilitators of access to specialist palliative care services. <i>Journal of Palliative Medicine</i> , 2011 , 14, 429-35	2.2	38
512	Validity, reliability and clinical feasibility of a Needs Assessment Tool for people with progressive cancer. <i>Psycho-Oncology</i> , 2010 , 19, 726-33	3.9	38
511	A patient-centred approach to sexuality in the face of life-limiting illness. <i>Medical Journal of Australia</i> , 2003 , 179, S8-11	4	38
510	COVID-19: guidance on palliative care from a European Respiratory Society international task force. <i>European Respiratory Journal</i> , 2020 , 56,	13.6	38
509	The relationship between two performance scales: New York Heart Association Classification and Karnofsky Performance Status Scale. <i>Journal of Pain and Symptom Management</i> , 2014 , 47, 652-8	4.8	37
508	To what causes do people attribute their chronic breathlessness? A population survey. <i>Journal of Palliative Medicine</i> , 2012 , 15, 744-50	2.2	37
507	Regular, sustained-release morphine for chronic breathlessness: a multicentre, double-blind, randomised, placebo-controlled trial. <i>Thorax</i> , 2020 , 75, 50-56	7.3	37
506	An analytical framework for delirium research in palliative care settings: integrated epidemiologic, clinician-researcher, and knowledge user perspectives. <i>Journal of Pain and Symptom Management</i> , 2014 , 48, 159-175	4.8	36
505	The longitudinal pattern of response when morphine is used to treat chronic refractory dyspnea. <i>Journal of Palliative Medicine</i> , 2013 , 16, 881-6	2.2	36
504	Oxygen for relief of dyspnoea in people with chronic obstructive pulmonary disease who would not qualify for home oxygen: a systematic review and meta-analysis. <i>Thorax</i> , 2015 , 70, 492-4	7.3	33
503	Improving outcomes for people with progressive cancer: interrupted time series trial of a needs assessment intervention. <i>Journal of Pain and Symptom Management</i> , 2012 , 43, 569-81	4.8	33
502	Impact of Australia's introduction of tobacco plain packs on adult smokers' pack-related perceptions and responses: results from a continuous tracking survey. <i>BMJ Open</i> , 2014 , 4, e005836	3	33
501	Prevalence and assessment of breathlessness in the clinical setting. <i>Expert Review of Respiratory Medicine</i> , 2014 , 8, 151-61	3.8	33

500	Referral patterns and proximity to palliative care inpatient services by level of socio-economic disadvantage. A national study using spatial analysis. <i>BMC Health Services Research</i> , 2012 , 12, 424	2.9	33
499	Palliative caregivers who would not take on the caring role again. <i>Journal of Pain and Symptom Management</i> , 2011 , 41, 661-72	4.8	33
498	Caregivers for people with end-stage lung disease: characteristics and unmet needs in the whole population. <i>International Journal of COPD</i> , 2008 , 3, 753-62	3	33
497	Can we predict which patients with refractory dyspnea will respond to opioids?. <i>Journal of Palliative Medicine</i> , 2007 , 10, 1031-6	2.2	33
496	Prescription of opioids for breathlessness in end-stage COPD: a national population-based study. <i>International Journal of COPD</i> , 2016 , 11, 2651-2657	3	33
495	Using telehealth to support end of life care in the community: a feasibility study. <i>BMC Palliative Care</i> , 2016 , 15, 94	3	33
494	Implementation of a pilot telehealth programme in community palliative care: A qualitative study of clinicians' perspectives. <i>Palliative Medicine</i> , 2016 , 30, 409-17	5.5	33
493	Dyspnea review for the palliative care professional: assessment, burdens, and etiologies. <i>Journal of Palliative Medicine</i> , 2011 , 14, 1167-72	2.2	32
492	Prevalence and Outcomes of Breathlessness in Older Adults: A National Population Study. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 2035-2041	5.6	32
491	A systematic review of strategies used to increase recruitment of people with cancer or organ failure into clinical trials: implications for palliative care research. <i>Journal of Pain and Symptom Management</i> , 2015 , 49, 762-772.e5	4.8	31
490	Defining best supportive care. <i>Journal of Clinical Oncology</i> , 2008 , 26, 5139-40	2.2	31
489	Safety of benzodiazepines and opioids inlinterstitial lung disease: a national prospective study. <i>European Respiratory Journal</i> , 2018 , 52,	13.6	31
488	Pharmacovigilance in hospice/palliative care: net effect of haloperidol for delirium. <i>Journal of Palliative Medicine</i> , 2013 , 16, 1335-41	2.2	30
487	A prospective study of patient identified unmet activity of daily living needs among cancer patients at a comprehensive cancer care centre. <i>Australian Occupational Therapy Journal</i> , 2003 , 50, 79-85	1.7	30
486	Breathlessness in Elderly Adults During the Last Year of Life Sufficient to Restrict Activity: Prevalence, Pattern, and Associated Factors. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 73-80	5.6	30
485	The Effect of Methylphenidate on Fatigue in Advanced Cancer: An Aggregated N-of-1 Trial. <i>Journal of Pain and Symptom Management</i> , 2015 , 50, 289-96	4.8	29
484	Practical Dyspnea Assessment: Relationship Between the 0-10 Numerical Rating Scale and the Four-Level Categorical Verbal Descriptor Scale of Dyspnea Intensity. <i>Journal of Pain and Symptom Management</i> , 2015 , 50, 480-7	4.8	29
483	Oxygen for breathlessness in patients with chronic obstructive pulmonary disease who do not qualify for home oxygen therapy. <i>The Cochrane Library</i> , 2016 , 11, CD006429	5.2	29

482	Stigma as a barrier to diagnosis of lung cancer: patient and general practitioner perspectives. <i>Primary Health Care Research and Development</i> , 2015 , 16, 618-22	1.6	29
481	The caregiving perspective in heart failure: a population based study. <i>BMC Health Services Research</i> , 2013 , 13, 342	2.9	29
480	Survival, mortality and morbidity outcomes after oesophagogastric cancer surgery in New South Wales, 2001-2008. <i>Medical Journal of Australia</i> , 2014 , 200, 408-13	4	29
479	An international initiative to create a collaborative for pharmacovigilance in hospice and palliative care clinical practice. <i>Journal of Palliative Medicine</i> , 2012 , 15, 282-6	2.2	29
478	Using opioids in general practice for chronic non-cancer pain: an overview of current evidence. <i>Medical Journal of Australia</i> , 2016 , 204, 305-9	4	29
477	Health service use and costs in the last 6 months of life in elderly decedents with a history of cancer: a comprehensive analysis from a health payer perspective. <i>British Journal of Cancer</i> , 2016 , 114, 1293-302	8.7	29
476	A Mixed-Methods, Randomized, Controlled Feasibility Trial to Inform the Design of a Phase III Trial to Test the Effect of the Handheld Fan on Physical Activity and Carer Anxiety in Patients With Refractory Breathlessness. <i>Journal of Pain and Symptom Management</i> , 2016 , 51, 807-15	4.8	28
475	Symptom burden of haematological malignancies as death approaches in a community palliative care service: a retrospective cohort study of a consecutive case series. <i>Lancet Haematology,the</i> , 2015 , 2, e334-8	14.6	28
474	The role of ondansetron in the management of cholestatic or uremic pruritusa systematic review. Journal of Pain and Symptom Management, 2012 , 44, 725-30	4.8	28
473	Symptomatic oxygen for non-hypoxaemic chronic obstructive pulmonary disease. <i>Cochrane Database of Systematic Reviews</i> , 2011 , CD006429		28
472	Australian palliative care providers' perceptions and experiences of the barriers and facilitators to palliative care provision. <i>Supportive Care in Cancer</i> , 2011 , 19, 343-51	3.9	28
471	Comfort in the last 2 weeks of life: relationship to accessing palliative care services. <i>Supportive Care in Cancer</i> , 2008 , 16, 1255-63	3.9	28
470	Development of a subject search filter to find information relevant to palliative care in the general medical literature. <i>Journal of the Medical Library Association: JMLA</i> , 2006 , 94, 394-401	1.4	28
469	End-of-life care in oxygen-dependent COPD and cancer: a national population-based study. <i>European Respiratory Journal</i> , 2015 , 46, 1190-3	13.6	27
468	The need to research refractory breathlessness. European Respiratory Journal, 2016, 47, 342-3	13.6	27
467	Analyzing phase III studies in hospice/palliative care. a solution that sits between intention-to-treat and per protocol analyses: the palliative-modified ITT analysis. <i>Journal of Pain and Symptom Management</i> , 2012 , 44, 595-603	4.8	27
466	The Edmonton Classification System for Cancer Pain: comparison of pain classification features and pain intensity across diverse palliative care settings in eight countries. <i>Journal of Palliative Medicine</i> , 2013 , 16, 516-23	2.2	27
465	Anamorelin hydrochloride in the treatment of cancer anorexia-cachexia syndrome. <i>Future Oncology</i> , 2014 , 10, 789-802	3.6	26

464	An intervention to promote physical activity and self-management in people with stable chronic heart failure The Home-Heart-Walk study: study protocol for a randomized controlled trial. <i>Trials</i> , 2011 , 12, 63	2.8	26
463	Chronic pain in South Australia - population levels that interfere extremely with activities of daily living. <i>Australian and New Zealand Journal of Public Health</i> , 2010 , 34, 232-9	2.3	26
462	Designing and conducting randomized controlled trials in palliative care: A summary of discussions from the 2010 clinical research forum of the Australian Palliative Care Clinical Studies Collaborative. <i>Palliative Medicine</i> , 2012 , 26, 1042-7	5.5	26
461	Handheld computers for data entry: high tech has its problems too. <i>Trials</i> , 2007 , 8, 5	2.8	26
460	Missing data in randomized controlled trials testing palliative interventions pose a significant risk of bias and loss of power: Systematic review and meta-analyses. <i>Journal of Clinical Epidemiology</i> , 2016 , 74, 57-65	5.7	26
459	Physical Symptoms at the Time of Dying Was Diagnosed: A Consecutive Cohort Study To Describe the Prevalence and Intensity of Problems Experienced by Imminently Dying Palliative Care Patients by Diagnosis and Place of Care. <i>Journal of Palliative Medicine</i> , 2016 , 19, 1288-1295	2.2	26
458	Assessing measures of comorbidity and functional status for risk adjustment to compare hospital performance for colorectal cancer surgery: a retrospective data-linkage study. <i>BMC Medical Informatics and Decision Making</i> , 2015 , 15, 55	3.6	25
457	The prevalence of bowel problems reported in a palliative care population. <i>Journal of Pain and Symptom Management</i> , 2012 , 43, 993-1000	4.8	25
456	Trends in incidence and survival for anal cancer in New South Wales, Australia, 1972-2009. <i>Cancer Epidemiology</i> , 2015 , 39, 842-7	2.8	25
455	Out of Sight and Out of Mind? Evaluating the Impact of Point-of-Sale Tobacco Display Bans on Smoking-Related Beliefs and Behaviors in a Sample of Australian Adolescents and Young Adults. <i>Nicotine and Tobacco Research</i> , 2015 , 17, 761-8	4.9	25
454	Ethical challenges and solutions regarding delirium studies in palliative care. <i>Journal of Pain and Symptom Management</i> , 2014 , 48, 259-71	4.8	25
453	Is home-based palliative care cost-effective? An economic evaluation of the Palliative Care Extended Packages at Home (PEACH) pilot. <i>BMJ Supportive and Palliative Care</i> , 2013 , 3, 431-5	2.2	25
452	The role of benzodiazepines in breathlessness: a single site, open label pilot of sustained release morphine together with clonazepam. <i>Journal of Palliative Medicine</i> , 2013 , 16, 741-4	2.2	25
451	What is the role of friends when contributing care at the end of life? Findings from an Australian population study. <i>Psycho-Oncology</i> , 2011 , 20, 203-12	3.9	25
450	Young caregivers in the end-of-life setting: a population-based profile of an emerging group. Journal of Palliative Medicine, 2010 , 13, 1225-35	2.2	25
449	Using national health policies to improve access to palliative care medications in the community. <i>Journal of Pain and Symptom Management</i> , 2009 , 37, 395-402	4.8	25
448	Can assessing caregiver needs and activating community networks improve caregiver-defined outcomes? A single-blind, quasi-experimental pilot study: community facilitator pilot. <i>Palliative Medicine</i> , 2012 , 26, 917-23	5.5	25
447	Knowledge of the signs and symptoms and risk factors of lung cancer in Australia: mixed methods study. <i>BMC Public Health</i> , 2016 , 16, 508	4.1	25

(2015-2016)

446	Somatostatin Analogues Compared With Placebo and Other Pharmacologic Agents in the Management of Symptoms of Inoperable Malignant Bowel Obstruction: A Systematic Review. Journal of Pain and Symptom Management, 2016 , 52, 901-919.e1	4.8	25	
445	Sertraline in symptomatic chronic breathlessness: a double blind, randomised trial. <i>European Respiratory Journal</i> , 2019 , 53,	13.6	25	
444	Placebo and nocebo effects in randomized controlled trials: the implications for research and practice. <i>Journal of Pain and Symptom Management</i> , 2013 , 46, 722-30	4.8	24	
443	Do terminally ill people who live alone miss out on home oxygen treatment? An hypothesis generating study. <i>Journal of Palliative Medicine</i> , 2008 , 11, 1015-22	2.2	24	
442	Is chronic breathlessness less recognised and treated compared with chronic pain? A case-based randomised controlled trial. <i>European Respiratory Journal</i> , 2018 , 52,	13.6	23	
441	Depression-A Major Contributor to Poor Quality of Life in Patients With Advanced Cancer. <i>Journal of Pain and Symptom Management</i> , 2017 , 54, 889-897	4.8	23	
440	Interventions to support a palliative care approach in patients with chronic obstructive pulmonary disease: an integrative review. <i>International Journal of Nursing Studies</i> , 2012 , 49, 1443-58	5.8	23	
439	Prospectively collected characteristics of adult patients, their consultations and outcomes as they report breathlessness when presenting to general practice in Australia. <i>PLoS ONE</i> , 2013 , 8, e74814	3.7	23	
438	Better informing decision making with multiple outcomes cost-effectiveness analysis under uncertainty in cost-disutility space. <i>PLoS ONE</i> , 2015 , 10, e0115544	3.7	23	
437	The Adaptation, Face, and Content Validation of a Needs Assessment Tool: Progressive Disease for People with Interstitial Lung Disease. <i>Journal of Palliative Medicine</i> , 2016 , 19, 549-55	2.2	23	
436	A Practical Approach to Fatigue Management in Colorectal Cancer. <i>Clinical Colorectal Cancer</i> , 2017 , 16, 275-285	3.8	22	
435	The Prospective Evaluation of the Net Effect of Red Blood Cell Transfusions in Routine Provision of Palliative Care. <i>Journal of Palliative Medicine</i> , 2017 , 20, 1152-1157	2.2	22	
434	Unconditional and conditional incentives differentially improved general practitioners' participation in an online survey: randomized controlled trial. <i>Journal of Clinical Epidemiology</i> , 2015 , 68, 693-7	5.7	22	
433	The Pattern of Use of Hypofractionated Radiation Therapy for Early-Stage Breast Cancer in New South Wales, Australia, 2008 to 2012. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016 , 96, 266-272	4	22	
432	Breathlessness During the Last Week of Life in Palliative Care: An Australian Prospective, Longitudinal Study. <i>Journal of Pain and Symptom Management</i> , 2016 , 51, 816-23	4.8	22	
431	Clinical practice guidelines for delirium management: potential application in palliative care. Journal of Pain and Symptom Management, 2014, 48, 249-58	4.8	22	
430	Quality of missing data reporting and handling in palliative care trials demonstrates that further development of the CONSORT statement is required: a systematic review. <i>Journal of Clinical Epidemiology</i> , 2017 , 88, 81-91	5.7	22	
429	Advance care planning in 21st century Australia: a systematic review and appraisal of online advance care directive templates against national framework criteria. <i>Australian Health Review</i> , 2015 , 39, 552-560	1.8	22	

428	INSPIRE (INvestigating Social and Practical supports at the End of life): Pilot randomised trial of a community social and practical support intervention for adults with life-limiting illness. <i>BMC Palliative Care</i> , 2015 , 14, 65	3	22
427	Subsidised use of methylnaltrexone in Australia for palliative care. <i>Medical Journal of Australia</i> , 2012 , 197, 492	4	22
426	Informed consent in palliative care clinical trials: challenging but possible. <i>Journal of Palliative Medicine</i> , 2013 , 16, 485-91	2.2	22
425	Planning phase III multi-site clinical trials in palliative care: the role of consecutive cohort audits to identify potential participant populations. <i>Supportive Care in Cancer</i> , 2010 , 18, 1571-9	3.9	22
424	Improving search filter development: a study of palliative care literature. <i>BMC Medical Informatics and Decision Making</i> , 2007 , 7, 18	3.6	22
423	Oxygen usepatients define symptomatic benefit discerningly. <i>Journal of Pain and Symptom Management</i> , 2007 , 34, 113-4	4.8	22
422	Palliative Care Problem Severity Score: Reliability and acceptability in a national study. <i>Palliative Medicine</i> , 2016 , 30, 479-85	5.5	22
421	Caregivers of people with neurodegenerative diseases: profile and unmet needs from a population-based survey in South Australia. <i>Journal of Palliative Medicine</i> , 2010 , 13, 653-61	2.2	21
420	Place of Death for People with Noncancer and Cancer Illness in South Australia: A Population-Based Survey. <i>Journal of Palliative Care</i> , 2008 , 24, 144-150	1.8	21
419	A survey of patients' experience of pain and other symptoms while receiving care from palliative care services. <i>BMJ Supportive and Palliative Care</i> , 2016 , 6, 315-22	2.2	20
418	Living actively in the face of impending death: constantly adjusting to bodily decline at the end-of-life. <i>BMJ Supportive and Palliative Care</i> , 2017 , 7, 179-188	2.2	20
417	Measuring caregiver outcomes in palliative care: a construct validation study of two instruments for use in economic evaluations. <i>Quality of Life Research</i> , 2015 , 24, 1255-73	3.7	20
416	What factors are predictive of surgical resection and survival from localised non-small cell lung cancer?. <i>Medical Journal of Australia</i> , 2014 , 201, 475-80	4	20
415	A pilot phase II randomized, cross-over, double-blinded, controlled efficacy study of octreotide versus hyoscine hydrobromide for control of noisy breathing at the end-of-life. <i>Journal of Pain and Palliative Care Pharmacotherapy</i> , 2008 , 22, 131-8	0.8	20
414	Breathlessness, Anxiety, Depression, and Function-The BAD-F Study: A Cross-Sectional and Population Prevalence Study in Adults. <i>Journal of Pain and Symptom Management</i> , 2020 , 59, 197-205.e2	4.8	20
413	Chronic refractory dyspnoeaevidence based management. Australian Family Physician, 2013 , 42, 137-4	0	20
412	The trajectory of functional decline over the last 4 months of life in a palliative care population: A prospective, consecutive cohort study. <i>Palliative Medicine</i> , 2019 , 33, 693-703	5.5	19
411	Timely recognition of palliative care needs of patients with advanced chronic heart failure: a pilot study of a Dutch translation of the Needs Assessment Tool: Progressive Disease - Heart Failure (NAT:PD-HF). <i>European Journal of Cardiovascular Nursing</i> , 2019 , 18, 375-388	3.3	19

(2021-2015)

410	Can variability in the effect of opioids on refractory breathlessness be explained by genetic factors?. <i>BMJ Open</i> , 2015 , 5, e006818	3	19
409	Can the LANSS scale be used to classify pain in chronic cancer pain trials?. <i>Supportive Care in Cancer</i> , 2013 , 21, 3387-91	3.9	19
408	Breathlessnesscurrent and emerging mechanisms, measurement and management: a discussion from an European Association of Palliative Care workshop. <i>Palliative Medicine</i> , 2013 , 27, 932-8	5.5	19
407	Facilitating needs based cancer care for people with a chronic disease: Evaluation of an intervention using a multi-centre interrupted time series design. <i>BMC Palliative Care</i> , 2010 , 9, 2	3	19
406	The experience of supporting a dying relative: reflections of caregivers. <i>Progress in Palliative Care</i> , 2005 , 13, 319-325	1	19
405	The impact of therapeutic opioid agonists on driving-related psychomotor skills assessed by a driving simulator or an on-road driving task: A systematic review. <i>Palliative Medicine</i> , 2018 , 32, 786-803	5.5	18
404	Physical Activity for Symptom Management in Women With Metastatic Breast Cancer: A Randomized Feasibility Trial on Physical Activity and Breast Metastases. <i>Journal of Pain and Symptom Management</i> , 2019 , 58, 929-939	4.8	18
403	The evidence base for oxygen for chronic refractory breathlessness: issues, gaps, and a future work plan. <i>Journal of Pain and Symptom Management</i> , 2013 , 45, 763-75	4.8	18
402	The value of data collection within a palliative care program. Current Oncology Reports, 2011, 13, 308-19	56.3	18
401	Adverse events in hospice and palliative care: a pilot study to determine feasibility of collection and baseline rates. <i>Journal of Palliative Medicine</i> , 2011 , 14, 309-14	2.2	18
400	The impact of conducting a regional palliative care clinical study. <i>Palliative Medicine</i> , 2006 , 20, 735-43	5.5	18
399	Pharmacological management of dyspnoea. <i>Current Opinion in Supportive and Palliative Care</i> , 2007 , 1, 96-101	2.6	18
398	Controlled-Release Oxycodone vs. Placebo in the Treatment of Chronic Breathlessness-A Multisite Randomized Placebo Controlled Trial. <i>Journal of Pain and Symptom Management</i> , 2020 , 59, 581-589	4.8	18
397	Using aggregated single patient (N-of-1) trials to determine the effectiveness of psychostimulants to reduce fatigue in advanced cancer patients: a rationale and protocol. <i>BMC Palliative Care</i> , 2013 , 12, 17	3	17
396	Implications of a needs assessment intervention for people with progressive cancer: impact on clinical assessment, response and service utilisation. <i>Psycho-Oncology</i> , 2012 , 21, 550-7	3.9	17
395	Advances in the pharmacological management of breathlessness. <i>Current Opinion in Supportive and Palliative Care</i> , 2009 , 3, 103-6	2.6	17
394	Bereavement help-seeking following an 'expected' death: a cross-sectional randomised face-to-face population survey. <i>BMC Palliative Care</i> , 2008 , 7, 19	3	17
393	Management of Dyspnea in Advanced Cancer: ASCO Guideline. <i>Journal of Clinical Oncology</i> , 2021 , 39, 1389-1411	2.2	17

392	Financial toxicity in clinical care today: a "menu without prices"1. <i>Medical Journal of Australia</i> , 2016 , 204, 397	4	17
391	Providing palliative care for cardiovascular disease from a perspective of sociocultural diversity: a global view. <i>Current Opinion in Supportive and Palliative Care</i> , 2016 , 10, 11-7	2.6	17
390	Can We Detect Transfusion Benefits in Palliative Care Patients?. <i>Journal of Palliative Medicine</i> , 2016 , 19, 1110-1113	2.2	17
389	Opioids, Exertion, and Dyspnea: A Review of the Evidence. <i>American Journal of Hospice and Palliative Medicine</i> , 2016 , 33, 194-200	2.6	16
388	Australia's plain tobacco packs: anticipated and actual responses among adolescents and young adults 2010-2013. <i>Tobacco Control</i> , 2016 ,	5.3	16
387	A population-based cross-sectional study that defined normative population data for the Life-Space Mobility Assessment-composite score. <i>Journal of Pain and Symptom Management</i> , 2015 , 49, 885-93	4.8	16
386	A randomized open-label study of guideline-driven antiemetic therapy versus single agent antiemetic therapy in patients with advanced cancer and nausea not related to anticancer treatment. <i>BMC Cancer</i> , 2018 , 18, 510	4.8	16
385	Investigation of poorer bladder cancer survival in women in NSW, Australia: a data linkage study. <i>BJU International</i> , 2014 , 113, 437-48	5.6	16
384	Lessons from the Liverpool Care Pathwayevidence is key. <i>Lancet, The</i> , 2014 , 383, 192-3	40	16
383	A pragmatic, phase III, multisite, double-blind, placebo-controlled, parallel-arm, dose increment randomised trial of regular, low-dose extended-release morphine for chronic breathlessness: Breathlessness, Exertion And Morphine Sulfate (BEAMS) study protocol. <i>BMJ Open</i> , 2017 , 7, e018100	3	16
382	Palliative care referral practices and perceptions: the divide between metropolitan and non-metropolitan general practitioners. <i>Palliative and Supportive Care</i> , 2011 , 9, 181-9	2.5	16
381	Radiotherapy for bone metastases: a critical appraisal of outcome measures. <i>Journal of Pain and Symptom Management</i> , 1999 , 17, 208-18	4.8	16
380	Efficacy of Anamorelin, a Novel Non-Peptide Ghrelin Analogue, in Patients with Advanced Non-Small Cell Lung Cancer (NSCLC) and Cachexia-Review and Expert Opinion. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	16
379	Attitudes to specialist palliative care and advance care planning in people with COPD: a multi-national survey of palliative and respiratory medicine specialists. <i>BMC Palliative Care</i> , 2018 , 17, 115	3	16
378	Enhancing enrollment in palliative care trials: key insights from a randomized, placebo-controlled study. <i>The Journal of Supportive Oncology</i> , 2010 , 8, 139-44		16
377	Predictors of Mortality for Delirium in Palliative Care. <i>Journal of Palliative Medicine</i> , 2016 , 19, 1205-1209	92.2	15
376	Two colliding epidemics - obesity is independently associated with chronic pain interfering with activities of daily living in adults 18 years and over; a cross-sectional, population-based study. <i>BMC Public Health</i> , 2016 , 16, 1034	4.1	15
375	Differences in impact of Aboriginal and Torres Strait Islander status on cancer stage and survival by level of socio-economic disadvantage and remoteness of residence-A population-based cohort study in Australia. <i>Cancer Epidemiology</i> , 2016 , 41, 132-8	2.8	15

374	Constipation in palliative care: what do we use as definitions and outcome measures?. <i>Journal of Pain and Symptom Management</i> , 2013 , 45, 753-62	4.8	15	
373	Magnetoencephalography to investigate central perception of exercise-induced breathlessness in people with chronic lung disease: a feasibility pilot. <i>BMJ Open</i> , 2015 , 5, e007535	3	15	
372	Former palliative caregivers who identify that additional spiritual support would have been helpful in a population survey. <i>Palliative Medicine</i> , 2011 , 25, 266-77	5.5	15	
371	Are rural and remote patients, families and caregivers needs in life-limiting illness different from those of urban dwellers? A narrative synthesis of the evidence. <i>Australian Journal of Rural Health</i> , 2016 , 24, 289-299	1.3	15	
370	Side effects of corticosteroids in patients with advanced cancer: a systematic review. <i>Supportive Care in Cancer</i> , 2018 , 26, 3979-3983	3.9	14	
369	Social capital in a lower socioeconomic palliative care population: a qualitative investigation of individual, community and civic networks and relations. <i>BMC Palliative Care</i> , 2014 , 13, 30	3	14	
368	Insights from Australians with respiratory disease living in the community with experience of self-managing through an emergency department 'near miss' for breathlessness: a strengths-based qualitative study. <i>BMJ Open</i> , 2017 , 7, e017536	3	14	
367	Caregivers' Perspectives on the Use of Long-Term Oxygen Therapy for the Treatment of Refractory Breathlessness: AlQualitative Study. <i>Journal of Pain and Symptom Management</i> , 2017 , 53, 33-39	4.8	14	
366	Defining refractory pain in cancer for clinicians and researchers. <i>Journal of Palliative Medicine</i> , 2012 , 15, 5-6	2.2	14	
365	A prospective study of unmet activity of daily living needs in palliative care inpatients. <i>Australian Occupational Therapy Journal</i> , 2008 , 55, 266-72	1.7	14	
364	Residential aged-care facility palliative care guidelines: improving care. <i>International Journal of Palliative Nursing</i> , 2006 , 12, 231-3	0.9	14	
363	How are tobacco smokers using e-cigarettes? Patterns of use, reasons for use and places of purchase in New South Wales. <i>Medical Journal of Australia</i> , 2016 , 204, 355	4	14	
362	Patterns in the incidence, mortality and survival of malignant pleural and peritoneal mesothelioma, New South Wales, 1972-2009. <i>Australian and New Zealand Journal of Public Health</i> , 2016 , 40, 255-62	2.3	14	
361	Caregiver Expectations: Predictors of a Worse Than Expected Caregiving Experience at the End of Life. <i>Journal of Pain and Symptom Management</i> , 2015 , 50, 453-61	4.8	13	
360	Standards, Guidelines, and Quality Measures for Successful Specialty Palliative Care Integration Into Oncology: Current Approaches and Future Directions. <i>Journal of Clinical Oncology</i> , 2020 , 38, 987-9	94 ^{.2}	13	
359	Survival from breast, colon, lung, ovarian and rectal cancer by geographical remoteness in New South Wales, Australia, 2000-2008. <i>Australian Journal of Rural Health</i> , 2015 , 23, 49-56	1.3	13	
358	Measuring impacts of value to patients is crucial when evaluating palliative care. <i>Journal of Pain and Symptom Management</i> , 2009 , 37, e7-9	4.8	13	
357	Implementation and evaluation of an education program to guide palliative care for people with motor neurone disease. <i>Palliative Medicine</i> , 2012 , 26, 994-1000	5.5	13	

356	Utility and use of palliative care screening tools in routine oncology practice. <i>Cancer Journal (Sudbury, Mass)</i> , 2010 , 16, 444-60	2.2	13
355	Designing clinically valuable telehealth resources: processes to develop a community-based palliative care prototype. <i>JMIR Research Protocols</i> , 2014 , 3, e41	2	13
354	Blinded Patient Preference for Morphine Compared to Placebo in the Setting of Chronic Refractory BreathlessnessAn Exploratory Study. <i>Journal of Pain and Symptom Management</i> , 2016 , 51, 247-54	4.8	13
353	Differing Approaches to Managing the Chronic Breathlessness Syndrome in Advanced COPD: A Multi-National Survey of Specialists. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2018 , 15, 294-302	2	13
352	The independent association of overweight and obesity with breathlessness in adults: a cross-sectional, population-based study. <i>European Respiratory Journal</i> , 2017 , 50,	13.6	12
351	The Population Burden of Chronic Symptoms that Substantially Predate the Diagnosis of a Life-Limiting Illness. <i>Journal of Palliative Medicine</i> , 2015 , 18, 480-5	2.2	12
350	Role of Hospice Care at the End of Life for People With Cancer. <i>Journal of Clinical Oncology</i> , 2020 , 38, 937-943	2.2	12
349	Oral modified release morphine for breathlessness in chronic heart failure: a randomized placebo-controlled trial. <i>ESC Heart Failure</i> , 2019 , 6, 1149-1160	3.7	12
348	Refining a checklist for reporting patient populations and service characteristics in hospice and palliative care research. <i>Journal of Pain and Symptom Management</i> , 2012 , 43, 902-10	4.8	12
347	Assessment of the psychometric properties of an English version of the cancer dyspnea scale in people with advanced lung cancer. <i>Journal of Pain and Symptom Management</i> , 2012 , 44, 741-9	4.8	12
346	Activity as a measure of symptom control. <i>Journal of Pain and Symptom Management</i> , 2012 , 44, e1-2	4.8	12
345	Pharmacovigilance in hospice/palliative care: rapid report of net clinical effect of metoclopramide. Journal of Palliative Medicine, 2012, 15, 1071-5	2.2	12
344	Current approaches to diagnosing and managing constipation in advanced cancer and palliative care. <i>Journal of Palliative Medicine</i> , 2010 , 13, 473-6	2.2	12
343	Not published, not indexed: issues in generating and finding hospice and palliative care literature. Journal of Palliative Medicine, 2010 , 13, 669-75	2.2	12
342	Current funding and financing issues in the Australian hospice and palliative care sector. <i>Journal of Pain and Symptom Management</i> , 2009 , 38, 68-74	4.8	12
341	The disparity between patient and nurse symptom rating in a hospice population. <i>Journal of Palliative Medicine</i> , 2012 , 15, 542-7	2.2	12
340	A randomized, double-blind, multi-site, crossover, placebo-controlled equivalence study of morning versus evening once-daily sustained-release morphine sulfate in people with pain from advanced cancer. <i>Journal of Pain and Symptom Management</i> , 2007 , 34, 17-23	4.8	12
339	CareSearch: finding and evaluating Australia's missing palliative care literature. <i>BMC Palliative Care</i> , 2005 , 4, 4	3	12

338	Palliative management of refractory dyspnea in COPD. <i>International Journal of COPD</i> , 2006 , 1, 289-304	3	12
337	Validation of administrative hospital data for identifying incident pancreatic and periampullary cancer cases: a population-based study using linked cancer registry and administrative hospital data in New South Wales, Australia. <i>BMJ Open</i> , 2016 , 6, e011161	3	12
336	Pharmacovigilance in Hospice/Palliative Care: Net Effect of Haloperidol for Nausea or Vomiting. Journal of Palliative Medicine, 2018 , 21, 37-43	2.2	12
335	Agreement Between Breathlessness Severity and Unpleasantness in People With Chronic Breathlessness: AlLongitudinal Clinical Study. <i>Journal of Pain and Symptom Management</i> , 2019 , 57, 715-	7 2 .8.e5	11
334	Minimal clinically important differences in average, best, worst and current intensity and unpleasantness of chronic breathlessness. <i>European Respiratory Journal</i> , 2020 , 56,	13.6	11
333	Moving on: Factors associated with caregivers' bereavement adjustment using a random population-based face-to-face survey. <i>Palliative Medicine</i> , 2018 , 32, 257-267	5.5	11
332	Extended-Release Morphine for Chronic Breathlessness in Pulmonary Arterial Hypertension-A Randomized, Double-Blind, Placebo-Controlled, Crossover Study. <i>Journal of Pain and Symptom Management</i> , 2018 , 56, 483-492	4.8	11
331	Is the Life Space Assessment applicable to a palliative care population? Its relationship to measures of performance and quality of life. <i>Journal of Pain and Symptom Management</i> , 2014 , 47, 1121-7	4.8	11
330	Asia Pacific palliative care development through education. <i>Journal of Pain and Symptom Management</i> , 2014 , 47, e7-9	4.8	11
329	Changing roles of population-based cancer registries in Australia. <i>Australian Health Review</i> , 2015 , 39, 425-428	1.8	11
328	Pro re nata prescribing in a population receiving palliative care: a prospective consecutive case note review. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 1736-40	5.6	11
327	Opioids for chronic refractory breathlessness: right patient, right route?. <i>Drugs</i> , 2014 , 74, 1-6	12.1	11
326	Community pharmacists: a forgotten resource for palliative care. <i>BMJ Supportive and Palliative Care</i> , 2013 , 3, 436-43	2.2	11
325	Off-label prescribing in palliative care - a cross-sectional national survey of palliative medicine doctors. <i>Palliative Medicine</i> , 2013 , 27, 320-8	5.5	11
324	Evidence-based intervention for chronic refractory breathlessness: practical therapies that make a difference. <i>British Journal of General Practice</i> , 2013 , 63, 609-10	1.6	11
323	Assessing constipation in palliative care within a gastroenterology framework. <i>Palliative Medicine</i> , 2012 , 26, 834-41	5.5	11
322	"A planning guide": Developing a consensus document for palliative care service provision. <i>Medical Journal of Australia</i> , 2003 , 179, S23-5	4	11
321	Supportive and palliative care for lung cancer patients. <i>Journal of Thoracic Disease</i> , 2013 , 5 Suppl 5, S62	3286	11

320	Psychometric validation of the needs assessment tool: progressive disease in interstitial lung disease. <i>Thorax</i> , 2018 , 73, 880-883	7.3	11
319	Breathlessness and sexual activity in older adults: the Australian Longitudinal Study of Ageing. <i>Npj Primary Care Respiratory Medicine</i> , 2018 , 28, 20	3.2	11
318	The impact of geographic unit of analysis on socioeconomic inequalities in cancer survival and distant summary stage - a population-based study. <i>Australian and New Zealand Journal of Public Health</i> , 2017 , 41, 130-136	2.3	10
317	The preventative role of exogenous melatonin administration to patients with advanced cancer who are at risk of delirium: study protocol for a randomized controlled trial. <i>Trials</i> , 2016 , 17, 399	2.8	10
316	Key characteristics of palliative care studies reported in the specialized literature. <i>Journal of Pain and Symptom Management</i> , 2012 , 43, 987-92	4.8	10
315	Who provides care for people dying of cancer? A comparison of a rural and metropolitan cohort in a South Australian bereaved population study. <i>Australian Journal of Rural Health</i> , 2015 , 23, 24-31	1.3	10
314	The PRISMA Symposium 3: lessons from beyond Europe. why invest in research and service development in palliative care? An Australian perspective. <i>Journal of Pain and Symptom Management</i> , 2011 , 42, 505-10	4.8	10
313	Decisions for lung cancer chemotherapy: the influence of physician and patient factors. <i>Supportive Care in Cancer</i> , 2011 , 19, 1261-6	3.9	10
312	Anti-cholinergic load, health care utilization, and survival in people with advanced cancer: a pilot study. <i>Journal of Palliative Medicine</i> , 2010 , 13, 745-52	2.2	10
311	Patient self-reporting in palliative care using information technology: Yes, there is hope!. <i>Palliative Medicine</i> , 2011 , 25, 673-4	5.5	10
310	Prescribing at Times of Clinical Transition in Chronic Or Progressive Diseases. <i>International Journal of Gerontology</i> , 2009 , 3, 1-8		10
309	Family Caregivers Who Would Be Unwilling to Provide Care at the End of Life Again: Findings from the Health Survey for England Population Survey. <i>PLoS ONE</i> , 2016 , 11, e0146960	3.7	10
308	Patterns of technology use in patients attending a cardiopulmonary outpatient clinic: a self-report survey. <i>Interactive Journal of Medical Research</i> , 2015 , 4, e5	2.1	10
307	Cancer in aboriginal and Torres Strait Islander people of Australia. <i>Asian Pacific Journal of Cancer Prevention</i> , 2009 , 10, 729-33	1.7	10
306	Feasibility and Pilot Studies in Palliative Care Research: A Systematic Review. <i>Journal of Pain and Symptom Management</i> , 2017 , 54, 139-151.e4	4.8	9
305	Academic detailing of general practitioners by a respiratory physician for diagnosis and management of refractory breathlessness: a randomised pilot study. <i>BMC Health Services Research</i> , 2015 , 15, 193	2.9	9
304	Opioids for breathlessness: a narrative review. BMJ Supportive and Palliative Care, 2020, 10, 287-295	2.2	9
303	Caregiver characteristics and bereavement needs: Findings from a population study. <i>Palliative Medicine</i> , 2017 , 31, 465-474	5.5	9

(2011-2015)

302	Benefits and resource implications of family meetings for hospitalized palliative care patients: research protocol. <i>BMC Palliative Care</i> , 2015 , 14, 73	3	9
301	Outcome measurement of refractory breathlessness: endpoints and important differences. <i>Current Opinion in Supportive and Palliative Care</i> , 2015 , 9, 238-43	2.6	9
300	Preliminary development and validation of a new end-of-life patient-reported outcome measure assessing the ability of patients to finalise their affairs at the end of life. <i>PLoS ONE</i> , 2014 , 9, e94316	3.7	9
299	Australia: state of palliative service provision 2002. <i>Journal of Pain and Symptom Management</i> , 2002 , 24, 170-2	4.8	9
298	Acute-on-Chronic Breathlessness: Recognition and Response. <i>Journal of Pain and Symptom Management</i> , 2019 , 57, e4-e5	4.8	9
297	Assessing the Presence and Severity of Constipation with Plain Radiographs in Constipated Palliative Care Patients. <i>Journal of Palliative Medicine</i> , 2016 , 19, 617-21	2.2	9
296	Promoting patient centred palliative care through case conferencing. <i>Australian Family Physician</i> , 2007 , 36, 961-4		9
295	The emerging role of anamorelin hydrochloride in the management of patients with cancer anorexia-cachexia. <i>Future Oncology</i> , 2017 , 13, 1767-1783	3.6	8
294	Quality of Life Changes With Duration of Chronic Breathlessness: A Random Sample of Community-Dwelling People. <i>Journal of Pain and Symptom Management</i> , 2020 , 60, 818-827.e4	4.8	8
293	A randomized, double-blind, crossover, dose ranging study to determine the optimal dose of oral opioid to treat breakthrough pain for patients with advanced cancer already established on regular opioids. <i>European Journal of Pain</i> , 2020 , 24, 983-991	3.7	8
292	Content and quality of websites supporting self-management of chronic breathlessness in advanced illness: a systematic review. <i>Npj Primary Care Respiratory Medicine</i> , 2016 , 26, 16025	3.2	8
291	A prospective study to investigate contributory factors that lead to constipation in palliative care patients. <i>Journal of Pain and Symptom Management</i> , 2014 , 47, e1-4	4.8	8
290	Communication differences when patients and caregivers are seen separately or together. <i>International Journal of Palliative Nursing</i> , 2015 , 21, 557-63	0.9	8
289	Measuring improvement in dyspnoea: should absolute or relative values be used?. <i>European Respiratory Journal</i> , 2014 , 44, 1700-3	13.6	8
288	Caregivers' perceived adequacy of support in end-stage lung disease: results of a population survey. <i>BMC Pulmonary Medicine</i> , 2011 , 11, 55	3.5	8
287	The use of digital rectal examinations in palliative care inpatients. <i>Journal of Palliative Medicine</i> , 2010 , 13, 797	2.2	8
286	Tackling the Challenges of Clinical Trials in Palliative Care. <i>Pharmaceutical Medicine</i> , 2011 , 25, 7-15	2.3	8
285	Exploring the relationship between the frequency of documented bowel movements and prescribed laxatives in hospitalized palliative care patients. <i>American Journal of Hospice and Palliative Medicine</i> , 2011 , 28, 258-63	2.6	8

284	Standards for palliative care delivery in oncology settings. Cancer Journal (Sudbury, Mass), 2010, 16, 436	5-2423	8
283	Quality palliative care: practitioners' needs for dynamic lifelong learning. <i>Journal of Pain and Symptom Management</i> , 2005 , 29, 332-4	4.8	8
282	The clinical use of ondansetron. <i>Medical Journal of Australia</i> , 1995 , 162, 145-149	4	8
281	Pharmacovigilance in hospice/palliative care: the net immediate and short-term effects of dexamethasone for anorexia. <i>BMJ Supportive and Palliative Care</i> , 2016 , 6, 331-7	2.2	8
280	Stigma and the in(visible) perspectives and expectations of home oxygen therapy among people with chronic breathlessness syndrome: A qualitative study. <i>Palliative Medicine</i> , 2019 , 33, 82-90	5.5	8
279	Assessing quality of life in palliative care settings: head-to-head comparison of four patient-reported outcome measures (EORTC QLQ-C15-PAL, FACT-Pal, FACT-Pal-14, FACT-G7). Supportive Care in Cancer, 2020 , 28, 141-153	3.9	8
278	Non-opioid medications for the relief of chronic breathlessness: current evidence. <i>Expert Review of Respiratory Medicine</i> , 2017 , 11, 333-341	3.8	7
277	Look back for the Charlson Index did not improve risk adjustment of cancer surgical outcomes. Journal of Clinical Epidemiology, 2015 , 68, 379-86	5.7	7
276	Routine prescribing of gabapentin or pregabalin in supportive and palliative care: what are the comparative performances of the medications in a palliative care population?. <i>Supportive Care in Cancer</i> , 2015 , 23, 2517-20	3.9	7
275	Pharmacovigilance in hospice/palliative care: net effect of gabapentin for neuropathic pain. <i>BMJ Supportive and Palliative Care</i> , 2015 , 5, 273-80	2.2	7
274	Two faces of the same coin: a qualitative study of patients' and carers' coexistence with chronic breathlessness associated with chronic obstructive pulmonary disease (COPD). <i>BMC Palliative Care</i> , 2020 , 19, 64	3	7
273	Pancreatectomy is underused in NSW regions with low institutional surgical volumes: a population data linkage study. <i>Medical Journal of Australia</i> , 2017 , 206, 23-29	4	7
272	Perceptions of the care received from Australian palliative care services: A caregiver perspective. <i>Palliative and Supportive Care</i> , 2018 , 16, 198-208	2.5	7
271	The complex relationship between household income of family caregivers, access to palliative care services and place of death: A national household population survey. <i>Palliative Medicine</i> , 2018 , 32, 357-3	365	7
270	The clinical and social dimensions of prescribing palliative home oxygen for refractory dyspnea. Journal of Palliative Medicine, 2013 , 16, 268-73	2.2	7
269	Dying in Australian hospitals: will a separate national clinical standard improve the delivery of quality care?. <i>Australian Health Review</i> , 2015 , 39, 202-204	1.8	7
268	Do pilocarpine drops help dry mouth in palliative care patients: a protocol for an aggregated series of n-of-1 trials. <i>BMC Palliative Care</i> , 2013 , 12, 39	3	7
267	Adding value to clinical trial registries: insights from Australian Cancer Trials Online, a website for consumers. <i>Clinical Trials</i> , 2011 , 8, 70-6	2.2	7

266	Time for better integration of oncology and palliative care. <i>Journal of Oncology Practice</i> , 2011 , 7, 346-8	3.1	7
265	Improving the management of dyspnea in the community using rapid learning approaches. <i>Chronic Respiratory Disease</i> , 2012 , 9, 51-61	3	7
264	Longitudinal pain reports in a palliative care population. <i>Journal of Palliative Medicine</i> , 2012 , 15, 1335-4	12.2	7
263	Potential opioid-sparing effect of regular benzodiazepines in dyspnea: longer duration of studies needed. <i>Journal of Pain and Symptom Management</i> , 2010 , 40, e1-2; author reply e2-4	4.8	7
262	Creating a Research Culture in a Palliative Care Service Environment: A Qualitative Study of the Evolution of Staff Attitudes to Research during a Large Longitudinal Controlled Trial (ISRCTN81117481). <i>Journal of Palliative Care</i> , 2008 , 24, 100-109	1.8	7
261	Case report; effective community palliation of intractable malignant ascites with a permanently implanted abdominal drain. <i>Journal of Palliative Medicine</i> , 1999 , 2, 319-21	2.2	7
2 60	A systematic review and meta-analysis of studies comparing burden from lung cancer and chronic obstructive pulmonary disease. <i>Palliative Medicine</i> , 2020 , 34, 1291-1304	5.5	7
259	Study protocol: a phase III randomised, double-blind, parallel arm, stratified, block randomised, placebo-controlled trial investigating the clinical effect and cost-effectiveness of sertraline for the palliative relief of breathlessness in people with chronic breathlessness. <i>BMJ Open</i> , 2016 , 6, e013177	3	7
258	Methotrimeprazine versus haloperidol in palliative care patients with cancer-related nausea: a randomised, double-blind controlled trial. <i>BMJ Open</i> , 2019 , 9, e029942	3	7
257	A randomised, double blind, placebo-controlled trial of megestrol acetate or dexamethasone in treating symptomatic anorexia in people with advanced cancer. <i>Scientific Reports</i> , 2021 , 11, 2421	4.9	7
256	What are the essential medications in pallative care? - a survey of Australian palliative care doctors. <i>Australian Family Physician</i> , 2006 , 35, 261-4		7
255	Effect of Opioids and Benzodiazepines on Clinical Outcomes in Patients Receiving Palliative Care: An Exploratory Analysis. <i>Journal of Palliative Medicine</i> , 2017 , 20, 1274-1279	2.2	6
254	Battery operated fan and chronic breathlessness: does it help?. <i>BMJ Supportive and Palliative Care</i> , 2019 , 9, 478-481	2.2	6
253	A perfect storm: fear of litigation for end of life care. <i>Medical Journal of Australia</i> , 2019 , 210, 441-441.e	14	6
252	No excess harms from sustained-release morphine: a randomised placebo-controlled trial in chronic breathlessness. <i>BMJ Supportive and Palliative Care</i> , 2020 , 10, 421-428	2.2	6
251	Nurses' knowledge of law at the end of life and implications for practice: A qualitative study. <i>Palliative Medicine</i> , 2020 , 34, 524-532	5.5	6
250	Prevalence of Sudden Death in Palliative Care: Data From the Australian Palliative Care Outcomes Collaboration. <i>Journal of Pain and Symptom Management</i> , 2016 , 52, 221-7	4.8	6
249	Missed opportunity? Worsening breathlessness as a harbinger of death: altohort study. <i>European Respiratory Journal</i> , 2018 , 52,	13.6	6

248	Low agreement between mMRC rated by patients and clinicians: implications for practice. <i>European Respiratory Journal</i> , 2019 , 54,	13.6	6
247	Knowledge, attitudes and beliefs about lung cancer in three culturally and linguistically diverse communities living in Australia: a qualitative study. <i>Health Promotion Journal of Australia</i> , 2014 , 25, 46-5	51 ^{.7}	6
246	After accounting for competing causes of death and more advanced stage, do Aboriginal and Torres Strait Islander peoples with cancer still have worse survival? A population-based cohort study in New South Wales. <i>BMC Cancer</i> , 2017 , 17, 398	4.8	6
245	Low-dose opioids should be considered for symptom relief also in advanced chronic obstructive pulmonary disease (COPD). <i>Evidence-Based Medicine</i> , 2015 , 20, 39		6
244	The withdrawal of the Liverpool Care Pathway in the United Kingdom: what are the implications for Australia?. <i>Medical Journal of Australia</i> , 2014 , 200, 573	4	6
243	As death approaches: a retrospective survey of the care of adults dying in Alice Springs Hospital. <i>Australian Journal of Rural Health</i> , 2011 , 19, 4-8	1.3	6
242	Pharmacological management of breathlessness in advanced disease. <i>Progress in Palliative Care</i> , 2008 , 16, 15-20	1	6
241	Palliative Aged Care: Collaborative Partnerships Between Gerontology, Geriatrics and Palliative Care. <i>International Journal of Gerontology</i> , 2007 , 1, 112-117		6
240	SufferingAt the Bedside of the Dying. <i>Journal of Religion, Spirituality and Aging</i> , 2006 , 18, 123-136	1.2	6
239	Building an Architectural Component Model for a Telehealth Service. <i>E-health Telecommunication Systems and Networks</i> , 2015 , 04, 35-44	0.4	6
238	Intention-to-Treat Analyses for Randomized Controlled Trials in Hospice/Palliative Care: The Case for Analyses to be of People Exposed to the Intervention. <i>Journal of Pain and Symptom Management</i> , 2020 , 59, 637-645	4.8	6
237	The PCOC Symptom Assessment Scale (SAS): A valid measure for daily use at point of care and in palliative care programs. <i>PLoS ONE</i> , 2021 , 16, e0247250	3.7	6
236	Prevalence and burden of breathlessness in Australian adults: The National Breathlessness Survey-a cross-sectional web-based population survey. <i>Respirology</i> , 2021 , 26, 768-775	3.6	6
235	Effects of low-dose morphine on perceived sleep quality in patients with refractory breathlessness: A hypothesis generating study. <i>Respirology</i> , 2016 , 21, 386-91	3.6	6
234	Potential economic impact on hospitalisations of the Palliative Care Clinical Studies Collaborative (PaCCSC) ketamine randomised controlled trial. <i>Australian Health Review</i> , 2016 , 40, 100-105	1.8	6
233	Do family meetings for hospitalised palliative care patients improve outcomes and reduce health care costs? A cluster randomised trial. <i>Palliative Medicine</i> , 2021 , 35, 188-199	5.5	6
232	Psychometric Properties of the Needs Assessment Tool-Progressive Disease Cancer in U.K. Primary Care. <i>Journal of Pain and Symptom Management</i> , 2018 , 56, 602-612	4.8	6
231	Quality of Life and Symptom Burden Improve in Patients Attending a Multidisciplinary Clinical Service for Cancer Cachexia: A Retrospective Observational Review. <i>Journal of Pain and Symptom Management</i> , 2021 , 62, e164-e176	4.8	6

(2020-2017)

230	Repurposing Medications for Hospice/Palliative Care Symptom Control Is No Longer Sufficient: A Manifesto for Change. <i>Journal of Pain and Symptom Management</i> , 2017 , 53, 533-539	4.8	5
229	Caring at the end of life: do cancer caregivers differ from other caregivers?. <i>BMJ Supportive and Palliative Care</i> , 2015 , 5, 513-7	2.2	5
228	Identifying systems barriers that may prevent bereavement service access to bereaved carers: A report from an Australian specialist palliative care service. <i>Collegian</i> , 2018 , 25, 39-43	1.6	5
227	Protocol for a phase III pragmatic stepped wedge cluster randomised controlled trial comparing the effectiveness and cost-effectiveness of screening and guidelines with, versus without, implementation strategies for improving pain in adults with cancer attending outpatient oncology	2.9	5
226	A semiparametric joint model for terminal trend of quality of life and survival in palliative care research. <i>Statistics in Medicine</i> , 2017 , 36, 4692-4704	2.3	5
225	Case conferencing for palliative care patients - a survey of South Australian general practitioners. <i>Australian Journal of Primary Health</i> , 2017 , 23, 458-463	1.4	5
224	Prescribing for nausea in palliative care: a cross-sectional national survey of Australian palliative medicine doctors. <i>Journal of Palliative Medicine</i> , 2014 , 17, 1032-6	2.2	5
223	Understanding the Impact of Withdrawing From Phase III Studies in Palliative Care: Reply to Johnson et⊡al <i>Journal of Pain and Symptom Management</i> , 2012 , 44, e2-e4	4.8	5
222	Hospital can be the actively chosen place for death. Journal of Clinical Oncology, 2013, 31, 651-2	2.2	5
221	Reply to K. Jackson et al and W. Leppert. <i>Journal of Clinical Oncology</i> , 2013 , 31, 1375-6	2.2	5
221	Reply to K. Jackson et al and W. Leppert. <i>Journal of Clinical Oncology</i> , 2013 , 31, 1375-6 Could a scheme for licensing smokers work in Australia?. <i>Medical Journal of Australia</i> , 2013 , 199, 181-4		5
220	Could a scheme for licensing smokers work in Australia?. <i>Medical Journal of Australia</i> , 2013 , 199, 181-4 Guidelines for a palliative approach for aged care in the community setting: A suite of resources.	4	5
220	Could a scheme for licensing smokers work in Australia?. <i>Medical Journal of Australia</i> , 2013 , 199, 181-4 Guidelines for a palliative approach for aged care in the community setting: A suite of resources. <i>Australasian Medical Journal</i> , 2012 , 5, 569-74 Considerations in reporting palliative care clinical trials: standardizing information reported and	2	5
220 219 218	Could a scheme for licensing smokers work in Australia?. <i>Medical Journal of Australia</i> , 2013 , 199, 181-4 Guidelines for a palliative approach for aged care in the community setting: A suite of resources. <i>Australasian Medical Journal</i> , 2012 , 5, 569-74 Considerations in reporting palliative care clinical trials: standardizing information reported and authorship practices. <i>Current Opinion in Supportive and Palliative Care</i> , 2012 , 6, 494-9 Need for mechanistically focused research of global systemic interventions in palliative care.	2 2.6	555
220 219 218 217	Could a scheme for licensing smokers work in Australia?. <i>Medical Journal of Australia</i> , 2013 , 199, 181-4 Guidelines for a palliative approach for aged care in the community setting: A suite of resources. <i>Australasian Medical Journal</i> , 2012 , 5, 569-74 Considerations in reporting palliative care clinical trials: standardizing information reported and authorship practices. <i>Current Opinion in Supportive and Palliative Care</i> , 2012 , 6, 494-9 Need for mechanistically focused research of global systemic interventions in palliative care. <i>Journal of Pain and Symptom Management</i> , 2010 , 40, e5-8 Clinical practice guidelines for communicating prognosis and end-of-life issues with adults in the advanced stages of a life-limiting illness, and their caregivers. <i>Medical Journal of Australia</i> , 2007 ,	2 2.6 4.8	55555
220 219 218 217 216	Could a scheme for licensing smokers work in Australia?. <i>Medical Journal of Australia</i> , 2013 , 199, 181-4 Guidelines for a palliative approach for aged care in the community setting: A suite of resources. <i>Australasian Medical Journal</i> , 2012 , 5, 569-74 Considerations in reporting palliative care clinical trials: standardizing information reported and authorship practices. <i>Current Opinion in Supportive and Palliative Care</i> , 2012 , 6, 494-9 Need for mechanistically focused research of global systemic interventions in palliative care. <i>Journal of Pain and Symptom Management</i> , 2010 , 40, e5-8 Clinical practice guidelines for communicating prognosis and end-of-life issues with adults in the advanced stages of a life-limiting illness, and their caregivers. <i>Medical Journal of Australia</i> , 2007 , 187, 478-478 Minimal clinically important differences for Dyspnea-12 and MDP scores are similar at 2 weeks and	2 2.6 4.8	55555

212	Unanswered questions and future direction in the management of terminal breathlessness in patients with cancer. <i>ESMO Open</i> , 2020 , 5 Suppl 1, e000603	6	5
211	Earlier multidisciplinary palliative care intervention for people with lung cancer: a systematic review and meta-analysis. <i>Translational Lung Cancer Research</i> , 2020 , 9, 1699-1709	4.4	5
21 0	A practical measurement of thoracic sarcopenia: correlation with clinical parameters and outcomes in advanced lung cancer. <i>ERJ Open Research</i> , 2016 , 2,	3.5	5
209	Pharmacovigilance in hospice/palliative care: net effect of pregabalin for neuropathic pain. <i>BMJ Supportive and Palliative Care</i> , 2016 , 6, 323-30	2.2	5
208	Anticholinergic Drug Burden in Noncancer Versus Cancer Patients Near the End of Life. <i>Journal of Pain and Symptom Management</i> , 2016 , 52, 737-743.e3	4.8	5
207	Oxygen use in chronic heart failure to relieve breathlessness: A systematic review. <i>Heart Failure Reviews</i> , 2020 , 25, 195-205	5	5
206	Providing Palliative Care at the End of Life: Should Health Professionals Fear Regulation?. <i>Journal of Law & Medicine</i> , 2018 , 26, 214-245	0.3	5
205	Prevalence and severity of sleep difficulty in patients with a CNS cancer receiving palliative care in Australia. <i>Neuro-Oncology Practice</i> , 2019 , 6, 499-507	2.2	4
204	REgistry-based randomized controlled trial of treatment and Duration and mortality in long-term OXygen therapy (REDOX) study protocol. <i>BMC Pulmonary Medicine</i> , 2019 , 19, 50	3.5	4
203	Pathways to diagnosis of non-small cell lung cancer: a descriptive cohort study. <i>Npj Primary Care Respiratory Medicine</i> , 2019 , 29, 2	3.2	4
202	Sudden Death in Palliative Care. Journal of Pain and Symptom Management, 2015, 50, e1-2	4.8	4
201	Opioids for Breakthrough Cancer Pain. <i>Oncologist</i> , 2020 , 25, e1133	5.7	4
200	Development of a core outcome set to use in the research and assessment of malignant bowel obstruction: protocol for the RAMBO study. <i>BMJ Open</i> , 2020 , 10, e039154	3	4
199	Validation of the Dyspnea Exertion Scale of Breathlessness in People With Life-Limiting Illness. <i>Journal of Pain and Symptom Management</i> , 2018 , 56, 430-435.e2	4.8	4
198	A Randomized, Double-Blind, Multisite, Pilot, Placebo-Controlled Trial of Regular, Low-Dose Morphine on Outcomes of Pulmonary Rehabilitation in COPD. <i>Journal of Pain and Symptom Management</i> , 2019 , 58, e7-e9	4.8	4
197	In response to C Walshe, 'The state of play'. <i>Palliative Medicine</i> , 2017 , 31, 772-773	5.5	4
196	Population-based models of planning for palliative care in older people. <i>Current Opinion in Supportive and Palliative Care</i> , 2017 , 11, 310-314	2.6	4
195	Unanswered Questions in Malignant Bowel Obstruction. <i>Journal of Palliative Care</i> , 2014 , 30, 265-270	1.8	4

194	Plain abdominal radiographs to diagnose constipation patients with advanced progressive illness?. <i>Journal of Pain and Symptom Management</i> , 2011 , 41, e2-3	4.8	4
193	International perspective: outcomes of palliative oncology. <i>Seminars in Oncology</i> , 2011 , 38, 343-50	5.5	4
192	The need for chemical compatibility studies of subcutaneous medication combinations used in palliative care. <i>Journal of Pain and Palliative Care Pharmacotherapy</i> , 2009 , 23, 223-30	0.8	4
191	Management of dyspnea in patients with chronic obstructive pulmonary disease. <i>Wiener Medizinische Wochenschrift</i> , 2009 , 159, 583-90	2.9	4
190	Culture and financing influence palliative care services, study populations, and generalizability of research findings. <i>Journal of Palliative Medicine</i> , 2008 , 11, 146	2.2	4
189	Frameworks for prescribing in comorbid illness. <i>Journal of Pain and Symptom Management</i> , 2007 , 34, 117-8	4.8	4
188	Evidence in palliative care research: how should it be gathered?. <i>Medical Journal of Australia</i> , 2006 , 184, 196-7	4	4
187	Improving choices for community palliative care: a prospective 2-year pilot of a live-in support person. <i>Progress in Palliative Care</i> , 2005 , 13, 257-262	1	4
186	A phase III, multi-site, randomised, double blind, placebo controlled parallel arm study of daily extended release (ER) morphine for chronic breathlessness 2016 ,		4
185	Anamorelin in patients with advanced non-small cell lung cancer and cachexia: Results from the phase III studies ROMANA 1 and 2 <i>Journal of Clinical Oncology</i> , 2015 , 33, 175-175	2.2	4
184	Randomised, double-blind, multicentre, mixed-methods, dose-escalation feasibility trial of mirtazapine for better treatment of severe breathlessness in advanced lung disease (BETTER-B feasibility). <i>Thorax</i> , 2020 , 75, 176-179	7.3	4
183	Can Video Conferencing Be as Easy as Telephoning? A Home Healthcare Case Study. <i>E-health Telecommunication Systems and Networks</i> , 2016 , 05, 8-18	0.4	4
182	Melatonin to prevent delirium in patients with advanced cancer: a double blind, parallel, randomized, controlled, feasibility trial. <i>BMC Palliative Care</i> , 2020 , 19, 163	3	4
181	Health-related quality of life in patients with inoperable malignant bowel obstruction: secondary outcome from a double-blind, parallel, placebo-controlled randomised trial of octreotide. <i>BMC Cancer</i> , 2020 , 20, 1050	4.8	4
180	Protocol for a systematic review of preference-based instruments for measuring care-related outcomes and their suitability for the palliative care setting. <i>BMJ Open</i> , 2016 , 6, e012181	3	4
179	Single-patient multiple crossover studies to determine the effectiveness of paracetamol in relieving pain suffered by patients with advanced cancer taking regular opioids: A pilot study. <i>Palliative Medicine</i> , 2016 , 30, 800-2	5.5	4
178	Clinically Significant Depressive Symptoms Are Prevalent in People With Extremely Short Prognoses-A Systematic Review. <i>Journal of Pain and Symptom Management</i> , 2021 , 61, 143-166.e2	4.8	4
177	VAScular and Chronic Obstructive Lung disease (VASCOL): a longitudinal study on morbidity, symptoms and quality of life among older men in Blekinge county, Sweden. <i>BMJ Open</i> , 2021 , 11, e0464	73	4

176	Health service utilisation associated with chronic breathlessness: random population sample. <i>ERJ Open Research</i> , 2021 , 7,	3.5	4
175	Creating a research culture in a palliative care service environment: a qualitative study of the evolution of staff attitudes to research during a large longitudinal controlled trial (ISRCTN81117481). <i>Journal of Palliative Care</i> , 2008 , 24, 100-9	1.8	4
174	Case conferences in palliative care - a substudy of a cluster randomised controlled trial. <i>Australian Family Physician</i> , 2012 , 41, 608-12		4
173	Lung, breast and bowel cancer treatment for Aboriginal people in New South Wales: a population-based cohort study. <i>Internal Medicine Journal</i> , 2021 , 51, 879-890	1.6	3
172	Dosimetrically administered nebulized morphine for breathlessness in very severe chronic obstructive pulmonary disease: a randomized, controlled trial. <i>BMC Pulmonary Medicine</i> , 2017 , 17, 186	3.5	3
171	Chronic breathlessness: re-thinking the symptom. <i>European Respiratory Journal</i> , 2018 , 51,	13.6	3
170	Clinician-reported changes in octreotide prescribing for malignant bowel obstruction as a result of an adequately powered phase III study: A transnational, online survey. <i>Palliative Medicine</i> , 2018 , 32, 136	53 ⁵ 1 36	83
169	Has cancer survival improved for older people as for younger people? New South Wales, 1980-2012. Cancer Epidemiology, 2018 , 55, 23-29	2.8	3
168	Methylnaltrexone in palliative care: further research is needed. <i>Journal of Pain and Symptom Management</i> , 2014 , 47, e5-6	4.8	3
167	Telemonitoring via Self-Report and Video Review in Community Palliative Care: A Case Report. Healthcare (Switzerland), 2017, 5,	3.4	3
166	National consultation informing development of guidelines for a palliative approach for aged care in the community setting. <i>Australasian Journal on Ageing</i> , 2015 , 34, 21-6	1.5	3
165	Testing pilocarpine drops for dry mouth in advanced cancer using n-of-1 trials: A feasibility study. <i>Palliative Medicine</i> , 2015 , 29, 967-74	5.5	3
164	Falls in Palliative Care. Journal of Palliative Medicine, 2015, 18, 827-8	2.2	3
163	The association between tobacco plain packaging and Quitline calls. <i>Medical Journal of Australia</i> , 2014 , 200, 314-5	4	3
162	Do patients and carers find separate palliative care clinic consultations acceptable? A pilot study. <i>International Journal of Palliative Nursing</i> , 2014 , 20, 301-5	0.9	3
161	Advancing research into symptoms of constipation at the end of life. <i>International Journal of Palliative Nursing</i> , 2014 , 20, 370, 372	0.9	3
160	A pilot study to assess the feasibility of measuring the prevalence of slow colon transit or evacuation disorder in palliative care. <i>Journal of Palliative Medicine</i> , 2013 , 16, 542-5	2.2	3
159	When Should Corticosteroids Be Used to Manage Pain? 2013, 44-48		3

158	Progressing an evidence-base beyond case series. <i>Journal of Palliative Medicine</i> , 2011 , 14, 1283	2.2	3
157	Time-limited trials. JAMA - Journal of the American Medical Association, 2012, 307, 33-4; author reply 34	27.4	3
156	A framework for managing comorbid conditions in palliative care. <i>Journal of Palliative Medicine</i> , 2006 , 9, 620; authors reply 621-2	2.2	3
155	Palliative service provision in Australia. <i>Medical Journal of Australia</i> , 2001 , 175, 534-6	4	3
154	Regular extended release morphine for chronic breathlessness: a multi-centre double-blind RCT 2018 ,		3
153	Phase III clinical trials with anamorelin HCl, a novel oral treatment for NSCLC cachexia <i>Journal of Clinical Oncology</i> , 2013 , 31, TPS9649-TPS9649	2.2	3
152	Efficacy of anamorelin in cachectic patients with non-small cell lung cancer (NSCLC) and low BMI (Journal of Clinical Oncology, 2016 , 34, 203-203	2.2	3
151	End-of-life care for patients with advanced lung cancer and chronic obstructive pulmonary disease: survey among Polish pulmonologists. <i>Polish Archives of Internal Medicine</i> , 2019 , 129, 242-252	1.9	3
150	Emergencies in Palliative and Supportive Care 2006 ,		3
149	Breathlessness and opioid prescribing in COPD in general practice: a cross-sectional, observational study. <i>ERJ Open Research</i> , 2020 , 6,	3.5	3
148	Opioids in chronic obstructive pulmonary disease: the whole picture using all available evidence. British Journal of Clinical Pharmacology, 2016 , 81, 795-6	3.8	3
147	Relating Experienced To Recalled breathlessness Observational (RETRO) study: a prospective study using a mobile phone application. <i>BMJ Open Respiratory Research</i> , 2019 , 6, e000370	5.6	3
146	Isolating peripheral effects of endogenous opioids in modulating exertional breathlessness in people with moderate or severe COPD: a randomised controlled trial. <i>ERJ Open Research</i> , 2019 , 5,	3.5	3
145	Comparability of the Australian National Cancer Symptom Trials (CST) Group's Study Populations to National Referrals to Non-CST Specialist Palliative Care Services Participating in the Palliative Care Outcomes Collaboration. <i>Journal of Pain and Symptom Management</i> , 2019 , 57, e9-e14	4.8	3
144	Comparing functional decline and distress from symptoms in people with thoracic life-limiting illnesses: lung cancers and non-malignant end-stage respiratory diseases. <i>Thorax</i> , 2021 , 76, 989-995	7.3	3
143	Conference presentation in palliative medicine: predictors of subsequent publication. <i>BMJ Supportive and Palliative Care</i> , 2018 , 8, 73-77	2.2	3
142	Prevalence and Risk Factors of Breathlessness Across Canada: A National Retrospective Cohort Study in Home Care and Nursing Home Populations. <i>Journal of Pain and Symptom Management</i> , 2021 , 62, 346-354.e1	4.8	3
141	Until the chemist opens - palliation from the doctor's bag. Australian Family Physician, 2006, 35, 225-31		3

140	Identifying Factors That Predict Worse Constipation Symptoms in Palliative Care Patients: A Secondary Analysis. <i>Journal of Palliative Medicine</i> , 2017 , 20, 528-532	2.2	2
139	Breathlessness despite optimal pathophysiological treatment: on the relevance of being chronic. <i>European Respiratory Journal</i> , 2017 , 50,	13.6	2
138	Challenges and Future Directions of Palliative Care 2019 , 111-130		2
137	Benzodiazepine Prescribing in People with Chronic Obstructive Pulmonary Disease: Clinical Considerations. <i>Drugs and Aging</i> , 2020 , 37, 263-270	4.7	2
136	Chronic breathlessness: re-thinking the symptom. European Respiratory Journal, 2018, 51,	13.6	2
135	Clustering of 27,525,663 Death Records from the United States Based on Health Conditions Associated with Death: An Example of big Health Data Exploration. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	2
134	Australia-modified Karnofsky Performance Scale and physical activity in COPD and lung cancer: an exploratory pooled data analysis. <i>BMJ Supportive and Palliative Care</i> , 2019 ,	2.2	2
133	Promoting the consumer voice in palliative care: exploring the possibility of using consumer impact statements. <i>Health Expectations</i> , 2015 , 18, 653-60	3.7	2
132	A case study evaluation of ethics review systems for multicentre clinical trials. <i>Medical Journal of Australia</i> , 2010 , 192, 292	4	2
131	A collateral benefit of research in palliative care. <i>Journal of Palliative Medicine</i> , 2011 , 14, 986-7	2.2	2
130	Evidence-Based Policy. Journal of Palliative Medicine, 2011, 14, 803-803	2.2	2
129	Transition to an in-patient palliative care unit: carers share their experiences. <i>International Journal of Palliative Nursing</i> , 2012 , 18, 548-52	0.9	2
128	How should we conduct and interpret phase III clinical trials in palliative care?. <i>Journal of Pain and Symptom Management</i> , 2010 , 39, e6-8	4.8	2
127	Palliative oxygen for non-hypoxaemic chronic obstructive pulmonary disease 2007,		2
126	Effects of opioids on breathlessness and exercise capacity in chronic obstructive pulmonary disease: A systematic review and meta-analysis 2015 ,		2
125	Symptom patterns in populations70-84		2
124	Management of chronic breathlessness153-171		2
123	Phase III trials of anamorelin in patients with advanced non-small cell lung cancer (NSCLC) and cachexia (ROMANA 1 and 2) <i>Journal of Clinical Oncology</i> , 2015 , 33, 9500-9500	2.2	2

122	Body weight response with anamorelin in advanced non-small cell lung cancer (NSCLC) patients with anorexia/cachexia: Pooled analysis of two phase III trials <i>Journal of Clinical Oncology</i> , 2017 , 35, 10097-10097	2.2	2
121	Treating anorexia in people with advanced cancer. a randomised, double blind, controlled trial of megestrol acetate, dexamethasone or placebo <i>Journal of Clinical Oncology</i> , 2018 , 36, 10020-10020	2.2	2
120	When Should Nonsteroidal Antiinflammatory Drugs Be Used to Manage Pain? 2013, 49-53		2
119	Morphine for the symptomatic reduction of chronic breathlessness: the case for controlled release. <i>Current Opinion in Supportive and Palliative Care</i> , 2020 , 14, 177-181	2.6	2
118	Financial toxicity in clinical care today: a "menu without prices". <i>Medical Journal of Australia</i> , 2016 , 205, 529-530	4	2
117	Using opioids in general practice for chronic non-cancer pain: an overview of current evidence. <i>Medical Journal of Australia</i> , 2016 , 205, 334-5	4	2
116	Missing data in randomised controlled trials evaluating palliative interventions: a systematic review and meta-analysis. <i>Lancet, The</i> , 2016 , 387, S53	40	2
115	Minimal clinically important difference and Edmonton Symptom Assessment Scale. <i>Cancer</i> , 2016 , 122, 158-9	6.4	2
114	Assessing the exertion required to induce breathlessness in a population with advanced cancer: matching measures to the level of physical function. <i>BMC Palliative Care</i> , 2019 , 18, 4	3	2
113	A Dyadic Growth Modeling Approach for Examining Associations Between Weight Gain and Lung Function Decline. <i>American Journal of Epidemiology</i> , 2020 , 189, 1173-1184	3.8	2
112	Rationale for targeted self-management strategies for breathlessness in heart failure. <i>Heart Failure Reviews</i> , 2021 , 26, 71-79	5	2
111	The Level of Distress From Fatigue Reported in the Final Two Months of Life by a Palliative Care Population: An Australian National Prospective, Consecutive Case Series. <i>Journal of Pain and Symptom Management</i> , 2021 , 61, 1109-1117	4.8	2
110	Population-Level Uptake of Moderately Hypofractionated Definitive Radiation Therapy in the Treatment of Prostate Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021 , 111, 417-423	4	2
109	Sertraline or placebo in chronic breathlessness? Lessons from placeboltesearch. <i>European Respiratory Journal</i> , 2019 , 53,	13.6	1
108	Harms From Haloperidol for Symptom Management in Palliative Care-a Post Hoc Pooled Analysis of Three Randomized Controlled Studies and Two Consecutive Cohort Studies. <i>Journal of Pain and Symptom Management</i> , 2019 , 58, e6-e8	4.8	1
107	Re: Hui et al., which treatment is better?. Journal of Pain and Symptom Management, 2015, 49, e6-7	4.8	1
106	Ensuring caregivers are part of palliative care service delivery. <i>Palliative and Supportive Care</i> , 2018 , 16, 639-640	2.5	1
105	The strength of evidence: low dose morphine for chronic breathlessness. <i>Internal Medicine Journal</i> , 2018 , 48, 102-103	1.6	1

104	Use of time in people with a life-limiting illness: A longitudinal cohort feasibility pilot study. <i>Palliative Medicine</i> , 2019 , 33, 1319-1324	5.5	1
103	Multisite studies offer a solution to recruitment challenges in palliative care studies. <i>Journal of Palliative Medicine</i> , 2013 , 16, 225	2.2	1
102	Overdosing on immediate-release morphine solution has predictable adverse effects. <i>European Respiratory Journal</i> , 2017 , 50,	13.6	1
101	Does exclusion of cancers registered only from death-certificate information diminish socio-demographic disparities in recorded survival?. <i>Cancer Epidemiology</i> , 2017 , 48, 70-77	2.8	1
100	Palliative oxygen for chronic breathlessness: what new evidence?. <i>Current Opinion in Supportive and Palliative Care</i> , 2017 , 11, 159-164	2.6	1
99	Invisible suffering: breathlessness in and beyond the clinica reply. <i>Lancet Respiratory Medicine,the</i> , 2015 , 3, e29	35.1	1
98	Uptake of methylnaltrexone in Australian patients with opioid-induced constipation: a review of the number of prescriptions presented in the first 12 months of subsidisation. <i>BMJ Supportive and Palliative Care</i> , 2013 , 3, 98-102	2.2	1
97	Letter to the editor re "Four essential drugs needed for quality care of the dying: a Delphi-study based international expert consensus opinion". <i>Journal of Palliative Medicine</i> , 2013 , 16, 721-2	2.2	1
96	What Interventions Are Effective for Managing Dyspnea in Cancer? 2013, 103-110		1
95	End-of-life research: do we need to build proxy consent into all clinical trial protocols studying the terminal phase?. <i>Journal of Palliative Medicine</i> , 2012 , 15, 962	2.2	1
94	The broader implications of diabetes management at the end of life. <i>Palliative Medicine</i> , 2006 , 20, 638-9	9 5.5	1
93	Evidence in palliative care research: how should it be gathered?. <i>Medical Journal of Australia</i> , 2006 , 184, 197-8	4	1
92	Caring for depression in the dying is complex and challenging - survey of palliative physicians <i>BMC Palliative Care</i> , 2022 , 21, 11	3	1
91	Best supportive care (BSC) in published clinical trials Journal of Clinical Oncology, 2013, 31, 9560-9560	2.2	1
90	Subgroup analysis of ECOG2 patients from ROMANA 2: A phase III study of anamorelin in NSCLC patients with cachexia <i>Journal of Clinical Oncology</i> , 2014 , 32, 6-6	2.2	1
89	Anamorelin in cachectic patients with non-small cell lung cancer (NSCLC) and low BMI (Journal of Clinical Oncology, 2016 , 34, 10119-10119	2.2	1
88	Breathlessness dimensions association with physical and mental quality of life: the population based VASCOL study of elderly men. <i>BMJ Open Respiratory Research</i> , 2021 , 8,	5.6	1
87	Indications and patterns of use of benzodiazepines and opioids in severe interstitial lung disease: a population-based longitudinal study. <i>ERJ Open Research</i> , 2021 , 7,	3.5	1

Chronic Conditions and Cancer at the End of Life **2016**, 455-475

85	A randomized, double-blind, placebo-controlled study to assess the efficacy and toxicity of subcutaneous ketamine in the management of cancer pain <i>Journal of Clinical Oncology</i> , 2012 , 30, 2604	- 2 604	1
84	Metoclopramide for chronic nausea in adult palliative care patients with advanced cancer		1
83	Is Inpatient Hospice Care Clinically Effective? Using Phase of Illness to Evaluate Care Outcomes for Patients Admitted to a Specialist Palliative Care Unit in Ireland. <i>Journal of Palliative Medicine</i> , 2020 , 23, 535-541	2.2	1
82	Letter in Response to Grobler AC, Lee K. Intention-To-Treat Analyses for Randomized Controlled Trials in Hospice/Palliative Care Enhanced by Principled Methods to Handle Missing Data. <i>Journal of Pain and Symptom Management</i> , 2020 , 60, e30-e31	4.8	1
81	Sleeping-related distress in a palliative care population: A national, prospective, consecutive cohort. <i>Palliative Medicine</i> , 2021 , 35, 1663-1670	5.5	1
80	Breast cancer treatment and survival differences in women in remote and socioeconomically disadvantaged areas, as demonstrated by linked data from New South Wales (NSW), Australia. Breast Cancer Research and Treatment, 2021, 188, 547-560	4.4	1
79	Degree of Cancer Spread at Presentation and Survival Among Adolescents and Young Adults in New South Wales, Australia. <i>Journal of Adolescent and Young Adult Oncology</i> , 2021 , 10, 156-163	2.2	1
78	Barriers to Palliative Care Referral and Advance Care Planning (ACP) for Patients With COPD: A Cross-Sectional Survey of Palliative Care Nurses. <i>American Journal of Hospice and Palliative Medicine</i> , 2021 , 10499091211018192	2.6	1
77	Clinicians' delirium treatment practice, practice change, and influences: A national online survey. <i>Palliative Medicine</i> , 2021 , 35, 1553-1563	5.5	1
76	Study protocol for SKIPMDD: subcutaneous ketamine infusion in palliative care patients with advanced life limiting illnesses for major depressive disorder (phase II pilot feasibility study). <i>BMJ Open</i> , 2021 , 11, e052312	3	1
75	Professionals', patients' and families' views on the use of opioids for chronic breathlessness: A systematic review using the framework method and pillar process. <i>Palliative Medicine</i> , 2021 , 35, 1421-14	43:3	1
74	How are tobacco smokers using e-cigarettes? Patterns of use, reasons for use and places of purchase in New South Wales. <i>Medical Journal of Australia</i> , 2016 , 205, 336	4	1
73	How Accurately Do Consecutive Cohort Audits Predict Phase III Multisite Clinical Trial Recruitment in Palliative Care?. <i>Journal of Pain and Symptom Management</i> , 2016 , 51, 748-755	4.8	1
72	Embedding Objective Measurements of Quality into Routine Practice in Hospice/Palliative Care. <i>Journal of Pain and Symptom Management</i> , 2016 , 52, e5-7	4.8	1
71	Approaches to palliative oxygen therapy in chronic obstructive pulmonary disease: a multi-national survey of specialists. <i>Internal Medicine Journal</i> , 2019 , 49, 252-256	1.6	1
70	Letter to the Editor Re: "Hyoscine Butylbromide for the Management of Death Rattle: Sooner Rather Than Later". <i>Journal of Pain and Symptom Management</i> , 2019 , 57, e16-e17	4.8	1
69	Response to "Hyoscine Butylbromide for the Management of Death Rattle: Sooner Rather Than Later". <i>Journal of Pain and Symptom Management</i> , 2019 , 57, e12-e13	4.8	1

1

68	Economic evaluation of the randomised, double-blind, placebo-controlled study of subcutaneous ketamine in the management of chronic cancer pain. <i>Palliative Medicine</i> , 2019 , 33, 74-81	5.5	1
67	A cluster randomised trial of a Needs Assessment Tool for adult Cancer patients and their carers (NAT-C) in primary care: A feasibility study. <i>PLoS ONE</i> , 2021 , 16, e0245647	3.7	1
66	Chronic breathlessness and sleep problems: a population-based survey. <i>BMJ Open</i> , 2021 , 11, e046425	3	1
65	Performance status and trial site-level factors are associated with missing data in palliative care trials: An individual participant-level data analysis of 10 phase 3 trials. <i>Palliative Medicine</i> , 2021 , 35, 1998	3 ⁵ 2507	, 1
64	Metoclopramide for chronic nausea in adult palliative care patients with advanced cancer		1
63	Evidence of Effective Interventions for Clinically Significant Depressive Symptoms in Individuals with Extremely Short Prognoses Is Lacking: A Systematic Review <i>Journal of Palliative Medicine</i> , 2022 , 25, 341-342	2.2	1
62	Symptom burden and lived experiences of patients, caregivers and healthcare professionals on the management of malignant bowel obstruction: A qualitative systematic review <i>Palliative Medicine</i> , 2022 , 2692163221081331	5.5	1
61	Lower workforce participation is associated with more severe persisting breathlessness <i>BMC Pulmonary Medicine</i> , 2022 , 22, 93	3.5	1
60	Prevalence and severity of differing dimensions of breathlessness among elderly males in the population <i>ERJ Open Research</i> , 2022 , 8,	3.5	1
59	Persisting breathlessness and activities reduced or ceased: a population study in older men. <i>BMJ Open Respiratory Research</i> , 2022 , 9, e001168	5.6	1
58	Patients and their caregivers experiences with regular, low-dose, sustained-release morphine for chronic breathlessness associated with COPD: a qualitative study. <i>BMJ Open Respiratory Research</i> , 2022 , 9, e001210	5.6	1
57	Oral dexamethasone in the management of cancer-related pain: A feasibility study. <i>Palliative Medicine</i> , 2019 , 33, 477-478	5.5	O
56	How Can Activity Monitors Be Used in Palliative Care Patients?. <i>Journal of Palliative Medicine</i> , 2019 , 22, 830-832	2.2	0
55	Patients' and caregivers' experiences of driving with chronic breathlessness before and after regular low-dose sustained-release morphine: A qualitative study. <i>Palliative Medicine</i> , 2020 , 34, 1078-10	87 ⁵	O
54	Do guidelines influence breathlessness management in advanced lung diseases? A multinational survey of respiratory medicine and palliative care physicians <i>BMC Pulmonary Medicine</i> , 2022 , 22, 41	3.5	О
53	Phase III, international, multicentre, double-blind, dose increment, parallel-arm, randomised controlled trial of duloxetine versus pregabalin for opioid-unresponsive neuropathic cancer pain: a JORTC-PAL16 trial protocol <i>BMJ Open</i> , 2022 , 12, e050182	3	O
52	Opioid-sparing effects of ketorolac in palliative care patients receiving opioids for chronic cancer-related pain: A systematic literature review. <i>Palliative Medicine</i> , 2021 , 2692163211045310	5.5	О
51	Pharmacovigilance in Hospice/Palliative Care: De-Prescribing Combination Controlled Release Oxycodone-Naloxone. <i>Journal of Palliative Medicine</i> , 2020 , 23, 656-661	2.2	O

50	Does Resource Utilization Group-Activities of Daily Living Help Us Better Interpret Australian Karnofsky-Modified Performance Scale?. <i>Journal of Palliative Medicine</i> , 2020 , 23, 1153-1154	2.2	О
49	What Are the Factors Identifying Caregivers Who Need Help in Managing Medications for Palliative Care Patients at Home? A Population Survey. <i>Journal of Palliative Medicine</i> , 2020 , 23, 1084-1089	2.2	O
48	The Association between Glycemic Control in People with Diabetes and Symptoms at the End of Life: A Prospective Observational Consecutive Cohort Study. <i>Journal of Palliative Medicine</i> , 2020 , 23, 406-410	2.2	О
47	Country profile: Australia, New South Wales. From validation to implementation: Progressing tobacco smoking cessation among people with cancer and beyond via relevant authorities <i>Cancer Epidemiology</i> , 2022 , 78, 102138	2.8	O
46	The Complexities of Prescribing Assistive Equipment at the End of LifePatient and Caregivers Perspectives. <i>Healthcare (Switzerland)</i> , 2022 , 10, 1005	3.4	О
45	A Response to: Challenges in Recruiting Patients to a Controlled Feasibility Study of a Drug for Opioid-Induced Constipation: Lessons From the Population With Advanced Cancer. <i>Journal of Pain and Symptom Management</i> , 2019 , 58, e1-e2	4.8	
44	Palliative Management of Breathlessness 2019 , 179-190		
43	Pancreaticoduodenectomy outcomes in Australia. ANZ Journal of Surgery, 2020, 90, 938-939	1	
42	Response to Davies A, Leach C, Caponero R, Dickman A, Fuchs D, Paice J, Emmanuel A (2020) MASCC recommendations on the management of constipation in patients with advanced cancer. Support Care Cancer 28:23. <i>Supportive Care in Cancer</i> , 2020 , 28, 2041-2042	3.9	
41	A qualitative exploration of patient and carer perspectives on pancreatic exocrine insufficiency due to pancreatic cancer. <i>BMJ Supportive and Palliative Care</i> , 2016 , 6, 400.1-400	2.2	
40	In the eyes of the dying then tifying who may benefit from bereavement follow-up: A qualitative study. <i>Collegian</i> , 2019 , 26, 615-620	1.6	
39	Cough in lung cancer: A survey of current practice among Australian health professionals. <i>Collegian</i> , 2019 , 26, 629-633	1.6	
38	O-3 Opioids, benzodiazepines, anti-cholinergic load and clinical outcomes in patients with advanced cancer. <i>BMJ Supportive and Palliative Care</i> , 2017 , 7, A1.3-A2	2.2	
37	Re: Asia, Australia and New Zealand Dyspnoea in Emergency Departments (AANZDEM) study: Rationale, design and analysis. <i>EMA - Emergency Medicine Australasia</i> , 2015 , 27, 498-9	1.5	
36	Re: oral docusate in the management of constipation in hospice patients. <i>Journal of Pain and Symptom Management</i> , 2012 , 44, e6-7; author reply e8	4.8	
35	The necessary work program for safe delivery of combinations of injectable medications. <i>Journal of Palliative Medicine</i> , 2010 , 13, 1052	2.2	
34	Even in death. Journal of Palliative Medicine, 2009, 12, 983-4	2.2	
33	Management of dyspnea in older adults with cancer386-399		

32	The Therapeutic footprint of medical, complementary and alternative therapies and a doctor's duty of care. Medical Journal of Australia, 2007, 186, 214-215
31	Reader questions benefit of nebulized opioids. <i>Oncology Nursing Forum</i> , 2006 , 33, 513; author reply 513-£7
30	Cancer painprogress and ongoing issues in Australia. <i>Pain Research and Management</i> , 2009 , 14, 351-2 2.6
29	End-of-Life Care. <i>Translational Medicine Series</i> , 2008 , 1-32
28	Management of Respiratory Symptoms in People with Cancer 2018 , 217-229
27	Palliative Management of Breathlessness 2018 , 1-12
26	Balancing the risk and benefit of adjuvant chemotherapy for early breast cancer: A retrospective cohort study in New South Wales (NSW), Australia <i>Journal of Clinical Oncology</i> , 2018 , 36, e18841-e1884 ^{2.2}
25	Comparability of the Cancer Supportive Care Clinical Studies Collaborative (CSCCSC) study population to national referrals to other specialist palliative care services <i>Journal of Clinical</i> 2.2 <i>Oncology</i> , 2018 , 36, 63-63
24	EviQ cancer treatments online (www.eviQ.org.au): A widely used Australian resource <i>Journal of Clinical Oncology</i> , 2014 , 32, e17507-e17507
23	Anamorelin for the treatment of cancer anorexia-cachexia: Baseline characteristics from three phase III clinical trials (the ROMANA program) <i>Journal of Clinical Oncology</i> , 2014 , 32, e20694-e20694
22	Palliative and Supportive Care 2009 , 1099-1119
21	Management of Respiratory Symptoms in People with Cancer 2010 , 107-114
20	Palliative Care and Dyspnea Management in Patients with Hematological Malignancies and Acute Respiratory Failure 2011 , 683-691
19	Dyspnea in supportive oncology 2011 , 164-170
18	Palliative Care Clinical Trials: Generalizability and Applicability in Hospice and Palliative Care Practice 2013 , 109-119
17	A multi-site, fixed dose, parallel arm, double-blind, placebo controlled, block randomised trial of the addition of infusional octreotide or placebo to regular ranitidine and dexamethasone for the evaluation of vomiting associated with bowel obstruction at the end of life <i>Journal of Clinical</i>
16	Caring for people at the end of life: How do cancer caregivers differ from other caregivers?. <i>Journal of Clinical Oncology</i> , 2012 , 30, 9128-9128
15	Should Bisphosphonates Be Used Routinely to Manage Pain and Skeletal Complications in Other Conditions? 2013 , 65-69

LIST OF PUBLICATIONS

14	Should Bisphosphonates Be Used Routinely to Manage Pain and Skeletal Complications in Cancer? 2013 , 59-64	
13	Physical activity and fitness in women with metastatic breast cancer <i>Journal of Clinical Oncology</i> , 2013 , 31, 136-136	2.2
12	Could a scheme for licensing smokers work in Australia?. <i>Medical Journal of Australia</i> , 2013 , 199, 742	4
11	Surgery and Palliative Care: Is There Common Ground or Simply a Clash of Cultures? 2014 , 3-7	
10	Models of Care in Palliative Medicine 2014 , 9-17	
9	Symptomatic Events in a Community Palliative Care Population: A Prospective Pilot Study. <i>Journal of Palliative Medicine</i> , 2020 , 23, 1223-1226	2.2
8	Evaluation of the IMPACCT Rapid Program: A Cross-Sectional Survey of International Site Investigators. <i>Journal of Palliative Medicine</i> , 2020 , 23, 1292-1293	2.2
7	Challenges and Future Directions of Palliative Care 2018 , 1-20	
6	: A Not-so-Medieval Existential Construct. <i>Journal of Palliative Medicine</i> , 2021 , 24, 1420-1421	2.2
5	A feasibility and acceptability pilot for the longitudinal measurement of inspiratory and expiratory pressures in people with advanced pancreatic cancer <i>Palliative Medicine</i> , 2022 , 2692163221074875	5.5
4	Implementing the battery-operated hand-held fan as an evidence-based, non-pharmacological intervention for chronic breathlessness in patients with chronic obstructive pulmonary disease (COPD): a qualitative study of the views of specialist respiratory clinicians <i>BMC Pulmonary</i>	3.5
3	Pharmacovigilance in hospice/palliative care: Net effect of amitriptyline or nortriptyline on neuropathic pain: UTS/IMPACCT Rapid programme international consecutive cohort <i>Palliative Medicine</i> , 2022 , 2692163221085855	5.5
2	Minimally clinically important improvements (MCII) and worsening (MCIW) in symptoms <i>Journal of Pain and Symptom Management</i> , 2022 ,	4.8
1	Letter to the Editor: Sleep Disturbances in People with Advanced Cancer and Their Informal Caregivers: A Digital Health Exploration. <i>Journal of Palliative Medicine</i> , 2022 , 25, 850-851	2.2