

David C. Currow

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8132830/david-c-currow-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

607
papers

15,804
citations

61
h-index

105
g-index

728
ext. papers

18,992
ext. citations

3.8
avg, IF

6.78
L-index

#	Paper	IF	Citations
607	Do guidelines influence breathlessness management in advanced lung diseases? A multinational survey of respiratory medicine and palliative care physicians.. <i>BMC Pulmonary Medicine</i> , 2022 , 22, 41	3.5	0
606	Caring for depression in the dying is complex and challenging - survey of palliative physicians.. <i>BMC Palliative Care</i> , 2022 , 21, 11	3	1
605	Phase III, international, multicentre, double-blind, dose increment, parallel-arm, randomised controlled trial of duloxetine versus pregabalin for opioid-unresponsive neuropathic cancer pain: a JORTC-PAL16 trial protocol.. <i>BMJ Open</i> , 2022 , 12, e050182	3	0
604	Evidence of Effective Interventions for Clinically Significant Depressive Symptoms in Individuals with Extremely Short Prognoses Is Lacking: A Systematic Review.. <i>Journal of Palliative Medicine</i> , 2022 , 25, 341-342	2.2	1
603	Symptom burden and lived experiences of patients, caregivers and healthcare professionals on the management of malignant bowel obstruction: A qualitative systematic review.. <i>Palliative Medicine</i> , 2022 , 2692163221081331	5.5	1
602	A feasibility and acceptability pilot for the longitudinal measurement of inspiratory and expiratory pressures in people with advanced pancreatic cancer.. <i>Palliative Medicine</i> , 2022 , 2692163221074875	5.5	
601	Lower workforce participation is associated with more severe persisting breathlessness.. <i>BMC Pulmonary Medicine</i> , 2022 , 22, 93	3.5	1
600	Implementing the battery-operated hand-held fan as an evidence-based, non-pharmacological intervention for chronic breathlessness in patients with chronic obstructive pulmonary disease (COPD): a qualitative study of the views of specialist respiratory clinicians.. <i>BMC Pulmonary Medicine</i> , 2022 , 22, 129	3.5	
599	Country profile: Australia, New South Wales. From validation to implementation: Progressing tobacco smoking cessation among people with cancer and beyond via relevant authorities.. <i>Cancer Epidemiology</i> , 2022 , 78, 102138	2.8	0
598	Prevalence and severity of differing dimensions of breathlessness among elderly males in the population.. <i>ERJ Open Research</i> , 2022 , 8,	3.5	1
597	Pharmacovigilance in hospice/palliative care: Net effect of amitriptyline or nortriptyline on neuropathic pain: UTS/IMPACCT Rapid programme international consecutive cohort.. <i>Palliative Medicine</i> , 2022 , 2692163221085855	5.5	
596	Minimally clinically important improvements (MCI) and worsening (MCIW) in symptoms.. <i>Journal of Pain and Symptom Management</i> , 2022 ,	4.8	
595	The Complexities of Prescribing Assistive Equipment at the End of Life Patient and Caregivers Perspectives. <i>Healthcare (Switzerland)</i> , 2022 , 10, 1005	3.4	0
594	Persisting breathlessness and activities reduced or ceased: a population study in older men. <i>BMJ Open Respiratory Research</i> , 2022 , 9, e001168	5.6	1
593	Patients and their caregivers experiences with regular, low-dose, sustained-release morphine for chronic breathlessness associated with COPD: a qualitative study. <i>BMJ Open Respiratory Research</i> , 2022 , 9, e001210	5.6	1
592	Letter to the Editor: Sleep Disturbances in People with Advanced Cancer and Their Informal Caregivers: A Digital Health Exploration. <i>Journal of Palliative Medicine</i> , 2022 , 25, 850-851	2.2	
591	Lung, breast and bowel cancer treatment for Aboriginal people in New South Wales: a population-based cohort study. <i>Internal Medicine Journal</i> , 2021 , 51, 879-890	1.6	3

590	Minimal clinically important differences for Dyspnea-12 and MDP scores are similar at 2 weeks and 6 months: follow-up of a longitudinal clinical study. <i>European Respiratory Journal</i> , 2021 , 57,	13.6	5
589	Breathlessness dimensions association with physical and mental quality of life: the population based VASCOL study of elderly men. <i>BMJ Open Respiratory Research</i> , 2021 , 8,	5.6	1
588	Opioid-sparing effects of ketorolac in palliative care patients receiving opioids for chronic cancer-related pain: A systematic literature review. <i>Palliative Medicine</i> , 2021 , 2692163211045310	5.5	0
587	Indications and patterns of use of benzodiazepines and opioids in severe interstitial lung disease: a population-based longitudinal study. <i>ERJ Open Research</i> , 2021 , 7,	3.5	1
586	The PCOC Symptom Assessment Scale (SAS): A valid measure for daily use at point of care and in palliative care programs. <i>PLoS ONE</i> , 2021 , 16, e0247250	3.7	6
585	Sleeping-related distress in a palliative care population: A national, prospective, consecutive cohort. <i>Palliative Medicine</i> , 2021 , 35, 1663-1670	5.5	1
584	Breast cancer treatment and survival differences in women in remote and socioeconomically disadvantaged areas, as demonstrated by linked data from New South Wales (NSW), Australia. <i>Breast Cancer Research and Treatment</i> , 2021 , 188, 547-560	4.4	1
583	Management of Dyspnea in Advanced Cancer: ASCO Guideline. <i>Journal of Clinical Oncology</i> , 2021 , 39, 1389-1411	2.2	17
582	Degree of Cancer Spread at Presentation and Survival Among Adolescents and Young Adults in New South Wales, Australia. <i>Journal of Adolescent and Young Adult Oncology</i> , 2021 , 10, 156-163	2.2	1
581	Barriers to Palliative Care Referral and Advance Care Planning (ACP) for Patients With COPD: A Cross-Sectional Survey of Palliative Care Nurses. <i>American Journal of Hospice and Palliative Medicine</i> , 2021 , 10499091211018192	2.6	1
580	Prevalence and burden of breathlessness in Australian adults: The National Breathlessness Survey-a cross-sectional web-based population survey. <i>Respirology</i> , 2021 , 26, 768-775	3.6	6
579	Clinicians' delirium treatment practice, practice change, and influences: A national online survey. <i>Palliative Medicine</i> , 2021 , 35, 1553-1563	5.5	1
578	Study protocol for SKIPMDD: subcutaneous ketamine infusion in palliative care patients with advanced life limiting illnesses for major depressive disorder (phase II pilot feasibility study). <i>BMJ Open</i> , 2021 , 11, e052312	3	1
577	Professionals', patients' and families' views on the use of opioids for chronic breathlessness: A systematic review using the framework method and pillar process. <i>Palliative Medicine</i> , 2021 , 35, 1421-1433	5.5	1
576	Rationale for targeted self-management strategies for breathlessness in heart failure. <i>Heart Failure Reviews</i> , 2021 , 26, 71-79	5	2
575	Clinically Significant Depressive Symptoms Are Prevalent in People With Extremely Short Prognoses-A Systematic Review. <i>Journal of Pain and Symptom Management</i> , 2021 , 61, 143-166.e2	4.8	4
574	The Level of Distress From Fatigue Reported in the Final Two Months of Life by a Palliative Care Population: An Australian National Prospective, Consecutive Case Series. <i>Journal of Pain and Symptom Management</i> , 2021 , 61, 1109-1117	4.8	2
573	Do family meetings for hospitalised palliative care patients improve outcomes and reduce health care costs? A cluster randomised trial. <i>Palliative Medicine</i> , 2021 , 35, 188-199	5.5	6

572	A randomised, double blind, placebo-controlled trial of megestrol acetate or dexamethasone in treating symptomatic anorexia in people with advanced cancer. <i>Scientific Reports</i> , 2021 , 11, 2421	4.9	7
571	A cluster randomised trial of a Needs Assessment Tool for adult Cancer patients and their carers (NAT-C) in primary care: A feasibility study. <i>PLoS ONE</i> , 2021 , 16, e0245647	3.7	1
570	Comparing functional decline and distress from symptoms in people with thoracic life-limiting illnesses: lung cancers and non-malignant end-stage respiratory diseases. <i>Thorax</i> , 2021 , 76, 989-995	7.3	3
569	VAScular and Chronic Obstructive Lung disease (VASCOL): a longitudinal study on morbidity, symptoms and quality of life among older men in Blekinge county, Sweden. <i>BMJ Open</i> , 2021 , 11, e046473	4.3	4
568	Chronic breathlessness and sleep problems: a population-based survey. <i>BMJ Open</i> , 2021 , 11, e046425	3	1
567	Prevalence and Risk Factors of Breathlessness Across Canada: A National Retrospective Cohort Study in Home Care and Nursing Home Populations. <i>Journal of Pain and Symptom Management</i> , 2021 , 62, 346-354.e1	4.8	3
566	Health service utilisation associated with chronic breathlessness: random population sample. <i>ERJ Open Research</i> , 2021 , 7,	3.5	4
565	Quality of Life and Symptom Burden Improve in Patients Attending a Multidisciplinary Clinical Service for Cancer Cachexia: A Retrospective Observational Review. <i>Journal of Pain and Symptom Management</i> , 2021 , 62, e164-e176	4.8	6
564	Performance status and trial site-level factors are associated with missing data in palliative care trials: An individual participant-level data analysis of 10 phase 3 trials. <i>Palliative Medicine</i> , 2021 , 35, 1998-2007	5.5	1
563	: A Not-so-Medieval Existential Construct. <i>Journal of Palliative Medicine</i> , 2021 , 24, 1420-1421	2.2	
562	Population-Level Uptake of Moderately Hypofractionated Definitive Radiation Therapy in the Treatment of Prostate Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021 , 111, 417-423	4	2
561	Quality of Life Changes With Duration of Chronic Breathlessness: A Random Sample of Community-Dwelling People. <i>Journal of Pain and Symptom Management</i> , 2020 , 60, 818-827.e4	4.8	8
560	No excess harms from sustained-release morphine: a randomised placebo-controlled trial in chronic breathlessness. <i>BMJ Supportive and Palliative Care</i> , 2020 , 10, 421-428	2.2	6
559	Two faces of the same coin: a qualitative study of patients' and carers' coexistence with chronic breathlessness associated with chronic obstructive pulmonary disease (COPD). <i>BMC Palliative Care</i> , 2020 , 19, 64	3	7
558	Opioids for Breakthrough Cancer Pain. <i>Oncologist</i> , 2020 , 25, e1133	5.7	4
557	Pancreaticoduodenectomy outcomes in Australia. <i>ANZ Journal of Surgery</i> , 2020 , 90, 938-939	1	
556	Minimal clinically important differences in average, best, worst and current intensity and unpleasantness of chronic breathlessness. <i>European Respiratory Journal</i> , 2020 , 56,	13.6	11
555	Patients' and caregivers' experiences of driving with chronic breathlessness before and after regular low-dose sustained-release morphine: A qualitative study. <i>Palliative Medicine</i> , 2020 , 34, 1078-1087	5.5	0

554	Development of a core outcome set to use in the research and assessment of malignant bowel obstruction: protocol for the RAMBO study. <i>BMJ Open</i> , 2020 , 10, e039154	3	4
553	Opioids for breathlessness: a narrative review. <i>BMJ Supportive and Palliative Care</i> , 2020 , 10, 287-295	2.2	9
552	Standards, Guidelines, and Quality Measures for Successful Specialty Palliative Care Integration Into Oncology: Current Approaches and Future Directions. <i>Journal of Clinical Oncology</i> , 2020 , 38, 987-994	2.2	13
551	Response to Davies A, Leach C, Caponero R, Dickman A, Fuchs D, Paice J, Emmanuel A (2020) MASCC recommendations on the management of constipation in patients with advanced cancer. <i>Support Care Cancer</i> 28:23. <i>Supportive Care in Cancer</i> , 2020 , 28, 2041-2042	3.9	
550	Benzodiazepine Prescribing in People with Chronic Obstructive Pulmonary Disease: Clinical Considerations. <i>Drugs and Aging</i> , 2020 , 37, 263-270	4.7	2
549	Nurses' knowledge of law at the end of life and implications for practice: A qualitative study. <i>Palliative Medicine</i> , 2020 , 34, 524-532	5.5	6
548	A randomized, double-blind, crossover, dose ranging study to determine the optimal dose of oral opioid to treat breakthrough pain for patients with advanced cancer already established on regular opioids. <i>European Journal of Pain</i> , 2020 , 24, 983-991	3.7	8
547	Role of Hospice Care at the End of Life for People With Cancer. <i>Journal of Clinical Oncology</i> , 2020 , 38, 937-943	2.2	12
546	Randomised, double-blind, multicentre, mixed-methods, dose-escalation feasibility trial of mirtazapine for better treatment of severe breathlessness in advanced lung disease (BETTER-B feasibility). <i>Thorax</i> , 2020 , 75, 176-179	7.3	4
545	Intention-to-Treat Analyses for Randomized Controlled Trials in Hospice/Palliative Care: The Case for Analyses to be of People Exposed to the Intervention. <i>Journal of Pain and Symptom Management</i> , 2020 , 59, 637-645	4.8	6
544	Breathlessness, Anxiety, Depression, and Function-The BAD-F Study: A Cross-Sectional and Population Prevalence Study in Adults. <i>Journal of Pain and Symptom Management</i> , 2020 , 59, 197-205.e2	4.8	20
543	Symptomatic Events in a Community Palliative Care Population: A Prospective Pilot Study. <i>Journal of Palliative Medicine</i> , 2020 , 23, 1223-1226	2.2	
542	Is Inpatient Hospice Care Clinically Effective? Using Phase of Illness to Evaluate Care Outcomes for Patients Admitted to a Specialist Palliative Care Unit in Ireland. <i>Journal of Palliative Medicine</i> , 2020 , 23, 535-541	2.2	1
541	Pharmacovigilance in Hospice/Palliative Care: De-Prescribing Combination Controlled Release Oxycodone-Naloxone. <i>Journal of Palliative Medicine</i> , 2020 , 23, 656-661	2.2	0
540	Controlled-Release Oxycodone vs. Placebo in the Treatment of Chronic Breathlessness-A Multisite Randomized Placebo Controlled Trial. <i>Journal of Pain and Symptom Management</i> , 2020 , 59, 581-589	4.8	18
539	Letter in Response to Grobler AC, Lee K. Intention-To-Treat Analyses for Randomized Controlled Trials in Hospice/Palliative Care Enhanced by Principled Methods to Handle Missing Data. <i>Journal of Pain and Symptom Management</i> , 2020 , 60, e30-e31	4.8	1
538	COVID-19: guidance on palliative care from a European Respiratory Society international task force. <i>European Respiratory Journal</i> , 2020 , 56,	13.6	38
537	A systematic review and meta-analysis of studies comparing burden from lung cancer and chronic obstructive pulmonary disease. <i>Palliative Medicine</i> , 2020 , 34, 1291-1304	5.5	7

536	Breathlessness and opioid prescribing in COPD in general practice: a cross-sectional, observational study. <i>ERJ Open Research</i> , 2020 , 6,	3.5	3
535	Activities Forgone because of Chronic Breathlessness: A Cross-Sectional Population Prevalence Study. <i>Palliative Medicine Reports</i> , 2020 , 1, 166-170	1	5
534	Melatonin to prevent delirium in patients with advanced cancer: a double blind, parallel, randomized, controlled, feasibility trial. <i>BMC Palliative Care</i> , 2020 , 19, 163	3	4
533	Does Resource Utilization Group-Activities of Daily Living Help Us Better Interpret Australian Karnofsky-Modified Performance Scale?. <i>Journal of Palliative Medicine</i> , 2020 , 23, 1153-1154	2.2	0
532	Evaluation of the IMPACCT Rapid Program: A Cross-Sectional Survey of International Site Investigators. <i>Journal of Palliative Medicine</i> , 2020 , 23, 1292-1293	2.2	
531	Health-related quality of life in patients with inoperable malignant bowel obstruction: secondary outcome from a double-blind, parallel, placebo-controlled randomised trial of octreotide. <i>BMC Cancer</i> , 2020 , 20, 1050	4.8	4
530	Unanswered questions and future direction in the management of terminal breathlessness in patients with cancer. <i>ESMO Open</i> , 2020 , 5 Suppl 1, e000603	6	5
529	Morphine for the symptomatic reduction of chronic breathlessness: the case for controlled release. <i>Current Opinion in Supportive and Palliative Care</i> , 2020 , 14, 177-181	2.6	2
528	Earlier multidisciplinary palliative care intervention for people with lung cancer: a systematic review and meta-analysis. <i>Translational Lung Cancer Research</i> , 2020 , 9, 1699-1709	4.4	5
527	What Are the Factors Identifying Caregivers Who Need Help in Managing Medications for Palliative Care Patients at Home? A Population Survey. <i>Journal of Palliative Medicine</i> , 2020 , 23, 1084-1089	2.2	0
526	Oxygen use in chronic heart failure to relieve breathlessness: A systematic review. <i>Heart Failure Reviews</i> , 2020 , 25, 195-205	5	5
525	Assessing quality of life in palliative care settings: head-to-head comparison of four patient-reported outcome measures (EORTC QLQ-C15-PAL, FACT-Pal, FACT-Pal-14, FACT-G7). <i>Supportive Care in Cancer</i> , 2020 , 28, 141-153	3.9	8
524	Regular, sustained-release morphine for chronic breathlessness: a multicentre, double-blind, randomised, placebo-controlled trial. <i>Thorax</i> , 2020 , 75, 50-56	7.3	37
523	The Association between Glycemic Control in People with Diabetes and Symptoms at the End of Life: A Prospective Observational Consecutive Cohort Study. <i>Journal of Palliative Medicine</i> , 2020 , 23, 406-410	2.2	0
522	Palliative care for people living with heart failure: European Association for Palliative Care Task Force expert position statement. <i>Cardiovascular Research</i> , 2020 , 116, 12-27	9.9	44
521	A Dyadic Growth Modeling Approach for Examining Associations Between Weight Gain and Lung Function Decline. <i>American Journal of Epidemiology</i> , 2020 , 189, 1173-1184	3.8	2
520	Progress in cancer survival, mortality, and incidence in seven high-income countries 1995-2014 (ICBP SURVMARK-2): a population-based study. <i>Lancet Oncology</i> , 2019 , 20, 1493-1505	21.7	270
519	Sertraline or placebo in chronic breathlessness? Lessons from placebo research. <i>European Respiratory Journal</i> , 2019 , 53,	13.6	1

518	Oral dexamethasone in the management of cancer-related pain: A feasibility study. <i>Palliative Medicine</i> , 2019 , 33, 477-478	5.5	0
517	Agreement Between Breathlessness Severity and Unpleasantness in People With Chronic Breathlessness: A Longitudinal Clinical Study. <i>Journal of Pain and Symptom Management</i> , 2019 , 57, 715-723.e5	4.8	11
516	Harms From Haloperidol for Symptom Management in Palliative Care-a Post Hoc Pooled Analysis of Three Randomized Controlled Studies and Two Consecutive Cohort Studies. <i>Journal of Pain and Symptom Management</i> , 2019 , 58, e6-e8	4.8	1
515	A Response to: Challenges in Recruiting Patients to a Controlled Feasibility Study of a Drug for Opioid-Induced Constipation: Lessons From the Population With Advanced Cancer. <i>Journal of Pain and Symptom Management</i> , 2019 , 58, e1-e2	4.8	
514	Palliative Management of Breathlessness 2019 , 179-190		
513	Challenges and Future Directions of Palliative Care 2019 , 111-130		2
512	Battery operated fan and chronic breathlessness: does it help?. <i>BMJ Supportive and Palliative Care</i> , 2019 , 9, 478-481	2.2	6
511	A perfect storm: fear of litigation for end of life care. <i>Medical Journal of Australia</i> , 2019 , 210, 441-441.e14		6
510	Prevalence and severity of sleep difficulty in patients with a CNS cancer receiving palliative care in Australia. <i>Neuro-Oncology Practice</i> , 2019 , 6, 499-507	2.2	4
509	REgistry-based randomized controlled trial of treatment and Duration and mortality in long-term OXYgen therapy (REDOX) study protocol. <i>BMC Pulmonary Medicine</i> , 2019 , 19, 50	3.5	4
508	How Can Activity Monitors Be Used in Palliative Care Patients?. <i>Journal of Palliative Medicine</i> , 2019 , 22, 830-832	2.2	0
507	The trajectory of functional decline over the last 4 months of life in a palliative care population: A prospective, consecutive cohort study. <i>Palliative Medicine</i> , 2019 , 33, 693-703	5.5	19
506	Timely recognition of palliative care needs of patients with advanced chronic heart failure: a pilot study of a Dutch translation of the Needs Assessment Tool: Progressive Disease - Heart Failure (NAT:PD-HF). <i>European Journal of Cardiovascular Nursing</i> , 2019 , 18, 375-388	3.3	19
505	Pathways to diagnosis of non-small cell lung cancer: a descriptive cohort study. <i>Npj Primary Care Respiratory Medicine</i> , 2019 , 29, 2	3.2	4
504	Use of time in people with a life-limiting illness: A longitudinal cohort feasibility pilot study. <i>Palliative Medicine</i> , 2019 , 33, 1319-1324	5.5	1
503	Oral modified release morphine for breathlessness in chronic heart failure: a randomized placebo-controlled trial. <i>ESC Heart Failure</i> , 2019 , 6, 1149-1160	3.7	12
502	A Randomized, Double-Blind, Multisite, Pilot, Placebo-Controlled Trial of Regular, Low-Dose Morphine on Outcomes of Pulmonary Rehabilitation in COPD. <i>Journal of Pain and Symptom Management</i> , 2019 , 58, e7-e9	4.8	4
501	Physical Activity for Symptom Management in Women With Metastatic Breast Cancer: A Randomized Feasibility Trial on Physical Activity and Breast Metastases. <i>Journal of Pain and Symptom Management</i> , 2019 , 58, 929-939	4.8	18

500	Clustering of 27,525,663 Death Records from the United States Based on Health Conditions Associated with Death: An Example of big Health Data Exploration. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	2
499	Through the eyes of the dying Identifying who may benefit from bereavement follow-up: A qualitative study. <i>Collegian</i> , 2019 , 26, 615-620	1.6	
498	Australia-modified Karnofsky Performance Scale and physical activity in COPD and lung cancer: an exploratory pooled data analysis. <i>BMJ Supportive and Palliative Care</i> , 2019 ,	2.2	2
497	Cough in lung cancer: A survey of current practice among Australian health professionals. <i>Collegian</i> , 2019 , 26, 629-633	1.6	
496	Low agreement between mMRC rated by patients and clinicians: implications for practice. <i>European Respiratory Journal</i> , 2019 , 54,	13.6	6
495	End-of-life care for patients with advanced lung cancer and chronic obstructive pulmonary disease: survey among Polish pulmonologists. <i>Polish Archives of Internal Medicine</i> , 2019 , 129, 242-252	1.9	3
494	Acute-on-Chronic Breathlessness: Recognition and Response. <i>Journal of Pain and Symptom Management</i> , 2019 , 57, e4-e5	4.8	9
493	Approaches to palliative oxygen therapy in chronic obstructive pulmonary disease: a multi-national survey of specialists. <i>Internal Medicine Journal</i> , 2019 , 49, 252-256	1.6	1
492	Relating Experienced To Recalled breathlessness Observational (RETRO) study: a prospective study using a mobile phone application. <i>BMJ Open Respiratory Research</i> , 2019 , 6, e000370	5.6	3
491	Methotrimeprazine versus haloperidol in palliative care patients with cancer-related nausea: a randomised, double-blind controlled trial. <i>BMJ Open</i> , 2019 , 9, e029942	3	7
490	Isolating peripheral effects of endogenous opioids in modulating exertional breathlessness in people with moderate or severe COPD: a randomised controlled trial. <i>ERJ Open Research</i> , 2019 , 5,	3.5	3
489	Comparability of the Australian National Cancer Symptom Trials (CST) Group's Study Populations to National Referrals to Non-CST Specialist Palliative Care Services Participating in the Palliative Care Outcomes Collaboration. <i>Journal of Pain and Symptom Management</i> , 2019 , 57, e9-e14	4.8	3
488	Assessing the exertion required to induce breathlessness in a population with advanced cancer: matching measures to the level of physical function. <i>BMC Palliative Care</i> , 2019 , 18, 4	3	2
487	Letter to the Editor Re: "Hyoscine Butylbromide for the Management of Death Rattle: Sooner Rather Than Later". <i>Journal of Pain and Symptom Management</i> , 2019 , 57, e16-e17	4.8	1
486	Sertraline in symptomatic chronic breathlessness: a double blind, randomised trial. <i>European Respiratory Journal</i> , 2019 , 53,	13.6	25
485	Stigma and the in(visible) perspectives and expectations of home oxygen therapy among people with chronic breathlessness syndrome: A qualitative study. <i>Palliative Medicine</i> , 2019 , 33, 82-90	5.5	8
484	Response to "Hyoscine Butylbromide for the Management of Death Rattle: Sooner Rather Than Later". <i>Journal of Pain and Symptom Management</i> , 2019 , 57, e12-e13	4.8	1
483	Economic evaluation of the randomised, double-blind, placebo-controlled study of subcutaneous ketamine in the management of chronic cancer pain. <i>Palliative Medicine</i> , 2019 , 33, 74-81	5.5	1

482	Chronic breathlessness: re-thinking the symptom. <i>European Respiratory Journal</i> , 2018 , 51,	13.6	3
481	Chronic breathlessness: re-thinking the symptom. <i>European Respiratory Journal</i> , 2018 , 51,	13.6	2
480	Ensuring caregivers are part of palliative care service delivery. <i>Palliative and Supportive Care</i> , 2018 , 16, 639-640	2.5	1
479	The strength of evidence: low dose morphine for chronic breathlessness. <i>Internal Medicine Journal</i> , 2018 , 48, 102-103	1.6	1
478	The impact of therapeutic opioid agonists on driving-related psychomotor skills assessed by a driving simulator or an on-road driving task: A systematic review. <i>Palliative Medicine</i> , 2018 , 32, 786-803	5.5	18
477	One evidence base; three stories: do opioids relieve chronic breathlessness?. <i>Thorax</i> , 2018 , 73, 88-90	7.3	71
476	Perceptions of the care received from Australian palliative care services: A caregiver perspective. <i>Palliative and Supportive Care</i> , 2018 , 16, 198-208	2.5	7
475	The complex relationship between household income of family caregivers, access to palliative care services and place of death: A national household population survey. <i>Palliative Medicine</i> , 2018 , 32, 357-365	5.5	7
474	Moving on: Factors associated with caregivers' bereavement adjustment using a random population-based face-to-face survey. <i>Palliative Medicine</i> , 2018 , 32, 257-267	5.5	11
473	Identifying systems barriers that may prevent bereavement service access to bereaved carers: A report from an Australian specialist palliative care service. <i>Collegian</i> , 2018 , 25, 39-43	1.6	5
472	Missed opportunity? Worsening breathlessness as a harbinger of death: a cohort study. <i>European Respiratory Journal</i> , 2018 , 52,	13.6	6
471	Is chronic breathlessness less recognised and treated compared with chronic pain? A case-based randomised controlled trial. <i>European Respiratory Journal</i> , 2018 , 52,	13.6	23
470	Side effects of corticosteroids in patients with advanced cancer: a systematic review. <i>Supportive Care in Cancer</i> , 2018 , 26, 3979-3983	3.9	14
469	Extended-Release Morphine for Chronic Breathlessness in Pulmonary Arterial Hypertension-A Randomized, Double-Blind, Placebo-Controlled, Crossover Study. <i>Journal of Pain and Symptom Management</i> , 2018 , 56, 483-492	4.8	11
468	Protocol for a phase III pragmatic stepped wedge cluster randomised controlled trial comparing the effectiveness and cost-effectiveness of screening and guidelines with, versus without, implementation strategies for improving pain in adults with cancer attending outpatient oncology and palliative care services: the Stop Cancer PAIN trial. <i>BMC Health Services Research</i> , 2018 , 18, 558	2.9	5
467	Validation of the Dyspnea Exertion Scale of Breathlessness in People With Life-Limiting Illness. <i>Journal of Pain and Symptom Management</i> , 2018 , 56, 430-435.e2	4.8	4
466	A randomized open-label study of guideline-driven antiemetic therapy versus single agent antiemetic therapy in patients with advanced cancer and nausea not related to anticancer treatment. <i>BMC Cancer</i> , 2018 , 18, 510	4.8	16
465	Clinician-reported changes in octreotide prescribing for malignant bowel obstruction as a result of an adequately powered phase III study: A transnational, online survey. <i>Palliative Medicine</i> , 2018 , 32, 1363-1368	5.5	3

464	Has cancer survival improved for older people as for younger people? New South Wales, 1980-2012. <i>Cancer Epidemiology</i> , 2018 , 55, 23-29	2.8	3
463	Regular extended release morphine for chronic breathlessness: a multi-centre double-blind RCT 2018 ,		3
462	Treating anorexia in people with advanced cancer. a randomised, double blind, controlled trial of megestrol acetate, dexamethasone or placebo.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 10020-10020	2.2	2
461	Management of Respiratory Symptoms in People with Cancer 2018 , 217-229		
460	Palliative Management of Breathlessness 2018 , 1-12		
459	Balancing the risk and benefit of adjuvant chemotherapy for early breast cancer: A retrospective cohort study in New South Wales (NSW), Australia.. <i>Journal of Clinical Oncology</i> , 2018 , 36, e18841-e18841 ²		
458	Comparability of the Cancer Supportive Care Clinical Studies Collaborative (CSCCSC) study population to national referrals to other specialist palliative care services.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 63-63	2.2	
457	Psychometric validation of the needs assessment tool: progressive disease in interstitial lung disease. <i>Thorax</i> , 2018 , 73, 880-883	7.3	11
456	Conference presentation in palliative medicine: predictors of subsequent publication. <i>BMJ Supportive and Palliative Care</i> , 2018 , 8, 73-77	2.2	3
455	Pharmacovigilance in Hospice/Palliative Care: Net Effect of Haloperidol for Nausea or Vomiting. <i>Journal of Palliative Medicine</i> , 2018 , 21, 37-43	2.2	12
454	Challenges and Future Directions of Palliative Care 2018 , 1-20		
453	Efficacy of Anamorelin, a Novel Non-Peptide Ghrelin Analogue, in Patients with Advanced Non-Small Cell Lung Cancer (NSCLC) and Cachexia-Review and Expert Opinion. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	16
452	Validated screening tools for the assessment of cachexia, sarcopenia, and malnutrition: a systematic review. <i>American Journal of Clinical Nutrition</i> , 2018 , 108, 1196-1208	7	44
451	Safety of benzodiazepines and opioids in Interstitial lung disease: a national prospective study. <i>European Respiratory Journal</i> , 2018 , 52,	13.6	31
450	Integration of oncology and palliative care: a Lancet Oncology Commission. <i>Lancet Oncology</i> , 2018 , 19, e588-e653	21.7	230
449	Attitudes to specialist palliative care and advance care planning in people with COPD: a multi-national survey of palliative and respiratory medicine specialists. <i>BMC Palliative Care</i> , 2018 , 17, 115	3	16
448	Differing Approaches to Managing the Chronic Breathlessness Syndrome in Advanced COPD: A Multi-National Survey of Specialists. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2018 , 15, 294-302	2	13
447	Psychometric Properties of the Needs Assessment Tool-Progressive Disease Cancer in U.K. Primary Care. <i>Journal of Pain and Symptom Management</i> , 2018 , 56, 602-612	4.8	6

446	Breathlessness and sexual activity in older adults: the Australian Longitudinal Study of Ageing. <i>Npj Primary Care Respiratory Medicine</i> , 2018 , 28, 20	3.2	11
445	Providing Palliative Care at the End of Life: Should Health Professionals Fear Regulation?. <i>Journal of Law & Medicine</i> , 2018 , 26, 214-245	0.3	5
444	Living actively in the face of impending death: constantly adjusting to bodily decline at the end-of-life. <i>BMJ Supportive and Palliative Care</i> , 2017 , 7, 179-188	2.2	20
443	A Practical Approach to Fatigue Management in Colorectal Cancer. <i>Clinical Colorectal Cancer</i> , 2017 , 16, 275-285	3.8	22
442	Non-opioid medications for the relief of chronic breathlessness: current evidence. <i>Expert Review of Respiratory Medicine</i> , 2017 , 11, 333-341	3.8	7
441	Feasibility and Pilot Studies in Palliative Care Research: A Systematic Review. <i>Journal of Pain and Symptom Management</i> , 2017 , 54, 139-151.e4	4.8	9
440	ROMANA 3: a phase 3 safety extension study of anamorelin in advanced non-small-cell lung cancer (NSCLC) patients with cachexia. <i>Annals of Oncology</i> , 2017 , 28, 1949-1956	10.3	81
439	Identifying Factors That Predict Worse Constipation Symptoms in Palliative Care Patients: A Secondary Analysis. <i>Journal of Palliative Medicine</i> , 2017 , 20, 528-532	2.2	2
438	Efficacy of Oral Risperidone, Haloperidol, or Placebo for Symptoms of Delirium Among Patients in Palliative Care: A Randomized Clinical Trial. <i>JAMA Internal Medicine</i> , 2017 , 177, 34-42	11.5	205
437	The emerging role of anamorelin hydrochloride in the management of patients with cancer anorexia-cachexia. <i>Future Oncology</i> , 2017 , 13, 1767-1783	3.6	8
436	Towards an expert consensus to delineate a clinical syndrome of chronic breathlessness. <i>European Respiratory Journal</i> , 2017 , 49,	13.6	138
435	Effect of Opioids and Benzodiazepines on Clinical Outcomes in Patients Receiving Palliative Care: An Exploratory Analysis. <i>Journal of Palliative Medicine</i> , 2017 , 20, 1274-1279	2.2	6
434	The Prospective Evaluation of the Net Effect of Red Blood Cell Transfusions in Routine Provision of Palliative Care. <i>Journal of Palliative Medicine</i> , 2017 , 20, 1152-1157	2.2	22
433	Repurposing Medications for Hospice/Palliative Care Symptom Control Is No Longer Sufficient: A Manifesto for Change. <i>Journal of Pain and Symptom Management</i> , 2017 , 53, 533-539	4.8	5
432	The impact of geographic unit of analysis on socioeconomic inequalities in cancer survival and distant summary stage - a population-based study. <i>Australian and New Zealand Journal of Public Health</i> , 2017 , 41, 130-136	2.3	10
431	The independent association of overweight and obesity with breathlessness in adults: a cross-sectional, population-based study. <i>European Respiratory Journal</i> , 2017 , 50,	13.6	12
430	Breathlessness despite optimal pathophysiological treatment: on the relevance of being chronic. <i>European Respiratory Journal</i> , 2017 , 50,	13.6	2
429	Dosimetrically administered nebulized morphine for breathlessness in very severe chronic obstructive pulmonary disease: a randomized, controlled trial. <i>BMC Pulmonary Medicine</i> , 2017 , 17, 186	3.5	3

428	Pancreatectomy is underused in NSW regions with low institutional surgical volumes: a population data linkage study. <i>Medical Journal of Australia</i> , 2017 , 206, 23-29	4	7
427	A semiparametric joint model for terminal trend of quality of life and survival in palliative care research. <i>Statistics in Medicine</i> , 2017 , 36, 4692-4704	2.3	5
426	In response to C Walshe, 'The state of play'. <i>Palliative Medicine</i> , 2017 , 31, 772-773	5.5	4
425	Population-based models of planning for palliative care in older people. <i>Current Opinion in Supportive and Palliative Care</i> , 2017 , 11, 310-314	2.6	4
424	Overdosing on immediate-release morphine solution has predictable adverse effects. <i>European Respiratory Journal</i> , 2017 , 50,	13.6	1
423	A pragmatic, phase III, multisite, double-blind, placebo-controlled, parallel-arm, dose increment randomised trial of regular, low-dose extended-release morphine for chronic breathlessness: Breathlessness, Exertion And Morphine Sulfate (BEAMS) study protocol. <i>BMJ Open</i> , 2017 , 7, e018100	3	16
422	Does exclusion of cancers registered only from death-certificate information diminish socio-demographic disparities in recorded survival?. <i>Cancer Epidemiology</i> , 2017 , 48, 70-77	2.8	1
421	Quality of missing data reporting and handling in palliative care trials demonstrates that further development of the CONSORT statement is required: a systematic review. <i>Journal of Clinical Epidemiology</i> , 2017 , 88, 81-91	5.7	22
420	Palliative oxygen for chronic breathlessness: what new evidence?. <i>Current Opinion in Supportive and Palliative Care</i> , 2017 , 11, 159-164	2.6	1
419	Depression-A Major Contributor to Poor Quality of Life in Patients With Advanced Cancer. <i>Journal of Pain and Symptom Management</i> , 2017 , 54, 889-897	4.8	23
418	Insights from Australians with respiratory disease living in the community with experience of self-managing through an emergency department 'near miss' for breathlessness: a strengths-based qualitative study. <i>BMJ Open</i> , 2017 , 7, e017536	3	14
417	After accounting for competing causes of death and more advanced stage, do Aboriginal and Torres Strait Islander peoples with cancer still have worse survival? A population-based cohort study in New South Wales. <i>BMC Cancer</i> , 2017 , 17, 398	4.8	6
416	Caregivers' Perspectives on the Use of Long-Term Oxygen Therapy for the Treatment of Refractory Breathlessness: A Qualitative Study. <i>Journal of Pain and Symptom Management</i> , 2017 , 53, 33-39	4.8	14
415	Caregiver characteristics and bereavement needs: Findings from a population study. <i>Palliative Medicine</i> , 2017 , 31, 465-474	5.5	9
414	O-3 Opioids, benzodiazepines, anti-cholinergic load and clinical outcomes in patients with advanced cancer. <i>BMJ Supportive and Palliative Care</i> , 2017 , 7, A1.3-A2	2.2	
413	Case conferencing for palliative care patients - a survey of South Australian general practitioners. <i>Australian Journal of Primary Health</i> , 2017 , 23, 458-463	1.4	5
412	Telemonitoring via Self-Report and Video Review in Community Palliative Care: A Case Report. <i>Healthcare (Switzerland)</i> , 2017 , 5,	3.4	3
411	Body weight response with anamorelin in advanced non-small cell lung cancer (NSCLC) patients with anorexia/cachexia: Pooled analysis of two phase III trials.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 10097-10097	2.2	2

410	A survey of patients' experience of pain and other symptoms while receiving care from palliative care services. <i>BMJ Supportive and Palliative Care</i> , 2016 , 6, 315-22	2.2	20
409	Opioids, Exertion, and Dyspnea: A Review of the Evidence. <i>American Journal of Hospice and Palliative Medicine</i> , 2016 , 33, 194-200	2.6	16
408	Australia's plain tobacco packs: anticipated and actual responses among adolescents and young adults 2010-2013. <i>Tobacco Control</i> , 2016 ,	5.3	16
407	Oxygen for breathlessness in patients with chronic obstructive pulmonary disease who do not qualify for home oxygen therapy. <i>The Cochrane Library</i> , 2016 , 11, CD006429	5.2	29
406	The preventative role of exogenous melatonin administration to patients with advanced cancer who are at risk of delirium: study protocol for a randomized controlled trial. <i>Trials</i> , 2016 , 17, 399	2.8	10
405	The Pattern of Use of Hypofractionated Radiation Therapy for Early-Stage Breast Cancer in New South Wales, Australia, 2008 to 2012. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016 , 96, 266-272	4	22
404	Predictors of Mortality for Delirium in Palliative Care. <i>Journal of Palliative Medicine</i> , 2016 , 19, 1205-1209	2.2	15
403	Two colliding epidemics - obesity is independently associated with chronic pain interfering with activities of daily living in adults 18 years and over; a cross-sectional, population-based study. <i>BMC Public Health</i> , 2016 , 16, 1034	4.1	15
402	A qualitative exploration of patient and carer perspectives on pancreatic exocrine insufficiency due to pancreatic cancer. <i>BMJ Supportive and Palliative Care</i> , 2016 , 6, 400.1-400	2.2	
401	Content and quality of websites supporting self-management of chronic breathlessness in advanced illness: a systematic review. <i>Npj Primary Care Respiratory Medicine</i> , 2016 , 26, 16025	3.2	8
400	Health-related quality of life measured using the EQ-5D-5L: South Australian population norms. <i>Health and Quality of Life Outcomes</i> , 2016 , 14, 133	3	148
399	Differences in impact of Aboriginal and Torres Strait Islander status on cancer stage and survival by level of socio-economic disadvantage and remoteness of residence-A population-based cohort study in Australia. <i>Cancer Epidemiology</i> , 2016 , 41, 132-8	2.8	15
398	Prevalence of Sudden Death in Palliative Care: Data From the Australian Palliative Care Outcomes Collaboration. <i>Journal of Pain and Symptom Management</i> , 2016 , 52, 221-7	4.8	6
397	EAPC White Paper on outcome measurement in palliative care: Improving practice, attaining outcomes and delivering quality services - Recommendations from the European Association for Palliative Care (EAPC) Task Force on Outcome Measurement. <i>Palliative Medicine</i> , 2016 , 30, 6-22	5.5	93
396	Anamorelin in patients with non-small-cell lung cancer and cachexia (ROMANA 1 and ROMANA 2): results from two randomised, double-blind, phase 3 trials. <i>Lancet Oncology</i> , 2016 , 17, 519-531	21.7	330
395	Breathlessness During the Last Week of Life in Palliative Care: An Australian Prospective, Longitudinal Study. <i>Journal of Pain and Symptom Management</i> , 2016 , 51, 816-23	4.8	22
394	A Mixed-Methods, Randomized, Controlled Feasibility Trial to Inform the Design of a Phase III Trial to Test the Effect of the Handheld Fan on Physical Activity and Carer Anxiety in Patients With Refractory Breathlessness. <i>Journal of Pain and Symptom Management</i> , 2016 , 51, 807-15	4.8	28
393	The need to research refractory breathlessness. <i>European Respiratory Journal</i> , 2016 , 47, 342-3	13.6	27

392	A phase III, multi-site, randomised, double blind, placebo controlled parallel arm study of daily extended release (ER) morphine for chronic breathlessness 2016 ,		4
391	Anamorelin in cachectic patients with non-small cell lung cancer (NSCLC) and low BMI (Journal of Clinical Oncology, 2016 , 34, 10119-10119	2.2	1
390	Efficacy of anamorelin in cachectic patients with non-small cell lung cancer (NSCLC) and low BMI (Journal of Clinical Oncology, 2016 , 34, 203-203	2.2	3
389	Family Caregivers Who Would Be Unwilling to Provide Care at the End of Life Again: Findings from the Health Survey for England Population Survey. <i>PLoS ONE</i> , 2016 , 11, e0146960	3.7	10
388	Can Video Conferencing Be as Easy as Telephoning? A Home Healthcare Case Study. <i>E-health Telecommunication Systems and Networks</i> , 2016 , 05, 8-18	0.4	4
387	Chronic Conditions and Cancer at the End of Life 2016 , 455-475		1
386	Financial toxicity in clinical care today: a "menu without prices" ¹ . <i>Medical Journal of Australia</i> , 2016 , 204, 397	4	17
385	Financial toxicity in clinical care today: a "menu without prices". <i>Medical Journal of Australia</i> , 2016 , 205, 529-530	4	2
384	Using opioids in general practice for chronic non-cancer pain: an overview of current evidence. <i>Medical Journal of Australia</i> , 2016 , 205, 334-5	4	2
383	Using opioids in general practice for chronic non-cancer pain: an overview of current evidence. <i>Medical Journal of Australia</i> , 2016 , 204, 305-9	4	29
382	How are tobacco smokers using e-cigarettes? Patterns of use, reasons for use and places of purchase in New South Wales. <i>Medical Journal of Australia</i> , 2016 , 204, 355	4	14
381	Prescription of opioids for breathlessness in end-stage COPD: a national population-based study. <i>International Journal of COPD</i> , 2016 , 11, 2651-2657	3	33
380	How are tobacco smokers using e-cigarettes? Patterns of use, reasons for use and places of purchase in New South Wales. <i>Medical Journal of Australia</i> , 2016 , 205, 336	4	1
379	Providing palliative care for cardiovascular disease from a perspective of sociocultural diversity: a global view. <i>Current Opinion in Supportive and Palliative Care</i> , 2016 , 10, 11-7	2.6	17
378	Patterns in the incidence, mortality and survival of malignant pleural and peritoneal mesothelioma, New South Wales, 1972-2009. <i>Australian and New Zealand Journal of Public Health</i> , 2016 , 40, 255-62	2.3	14
377	The Adaptation, Face, and Content Validation of a Needs Assessment Tool: Progressive Disease for People with Interstitial Lung Disease. <i>Journal of Palliative Medicine</i> , 2016 , 19, 549-55	2.2	23
376	Assessing the Presence and Severity of Constipation with Plain Radiographs in Constipated Palliative Care Patients. <i>Journal of Palliative Medicine</i> , 2016 , 19, 617-21	2.2	9
375	Effects of low-dose morphine on perceived sleep quality in patients with refractory breathlessness: A hypothesis generating study. <i>Respirology</i> , 2016 , 21, 386-91	3.6	6

374	Opioids in chronic obstructive pulmonary disease: the whole picture using all available evidence. <i>British Journal of Clinical Pharmacology</i> , 2016 , 81, 795-6	3.8	3
373	A practical measurement of thoracic sarcopenia: correlation with clinical parameters and outcomes in advanced lung cancer. <i>ERJ Open Research</i> , 2016 , 2,	3.5	5
372	Are rural and remote patients, families and caregivers needs in life-limiting illness different from those of urban dwellers? A narrative synthesis of the evidence. <i>Australian Journal of Rural Health</i> , 2016 , 24, 289-299	1.3	15
371	Pharmacovigilance in hospice/palliative care: net effect of pregabalin for neuropathic pain. <i>BMJ Supportive and Palliative Care</i> , 2016 , 6, 323-30	2.2	5
370	End-of-life care in oxygen-dependent ILD compared with lung cancer: a national population-based study. <i>Thorax</i> , 2016 , 71, 510-6	7.3	67
369	Validation of administrative hospital data for identifying incident pancreatic and periampullary cancer cases: a population-based study using linked cancer registry and administrative hospital data in New South Wales, Australia. <i>BMJ Open</i> , 2016 , 6, e011161	3	12
368	Study protocol: a phase III randomised, double-blind, parallel arm, stratified, block randomised, placebo-controlled trial investigating the clinical effect and cost-effectiveness of sertraline for the palliative relief of breathlessness in people with chronic breathlessness. <i>BMJ Open</i> , 2016 , 6, e013177	3	7
367	Using telehealth to support end of life care in the community: a feasibility study. <i>BMC Palliative Care</i> , 2016 , 15, 94	3	33
366	Protocol for a systematic review of preference-based instruments for measuring care-related outcomes and their suitability for the palliative care setting. <i>BMJ Open</i> , 2016 , 6, e012181	3	4
365	Pharmacovigilance in hospice/palliative care: the net immediate and short-term effects of dexamethasone for anorexia. <i>BMJ Supportive and Palliative Care</i> , 2016 , 6, 331-7	2.2	8
364	Knowledge of the signs and symptoms and risk factors of lung cancer in Australia: mixed methods study. <i>BMC Public Health</i> , 2016 , 16, 508	4.1	25
363	Health service use and costs in the last 6 months of life in elderly decedents with a history of cancer: a comprehensive analysis from a health payer perspective. <i>British Journal of Cancer</i> , 2016 , 114, 1293-302	8.7	29
362	Missing data in randomized controlled trials testing palliative interventions pose a significant risk of bias and loss of power: A systematic review and meta-analyses. <i>Journal of Clinical Epidemiology</i> , 2016 , 74, 57-65	5.7	26
361	What Aspects of Quality of Life Are Important From Palliative Care Patients' Perspectives? A Systematic Review of Qualitative Research. <i>Journal of Pain and Symptom Management</i> , 2016 , 52, 318-328	4.8	60
360	Missing data in randomised controlled trials evaluating palliative interventions: a systematic review and meta-analysis. <i>Lancet, The</i> , 2016 , 387, S53	4.0	2
359	Single-patient multiple crossover studies to determine the effectiveness of paracetamol in relieving pain suffered by patients with advanced cancer taking regular opioids: A pilot study. <i>Palliative Medicine</i> , 2016 , 30, 800-2	5.5	4
358	How Accurately Do Consecutive Cohort Audits Predict Phase III Multisite Clinical Trial Recruitment in Palliative Care?. <i>Journal of Pain and Symptom Management</i> , 2016 , 51, 748-755	4.8	1
357	Implementation of a pilot telehealth programme in community palliative care: A qualitative study of clinicians' perspectives. <i>Palliative Medicine</i> , 2016 , 30, 409-17	5.5	33

356	Potential economic impact on hospitalisations of the Palliative Care Clinical Studies Collaborative (PaCCSC) ketamine randomised controlled trial. <i>Australian Health Review</i> , 2016 , 40, 100-105	1.8	6
355	Palliative Care Problem Severity Score: Reliability and acceptability in a national study. <i>Palliative Medicine</i> , 2016 , 30, 479-85	5.5	22
354	Blinded Patient Preference for Morphine Compared to Placebo in the Setting of Chronic Refractory Breathlessness--An Exploratory Study. <i>Journal of Pain and Symptom Management</i> , 2016 , 51, 247-54	4.8	13
353	Physical Symptoms at the Time of Dying Was Diagnosed: A Consecutive Cohort Study To Describe the Prevalence and Intensity of Problems Experienced by Imminently Dying Palliative Care Patients by Diagnosis and Place of Care. <i>Journal of Palliative Medicine</i> , 2016 , 19, 1288-1295	2.2	26
352	Prevalence and Outcomes of Breathlessness in Older Adults: A National Population Study. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 2035-2041	5.6	32
351	Embedding Objective Measurements of Quality into Routine Practice in Hospice/Palliative Care. <i>Journal of Pain and Symptom Management</i> , 2016 , 52, e5-7	4.8	1
350	Anticholinergic Drug Burden in Noncancer Versus Cancer Patients Near the End of Life. <i>Journal of Pain and Symptom Management</i> , 2016 , 52, 737-743.e3	4.8	5
349	Somatostatin Analogues Compared With Placebo and Other Pharmacologic Agents in the Management of Symptoms of Inoperable Malignant Bowel Obstruction: A Systematic Review. <i>Journal of Pain and Symptom Management</i> , 2016 , 52, 901-919.e1	4.8	25
348	Can We Detect Transfusion Benefits in Palliative Care Patients?. <i>Journal of Palliative Medicine</i> , 2016 , 19, 1110-1113	2.2	17
347	Minimal clinically important difference and Edmonton Symptom Assessment Scale. <i>Cancer</i> , 2016 , 122, 158-9	6.4	2
346	Breathlessness in Elderly Adults During the Last Year of Life Sufficient to Restrict Activity: Prevalence, Pattern, and Associated Factors. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 73-80	5.6	30
345	Look back for the Charlson Index did not improve risk adjustment of cancer surgical outcomes. <i>Journal of Clinical Epidemiology</i> , 2015 , 68, 379-86	5.7	7
344	A population-based cross-sectional study that defined normative population data for the Life-Space Mobility Assessment-composite score. <i>Journal of Pain and Symptom Management</i> , 2015 , 49, 885-93	4.8	16
343	Double-blind, placebo-controlled, randomized trial of octreotide in malignant bowel obstruction. <i>Journal of Pain and Symptom Management</i> , 2015 , 49, 814-21	4.8	69
342	Routine prescribing of gabapentin or pregabalin in supportive and palliative care: what are the comparative performances of the medications in a palliative care population?. <i>Supportive Care in Cancer</i> , 2015 , 23, 2517-20	3.9	7
341	Pharmacovigilance in hospice/palliative care: net effect of gabapentin for neuropathic pain. <i>BMJ Supportive and Palliative Care</i> , 2015 , 5, 273-80	2.2	7
340	Effects of opioids on breathlessness and exercise capacity in chronic obstructive pulmonary disease. A systematic review. <i>Annals of the American Thoracic Society</i> , 2015 , 12, 1079-92	4.7	122
339	Unconditional and conditional incentives differentially improved general practitioners' participation in an online survey: randomized controlled trial. <i>Journal of Clinical Epidemiology</i> , 2015 , 68, 693-7	5.7	22

338	Polypharmacy in patients with advanced cancer and the role of medication discontinuation. <i>Lancet Oncology, The</i> , 2015 , 16, e333-41	21.7	97
337	The Population Burden of Chronic Symptoms that Substantially Predate the Diagnosis of a Life-Limiting Illness. <i>Journal of Palliative Medicine</i> , 2015 , 18, 480-5	2.2	12
336	Re: Hui et al., which treatment is better?. <i>Journal of Pain and Symptom Management</i> , 2015 , 49, e6-7	4.8	1
335	The Effect of Methylphenidate on Fatigue in Advanced Cancer: An Aggregated N-of-1 Trial. <i>Journal of Pain and Symptom Management</i> , 2015 , 50, 289-96	4.8	29
334	A systematic review of strategies used to increase recruitment of people with cancer or organ failure into clinical trials: implications for palliative care research. <i>Journal of Pain and Symptom Management</i> , 2015 , 49, 762-772.e5	4.8	31
333	Improving national hospice/palliative care service symptom outcomes systematically through point-of-care data collection, structured feedback and benchmarking. <i>Supportive Care in Cancer</i> , 2015 , 23, 307-15	3.9	71
332	Measuring caregiver outcomes in palliative care: a construct validation study of two instruments for use in economic evaluations. <i>Quality of Life Research</i> , 2015 , 24, 1255-73	3.7	20
331	Academic detailing of general practitioners by a respiratory physician for diagnosis and management of refractory breathlessness: a randomised pilot study. <i>BMC Health Services Research</i> , 2015 , 15, 193	2.9	9
330	Safety and benefit of discontinuing statin therapy in the setting of advanced, life-limiting illness: a randomized clinical trial. <i>JAMA Internal Medicine</i> , 2015 , 175, 691-700	11.5	300
329	Practical Dyspnea Assessment: Relationship Between the 0-10 Numerical Rating Scale and the Four-Level Categorical Verbal Descriptor Scale of Dyspnea Intensity. <i>Journal of Pain and Symptom Management</i> , 2015 , 50, 480-7	4.8	29
328	End-of-life care in oxygen-dependent COPD and cancer: a national population-based study. <i>European Respiratory Journal</i> , 2015 , 46, 1190-3	13.6	27
327	Assessing measures of comorbidity and functional status for risk adjustment to compare hospital performance for colorectal cancer surgery: a retrospective data-linkage study. <i>BMC Medical Informatics and Decision Making</i> , 2015 , 15, 55	3.6	25
326	Can variability in the effect of opioids on refractory breathlessness be explained by genetic factors?. <i>BMJ Open</i> , 2015 , 5, e006818	3	19
325	Indicators of integration of oncology and palliative care programs: an international consensus. <i>Annals of Oncology</i> , 2015 , 26, 1953-1959	10.3	79
324	Caregiver Expectations: Predictors of a Worse Than Expected Caregiving Experience at the End of Life. <i>Journal of Pain and Symptom Management</i> , 2015 , 50, 453-61	4.8	13
323	Sudden Death in Palliative Care. <i>Journal of Pain and Symptom Management</i> , 2015 , 50, e1-2	4.8	4
322	Oxygen for relief of dyspnoea in people with chronic obstructive pulmonary disease who would not qualify for home oxygen: a systematic review and meta-analysis. <i>Thorax</i> , 2015 , 70, 492-4	7.3	33
321	Caring at the end of life: do cancer caregivers differ from other caregivers?. <i>BMJ Supportive and Palliative Care</i> , 2015 , 5, 513-7	2.2	5

320	Stigma as a barrier to diagnosis of lung cancer: patient and general practitioner perspectives. <i>Primary Health Care Research and Development</i> , 2015 , 16, 618-22	1.6	29
319	Advance care planning in 21st century Australia: a systematic review and appraisal of online advance care directive templates against national framework criteria. <i>Australian Health Review</i> , 2015 , 39, 552-560	1.8	22
318	Trends in incidence and survival for anal cancer in New South Wales, Australia, 1972-2009. <i>Cancer Epidemiology</i> , 2015 , 39, 842-7	2.8	25
317	Promoting the consumer voice in palliative care: exploring the possibility of using consumer impact statements. <i>Health Expectations</i> , 2015 , 18, 653-60	3.7	2
316	Changing roles of population-based cancer registries in Australia. <i>Australian Health Review</i> , 2015 , 39, 425-428	1.8	11
315	CYP2B6*6 allele and age substantially reduce steady-state ketamine clearance in chronic pain patients: impact on adverse effects. <i>British Journal of Clinical Pharmacology</i> , 2015 , 80, 276-84	3.8	39
314	INSPIRE (INvestigating Social and Practical supportS at the End of life): Pilot randomised trial of a community social and practical support intervention for adults with life-limiting illness. <i>BMC Palliative Care</i> , 2015 , 14, 65	3	22
313	Benefits and resource implications of family meetings for hospitalized palliative care patients: research protocol. <i>BMC Palliative Care</i> , 2015 , 14, 73	3	9
312	Re: Asia, Australia and New Zealand Dyspnoea in Emergency Departments (AANZDEM) study: Rationale, design and analysis. <i>EMA - Emergency Medicine Australasia</i> , 2015 , 27, 498-9	1.5	
311	Who provides care for people dying of cancer? A comparison of a rural and metropolitan cohort in a South Australian bereaved population study. <i>Australian Journal of Rural Health</i> , 2015 , 23, 24-31	1.3	10
310	Survival from breast, colon, lung, ovarian and rectal cancer by geographical remoteness in New South Wales, Australia, 2000-2008. <i>Australian Journal of Rural Health</i> , 2015 , 23, 49-56	1.3	13
309	National consultation informing development of guidelines for a palliative approach for aged care in the community setting. <i>Australasian Journal on Ageing</i> , 2015 , 34, 21-6	1.5	3
308	Dying in Australian hospitals: will a separate national clinical standard improve the delivery of quality care?. <i>Australian Health Review</i> , 2015 , 39, 202-204	1.8	7
307	Testing pilocarpine drops for dry mouth in advanced cancer using n-of-1 trials: A feasibility study. <i>Palliative Medicine</i> , 2015 , 29, 967-74	5.5	3
306	Low-dose opioids should be considered for symptom relief also in advanced chronic obstructive pulmonary disease (COPD). <i>Evidence-Based Medicine</i> , 2015 , 20, 39		6
305	Outcome measurement of refractory breathlessness: endpoints and important differences. <i>Current Opinion in Supportive and Palliative Care</i> , 2015 , 9, 238-43	2.6	9
304	Falls in Palliative Care. <i>Journal of Palliative Medicine</i> , 2015 , 18, 827-8	2.2	3
303	Out of Sight and Out of Mind? Evaluating the Impact of Point-of-Sale Tobacco Display Bans on Smoking-Related Beliefs and Behaviors in a Sample of Australian Adolescents and Young Adults. <i>Nicotine and Tobacco Research</i> , 2015 , 17, 761-8	4.9	25

302	Magnetoencephalography to investigate central perception of exercise-induced breathlessness in people with chronic lung disease: a feasibility pilot. <i>BMJ Open</i> , 2015 , 5, e007535	3	15
301	Symptom burden of haematological malignancies as death approaches in a community palliative care service: a retrospective cohort study of a consecutive case series. <i>Lancet Haematology</i> , 2015 , 2, e334-8	14.6	28
300	Invisible suffering: breathlessness in and beyond the clinic--a reply. <i>Lancet Respiratory Medicine</i> , 2015 , 3, e29	35.1	1
299	Communication differences when patients and caregivers are seen separately or together. <i>International Journal of Palliative Nursing</i> , 2015 , 21, 557-63	0.9	8
298	The management of chronic breathlessness in patients with advanced and terminal illness. <i>BMJ, The</i> , 2015 , 350, g7617	5.9	55
297	Comparison of ECOG/WHO performance status and ASA score as a measure of functional status. <i>Journal of Pain and Symptom Management</i> , 2015 , 49, 258-64	4.8	91
296	Effects of opioids on breathlessness and exercise capacity in chronic obstructive pulmonary disease: A systematic review and meta-analysis 2015 ,		2
295	Phase III trials of anamorelin in patients with advanced non-small cell lung cancer (NSCLC) and cachexia (ROMANA 1 and 2).. <i>Journal of Clinical Oncology</i> , 2015 , 33, 9500-9500	2.2	2
294	A safety extension study of anamorelin in advanced non-small cell lung cancer patients with cachexia: ROMANA 3.. <i>Journal of Clinical Oncology</i> , 2015 , 33, e20715-e20715	2.2	5
293	Anamorelin in patients with advanced non-small cell lung cancer and cachexia: Results from the phase III studies ROMANA 1 and 2.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 175-175	2.2	4
292	Better informing decision making with multiple outcomes cost-effectiveness analysis under uncertainty in cost-disutility space. <i>PLoS ONE</i> , 2015 , 10, e0115544	3.7	23
291	Patterns of technology use in patients attending a cardiopulmonary outpatient clinic: a self-report survey. <i>Interactive Journal of Medical Research</i> , 2015 , 4, e5	2.1	10
290	Building an Architectural Component Model for a Telehealth Service. <i>E-health Telecommunication Systems and Networks</i> , 2015 , 04, 35-44	0.4	6
289	Investigation of poorer bladder cancer survival in women in NSW, Australia: a data linkage study. <i>BJU International</i> , 2014 , 113, 437-48	5.6	16
288	Social capital in a lower socioeconomic palliative care population: a qualitative investigation of individual, community and civic networks and relations. <i>BMC Palliative Care</i> , 2014 , 13, 30	3	14
287	Clinical practice guidelines for delirium management: potential application in palliative care. <i>Journal of Pain and Symptom Management</i> , 2014 , 48, 249-58	4.8	22
286	A prospective study to investigate contributory factors that lead to constipation in palliative care patients. <i>Journal of Pain and Symptom Management</i> , 2014 , 47, e1-4	4.8	8
285	Lessons from the Liverpool Care Pathway--evidence is key. <i>Lancet, The</i> , 2014 , 383, 192-3	40	16

284	Methylnaltrexone in palliative care: further research is needed. <i>Journal of Pain and Symptom Management</i> , 2014 , 47, e5-6	4.8	3
283	An analytical framework for delirium research in palliative care settings: integrated epidemiologic, clinician-researcher, and knowledge user perspectives. <i>Journal of Pain and Symptom Management</i> , 2014 , 48, 159-175	4.8	36
282	Is the Life Space Assessment applicable to a palliative care population? Its relationship to measures of performance and quality of life. <i>Journal of Pain and Symptom Management</i> , 2014 , 47, 1121-7	4.8	11
281	Treating an established episode of delirium in palliative care: expert opinion and review of the current evidence base with recommendations for future development. <i>Journal of Pain and Symptom Management</i> , 2014 , 48, 231-248	4.8	55
280	Asia Pacific palliative care development through education. <i>Journal of Pain and Symptom Management</i> , 2014 , 47, e7-9	4.8	11
279	End-of-life delirium: issues regarding recognition, optimal management, and the role of sedation in the dying phase. <i>Journal of Pain and Symptom Management</i> , 2014 , 48, 215-30	4.8	69
278	The relationship between two performance scales: New York Heart Association Classification and Karnofsky Performance Status Scale. <i>Journal of Pain and Symptom Management</i> , 2014 , 47, 652-8	4.8	37
277	Knowledge, attitudes and beliefs about lung cancer in three culturally and linguistically diverse communities living in Australia: a qualitative study. <i>Health Promotion Journal of Australia</i> , 2014 , 25, 46-51	4.7	6
276	Preliminary development and validation of a new end-of-life patient-reported outcome measure assessing the ability of patients to finalise their affairs at the end of life. <i>PLoS ONE</i> , 2014 , 9, e94316	3.7	9
275	Association between tobacco plain packaging and Quitline calls: a population-based, interrupted time-series analysis. <i>Medical Journal of Australia</i> , 2014 , 200, 29-32	4	61
274	Survival, mortality and morbidity outcomes after oesophagogastric cancer surgery in New South Wales, 2001-2008. <i>Medical Journal of Australia</i> , 2014 , 200, 408-13	4	29
273	What factors are predictive of surgical resection and survival from localised non-small cell lung cancer?. <i>Medical Journal of Australia</i> , 2014 , 201, 475-80	4	20
272	The withdrawal of the Liverpool Care Pathway in the United Kingdom: what are the implications for Australia?. <i>Medical Journal of Australia</i> , 2014 , 200, 573	4	6
271	The association between tobacco plain packaging and Quitline calls. <i>Medical Journal of Australia</i> , 2014 , 200, 314-5	4	3
270	Unanswered Questions in Malignant Bowel Obstruction. <i>Journal of Palliative Care</i> , 2014 , 30, 265-270	1.8	4
269	Measuring improvement in dyspnoea: should absolute or relative values be used?. <i>European Respiratory Journal</i> , 2014 , 44, 1700-3	13.6	8
268	Safety of benzodiazepines and opioids in very severe respiratory disease: national prospective study. <i>BMJ, The</i> , 2014 , 348, g445	5.9	187
267	Impact of Australia's introduction of tobacco plain packs on adult smokers' pack-related perceptions and responses: results from a continuous tracking survey. <i>BMJ Open</i> , 2014 , 4, e005836	3	33

266	Prevalence and assessment of breathlessness in the clinical setting. <i>Expert Review of Respiratory Medicine</i> , 2014 , 8, 151-61	3.8	33
265	Do patients and carers find separate palliative care clinic consultations acceptable? A pilot study. <i>International Journal of Palliative Nursing</i> , 2014 , 20, 301-5	0.9	3
264	Advancing research into symptoms of constipation at the end of life. <i>International Journal of Palliative Nursing</i> , 2014 , 20, 370, 372	0.9	3
263	Prescribing for nausea in palliative care: a cross-sectional national survey of Australian palliative medicine doctors. <i>Journal of Palliative Medicine</i> , 2014 , 17, 1032-6	2.2	5
262	Anamorelin hydrochloride in the treatment of cancer anorexia-cachexia syndrome. <i>Future Oncology</i> , 2014 , 10, 789-802	3.6	26
261	Pro re nata prescribing in a population receiving palliative care: a prospective consecutive case note review. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 1736-40	5.6	11
260	Physical activity and fitness in women with metastatic breast cancer. <i>Journal of Cancer Survivorship</i> , 2014 , 8, 647-56	5.1	44
259	The active identification and management of chronic refractory breathlessness is a human right. <i>Thorax</i> , 2014 , 69, 393-4	7.3	47
258	Experience of advanced chronic obstructive pulmonary disease: metasynthesis of qualitative research. <i>Journal of Pain and Symptom Management</i> , 2014 , 48, 1182-99	4.8	101
257	Ethical challenges and solutions regarding delirium studies in palliative care. <i>Journal of Pain and Symptom Management</i> , 2014 , 48, 259-71	4.8	25
256	Opioids for chronic refractory breathlessness: right patient, right route?. <i>Drugs</i> , 2014 , 74, 1-6	12.1	11
255	Subgroup analysis of ECOG2 patients from ROMANA 2: A phase III study of anamorelin in NSCLC patients with cachexia.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 6-6	2.2	1
254	Designing clinically valuable telehealth resources: processes to develop a community-based palliative care prototype. <i>JMIR Research Protocols</i> , 2014 , 3, e41	2	13
253	EviQ cancer treatments online (www.eviQ.org.au): A widely used Australian resource.. <i>Journal of Clinical Oncology</i> , 2014 , 32, e17507-e17507	2.2	
252	Anamorelin for the treatment of cancer anorexia-cachexia: Baseline characteristics from three phase III clinical trials (the ROMANA program).. <i>Journal of Clinical Oncology</i> , 2014 , 32, e20694-e20694	2.2	
251	Surgery and Palliative Care: Is There Common Ground or Simply a Clash of Cultures? 2014 , 3-7		
250	Models of Care in Palliative Medicine 2014 , 9-17		
249	Can the LANSS scale be used to classify pain in chronic cancer pain trials?. <i>Supportive Care in Cancer</i> , 2013 , 21, 3387-91	3.9	19

248	Using aggregated single patient (N-of-1) trials to determine the effectiveness of psychostimulants to reduce fatigue in advanced cancer patients: a rationale and protocol. <i>BMC Palliative Care</i> , 2013 , 12, 17	3	17
247	Clinically important differences in the intensity of chronic refractory breathlessness. <i>Journal of Pain and Symptom Management</i> , 2013 , 46, 957-63	4.8	98
246	The caregiving perspective in heart failure: a population based study. <i>BMC Health Services Research</i> , 2013 , 13, 342	2.9	29
245	Multisite studies offer a solution to recruitment challenges in palliative care studies. <i>Journal of Palliative Medicine</i> , 2013 , 16, 225	2.2	1
244	The clinical and social dimensions of prescribing palliative home oxygen for refractory dyspnea. <i>Journal of Palliative Medicine</i> , 2013 , 16, 268-73	2.2	7
243	Pharmacovigilance in hospice/palliative care: net effect of haloperidol for delirium. <i>Journal of Palliative Medicine</i> , 2013 , 16, 1335-41	2.2	30
242	Constipation in palliative care: what do we use as definitions and outcome measures?. <i>Journal of Pain and Symptom Management</i> , 2013 , 45, 753-62	4.8	15
241	Facilitating needs-based support and palliative care for people with chronic heart failure: preliminary evidence for the acceptability, inter-rater reliability, and validity of a needs assessment tool. <i>Journal of Pain and Symptom Management</i> , 2013 , 45, 912-25	4.8	39
240	A social capital framework for palliative care: supporting health and well-being for people with life-limiting illness and their carers through social relations and networks. <i>Journal of Pain and Symptom Management</i> , 2013 , 45, 92-103	4.8	42
239	Community-based palliative care: the natural evolution for palliative care delivery in the U.S. <i>Journal of Pain and Symptom Management</i> , 2013 , 46, 254-64	4.8	96
238	Delivery strategies to optimize resource utilization and performance status for patients with advanced life-limiting illness: results from the "palliative care trial" [ISRCTN 81117481]. <i>Journal of Pain and Symptom Management</i> , 2013 , 45, 488-505	4.8	67
237	Do community specialist palliative care services that provide home nursing increase rates of home death for people with life-limiting illnesses? A systematic review and meta-analysis of comparative studies. <i>Journal of Pain and Symptom Management</i> , 2013 , 45, 279-97	4.8	40
236	The evidence base for oxygen for chronic refractory breathlessness: issues, gaps, and a future work plan. <i>Journal of Pain and Symptom Management</i> , 2013 , 45, 763-75	4.8	18
235	Placebo and nocebo effects in randomized controlled trials: the implications for research and practice. <i>Journal of Pain and Symptom Management</i> , 2013 , 46, 722-30	4.8	24
234	The Edmonton Classification System for Cancer Pain: comparison of pain classification features and pain intensity across diverse palliative care settings in eight countries. <i>Journal of Palliative Medicine</i> , 2013 , 16, 516-23	2.2	27
233	Is home-based palliative care cost-effective? An economic evaluation of the Palliative Care Extended Packages at Home (PEACH) pilot. <i>BMJ Supportive and Palliative Care</i> , 2013 , 3, 431-5	2.2	25
232	Hospital can be the actively chosen place for death. <i>Journal of Clinical Oncology</i> , 2013 , 31, 651-2	2.2	5
231	Uptake of methyl naltrexone in Australian patients with opioid-induced constipation: a review of the number of prescriptions presented in the first 12 months of subsidisation. <i>BMJ Supportive and Palliative Care</i> , 2013 , 3, 98-102	2.2	1

230	Reply to K. Jackson et al and W. Leppert. <i>Journal of Clinical Oncology</i> , 2013 , 31, 1375-6	2.2	5
229	Opioids for chronic refractory breathlessness: patient predictors of beneficial response. <i>European Respiratory Journal</i> , 2013 , 42, 758-66	13.6	69
228	Community pharmacists: a forgotten resource for palliative care. <i>BMJ Supportive and Palliative Care</i> , 2013 , 3, 436-43	2.2	11
227	Physical, psychosocial, relationship, and economic burden of caring for people with cancer: a review. <i>Journal of Oncology Practice</i> , 2013 , 9, 197-202	3.1	242
226	Off-label prescribing in palliative care - a cross-sectional national survey of palliative medicine doctors. <i>Palliative Medicine</i> , 2013 , 27, 320-8	5.5	11
225	Breathlessness--current and emerging mechanisms, measurement and management: a discussion from an European Association of Palliative Care workshop. <i>Palliative Medicine</i> , 2013 , 27, 932-8	5.5	19
224	Do pilocarpine drops help dry mouth in palliative care patients: a protocol for an aggregated series of n-of-1 trials. <i>BMC Palliative Care</i> , 2013 , 12, 39	3	7
223	Uncovering an invisible network of direct caregivers at the end of life: a population study. <i>Palliative Medicine</i> , 2013 , 27, 608-15	5.5	45
222	The longitudinal pattern of response when morphine is used to treat chronic refractory dyspnea. <i>Journal of Palliative Medicine</i> , 2013 , 16, 881-6	2.2	36
221	Informed consent in palliative care clinical trials: challenging but possible. <i>Journal of Palliative Medicine</i> , 2013 , 16, 485-91	2.2	22
220	Letter to the editor re "Four essential drugs needed for quality care of the dying: a Delphi-study based international expert consensus opinion". <i>Journal of Palliative Medicine</i> , 2013 , 16, 721-2	2.2	1
219	A pilot study to assess the feasibility of measuring the prevalence of slow colon transit or evacuation disorder in palliative care. <i>Journal of Palliative Medicine</i> , 2013 , 16, 542-5	2.2	3
218	Early admission to community-based palliative care reduces use of emergency departments in the ninety days before death. <i>Journal of Palliative Medicine</i> , 2013 , 16, 774-9	2.2	53
217	Overcoming recruitment challenges in palliative care clinical trials. <i>Journal of Oncology Practice</i> , 2013 , 9, 277-82	3.1	44
216	The role of benzodiazepines in breathlessness: a single site, open label pilot of sustained release morphine together with clonazepam. <i>Journal of Palliative Medicine</i> , 2013 , 16, 741-4	2.2	25
215	When Should Corticosteroids Be Used to Manage Pain? 2013 , 44-48		3
214	Evidence-based intervention for chronic refractory breathlessness: practical therapies that make a difference. <i>British Journal of General Practice</i> , 2013 , 63, 609-10	1.6	11
213	Could a scheme for licensing smokers work in Australia?. <i>Medical Journal of Australia</i> , 2013 , 199, 181-4	4	5

212	What Interventions Are Effective for Managing Dyspnea in Cancer? 2013 , 103-110		1
211	Best supportive care (BSC) in published clinical trials.. <i>Journal of Clinical Oncology</i> , 2013 , 31, 9560-9560	2.2	1
210	Phase III clinical trials with anamorelin HCl, a novel oral treatment for NSCLC cachexia.. <i>Journal of Clinical Oncology</i> , 2013 , 31, TPS9649-TPS9649	2.2	3
209	Prospectively collected characteristics of adult patients, their consultations and outcomes as they report breathlessness when presenting to general practice in Australia. <i>PLoS ONE</i> , 2013 , 8, e74814	3.7	23
208	Supportive and palliative care for lung cancer patients. <i>Journal of Thoracic Disease</i> , 2013 , 5 Suppl 5, S623-628		11
207	Guidelines for the diagnosis and treatment of malignant pleural mesothelioma. <i>Journal of Thoracic Disease</i> , 2013 , 5, E254-307	2.6	132
206	When Should Nonsteroidal Antiinflammatory Drugs Be Used to Manage Pain? 2013 , 49-53		2
205	Palliative Care Clinical Trials: Generalizability and Applicability in Hospice and Palliative Care Practice 2013 , 109-119		
204	Should Bisphosphonates Be Used Routinely to Manage Pain and Skeletal Complications in Other Conditions? 2013 , 65-69		
203	Should Bisphosphonates Be Used Routinely to Manage Pain and Skeletal Complications in Cancer? 2013 , 59-64		
202	Physical activity and fitness in women with metastatic breast cancer.. <i>Journal of Clinical Oncology</i> , 2013 , 31, 136-136	2.2	
201	Could a scheme for licensing smokers work in Australia?. <i>Medical Journal of Australia</i> , 2013 , 199, 742	4	
200	Chronic refractory dyspnoea--evidence based management. <i>Australian Family Physician</i> , 2013 , 42, 137-40		20
199	Improving outcomes for people with progressive cancer: interrupted time series trial of a needs assessment intervention. <i>Journal of Pain and Symptom Management</i> , 2012 , 43, 569-81	4.8	33
198	Gaps in the evidence base of opioids for refractory breathlessness. A future work plan?. <i>Journal of Pain and Symptom Management</i> , 2012 , 43, 614-24	4.8	41
197	Refining a checklist for reporting patient populations and service characteristics in hospice and palliative care research. <i>Journal of Pain and Symptom Management</i> , 2012 , 43, 902-10	4.8	12
196	Key characteristics of palliative care studies reported in the specialized literature. <i>Journal of Pain and Symptom Management</i> , 2012 , 43, 987-92	4.8	10
195	The prevalence of bowel problems reported in a palliative care population. <i>Journal of Pain and Symptom Management</i> , 2012 , 43, 993-1000	4.8	25

194	Consensus-based standards for best supportive care in clinical trials in advanced cancer. <i>Lancet Oncology, The</i> , 2012 , 13, e77-82	21.7	61
193	Computer-based symptom assessment is feasible in patients with advanced cancer: results from an international multicenter study, the EPCRC-CSA. <i>Journal of Pain and Symptom Management</i> , 2012 , 44, 639-54	4.8	45
192	Assessment of the psychometric properties of an English version of the cancer dyspnea scale in people with advanced lung cancer. <i>Journal of Pain and Symptom Management</i> , 2012 , 44, 741-9	4.8	12
191	Analyzing phase III studies in hospice/palliative care. a solution that sits between intention-to-treat and per protocol analyses: the palliative-modified ITT analysis. <i>Journal of Pain and Symptom Management</i> , 2012 , 44, 595-603	4.8	27
190	The role of ondansetron in the management of cholestatic or uremic pruritus--a systematic review. <i>Journal of Pain and Symptom Management</i> , 2012 , 44, 725-30	4.8	28
189	Activity as a measure of symptom control. <i>Journal of Pain and Symptom Management</i> , 2012 , 44, e1-2	4.8	12
188	Re: oral docusate in the management of constipation in hospice patients. <i>Journal of Pain and Symptom Management</i> , 2012 , 44, e6-7; author reply e8	4.8	
187	Understanding the Impact of Withdrawing From Phase III Studies in Palliative Care: Reply to Johnson et al.. <i>Journal of Pain and Symptom Management</i> , 2012 , 44, e2-e4	4.8	5
186	Pharmacovigilance in hospice/palliative care: rapid report of net clinical effect of metoclopramide. <i>Journal of Palliative Medicine</i> , 2012 , 15, 1071-5	2.2	12
185	Making decisions about delirium: a qualitative comparison of decision making between nurses working in palliative care, aged care, aged care psychiatry, and oncology. <i>Palliative Medicine</i> , 2012 , 26, 887-96	5.5	45
184	Randomized, double-blind, placebo-controlled study to assess the efficacy and toxicity of subcutaneous ketamine in the management of cancer pain. <i>Journal of Clinical Oncology</i> , 2012 , 30, 3611-7.2		146
183	Referral patterns and proximity to palliative care inpatient services by level of socio-economic disadvantage. A national study using spatial analysis. <i>BMC Health Services Research</i> , 2012 , 12, 424	2.9	33
182	Interventions to support a palliative care approach in patients with chronic obstructive pulmonary disease: an integrative review. <i>International Journal of Nursing Studies</i> , 2012 , 49, 1443-58	5.8	23
181	Subsidised use of methylalntrexone in Australia for palliative care. <i>Medical Journal of Australia</i> , 2012 , 197, 492	4	22
180	Implications of a needs assessment intervention for people with progressive cancer: impact on clinical assessment, response and service utilisation. <i>Psycho-Oncology</i> , 2012 , 21, 550-7	3.9	17
179	Improving the management of dyspnea in the community using rapid learning approaches. <i>Chronic Respiratory Disease</i> , 2012 , 9, 51-61	3	7
178	Guidelines for a palliative approach for aged care in the community setting: A suite of resources. <i>Australasian Medical Journal</i> , 2012 , 5, 569-74	2	5
177	Implementation and evaluation of an education program to guide palliative care for people with motor neurone disease. <i>Palliative Medicine</i> , 2012 , 26, 994-1000	5.5	13

176	Designing and conducting randomized controlled trials in palliative care: A summary of discussions from the 2010 clinical research forum of the Australian Palliative Care Clinical Studies Collaborative. <i>Palliative Medicine</i> , 2012 , 26, 1042-7	5.5	26
175	Considerations in reporting palliative care clinical trials: standardizing information reported and authorship practices. <i>Current Opinion in Supportive and Palliative Care</i> , 2012 , 6, 494-9	2.6	5
174	Assessing constipation in palliative care within a gastroenterology framework. <i>Palliative Medicine</i> , 2012 , 26, 834-41	5.5	11
173	End-of-life research: do we need to build proxy consent into all clinical trial protocols studying the terminal phase?. <i>Journal of Palliative Medicine</i> , 2012 , 15, 962	2.2	1
172	Defining refractory pain in cancer for clinicians and researchers. <i>Journal of Palliative Medicine</i> , 2012 , 15, 5-6	2.2	14
171	An international initiative to create a collaborative for pharmacovigilance in hospice and palliative care clinical practice. <i>Journal of Palliative Medicine</i> , 2012 , 15, 282-6	2.2	29
170	Dyspnea review for the palliative care professional: treatment goals and therapeutic options. <i>Journal of Palliative Medicine</i> , 2012 , 15, 106-14	2.2	61
169	To what causes do people attribute their chronic breathlessness? A population survey. <i>Journal of Palliative Medicine</i> , 2012 , 15, 744-50	2.2	37
168	Longitudinal pain reports in a palliative care population. <i>Journal of Palliative Medicine</i> , 2012 , 15, 1335-41	2.2	7
167	The disparity between patient and nurse symptom rating in a hospice population. <i>Journal of Palliative Medicine</i> , 2012 , 15, 542-7	2.2	12
166	Time-limited trials. <i>JAMA - Journal of the American Medical Association</i> , 2012 , 307, 33-4; author reply 34	27.4	3
165	Can assessing caregiver needs and activating community networks improve caregiver-defined outcomes? A single-blind, quasi-experimental pilot study: community facilitator pilot. <i>Palliative Medicine</i> , 2012 , 26, 917-23	5.5	25
164	Transition to an in-patient palliative care unit: carers share their experiences. <i>International Journal of Palliative Nursing</i> , 2012 , 18, 548-52	0.9	2
163	A multi-site, fixed dose, parallel arm, double-blind, placebo controlled, block randomised trial of the addition of infusional octreotide or placebo to regular ranitidine and dexamethasone for the evaluation of vomiting associated with bowel obstruction at the end of life.. <i>Journal of Clinical Oncology</i> , 2012 , 30, TP69153-TP69153	2.2	
162	A randomized, double-blind, placebo-controlled study to assess the efficacy and toxicity of subcutaneous ketamine in the management of cancer pain.. <i>Journal of Clinical Oncology</i> , 2012 , 30, 2604-2604	2.2	1
161	Caring for people at the end of life: How do cancer caregivers differ from other caregivers?. <i>Journal of Clinical Oncology</i> , 2012 , 30, 9128-9128	2.2	
160	Case conferences in palliative care - a substudy of a cluster randomised controlled trial. <i>Australian Family Physician</i> , 2012 , 41, 608-12		4
159	Symptomatic oxygen for non-hypoxaemic chronic obstructive pulmonary disease. <i>Cochrane Database of Systematic Reviews</i> , 2011 , CD006429		28

158	An intervention to promote physical activity and self-management in people with stable chronic heart failure The Home-Heart-Walk study: study protocol for a randomized controlled trial. <i>Trials</i> , 2011 , 12, 63	2.8	26
157	Aggregating single patient (n-of-1) trials in populations where recruitment and retention was difficult: the case of palliative care. <i>Journal of Clinical Epidemiology</i> , 2011 , 64, 471-80	5.7	67
156	Hospital and emergency department use in the last year of life: a baseline for future modifications to end-of-life care. <i>Medical Journal of Australia</i> , 2011 , 194, 570-3	4	112
155	As death approaches: a retrospective survey of the care of adults dying in Alice Springs Hospital. <i>Australian Journal of Rural Health</i> , 2011 , 19, 4-8	1.3	6
154	Palliative caregivers who would not take on the caring role again. <i>Journal of Pain and Symptom Management</i> , 2011 , 41, 661-72	4.8	33
153	Dying in the margins: understanding palliative care and socioeconomic deprivation in the developed world. <i>Journal of Pain and Symptom Management</i> , 2011 , 42, 105-18	4.8	78
152	Plain abdominal radiographs to diagnose constipation patients with advanced progressive illness?. <i>Journal of Pain and Symptom Management</i> , 2011 , 41, e2-3	4.8	4
151	Once-daily opioids for chronic dyspnea: a dose increment and pharmacovigilance study. <i>Journal of Pain and Symptom Management</i> , 2011 , 42, 388-99	4.8	207
150	The PRISMA Symposium 3: lessons from beyond Europe. why invest in research and service development in palliative care? An Australian perspective. <i>Journal of Pain and Symptom Management</i> , 2011 , 42, 505-10	4.8	10
149	International perspective: outcomes of palliative oncology. <i>Seminars in Oncology</i> , 2011 , 38, 343-50	5.5	4
148	Australian palliative care providers' perceptions and experiences of the barriers and facilitators to palliative care provision. <i>Supportive Care in Cancer</i> , 2011 , 19, 343-51	3.9	28
147	Decisions for lung cancer chemotherapy: the influence of physician and patient factors. <i>Supportive Care in Cancer</i> , 2011 , 19, 1261-6	3.9	10
146	The value of data collection within a palliative care program. <i>Current Oncology Reports</i> , 2011 , 13, 308-15	6.3	18
145	Predictors of chronic breathlessness: a large population study. <i>BMC Public Health</i> , 2011 , 11, 33	4.1	47
144	Caregivers' perceived adequacy of support in end-stage lung disease: results of a population survey. <i>BMC Pulmonary Medicine</i> , 2011 , 11, 55	3.5	8
143	What is the role of friends when contributing care at the end of life? Findings from an Australian population study. <i>Psycho-Oncology</i> , 2011 , 20, 203-12	3.9	25
142	Tackling the Challenges of Clinical Trials in Palliative Care. <i>Pharmaceutical Medicine</i> , 2011 , 25, 7-15	2.3	8
141	Adding value to clinical trial registries: insights from Australian Cancer Trials Online, a website for consumers. <i>Clinical Trials</i> , 2011 , 8, 70-6	2.2	7

140	A collateral benefit of research in palliative care. <i>Journal of Palliative Medicine</i> , 2011 , 14, 986-7	2.2	2
139	Dyspnea review for the palliative care professional: assessment, burdens, and etiologies. <i>Journal of Palliative Medicine</i> , 2011 , 14, 1167-72	2.2	32
138	Australian general practitioners' and oncology specialists' perceptions of barriers and facilitators of access to specialist palliative care services. <i>Journal of Palliative Medicine</i> , 2011 , 14, 429-35	2.2	38
137	Palliative care referral practices and perceptions: the divide between metropolitan and non-metropolitan general practitioners. <i>Palliative and Supportive Care</i> , 2011 , 9, 181-9	2.5	16
136	Adverse events in hospice and palliative care: a pilot study to determine feasibility of collection and baseline rates. <i>Journal of Palliative Medicine</i> , 2011 , 14, 309-14	2.2	18
135	Evidence-Based Policy. <i>Journal of Palliative Medicine</i> , 2011 , 14, 803-803	2.2	2
134	Progressing an evidence-base beyond case series. <i>Journal of Palliative Medicine</i> , 2011 , 14, 1283	2.2	3
133	Exploring the relationship between the frequency of documented bowel movements and prescribed laxatives in hospitalized palliative care patients. <i>American Journal of Hospice and Palliative Medicine</i> , 2011 , 28, 258-63	2.6	8
132	Time for better integration of oncology and palliative care. <i>Journal of Oncology Practice</i> , 2011 , 7, 346-8	3.1	7
131	Patient self-reporting in palliative care using information technology: Yes, there is hope!. <i>Palliative Medicine</i> , 2011 , 25, 673-4	5.5	10
130	Former palliative caregivers who identify that additional spiritual support would have been helpful in a population survey. <i>Palliative Medicine</i> , 2011 , 25, 266-77	5.5	15
129	Palliative Care and Dyspnea Management in Patients with Hematological Malignancies and Acute Respiratory Failure 2011 , 683-691		
128	Dyspnea in supportive oncology 2011 , 164-170		
127	Chronic pain in South Australia - population levels that interfere extremely with activities of daily living. <i>Australian and New Zealand Journal of Public Health</i> , 2010 , 34, 232-9	2.3	26
126	A case study evaluation of ethics review systems for multicentre clinical trials. <i>Medical Journal of Australia</i> , 2010 , 192, 292	4	2
125	Reliability testing of the FAMCARE-2 scale: measuring family carer satisfaction with palliative care. <i>Palliative Medicine</i> , 2010 , 24, 674-81	5.5	54
124	Young caregivers in the end-of-life setting: a population-based profile of an emerging group. <i>Journal of Palliative Medicine</i> , 2010 , 13, 1225-35	2.2	25
123	Caregivers of people with neurodegenerative diseases: profile and unmet needs from a population-based survey in South Australia. <i>Journal of Palliative Medicine</i> , 2010 , 13, 653-61	2.2	21

122	Anti-cholinergic load, health care utilization, and survival in people with advanced cancer: a pilot study. <i>Journal of Palliative Medicine</i> , 2010 , 13, 745-52	2.2	10
121	Current approaches to diagnosing and managing constipation in advanced cancer and palliative care. <i>Journal of Palliative Medicine</i> , 2010 , 13, 473-6	2.2	12
120	The necessary work program for safe delivery of combinations of injectable medications. <i>Journal of Palliative Medicine</i> , 2010 , 13, 1052	2.2	
119	The use of digital rectal examinations in palliative care inpatients. <i>Journal of Palliative Medicine</i> , 2010 , 13, 797	2.2	8
118	Not published, not indexed: issues in generating and finding hospice and palliative care literature. <i>Journal of Palliative Medicine</i> , 2010 , 13, 669-75	2.2	12
117	Cancer as a chronic disease. <i>Collegian</i> , 2010 , 17, 47-50	1.6	124
116	Effect of palliative oxygen versus room air in relief of breathlessness in patients with refractory dyspnoea: a double-blind, randomised controlled trial. <i>Lancet, The</i> , 2010 , 376, 784-93	4.0	343
115	A strategy to advance the evidence base in palliative medicine: formation of a palliative care research cooperative group. <i>Journal of Palliative Medicine</i> , 2010 , 13, 1407-13	2.2	62
114	Validity, reliability and clinical feasibility of a Needs Assessment Tool for people with progressive cancer. <i>Psycho-Oncology</i> , 2010 , 19, 726-33	3.9	38
113	Standards for palliative care delivery in oncology settings. <i>Cancer Journal (Sudbury, Mass)</i> , 2010 , 16, 436-43		8
112	Utility and use of palliative care screening tools in routine oncology practice. <i>Cancer Journal (Sudbury, Mass)</i> , 2010 , 16, 444-60	2.2	13
111	The Australian Palliative Care Outcomes Collaboration (PCOC)--measuring the quality and outcomes of palliative care on a routine basis. <i>Australian Health Review</i> , 2010 , 34, 186-92	1.8	87
110	Planning phase III multi-site clinical trials in palliative care: the role of consecutive cohort audits to identify potential participant populations. <i>Supportive Care in Cancer</i> , 2010 , 18, 1571-9	3.9	22
109	How should we conduct and interpret phase III clinical trials in palliative care?. <i>Journal of Pain and Symptom Management</i> , 2010 , 39, e6-8	4.8	2
108	Do the trajectories of dyspnea differ in prevalence and intensity by diagnosis at the end of life? A consecutive cohort study. <i>Journal of Pain and Symptom Management</i> , 2010 , 39, 680-90	4.8	150
107	Need for mechanistically focused research of global systemic interventions in palliative care. <i>Journal of Pain and Symptom Management</i> , 2010 , 40, e5-8	4.8	5
106	Potential opioid-sparing effect of regular benzodiazepines in dyspnea: longer duration of studies needed. <i>Journal of Pain and Symptom Management</i> , 2010 , 40, e1-2; author reply e2-4	4.8	7
105	Facilitating needs based cancer care for people with a chronic disease: Evaluation of an intervention using a multi-centre interrupted time series design. <i>BMC Palliative Care</i> , 2010 , 9, 2	3	19

104	Management of Respiratory Symptoms in People with Cancer 2010 , 107-114		
103	Enhancing enrollment in palliative care trials: key insights from a randomized, placebo-controlled study. <i>The Journal of Supportive Oncology</i> , 2010 , 8, 139-44		16
102	Even in death. <i>Journal of Palliative Medicine</i> , 2009 , 12, 983-4	2.2	
101	The need for chemical compatibility studies of subcutaneous medication combinations used in palliative care. <i>Journal of Pain and Palliative Care Pharmacotherapy</i> , 2009 , 23, 223-30	0.8	4
100	Improving the methodologic and ethical validity of best supportive care studies in oncology: lessons from a systematic review. <i>Journal of Clinical Oncology</i> , 2009 , 27, 5476-86	2.2	39
99	Palliation of dyspnoea in advanced COPD: revisiting a role for opioids. <i>Thorax</i> , 2009 , 64, 910-5	7.3	57
98	Advances in the pharmacological management of breathlessness. <i>Current Opinion in Supportive and Palliative Care</i> , 2009 , 3, 103-6	2.6	17
97	Changes in anticholinergic load from regular prescribed medications in palliative care as death approaches. <i>Palliative Medicine</i> , 2009 , 23, 257-65	5.5	56
96	Palliative cancer care a decade later: accomplishments, the need, next steps -- from the American Society of Clinical Oncology. <i>Journal of Clinical Oncology</i> , 2009 , 27, 3052-8	2.2	288
95	Using national health policies to improve access to palliative care medications in the community. <i>Journal of Pain and Symptom Management</i> , 2009 , 37, 395-402	4.8	25
94	A framework for generalizability in palliative care. <i>Journal of Pain and Symptom Management</i> , 2009 , 37, 373-86	4.8	53
93	Measuring impacts of value to patients is crucial when evaluating palliative care. <i>Journal of Pain and Symptom Management</i> , 2009 , 37, e7-9	4.8	13
92	A community population survey of prevalence and severity of dyspnea in adults. <i>Journal of Pain and Symptom Management</i> , 2009 , 38, 533-45	4.8	99
91	Current funding and financing issues in the Australian hospice and palliative care sector. <i>Journal of Pain and Symptom Management</i> , 2009 , 38, 68-74	4.8	12
90	Management of dyspnea in patients with chronic obstructive pulmonary disease. <i>Wiener Medizinische Wochenschrift</i> , 2009 , 159, 583-90	2.9	4
89	The effect of ranitidine versus proton pump inhibitors on gastric secretions: a meta-analysis of randomised control trials. <i>Anaesthesia</i> , 2009 , 64, 652-7	6.6	134
88	Researching breathlessness in palliative care: consensus statement of the National Cancer Research Institute Palliative Care Breathlessness Subgroup. <i>Palliative Medicine</i> , 2009 , 23, 213-27	5.5	71
87	Prescribing at Times of Clinical Transition in Chronic Or Progressive Diseases. <i>International Journal of Gerontology</i> , 2009 , 3, 1-8		10

86	Does palliative home oxygen improve dyspnoea? A consecutive cohort study. <i>Palliative Medicine</i> , 2009 , 23, 309-16	5.5	44
85	Cancer pain--progress and ongoing issues in Australia. <i>Pain Research and Management</i> , 2009 , 14, 351-2	2.6	
84	Palliative and Supportive Care 2009 , 1099-1119		
83	Cancer in aboriginal and Torres Strait Islander people of Australia. <i>Asian Pacific Journal of Cancer Prevention</i> , 2009 , 10, 729-33	1.7	10
82	A prospective study of unmet activity of daily living needs in palliative care inpatients. <i>Australian Occupational Therapy Journal</i> , 2008 , 55, 266-72	1.7	14
81	A pilot phase II randomized, cross-over, double-blinded, controlled efficacy study of octreotide versus hyoscine hydrobromide for control of noisy breathing at the end-of-life. <i>Journal of Pain and Palliative Care Pharmacotherapy</i> , 2008 , 22, 131-8	0.8	20
80	Do terminally ill people who live alone miss out on home oxygen treatment? An hypothesis generating study. <i>Journal of Palliative Medicine</i> , 2008 , 11, 1015-22	2.2	24
79	Populations who die without specialist palliative care: does lower uptake equate with unmet need?. <i>Palliative Medicine</i> , 2008 , 22, 43-50	5.5	50
78	Culture and financing influence palliative care services, study populations, and generalizability of research findings. <i>Journal of Palliative Medicine</i> , 2008 , 11, 146	2.2	4
77	Oxygen for relief of dyspnoea in mildly- or non-hypoxaemic patients with cancer: a systematic review and meta-analysis. <i>British Journal of Cancer</i> , 2008 , 98, 294-9	8.7	106
76	Cancer specialists' palliative care referral practices and perceptions: results of a national survey. <i>Palliative Medicine</i> , 2008 , 22, 51-7	5.5	85
75	Defining best supportive care. <i>Journal of Clinical Oncology</i> , 2008 , 26, 5139-40	2.2	31
74	Is it feasible and desirable to collect voluntarily quality and outcome data nationally in palliative oncology care?. <i>Journal of Clinical Oncology</i> , 2008 , 26, 3853-9	2.2	46
73	Preference for place of care and place of death in palliative care: are these different questions?. <i>Palliative Medicine</i> , 2008 , 22, 787-95	5.5	162
72	Changes in the quantity and level of evidence of palliative and hospice care literature: the last century. <i>Journal of Clinical Oncology</i> , 2008 , 26, 5679-83	2.2	64
71	Development of the palliative care needs assessment tool (PC-NAT) for use by multi-disciplinary health professionals. <i>Palliative Medicine</i> , 2008 , 22, 956-64	5.5	65
70	Pharmacological management of breathlessness in advanced disease. <i>Progress in Palliative Care</i> , 2008 , 16, 15-20	1	6
69	Oxygen therapy for dyspnoea in adults. <i>Cochrane Database of Systematic Reviews</i> , 2008 , CD004769		57

68	Creating a Research Culture in a Palliative Care Service Environment: A Qualitative Study of the Evolution of Staff Attitudes to Research during a Large Longitudinal Controlled Trial (ISRCTN81117481). <i>Journal of Palliative Care</i> , 2008 , 24, 100-109	1.8	7
67	Place of Death for People with Noncancer and Cancer Illness in South Australia: A Population-Based Survey. <i>Journal of Palliative Care</i> , 2008 , 24, 144-150	1.8	21
66	Caregivers for people with end-stage lung disease: characteristics and unmet needs in the whole population. <i>International Journal of COPD</i> , 2008 , 3, 753-62	3	33
65	Specialized palliative care services are associated with improved short- and long-term caregiver outcomes. <i>Supportive Care in Cancer</i> , 2008 , 16, 585-97	3.9	87
64	Comfort in the last 2 weeks of life: relationship to accessing palliative care services. <i>Supportive Care in Cancer</i> , 2008 , 16, 1255-63	3.9	28
63	Bereavement help-seeking following an 'expected' death: a cross-sectional randomised face-to-face population survey. <i>BMC Palliative Care</i> , 2008 , 7, 19	3	17
62	Sustaining hope when communicating with terminally ill patients and their families: a systematic review. <i>Psycho-Oncology</i> , 2008 , 17, 641-59	3.9	220
61	End-of-Life Care. <i>Translational Medicine Series</i> , 2008 , 1-32		
60	Creating a research culture in a palliative care service environment: a qualitative study of the evolution of staff attitudes to research during a large longitudinal controlled trial (ISRCTN81117481). <i>Journal of Palliative Care</i> , 2008 , 24, 100-9	1.8	4
59	Palliative Aged Care: Collaborative Partnerships Between Gerontology, Geriatrics and Palliative Care. <i>International Journal of Gerontology</i> , 2007 , 1, 112-117		6
58	The therapeutic footprint of medical, complementary and alternative therapies and a doctor's duty of care. <i>Medical Journal of Australia</i> , 2007 , 186, 214-215	4	
57	Clinical practice guidelines for communicating prognosis and end-of-life issues with adults in the advanced stages of a life-limiting illness, and their caregivers. <i>Medical Journal of Australia</i> , 2007 , 187, 478-478	4	5
56	Clinical practice guidelines for communicating prognosis and end-of-life issues with adults in the advanced stages of a life-limiting illness, and their caregivers. <i>Medical Journal of Australia</i> , 2007 , 186, S77-S105	4	209
55	Handheld computers for data entry: high tech has its problems too. <i>Trials</i> , 2007 , 8, 5	2.8	26
54	Prescribing in palliative care as death approaches. <i>Journal of the American Geriatrics Society</i> , 2007 , 55, 590-5	5.6	158
53	Improving search filter development: a study of palliative care literature. <i>BMC Medical Informatics and Decision Making</i> , 2007 , 7, 18	3.6	22
52	A systematic review of prognostic/end-of-life communication with adults in the advanced stages of a life-limiting illness: patient/caregiver preferences for the content, style, and timing of information. <i>Journal of Pain and Symptom Management</i> , 2007 , 34, 81-93	4.8	361
51	A randomized, double-blind, multi-site, crossover, placebo-controlled equivalence study of morning versus evening once-daily sustained-release morphine sulfate in people with pain from advanced cancer. <i>Journal of Pain and Symptom Management</i> , 2007 , 34, 17-23	4.8	12

50	Discrepant perceptions about end-of-life communication: a systematic review. <i>Journal of Pain and Symptom Management</i> , 2007 , 34, 190-200	4.8	109
49	Oxygen use--patients define symptomatic benefit discerningly. <i>Journal of Pain and Symptom Management</i> , 2007 , 34, 113-4	4.8	22
48	Frameworks for prescribing in comorbid illness. <i>Journal of Pain and Symptom Management</i> , 2007 , 34, 117-8	4.8	4
47	Terminally-ill people living alone without a caregiver: an Australian national scoping study of palliative care needs. <i>Palliative Medicine</i> , 2007 , 21, 29-34	5.5	41
46	Can we predict which patients with refractory dyspnea will respond to opioids?. <i>Journal of Palliative Medicine</i> , 2007 , 10, 1031-6	2.2	33
45	Truth-telling in discussing prognosis in advanced life-limiting illnesses: a systematic review. <i>Palliative Medicine</i> , 2007 , 21, 507-17	5.5	284
44	Randomized controlled trial of a prompt list to help advanced cancer patients and their caregivers to ask questions about prognosis and end-of-life care. <i>Journal of Clinical Oncology</i> , 2007 , 25, 715-23	2.2	257
43	Palliative oxygen for non-hypoxaemic chronic obstructive pulmonary disease 2007 ,		2
42	Pharmacological management of dyspnoea. <i>Current Opinion in Supportive and Palliative Care</i> , 2007 , 1, 96-101	2.6	18
41	Promoting patient centred palliative care through case conferencing. <i>Australian Family Physician</i> , 2007 , 36, 961-4		9
40	Residential aged-care facility palliative care guidelines: improving care. <i>International Journal of Palliative Nursing</i> , 2006 , 12, 231-3	0.9	14
39	The broader implications of diabetes management at the end of life. <i>Palliative Medicine</i> , 2006 , 20, 638-9	5.5	1
38	Reader questions benefit of nebulized opioids. <i>Oncology Nursing Forum</i> , 2006 , 33, 513; author reply 513-4	4.7	
37	A framework for managing comorbid conditions in palliative care. <i>Journal of Palliative Medicine</i> , 2006 , 9, 620; authors reply 621-2	2.2	3
36	The impact of conducting a regional palliative care clinical study. <i>Palliative Medicine</i> , 2006 , 20, 735-43	5.5	18
35	Suffering At the Bedside of the Dying. <i>Journal of Religion, Spirituality and Aging</i> , 2006 , 18, 123-136	1.2	6
34	A pragmatic 2 x 2 x 2 factorial cluster randomized controlled trial of educational outreach visiting and case conferencing in palliative care-methodology of the Palliative Care Trial [ISRCTN 81117481]. <i>Contemporary Clinical Trials</i> , 2006 , 27, 83-100	2.3	51
33	Evidence in palliative care research: how should it be gathered?. <i>Medical Journal of Australia</i> , 2006 , 184, 197-8	4	1

32	Evidence in palliative care research: how should it be gathered?. <i>Medical Journal of Australia</i> , 2006 , 184, 196-7	4	4
31	Development of a subject search filter to find information relevant to palliative care in the general medical literature. <i>Journal of the Medical Library Association: JMLA</i> , 2006 , 94, 394-401	1.4	28
30	Palliative management of refractory dyspnea in COPD. <i>International Journal of COPD</i> , 2006 , 1, 289-304	3	12
29	Emergencies in Palliative and Supportive Care 2006 ,		3
28	Until the chemist opens - palliation from the doctor's bag. <i>Australian Family Physician</i> , 2006 , 35, 225-31		3
27	What are the essential medications in palliative care? - a survey of Australian palliative care doctors. <i>Australian Family Physician</i> , 2006 , 35, 261-4		7
26	Caregiving for the terminally ill: at what cost?. <i>Palliative Medicine</i> , 2005 , 19, 551-5	5.5	156
25	Prescribing palliative oxygen: a clinician survey of expected benefit and patterns of use. <i>Palliative Medicine</i> , 2005 , 19, 168-70	5.5	42
24	Improving choices for community palliative care: a prospective 2-year pilot of a live-in support person. <i>Progress in Palliative Care</i> , 2005 , 13, 257-262	1	4
23	The experience of supporting a dying relative: reflections of caregivers. <i>Progress in Palliative Care</i> , 2005 , 13, 319-325	1	19
22	Quality palliative care: practitioners' needs for dynamic lifelong learning. <i>Journal of Pain and Symptom Management</i> , 2005 , 29, 332-4	4.8	8
21	CareSearch: finding and evaluating Australia's missing palliative care literature. <i>BMC Palliative Care</i> , 2005 , 4, 4	3	12
20	The Australia-modified Karnofsky Performance Status (AKPS) scale: a revised scale for contemporary palliative care clinical practice [ISRCTN8117481]. <i>BMC Palliative Care</i> , 2005 , 4, 7	3	274
19	Cannabinoids and cancer: causation, remediation, and palliation. <i>Lancet Oncology, The</i> , 2005 , 6, 35-42	21.7	60
18	Specialist palliative care needs of whole populations: a feasibility study using a novel approach. <i>Palliative Medicine</i> , 2004 , 18, 239-47	5.5	70
17	Managing comorbidities in patients at the end of life. <i>BMJ, The</i> , 2004 , 329, 909-12	5.9	93
16	Randomised, double blind, placebo controlled crossover trial of sustained release morphine for the management of refractory dyspnoea. <i>BMJ, The</i> , 2003 , 327, 523-8	5.9	365
15	A patient-centred approach to sexuality in the face of life-limiting illness. <i>Medical Journal of Australia</i> , 2003 , 179, S8-11	4	38

14	"A planning guide": Developing a consensus document for palliative care service provision. <i>Medical Journal of Australia</i> , 2003 , 179, S23-5	4	11
13	A prospective study of patient identified unmet activity of daily living needs among cancer patients at a comprehensive cancer care centre. <i>Australian Occupational Therapy Journal</i> , 2003 , 50, 79-85	1.7	30
12	Australia: state of palliative service provision 2002. <i>Journal of Pain and Symptom Management</i> , 2002 , 24, 170-2	4.8	9
11	Palliative service provision in Australia. <i>Medical Journal of Australia</i> , 2001 , 175, 534-6	4	3
10	The pharmacokinetics of morphine and morphine glucuronide metabolites after subcutaneous bolus injection and subcutaneous infusion of morphine. <i>British Journal of Clinical Pharmacology</i> , 2000 , 49, 207-14	3.8	57
9	Case report; effective community palliation of intractable malignant ascites with a permanently implanted abdominal drain. <i>Journal of Palliative Medicine</i> , 1999 , 2, 319-21	2.2	7
8	Radiotherapy for bone metastases: a critical appraisal of outcome measures. <i>Journal of Pain and Symptom Management</i> , 1999 , 17, 208-18	4.8	16
7	Use of ondansetron in palliative medicine. <i>Journal of Pain and Symptom Management</i> , 1997 , 13, 302-7	4.8	48
6	The clinical use of ondansetron. <i>Medical Journal of Australia</i> , 1995 , 162, 145-149	4	8
5	Management of dyspnea in older adults with cancer386-399		
4	Symptom patterns in populations70-84		2
3	Management of chronic breathlessness153-171		2
2	Metoclopramide for chronic nausea in adult palliative care patients with advanced cancer		1
1	Metoclopramide for chronic nausea in adult palliative care patients with advanced cancer		1