Lingli Dong

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8134204/publications.pdf

Version: 2024-02-01

414414 304743 2,870 32 22 32 citations h-index g-index papers 32 32 32 3127 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Fine mapping of powdery mildew resistance gene MIWE74 derived from wild emmer wheat (Triticum) Tj ETQq1 101235-1245.	0.784314 3.6	rgBT /Ove <mark>rl</mark> c 12
2	Functional characterization of powdery mildew resistance gene MIIW172, a new Pm60 allele and its allelic variation in wild emmer wheat. Journal of Genetics and Genomics, 2022, 49, 787-795.	3.9	13
3	A high-quality genome assembly highlights rye genomic characteristics and agronomically important genes. Nature Genetics, 2021, 53, 574-584.	21.4	164
4	Bulked segregant CGTâ€Seqâ€facilitated mapâ€based cloning of a powdery mildew resistance gene originating from wild emmer wheat (<i>Triticum dicoccoides</i>). Plant Biotechnology Journal, 2021, 19, 1288-1290.	8.3	18
5	High-temperature wheat leaf rust resistance gene Lr13 exhibits pleiotropic effects on hybrid necrosis. Molecular Plant, 2021, 14, 1029-1032.	8.3	28
6	Development and characterization of markerâ€free and transgene insertion siteâ€defined transgenic wheat with improved grain storability and fatty acid content. Plant Biotechnology Journal, 2020, 18, 129-140.	8.3	15
7	The <i>TuMYB46L</i> ê <i>TuACO3</i> module regulates ethylene biosynthesis in einkorn wheat defense to powdery mildew. New Phytologist, 2020, 225, 2526-2541.	7.3	33
8	A rare single nucleotide variant in <i>Pm5e</i> confers powdery mildew resistance in common wheat. New Phytologist, 2020, 228, 1011-1026.	7.3	92
9	A CNL protein in wild emmer wheat confers powdery mildew resistance. New Phytologist, 2020, 228, 1027-1037.	7.3	89
10	Identification and fine mapping of spot blotch (Bipolaris sorokiniana) resistance gene Sb4 in wheat. Theoretical and Applied Genetics, 2020, 133, 2451-2459.	3.6	41
11	A rare gain of function mutation in a wheat tandem kinase confers resistance to powdery mildew. Nature Communications, 2020, 11, 680.	12.8	119
12	Molecular characterization of a novel TaGL3-5A allele and its association with grain length in wheat (Triticum aestivum L.). Theoretical and Applied Genetics, 2019, 132, 1799-1814.	3.6	69
13	Wheat powdery mildew resistance gene Pm64 derived from wild emmer (Triticum turgidum var.) Tj ETQq1 1 0.784	1314 rgBT 5.2	/Overlock 1 57
14	Dynamic Evolution of \hat{l}_{\pm} -Gliadin Prolamin Gene Family in Homeologous Genomes of Hexaploid Wheat. Scientific Reports, 2018, 8, 5181.	3.3	68
15	Analysis of the functions of <i>Ta<scp>GW</scp>2</i> homoeologs in wheat grain weight and protein content traits. Plant Journal, 2018, 94, 857-866.	5.7	211
16	Molecular genetic and genomic analysis of wheat milling and end-use traits in China: Progress and perspectives. Crop Journal, 2018, 6, 68-81.	5.2	29
17	Gene Duplication and Evolution Dynamics in the Homeologous Regions Harboring Multiple Prolamin and Resistance Gene Families in Hexaploid Wheat. Frontiers in Plant Science, 2018, 9, 673.	3.6	84
18	Analysis of the <i>Gliâ€D2</i> locus identifies a genetic target for simultaneously improving the breadmaking and healthâ€related traits of common wheat. Plant Journal, 2018, 95, 414-426.	5.7	19

#	Article	IF	Citations
19	Genome sequence of the progenitor of wheat A subgenome Triticum urartu. Nature, 2018, 557, 424-428.	27.8	354
20	Highâ€throughput mining of Eâ€genomeâ€specific <scp>SNP</scp> s for characterizing <i>Thinopyrum elongatum</i> introgressions in common wheat. Molecular Ecology Resources, 2017, 17, 1318-1329.	4.8	22
21	Genome-wide analysis of complex wheat gliadins, the dominant carriers of celiac disease epitopes. Scientific Reports, 2017, 7, 44609.	3.3	71
22	New insights into structural organization and gene duplication in a 1.75â€Mb genomic region harboring the αâ€gliadin gene family in Aegilops tauschii , the source of wheat D genome. Plant Journal, 2017, 92, 571-583.	5.7	29
23	Coexpression network analysis of the genes regulated by two types of resistance responses to powdery mildew in wheat. Scientific Reports, 2016, 6, 23805.	3.3	29
24	A novel allele of L-galactono-1,4-lactone dehydrogenase is associated with enhanced drought tolerance through affecting stomatal aperture in common wheat. Scientific Reports, 2016, 6, 30177.	3.3	10
25	Development of a D genome specific marker resource for diploid and hexaploid wheat. BMC Genomics, 2015, 16, 646.	2.8	6
26	Single-molecule real-time transcript sequencing facilitates common wheat genome annotation and grain transcriptome research. BMC Genomics, 2015, 16, 1039.	2.8	124
27	Natural variation of TaGASR7-A1 affects grain length in common wheat under multiple cultivation conditions. Molecular Breeding, 2014, 34, 937-947.	2.1	102
28	Draft genome of the wheat A-genome progenitor Triticum urartu. Nature, 2013, 496, 87-90.	27.8	700
29	Haplotype Variation of Glu-D1 Locus and the Origin of Glu-D1d Allele Conferring Superior End-Use Qualities in Common Wheat. PLoS ONE, 2013, 8, e74859.	2.5	17
30	A New Class of Wheat Gliadin Genes and Proteins. PLoS ONE, 2012, 7, e52139.	2.5	63
31	Molecular analysis of common wheat genes encoding three types of cytosolic heat shock protein 90 (Hsp90): functional involvement of cytosolic Hsp90s in the control of wheat seedling growth and disease resistance. New Phytologist, 2011, 191, 418-431.	7.3	108
32	New Insights into the Organization, Recombination, Expression and Functional Mechanism of Low Molecular Weight Glutenin Subunit Genes in Bread Wheat. PLoS ONE, 2010, 5, e13548.	2.5	74