

Bumsik Hong

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8134288/bumsik-hong-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

114
papers

1,582
citations

20
h-index

35
g-index

127
ext. papers

1,882
ext. citations

3
avg, IF

4.37
L-index

#	Paper	IF	Citations
114	Solo-surgeon pure laparoscopic donor nephrectomy using passive camera holder: IDEAL stage 2a study.. <i>BMC Urology</i> , 2022 , 22, 44	2.2	
113	Risk Factors Leading to Radical Cystectomy in Patients Who Had Undergone Nephroureterectomy. <i>The Korean Journal of Urological Oncology</i> , 2021 , 19, 271-280	0.1	
112	Utility of Urinalysis as a Follow-up Surveillance Tool in Nonmuscle Invasive Bladder Cancer. <i>The Korean Journal of Urological Oncology</i> , 2021 , 19, 244-251	0.1	
111	Construction of a Retrospective Cohort to Observe 10-Year Urologic Cancer Treatment Trends at the Biggest Medical Center of South Korea. <i>The Korean Journal of Urological Oncology</i> , 2021 , 19, 232-243	0.1	
110	A retrospective multicenter comparison of conditional cancer-specific survival between laparoscopic and open radical nephroureterectomy in locally advanced upper tract urothelial carcinoma. <i>PLoS ONE</i> , 2021 , 16, e0255965	3.7	0
109	Association Between Sarcopenia and Survival of Patients with Organ-Confined Renal Cell Carcinoma after Radical Nephrectomy. <i>Annals of Surgical Oncology</i> , 2021 , 29, 2473	3.1	3
108	ASO Visual Abstract: Association Between Sarcopenia and the Survival of Patients with Organ-Confined Renal Cell Carcinoma After Radical Nephrectomy. <i>Annals of Surgical Oncology</i> , 2021 , 1	3.1	
107	Comparison of clinical outcomes in patients with localized or locally advanced urothelial carcinoma treated with neoadjuvant chemotherapy involving gemcitabine-cisplatin and high dose-intensity MVAC. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021 , 147, 3421-3429	4.9	2
106	Impact of Prognostic Nutritional Index on Postoperative Pulmonary Complications in Radical Cystectomy: A Propensity Score-Matched Analysis. <i>Annals of Surgical Oncology</i> , 2021 , 28, 1859-1869	3.1	7
105	Differential contribution of the factors determining long-term renal function after partial nephrectomy over time. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 196.e15-196.e20	2.8	3
104	Transcatheter arterial embolization for intractable, nontraumatic bladder hemorrhage in cancer patients: a single-center experience and systematic review. <i>Japanese Journal of Radiology</i> , 2021 , 39, 273-282	2.8	0
103	Technical Notes on Fluoroscopy-Guided Removal of Metallic Ureteral Stents. <i>Journal of Vascular and Interventional Radiology</i> , 2021 , 32, 1615-1622	2.4	0
102	Impact of preoperative chemotherapy on pathologic nodal status in muscle-invasive bladder cancer: optimal lymphadenectomy in the preoperative chemotherapy era. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021 , 1	4.9	
101	Treatment Response to Idiopathic Retroperitoneal Fibrosis-associated Hydronephrosis With a Focus on IgG4/IgG3 Serum Concentration Ratio. <i>Journal of Rheumatic Diseases</i> , 2021 , 28, 38-44	1.2	1
100	Temporary Covered Metallic Ureteral Stent Placement for Ureteral Strictures following Kidney Transplantation: Experience in 8 Patients. <i>Journal of Vascular and Interventional Radiology</i> , 2020 , 31, 1795-1800	2.4	3
99	Gemcitabine plus carboplatin versus gemcitabine plus oxaliplatin in cisplatin-unfit patients with advanced urothelial carcinoma: a randomised phase II study (COACH, KCSG GU10-16). <i>European Journal of Cancer</i> , 2020 , 127, 183-190	7.5	7
98	Phosphorylation of TFCP2L1 by CDK1 is required for stem cell pluripotency and bladder carcinogenesis. <i>EMBO Molecular Medicine</i> , 2020 , 12, e10880	12	28

97	Comparison of a Significant Decline in the Glomerular Filtration Rate between Ileal Conduit and Ileal Neobladder Urinary Diversions after Radical Cystectomy: A Propensity Score-Matched Analysis. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	4
96	Risk factors and outcomes of myocardial injury after non-cardiac surgery in high-risk patients who underwent radical cystectomy. <i>Medicine (United States)</i> , 2020 , 99, e22893	1.8	0
95	Therapeutic Ureteral Occlusion with Use of Occlusion Stents for Urinary Leakage or Fistula: A Bicentric Study. <i>CardioVascular and Interventional Radiology</i> , 2020 , 43, 1492-1497	2.7	2
94	Association of Bacillus Calmette-Guerin shortages with bladder cancer recurrence: A single-center retrospective study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 851.e11-851.e17	2.8	4
93	Prognosis of carcinoma in situ according to the presence of papillary bladder tumors after bacillus Calmette-Guérin immunotherapy. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019 , 145, 2131-2140	4.9	3
92	Adjuvant chemotherapy versus observation after radical cystectomy in patients with node-positive bladder cancer. <i>Scientific Reports</i> , 2019 , 9, 8305	4.9	6
91	Impact of lymph node dissection in radical cystectomy for bladder cancer: How many vs how far?. <i>Surgical Oncology</i> , 2019 , 30, 109-116	2.5	10
90	Developing a prediction model for disease-free survival from upper urinary tract urothelial carcinoma in the Korean population. <i>Cancer Medicine</i> , 2019 , 8, 4967-4975	4.8	1
89	Gemcitabine plus carboplatin versus gemcitabine plus oxaliplatin in cisplatin unfit patients with advanced urothelial carcinoma: A randomized phase II study (COACH, KCSG GU10-16).. <i>Journal of Clinical Oncology</i> , 2019 , 37, 4534-4534	2.2	1
88	The Comparison of Oncologic Outcomes between Open and Laparoscopic Radical Nephroureterectomy for the Treatment of Upper Tract Urothelial Carcinoma: A Korean Multicenter Collaborative Study. <i>Cancer Research and Treatment</i> , 2019 , 51, 240-251	5.2	10
87	Laparoscopy versus Open Nephroureterectomy in Prognostic Outcome of Patients with Advanced Upper Tract Urothelial Cancer: A Retrospective, Multicenter, Propensity-Score Matching Analysis. <i>Cancer Research and Treatment</i> , 2019 , 51, 963-972	5.2	10
86	Comparing clinical outcomes between patients with urothelial carcinoma who treated neoadjuvant chemotherapy by gemcitabine-cisplatin and dose-dense MVAC.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 376-376	2.2	2
85	Gemcitabine-carboplatin (GCb) versus gemcitabine-oxaliplatin (GemOx) in cisplatin un-fit advanced urothelial carcinoma: Randomized phase II study (COACH Study).. <i>Journal of Clinical Oncology</i> , 2019 , 37, 355-355	2.2	
84	Prognostic significance of history of nonmuscle invasive bladder cancer in patients with muscle invasive bladder cancer treated with neoadjuvant chemotherapy followed by surgery.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 375-375	2.2	1
83	Oncologic, Perioperative Outcomes of Female Radical Cystectomy: Results from a Multicenter Study in Korea. <i>Cancer Research and Treatment</i> , 2019 , 51, 1064-1072	5.2	0
82	Clinical features and outcomes in kidney transplant recipients with renal cell carcinoma: a single-center study. <i>Kidney Research and Clinical Practice</i> , 2019 , 38, 517-524	3.6	0
81	Robot-assisted partial nephrectomy is associated with early recovery of renal function: Comparison of open, laparoscopic, and robot-assisted partial nephrectomy using DTPA renal scintigraphy. <i>Journal of Surgical Oncology</i> , 2019 , 119, 1016-1023	2.8	7
80	Induction Chemotherapy Followed by Surgery Versus Upfront Radical Cystectomy in Patients With Clinically Node-positive Muscle-invasive Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, e420-e428	4.3	3

79	Use of the Ileum for Ureteral Stricture and Obstruction in Bilateral, Unilateral, and Single-kidney Cases. <i>Urology</i> , 2018 , 111, 203-207	1.6	9
78	A Prospective Randomized Comparison of a Covered Metallic Ureteral Stent and a Double-J Stent for Malignant Ureteral Obstruction. <i>Korean Journal of Radiology</i> , 2018 , 19, 606-612	6.9	8
77	Declining incidence of benign lesions among small renal masses treated with surgery: Effect of diagnostic tests for characterization. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 362.e9-362.e15	2.8	7
76	Does epithelioid angiomyolipoma have poorer prognosis, compared with classic angiomyolipoma?. <i>Investigative and Clinical Urology</i> , 2018 , 59, 357-362	1.9	9
75	Prognostic Factors Related to Recurrence-Free Survival for Primary Carcinoma in situ of the Bladder after Bacillus Calmette-Guérin: A Retrospective Study. <i>Urologia Internationalis</i> , 2018 , 101, 269-276	1.9	9
74	Comparison of Hand-Assisted Laparoscopic vs Robot-Assisted Laparoscopic vs Open Partial Nephrectomy in Patients with T1 Renal Masses. <i>Journal of Endourology</i> , 2017 , 31, 374-379	2.7	13
73	Prostatic Arterial Embolization for Control of Hematuria in Patients with Advanced Prostate Cancer. <i>Journal of Vascular and Interventional Radiology</i> , 2017 , 28, 295-301	2.4	20
72	Does Ureteral Catheter Insertion Decrease the Risk of Urinary Leakage After Partial Nephrectomy in Patients With Renal Cell Carcinoma?. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e707-e712	3.3	2
71	Lymph node density vs. the American Joint Committee on Cancer TNM nodal staging system in node-positive bladder cancer in patients undergoing extended or super-extended pelvic lymphadenectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 151.e1-151.e7	2.8	8
70	Adaptive functional change of the contralateral kidney after partial nephrectomy. <i>American Journal of Physiology - Renal Physiology</i> , 2017 , 313, F192-F198	4.3	5
69	Prognostic Factors for Survival of Patients With Synchronous or Metachronous Brain Metastasis of Renal Cell Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, 717-723	3.3	25
68	Histologic subtype needs to be considered after partial nephrectomy in patients with pathologic T1a renal cell carcinoma: papillary vs. clear cell renal cell carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017 , 143, 1845-1851	4.9	15
67	Predictors of female genital organ involvement in radical cystectomy for urothelial carcinoma of the bladder: A single-center retrospective analysis of 112 female patients. <i>International Journal of Surgery</i> , 2017 , 47, 101-106	7.5	3
66	Preserving Renal Function through Partial Nephrectomy Depends on Tumor Complexity in T1b Renal Tumors. <i>Journal of Korean Medical Science</i> , 2017 , 32, 495-501	4.7	5
65	Risk Factors Associated with Decreased Renal Function after Hand-Assisted Laparoscopic Donor Nephrectomy: A Multivariate Analysis of a Single Surgeon Experience. <i>International Journal of Medical Sciences</i> , 2017 , 14, 159-166	3.7	7
64	Risk of Intravesical Recurrence After Ureteroscopic Biopsy for Upper Tract Urothelial Carcinoma: Does the Location Matter?. <i>Journal of Endourology</i> , 2017 , 31, 259-265	2.7	22
63	Does lymph node dissection during nephroureterectomy affect oncological outcomes in upper tract urothelial carcinoma patients without suspicious lymph node metastasis on preoperative imaging studies?. <i>World Journal of Urology</i> , 2017 , 35, 665-673	4	9
62	Impact of Tumor Location on Local Recurrence After Nephroureterectomy for Upper Tract Urothelial Carcinoma: Implications for Adjuvant Radiotherapy. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e199-e204	3.3	14

61	Comparison of the effect of spinal anesthesia and general anesthesia on 5-year tumor recurrence rates after transurethral resection of bladder tumors. <i>Oncotarget</i> , 2017 , 8, 87667-87674	3.3	18
60	Outcomes of patients with ureteral obstruction who achieved stent-free state following balloon dilatation. <i>Scandinavian Journal of Urology</i> , 2016 , 50, 396-400	1.6	4
59	Long-Term Outcomes of Double-Layered Polytetrafluoroethylene Membrane-Covered Self-Expandable Segmental Metallic Stents (Uventa) in Patients with Chronic Ureteral Obstructions: Is It Really Safe?. <i>Journal of Endourology</i> , 2016 , 30, 1339-1346	2.7	18
58	Simple renal cyst and renal dysfunction: A pilot study using dimercaptosuccinic acid renal Scan. <i>Nephrology</i> , 2016 , 21, 687-92	2.2	5
57	Ileal Augmentation Cystoplasty Combined with Ileal Ureter Replacement After Radical Treatment for Cervical Cancer. <i>Annals of Surgical Oncology</i> , 2016 , 23, 1646-52	3.1	6
56	Long-term outcomes of tyrosine kinase inhibitor discontinuation in patients with metastatic renal cell carcinoma. <i>Cancer Chemotherapy and Pharmacology</i> , 2016 , 77, 339-47	3.5	4
55	Acute Kidney Injury After Radical Cystectomy for Bladder Cancer is Associated with Chronic Kidney Disease and Mortality. <i>Annals of Surgical Oncology</i> , 2016 , 23, 686-93	3.1	17
54	Oncological outcomes of patients with incidental pathological T3a stage small renal cell carcinoma after partial nephrectomy. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016 , 142, 1651-7	4.9	11
53	Impact of metastasectomy on prognosis in patients treated with targeted therapy for metastatic renal cell carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016 , 142, 2331-8	4.9	19
52	Bladder capacity in kidney transplant patients with end-stage renal disease. <i>International Urology and Nephrology</i> , 2015 , 47, 101-6	2.3	10
51	Pulmonary Metastasectomy Could Prolong Overall Survival in Select Cases of Metastatic Urinary Tract Cancer. <i>Clinical Genitourinary Cancer</i> , 2015 , 13, e297-e304	3.3	20
50	Kidney Laterality and the Safety of Hand-assisted Live Donor Nephrectomy: Review of 1000 Consecutive Cases at a Single Center. <i>Urology</i> , 2015 , 85, 1360-6	1.6	10
49	Hand-assisted laparoscopic bladder cuff excision via the same hand port as that used for nephroureterectomy. <i>World Journal of Urology</i> , 2015 , 33, 1459-65	4	2
48	Adjuvant chemotherapy after radical cystectomy for bladder cancer: a comparative study using inverse-probability-of-treatment weighting. <i>Journal of Cancer Research and Clinical Oncology</i> , 2015 , 141, 169-76	4.9	13
47	Prognostic value of ABO blood group in patients with renal cell carcinoma: single-institution results from a large cohort. <i>Journal of Cancer Research and Clinical Oncology</i> , 2015 , 141, 1441-7	4.9	7
46	Outcomes of stent-change therapy for bilateral malignancy-related ureteral obstruction. <i>International Urology and Nephrology</i> , 2015 , 47, 19-24	2.3	8
45	Complications after polymeric and metallic ureteral stent placements including three types of fistula. <i>Journal of Endourology</i> , 2015 , 29, 485-9	2.7	5
44	Is intravesical Bacillus Calmette-Guérin therapy superior to chemotherapy for intermediate-risk non-muscle-invasive bladder cancer? An ongoing debate. <i>Journal of Korean Medical Science</i> , 2015 , 30, 252-8	4.7	3

43	Trends in the Use of Chemotherapy before and after Radical Cystectomy in Patients with Muscle-invasive Bladder Cancer in Korea. <i>Journal of Korean Medical Science</i> , 2015 , 30, 1150-6	4.7	18
42	Prognostic impact of preoperative statin use after radical nephroureterectomy for upper urinary tract urothelial carcinoma. <i>Korean Journal of Urology</i> , 2015 , 56, 498-504		
41	Analysis of pre-operative variables for identifying patients who might benefit from upfront cytoreductive nephrectomy for metastatic renal cell carcinoma in the targeted therapy era. <i>Japanese Journal of Clinical Oncology</i> , 2015 , 45, 96-102	2.8	24
40	Clinicopathological features of Xp11.2 translocation renal cell carcinoma. <i>Korean Journal of Urology</i> , 2015 , 56, 212-7		8
39	Reply: To PMID 26099882. <i>Urology</i> , 2015 , 85, 1366-7	1.6	
38	Iliac stent-graft placement for treatment of a cutting balloon-induced ureteroiliac vein fistula. <i>Journal of Vascular and Interventional Radiology</i> , 2014 , 25, 1832-4	2.4	
37	Active surveillance for metastatic or recurrent renal cell carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2014 , 140, 1421-8	4.9	28
36	Incidence of benign results after laparoscopic radical nephroureterectomy. <i>Journal of the Society of Laparoendoscopic Surgeons</i> , 2014 , 18,	2.2	9
35	Long-term oncologic outcomes after radical cystectomy for bladder cancer at a single institution. <i>Journal of Korean Medical Science</i> , 2014 , 29, 669-75	4.7	4
34	A Comparative Study of Outside-In and Inside-Out Transobturator Tape Procedures for Female Stress Urinary Incontinence: 7-Year Outcomes. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2014 , 6, 145-50	1.9	7
33	The type of nephrectomy has little effect on overall survival or cardiac events in patients of 70 years and older with localized clinical t1 stage renal masses. <i>Korean Journal of Urology</i> , 2014 , 55, 446-52		9
32	Obesity and prognosis in muscle-invasive bladder cancer: the continuing controversy. <i>International Journal of Urology</i> , 2014 , 21, 1106-12	2.3	22
31	VEGF/VEGFR2 and PDGF-B/PDGFR- β expression in non-metastatic renal cell carcinoma: a retrospective study in 1,091 consecutive patients. <i>International Journal of Clinical and Experimental Pathology</i> , 2014 , 7, 7681-9	1.4	13
30	Efficacy and safety of everolimus in korean patients with metastatic renal cell carcinoma following treatment failure with a vascular endothelial growth factor receptor-tyrosine kinase inhibitor. <i>Cancer Research and Treatment</i> , 2014 , 46, 339-47	5.2	4
29	Clinical factors associated with dose escalation of solifenacin for the treatment of overactive bladder in real life practice. <i>International Neurourology Journal</i> , 2014 , 18, 23-30	2.6	6
28	Living donor and recipient screening for latent tuberculosis infection by tuberculin skin test and interferon-gamma releasing assay in a country with an intermediate burden of tuberculosis. <i>Journal of Infection and Chemotherapy</i> , 2013 , 19, 1009-13	2.2	10
27	Smoking and survival after radical cystectomy for bladder cancer. <i>Urology</i> , 2012 , 80, 1307-12	1.6	22
26	Value of immediate second resection of the tumor bed to improve the effectiveness of transurethral resection of bladder tumor. <i>Journal of Endourology</i> , 2012 , 26, 1059-64	2.7	23

25	Predictive characteristics of malignant pheochromocytoma. <i>Korean Journal of Urology</i> , 2011 , 52, 241-6		44
24	Role of androgen deprivation treatment in patients with castration-resistant prostate cancer, receiving docetaxel-based chemotherapy. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2011 , 34, 140-4	2.7	13
23	Effect of output voltage distribution on stone comminution efficiency during shockwave lithotripsy in renal or ureteropelvic junction stones: a preliminary study. <i>Scandinavian Journal of Urology and Nephrology</i> , 2010 , 44, 236-41		3
22	Efficacy and safety of docetaxel plus prednisolone chemotherapy for metastatic hormone-refractory prostate adenocarcinoma: single institutional study in Korea. <i>Cancer Research and Treatment</i> , 2010 , 42, 12-7	5.2	19
21	Differential diagnosis of complex cystic renal mass using multiphase computerized tomography. <i>Journal of Urology</i> , 2009 , 181, 2446-50	2.5	40
20	The protective role of renal parenchyma as a barrier to local tumor spread of upper tract transitional cell carcinoma and its impact on patient survival. <i>Journal of Urology</i> , 2009 , 182, 894-9	2.5	53
19	Percutaneous Nephrolithotomy: A Single Center Experience of 610 Cases. <i>Korean Journal of Urology</i> , 2009 , 50, 669		2
18	Long-term outcome of secondary endopyelotomy after failed primary intervention for ureteropelvic junction obstruction. <i>International Journal of Urology</i> , 2008 , 15, 490-4	2.3	18
17	The Preoperative Risk Factors that Influence the Postoperative Renal Function in Living Donor Nephrectomy: The Impact of Dominant Kidney Nephrectomy. <i>Korean Journal of Urology</i> , 2008 , 49, 37		2
16	Comparison of Treatment Outcomes between Photoselective Vaporization and Transurethral Resection of the Prostate for Benign Prostatic Hyperplasia. <i>Korean Journal of Urology</i> , 2007 , 48, 297		8
15	Comparison of the Efficacy, Safety and Patient Preference of the Phosphodiesterase Type 5 Inhibitors for the Patients with Erectile Dysfunction. <i>Korean Journal of Urology</i> , 2007 , 48, 219		5
14	The Effectiveness of Simultaneous Renal Artery-vein Clamping during Laparoscopic Partial Nephrectomy on the Surgical Outcome. <i>Korean Journal of Urology</i> , 2007 , 48, 897		5
13	Paradoxical air embolism during percutaneous nephrolithotomy: a case report. <i>Journal of Korean Medical Science</i> , 2007 , 22, 1071-3	4.7	11
12	Long-term outcome of endopyelotomy for the treatment of ureteropelvic junction obstruction: how long should patients be followed up?. <i>Journal of Endourology</i> , 2007 , 21, 158-61	2.7	23
11	Effectiveness of noncontrast computed tomography in evaluation of residual stones after percutaneous nephrolithotomy. <i>Journal of Endourology</i> , 2007 , 21, 684-7	2.7	76
10	Five-year outcomes of the tension-free vaginal tape procedure for treatment of female stress urinary incontinence. <i>European Urology</i> , 2006 , 50, 333-8	10.2	78
9	The Effectiveness of Non-contrast Computerized Tomography (CT) in Evaluation Ofresidual Stones after Percutaneous Nephrolithotomy. <i>Korean Journal of Urology</i> , 2006 , 47, 1315		2
8	Prognostic value of lymphovascular invasion in transitional cell carcinoma of upper urinary tract. <i>Urology</i> , 2005 , 65, 692-6	1.6	51

7	Risk factors of voiding dysfunction and patient satisfaction after tension-free vaginal tape procedure. <i>Journal of Korean Medical Science</i> , 2005 , 20, 1006-10	4.7	13
6	Endoscopic treatment of vesicoureteral reflux with polydimethylsiloxane in adult women. <i>European Urology</i> , 2004 , 45, 787-9	10.2	12
5	The impact of tumor location on prognosis of transitional cell carcinoma of the upper urinary tract. <i>Journal of Urology</i> , 2004 , 171, 621-5	2.5	149
4	Factors predictive of urinary retention after a tension-free vaginal tape procedure for female stress urinary incontinence. <i>Journal of Urology</i> , 2003 , 170, 852-6	2.5	107
3	A Double-Blind Crossover Study Evaluating the Efficacy of Korean Red Ginseng in Patients With Erectile Dysfunction: A Preliminary Report. <i>Journal of Urology</i> , 2002 , 168, 2070-2073	2.5	124
2	A Double-Blind Crossover Study Evaluating the Efficacy of Korean Red Ginseng in Patients With Erectile Dysfunction: A Preliminary Report. <i>Journal of Urology</i> , 2002 , 2070-2073	2.5	3
1	A double-blind crossover study evaluating the efficacy of korean red ginseng in patients with erectile dysfunction: a preliminary report. <i>Journal of Urology</i> , 2002 , 168, 2070-3	2.5	26