## Nelson Wolosker

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8134399/publications.pdf

Version: 2024-02-01

291 papers 4,575 citations

35 h-index 189892 50 g-index

299 all docs

299 docs citations

times ranked

299

2824 citing authors

#	Article	IF	CITATIONS
1	Quality of life, before and after thoracic sympathectomy: report on 378 operated patients. Annals of Thoracic Surgery, 2003, 76, 886-891.	1.3	280
2	A randomized placebo-controlled trial of oxybutynin for the initial treatment of palmar and axillary hyperhidrosis. Journal of Vascular Surgery, 2012, 55, 1696-1700.	1.1	102
3	Palmar hyperhidrosis—which is the best level of denervation using video-assisted thoracoscopic sympathectomy: T2 or T3 ganglion?. Journal of Vascular Surgery, 2005, 42, 281-285.	1.1	101
4	The body mass index and level of resection. Clinical Autonomic Research, 2005, 15, 116-120.	2.5	88
5	Strength training increases walking tolerance in intermittent claudication patients: Randomized trial. Journal of Vascular Surgery, 2010, 51, 89-95.	1.1	85
6	Twenty Months of Evolution Following Sympathectomy on Patients with Palmar Hyperhidrosis: Sympathectomy at the T3 Level is Better than at the T2 Level. Clinics, 2009, 64, 743-749.	1.5	69
7	A randomized trial of T3-T4 versus T4 sympathectomy for isolated axillary hyperhidrosis. Journal of Vascular Surgery, 2007, 45, 130-133.	1.1	68
8	Objective evaluation of patients with palmar hyperhidrosis submitted to two levels of sympathectomy: T3 and T4. Interactive Cardiovascular and Thoracic Surgery, 2011, 12, 545-549.	1.1	67
9	Totally implantable venous catheters for chemotherapy: experience in 500 patients. Sao Paulo Medical Journal, 2004, 122, 147-151.	0.9	63
10	Barriers to Physical Activity in Patients with Intermittent Claudication. International Journal of Behavioral Medicine, 2015, 22, 70-76.	1.7	57
11	Efficacy and Quality of Life Outcomes of Oxybutynin for Treating Palmar Hyperhidrosis in Children Younger than 14ÂYears Old. Pediatric Dermatology, 2014, 31, 48-53.	0.9	54
12	Predictive value of the ankle-brachial index in the evaluation of intermittent claudication. Revista Do Hospital Das Clinicas, 2000, 55, 61-64.	0.5	51
13	Zika and Chikungunya Virus and Risk for Venous Thromboembolism. Clinical and Applied Thrombosis/Hemostasis, 2019, 25, 107602961882118.	1.7	51
14	Prevalence of factor V Leiden, FII G20210A, FXIII Val34Leu and MTHFR C677T polymorphisms in cancer patients with and without venous thrombosis. Thrombosis Research, 2003, 109, 171-174.	1.7	50
15	An alternative to treat palmar hyperhidrosis: use of oxybutynin. Clinical Autonomic Research, 2011, 21, 389-393.	2.5	50
16	Is Sympathectomy at T4 Level Better Than at T3 Level for Treating Palmar Hyperhidrosis?. Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A, 2008, 18, 102-106.	1.0	49
17	Evaluation of quality of life over time among 453 patients with hyperhidrosis submitted to endoscopic thoracic sympathectomy. Journal of Vascular Surgery, 2012, 55, 154-156.	1.1	49
18	Evaluation of Walking Capacity Over Time in 500 Patients With Intermittent Claudication Who Underwent Clinical Treatment. Archives of Internal Medicine, 2003, 163, 2296.	3.8	48

#	Article	IF	CITATIONS
19	Axillary Hyperhidrosis: T3/T4 Versus T4 Thoracic Sympathectomy in a Series of 276 Cases. Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A, 2006, 16, 598-603.	1.0	48
20	Technical Difficulties and Complications of Sympathectomy in the Treatment of Hyperhidrosis: An Analysis of 1731 Cases. Annals of Vascular Surgery, 2013, 27, 447-453.	0.9	48
21	Evaluation of plantar hyperhidrosis in patients undergoing video-assisted thoracoscopic sympathectomy. Clinical Autonomic Research, 2007, 17, 172-176.	2.5	45
22	The Use of Oxybutynin for Treating Axillary Hyperhidrosis. Annals of Vascular Surgery, 2011, 25, 1057-1062.	0.9	45
23	Sustained Benefit Lasting One Year from T4 Instead of T3-T4 Sympathectomy for Isolated Axillary Hyperhidrosis. Clinics, 2008, 63, 771-774.	1.5	44
24	The use of oxybutynin for treating facial hyperhidrosis. Anais Brasileiros De Dermatologia, 2011, 86, 451-456.	1.1	44
25	Are the Barriers for Physical Activity Practice Equal for All Peripheral Artery Disease Patients?. Archives of Physical Medicine and Rehabilitation, 2015, 96, 248-252.	0.9	44
26	Is gender a predictive factor for satisfaction among patients undergoing sympathectomy to treat palmar hyperhidrosis?. Clinics, 2010, 65, 583-6.	1.5	42
27	Systematic Literature Review on Evaluation and Management of Isolated Spontaneous Celiac Trunk Dissection. Annals of Vascular Surgery, 2016, 34, 274-279.	0.9	42
28	Endovascular Grafting of a Popliteal Aneurysm Using the Saphenous Vein. Journal of Endovascular Therapy, 1998, 5, 64-70.	3.2	42
29	Tradução e validação do Walking Impairment Questionnaire em brasileiros com claudicação intermitente. Arquivos Brasileiros De Cardiologia, 2009, 92, 136-49.	0.8	41
30	Surgical outcomes of vascular reconstruction in soft tissue sarcomas of the lower extremities. Journal of Vascular Surgery, 2015, 62, 143-149.	1.1	41
31	Comparison of Laser Versus Sclerotherapy in the Treatment of Lower Extremity Telangiectases: A Prospective Study. Dermatologic Surgery, 2012, 38, 635-639.	0.8	40
32	Use of oxybutynin for treating plantar hyperhidrosis. International Journal of Dermatology, 2013, 52, 620-623.	1.0	40
33	Long-term Results of the Use of Oxybutynin for the Treatment of Axillary Hyperhidrosis. Annals of Vascular Surgery, 2014, 28, 1106-1112.	0.9	40
34	Expression of Acetylcholine and Its Receptor in Human Sympathetic Ganglia in Primary Hyperhidrosis. Annals of Thoracic Surgery, 2013, 95, 465-470.	1.3	39
35	Walking training at the heart rate of pain threshold improves cardiovascular function and autonomic regulation in intermittent claudication: A randomized controlled trial. Journal of Science and Medicine in Sport, 2017, 20, 886-892.	1.3	39
36	Longâ€Term Efficacy of Oxybutynin for Palmar and Plantar Hyperhidrosis in Children Younger than 14 Years. Pediatric Dermatology, 2015, 32, 663-667.	0.9	38

#	Article	IF	CITATIONS
37	Quality of life before surgery is a predictive factor for satisfaction among patients undergoing sympathectomy to treat hyperhidrosis. Journal of Vascular Surgery, 2010, 51, 1190-1194.	1.1	36
38	Long-term results of oxybutynin treatment for palmar hyperhidrosis. Clinical Autonomic Research, 2014, 24, 297-303.	2.5	35
39	Long-term outcomes of hepatocellular carcinoma that underwent chemoembolization for bridging or downstaging. World Journal of Gastroenterology, 2019, 25, 5687-5701.	3.3	34
40	Effectiveness of oxybutynin for treatment of hyperhidrosis in overweight and obese patients. Revista Da Associação Médica Brasileira, 2013, 59, 143-147.	0.7	32
41	Vena cava filters in cancer patients: experience with 50 patients. Clinics, 2005, 60, 361-366.	1.5	31
42	Evaluation and management of symptomatic isolated spontaneous celiac trunk dissection. Vascular Medicine, 2015, 20, 358-363.	1.5	31
43	Outpatient percutaneous treatment of deep venous malformations using pure ethanol at low doses under local anesthesia. Clinics, 2010, 65, 837-840.	1.5	30
44	Isokinetic Strength and Endurance in Proximal and Distal Muscles in Patients With Peripheral Artery Disease. Annals of Vascular Surgery, 2012, 26, 1114-1119.	0.9	30
45	Oxybutynin treatment for hyperhidrosis: a comparative analysis between genders. Einstein (Sao Paulo,) Tj ETQq1	l 0.78431	l 4₃rgBT /Ov∈
46	Epidemiologic analysis of prevalence of the hyperhidrosis. Anais Brasileiros De Dermatologia, 2017, 92, 630-634.	1,1	30
47	Long-term results of oxybutynin use in treating facial hyperhidrosis. Anais Brasileiros De Dermatologia, 2014, 89, 912-916.	1.1	29
48	Questionnaire of quality of life in patients with primary hyperhidrosis. Jornal De Pneumologia, 2003, 29, 178-181.	0.1	29
49	Management of Compensatory Sweating After Sympathetic Surgery. Thoracic Surgery Clinics, 2016, 26, 445-451.	1.0	28
50	Vascular Reconstruction in Limbs Associated with Resection of Tumors. Annals of Vascular Surgery, 2003, 17, 411-416.	0.9	27
51	Exercise prescription using the heart of claudication pain onset in patients with intermittent claudication. Clinics, 2013, 68, 974-978.	1.5	27
52	Primary Utilization of Stents in Angioplasty of Superficial Femoral Artery. Vascular and Endovascular Surgery, 2003, 37, 271-277.	0.7	26
53	Compensatory Hyperhidrosis: Results of Pharmacologic Treatment With Oxybutynin. Annals of Thoracic Surgery, 2014, 98, 1797-1802.	1.3	26
54	Late Surgical Outcomes of Carotid Resection and Saphenous Vein Graft Revascularization in Patients with Advanced Head and Neck Squamous Cell Carcinoma. Annals of Vascular Surgery, 2014, 28, 1878-1884.	0.9	26

#	Article	IF	CITATIONS
55	Oral Rivaroxaban for the Treatment of Symptomatic Venous Thromboembolism in 400 Patients With Active Cancer: A Single-Center Experience. Clinical and Applied Thrombosis/Hemostasis, 2017, 23, 883-887.	1.7	26
56	Venous reconstructions in lower limbs associated with resection of malignancies. Journal of Vascular Surgery, 2006, 44, 1046-1050.	1.1	25
57	Ethanol sclerotherapy of head and neck venous malformations. Einstein (Sao Paulo, Brazil), 2014, 12, 181-186.	0.7	24
58	Obesity Decreases Time to Claudication and Delays Post-Exercise Hemodynamic Recovery in Elderly Peripheral Arterial Disease Patients. Gerontology, 2009, 55, 21-26.	2.8	23
59	Totally Implantable Ports Connected to Valved Catheters for Chemotherapy: Experience from 350 Groshong Devices. Journal of Vascular Access, 2010, 11, 17-22.	0.9	23
60	Risk factors for infectious and noninfectious complications of totally implantable venous catheters in cancer patients. Journal of Vascular Surgery: Venous and Lymphatic Disorders, 2016, 4, 200-205.	1.6	23
61	Association between physical activity and walking capacity with cognitive function in peripheral artery disease patients. European Journal of Vascular and Endovascular Surgery, 2018, 55, 672-678.	1.5	23
62	Predictors of walking capacity in peripheral arterial disease patients. Clinics, 2013, 68, 537-541.	1.5	23
63	Ethanol Sclerotherapy of Superficial Venous Malformation: A New Procedure. Dermatology, 2010, 220, 376-380.	2.1	22
64	Post-Walking Exercise Hypotension in Patients with Intermittent Claudication. Medicine and Science in Sports and Exercise, 2015, 47, 460-467.	0.4	22
65	Walking Capacity Is Positively Related with Heart Rate Variability in Symptomatic Peripheral Artery Disease. European Journal of Vascular and Endovascular Surgery, 2016, 52, 82-89.	1.5	22
66	Physical Activity Levels in Peripheral Artery Disease Patients. Arquivos Brasileiros De Cardiologia, 2019, 113, 410-416.	0.8	22
67	Treatment of uncommon sites of focal primary hyperhidrosis: experience with pharmacological therapy using oxybutynin. Clinics, 2014, 69, 608-614.	1.5	22
68	Azygos Lobe: A Difficulty in Video-Assisted Thoracic Sympathectomy. Annals of Thoracic Surgery, 2010, 89, e57-e59.	1.3	21
69	Sildenafil improves skeletal muscle oxygenation during exercise in men with intermittent claudication. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2014, 307, R396-R404.	1.8	21
70	Effects of oral <i>N</i> -acetylcysteine on walking capacity, leg reactive hyperemia, and inflammatory and angiogenic mediators in patients with intermittent claudication. American Journal of Physiology - Heart and Circulatory Physiology, 2015, 309, H897-H905.	3.2	21
71	Occurrence of Vascular Lake Phenomenon as a Predictor of Improved Tumor Response in HCC Patients That Underwent DEB-TACE. CardioVascular and Interventional Radiology, 2017, 40, 1044-1051.	2.0	21
72	Aneurysm of superior mesenteric vein: case report with 5-year follow-up and review of the literature. Journal of Vascular Surgery, 2004, 39, 459-461.	1.1	20

#	Article	IF	CITATIONS
73	Videothoracoscopic-guided management of a central vein perforation during hemodialysis catheter placement. Journal of Vascular Surgery, 2010, 52, 1354-1356.	1.1	20
74	Longâ€Term Comparison of Videoâ€Assisted Thoracic Sympathectomy and Clinical Observation for the Treatment of Palmar Hyperhidrosis in Children Younger Than 14. Pediatric Dermatology, 2012, 29, 575-579.	0.9	20
75	Effects of Clustered Comorbid Conditions on Walking Capacity in Patients with Peripheral Artery Disease. Annals of Vascular Surgery, 2014, 28, 279-283.	0.9	20
76	Translation and validation of Hyperhidrosis Disease Severity Scale. Revista Da Associação Médica Brasileira, 2016, 62, 843-847.	0.7	20
77	Randomized trial of radiofrequency ablation versus conventional surgery for superficial venous insufficiency: if you don't tell, they won't know. Clinics, 2016, 71, 650-656.	1.5	20
78	Idiopathic aneurysm of inferior vena cava associated with retroperitoneal ganglioneuroma: Case report. Journal of Vascular Surgery, 2003, 37, 895-898.	1.1	19
79	Post-resistance exercise hypotension in patients with intermittent claudication. Clinics, 2011, 66, 221-226.	1.5	19
80	Carbon dioxide Is a Cost-effective Contrast Medium to Guide Revascularization of TASC A and TASC B Femoropopliteal Occlusive Disease. Annals of Vascular Surgery, 2014, 28, 1473-1478.	0.9	19
81	Quality of Life Changes Following Surgery for Hyperhidrosis. Thoracic Surgery Clinics, 2016, 26, 435-443.	1.0	19
82	Carbon Dioxide as Contrast Medium to Guide Endovascular Aortic Aneurysm Repair. Annals of Vascular Surgery, 2017, 39, 67-73.	0.9	19
83	Rationale and design for the study Apixaban versus ClopidoGRel on a background of aspirin in patient undergoing InfraPoPliteal angioplasty for critical limb ischemia: AGRIPPA trial. American Heart Journal, 2020, 227, 100-106.	2.7	19
84	Longâ€term results of the treatment of primary hyperhidrosis with oxybutynin: followâ€up of 1,658 cases. International Journal of Dermatology, 2020, 59, 709-715.	1.0	19
85	Ground Reaction Force Pattern in Limbs with Intermittent Claudication. European Journal of Vascular and Endovascular Surgery, 2000, 20, 254-259.	1.5	18
86	The relation between age and outcomes of thoracic sympathectomy for hyperhidrosis: The older the better. Journal of Thoracic and Cardiovascular Surgery, 2018, 156, 1748-1756.	0.8	18
87	Impact of Endovascular Technique in Vascular Surgery Training at a Large University Hospital in Brazil. Journal of Surgical Education, 2011, 68, 19-23.	2.5	17
88	Validation of a Brazilian Portuguese Version of the Walking Estimated-Limitation Calculated by History (WELCH). Arquivos Brasileiros De Cardiologia, 2016, 106, 49-55.	0.8	17
89	Vascular Reconstruction in Limbs with Malignant Tumors. Vascular and Endovascular Surgery, 2004, 38, 423-429.	0.7	16
90	Impact of a supervised strength training or walking training over a subsequent unsupervised therapy period on walking capacity in patients with claudication. Journal of Vascular Nursing, 2011, 29, 81-86.	0.7	16

#	Article	IF	CITATIONS
91	Longâ€term results of the use of oxybutynin for the treatment of plantar hyperhidrosis. International Journal of Dermatology, 2015, 54, 605-611.	1.0	16
92	Effects of Isometric Handgrip Training in Patients With Peripheral Artery Disease: A Randomized Controlled Trial. Journal of the American Heart Association, 2020, 9, e013596.	3.7	16
93	Eccentric Strength and Endurance in Patients with Unilateral Intermittent Claudication. Clinics, 2009, 64, 319-322.	1.5	15
94	Pain Threshold Is Achieved at Intensity Above Anaerobic Threshold in Patients With Intermittent Claudication. Journal of Cardiopulmonary Rehabilitation and Prevention, 2009, 29, 396-401.	2.1	15
95	Test-retest reliability of isokinetic strength and endurance tests in patients with intermittent claudication. Vascular Medicine, 2010, 15, 275-278.	1.5	15
96	Comparison of pain severity following video-assisted thoracoscopic sympathectomy: electric versus harmonic scalpels. Interactive Cardiovascular and Thoracic Surgery, 2010, 10, 919-922.	1.1	15
97	Analysis of oxybutynin treatment for hyperhidrosis in patients aged over 40 years. Einstein (Sao Paulo,) Tj ETQq1 I	l 0.78431 0.7	4 rgBT /Ove
98	Quality of Life before Hyperhidrosis Treatment as a Predictive Factor for Oxybutynin Treatment Outcomes in Palmar and Axillary Hyperhidrosis. Annals of Vascular Surgery, 2014, 28, 970-976.	0.9	15
99	Relationship between walking capacity and ambulatory blood pressure in patients with intermittent claudication. Blood Pressure Monitoring, 2017, 22, 115-121.	0.8	15
100	Relationship between gait speed and physical function in patients with symptomatic peripheral artery disease. Clinics, 2019, 74, e1254.	1.5	15
101	Barriers and Levels of Physical Activity in Patients With Symptomatic Peripheral Artery Disease: Comparison Between Women and Men. Journal of Aging and Physical Activity, 2019, 27, 719-724.	1.0	14
102	In peripheral artery disease, diabetes is associated with reduced physical activity level and physical function and impaired cardiac autonomic control: A cross-sectional study. Annals of Physical and Rehabilitation Medicine, 2021, 64, 101365.	2.3	14
103	Prevalence of Metabolic Syndrome in Patients With Intermittent Claudication and its Correlation With the Segment of Arterial Obstruction. Angiology, 2010, 61, 784-788.	1.8	13
104	Remote ischemic preconditioning in patients with intermittent claudication. Clinics, 2013, 68, 495-499.	1.5	13
105	Expanded level of sympathectomy and incidence or severity of compensatory hyperhidrosis. Journal of Thoracic and Cardiovascular Surgery, 2014, 148, 2443-2444.	0.8	13
106	Morphometric Analysis of Thoracic Ganglion Neurons in Subjects with and without Primary Palmar Hyperhidrosis. Annals of Vascular Surgery, 2014, 28, 1023-1029.	0.9	13
107	Vascular Reactivity Is Impaired and Associated With Walking Ability in Patients With Intermittent Claudication. Angiology, 2015, 66, 680-686.	1.8	13
108	Rediscussing Anticoagulation in Distal Deep Venous Thrombosis. Clinical and Applied Thrombosis/Hemostasis, 2016, 22, 772-778.	1.7	13

#	Article	IF	Citations
109	Expanding the Use of Six-Minute Walking Test in Patients with Intermittent Claudication. Annals of Vascular Surgery, 2021, 70, 258-262.	0.9	13
110	The burden of the pandemic on the non-SARS-CoV-2 emergencies: A multicenter study. American Journal of Emergency Medicine, 2021, 42, 9-14.	1.6	13
111	Comparison of ultrasonography, computed tomography and magnetic resonance imaging with intraoperative measurements in the evaluation of abdominal aortic aneurysms. Clinics, 2005, 60, 21-28.	1.5	12
112	ExercÃcios resistidos terapêuticos para indivÃduos com doença arterial obstrutiva periférica: evidências para a prescrição. Jornal Vascular Brasileiro, 2007, 6, 246-256.	0.5	12
113	Avaliação quantitativa da intensidade da transpiração palmar e plantar em pacientes portadores de hiperidrose palmoplantar primária. Jornal Brasileiro De Pneumologia, 2012, 38, 573-578.	0.7	12
114	Comparative Study of Valved and Nonvalved Fully Implantable Catheters Inserted Via Ultrasound-Guided Puncture for Chemotherapy. Annals of Vascular Surgery, 2014, 28, 351-357.	0.9	12
115	Endovascular Repair of Infrarenal Abdominal Aortic Aneurysm Results in Higher Hospital Expenses than Open Surgical Repair: Evidence from a Tertiary Hospital in Brazil. Annals of Vascular Surgery, 2016, 36, 44-54.	0.9	12
116	Endovascular Repair of Ruptured Thoracoabdominal Aortic Aneurysm with an Off-the-shelf Endoprosthesis. Annals of Vascular Surgery, 2017, 43, 312.e1-312.e4.	0.9	12
117	Endovascular Treatment of Penetrating Injury to the Vertebral Artery by a Stab Wound: Case Report and Literature Review. Annals of Vascular Surgery, 2017, 45, 267.e1-267.e5.	0.9	12
118	Translation and Validation of the Brazilian-Portuguese Short Version of Vascular Quality of Life Questionnaire in Peripheral Artery Disease Patients with Intermittent Claudication Symptoms. Annals of Vascular Surgery, 2018, 51, 48-54.e1.	0.9	12
119	Validity and reliability of 2-min step test in patients with symptomatic peripheral artery disease. Journal of Vascular Nursing, 2021, 39, 33-38.	0.7	12
120	Carotid reconstruction in patients operated for malignant head and neck neoplasia. Sao Paulo Medical Journal, 2002, 120, 137-140.	0.9	11
121	Objective evaluation of plantar hyperhidrosis after sympathectomy. Clinics, 2013, 68, 311-315.	1.5	11
122	Videothoracoscopic Sympathectomy Results after Oxybutynin Chloride Treatment Failure. Annals of Vascular Surgery, 2017, 43, 283-287.	0.9	11
123	Analysis of the Correlation Between Central Obesity and Abdominal Aortic Diseases. Annals of Vascular Surgery, 2019, 54, 176-184.	0.9	11
124	Walking Training Improves Systemic and Local Pathophysiological Processes in Intermittent Claudication. European Journal of Vascular and Endovascular Surgery, 2021, 61, 954-963.	1.5	11
125	Endovascular treatment for intermittent claudication in patients who do not improve with clinical treatment. Clinics, 2005, 60, 193-200.	1.5	11
126	Oxidized low-density lipoprotein and ankle-brachial pressure index in patients with clinically evident peripheral arterial disease. Clinics, 2010, 65, 383-387.	1.5	10

#	Article	IF	CITATIONS
127	Totally Implantable Venous Catheters: Insertion via Internal Jugular Vein with Pocket Implantation in the Arm is an Alternative for Diseased Thoracic Walls. Journal of Vascular Access, 2012, 13, 71-74.	0.9	10
128	Risk of asymptomatic pulmonary embolism in patients with deep venous thrombosis. Journal of Vascular Surgery: Venous and Lymphatic Disorders, 2013, 1, 370-375.	1.6	10
129	Low-intensity resistance exercise does not affect cardiac autonomic modulation in patients with peripheral artery disease. Clinics, 2013, 68, 632-637.	1.5	10
130	Severe visceral ischemia and death after multilayer stent deployment for the treatment of a thoracoabdominal aortic aneurysm. Journal of Vascular Surgery, 2015, 62, 1632-1635.	1.1	10
131	Video-Assisted Thoracoscopic Sympathectomy for Facial Hyperhidrosis: The Influence of the Main Site of Complaint. Annals of Vascular Surgery, 2018, 46, 337-344.	0.9	10
132	Comparative analysis of the results of videothoracoscopic sympathectomy in the treatment of hyperhidrosis in adolescent patients. Journal of Pediatric Surgery, 2020, 55, 418-424.	1.6	10
133	Fracture and migration into the coronary sinus of a totally implantable catheter introduced via the right internal jugular vein. BMJ Case Reports, 2014, 2014, bcr2014207276-bcr2014207276.	0.5	10
134	Arterial reconstructions associated with the resection of malignant tumors. Clinics, 2006, 61, 339-44.	1.5	9
135	Respostas cardiovasculares durante avaliação muscular isocinética em claudicantes. Arquivos Brasileiros De Cardiologia, 2010, 95, 571-576.	0.8	9
136	Brachial insertion of fully implantable venous catheters for chemotherapy: complications and quality of life assessment in 35 patients. Einstein (Sao Paulo, Brazil), 2016, 14, 473-479.	0.7	9
137	Treatment of Abdominal Aortic Aneurysms in Cancer Patients. Annals of Vascular Surgery, 2016, 30, 159-165.	0.9	9
138	Graduated Compression Stockings Does Not Decrease Walking Capacity and Muscle Oxygen Saturation during 6-Minute Walk Test in Intermittent Claudication Patients. Annals of Vascular Surgery, 2017, 40, 239-242.	0.9	9
139	Calf Muscle Oxygen Saturation during 6-Minute Walk Test and Its Relationship with Walking Impairment in Symptomatic Peripheral Artery Disease. Annals of Vascular Surgery, 2018, 52, 147-152.	0.9	9
140	Number of Preoperative Hyperhidrosis Sites Does Not Affect the Sympathectomy Postoperative Results and Compensatory Hyperhidrosis Occurrence. Thoracic and Cardiovascular Surgeon, 2019, 67, 407-414.	1.0	9
141	Functional and Cardiovascular Measurements in Patients With Peripheral Artery Disease. Journal of Cardiopulmonary Rehabilitation and Prevention, 2020, 40, 24-28.	2.1	9
142	Epidemiological Analysis of Carotid Artery Stenosis Intervention during 10Âyears in the Public Health System in the Largest City in Brazil: Stenting Has Been More Common than Endarterectomy. Annals of Vascular Surgery, 2020, 66, 378-384.	0.9	9
143	Predictive factors for pelvic magnetic resonance in response to arterial embolization of a uterine leiomyoma. Clinics, 2014, 69, 185-189.	1.5	9
144	Epidemiology of 869,220 varicose vein surgeries over 12 years in Brazil: trends, costs and mortality rate. Annals of Vascular Surgery, 2022, 82, 1-6.	0.9	9

#	Article	IF	Citations
145	Performance of patients with intermittent claudication undergoing physical training, with or without an aggravation of arterial disease: retrospective cohort study. Clinics, 2006, 61, 535-8.	1.5	8
146	Retained Catheter: A Rare Complication Associated with Totally Implantable Venous Ports. Journal of Vascular Access, 2010, 11, 159-161.	0.9	8
147	Stages of health behavior change and factors associated with physical activity in patients with intermittent claudication. Einstein (Sao Paulo, Brazil), 2012, 10, 422-427.	0.7	8
148	NÃvel de atividade fÃsica em indivÃduos com doença arterial periférica: uma revisão sistemática. Jornal Vascular Brasileiro, 2012, 11, 22-28.	0.5	8
149	Doença cÃstica adventicial da artéria poplÃŧea: causa infrequente de claudicação intermitente. Einstein (Sao Paulo, Brazil), 2014, 12, 358-360.	0.7	8
150	Video-Assisted Thoracic Sympathectomy for Hyperhidrosis. Thoracic Surgery Clinics, 2016, 26, 347-358.	1.0	8
151	Rupture of Thrombosed Popliteal Aneurysm: A Case Report. Annals of Vascular Surgery, 2018, 51, 324.e7-324.e10.	0.9	8
152	The Need for a Vena Cava Filter in Oncological Patients with Acute Venous Thrombosis: A Marker of a Worse Prognosis. Annals of Vascular Surgery, 2019, 60, 35-44.	0.9	8
153	Analysis of the Results of Videotoracoscopic Sympathectomy in the Treatment of Hyperhidrosis in Patients 40 Years or Older. Annals of Vascular Surgery, 2020, 65, 107-112.	0.9	8
154	Impact of obesity on walking capacity and cardiovascular parameters in patients with peripheral artery disease: A cross-sectional study. Journal of Vascular Nursing, 2020, 38, 66-71.	0.7	8
155	Effect of Creatine Supplementation on Functional Capacity and Muscle Oxygen Saturation in Patients with Symptomatic Peripheral Arterial Disease: A Pilot Study of a Randomized, Double-Blind Placebo-Controlled Clinical Trial. Nutrients, 2021, 13, 149.	4.1	8
156	Symptoms of anxiety and depression and their relationship with barriers to physical activity in patients with intermittent claudication. Clinics, 2021, 76, e1802.	1.5	8
157	Tratamento cirúrgico para claudicação intermitente em pacientes que não melhoram com o tratamento clÃnico. Arquivos Brasileiros De Cardiologia, 2004, 82, 445-449.	0.8	8
158	Imaging response predictors following drug eluting beads chemoembolization in the neoadjuvant liver transplant treatment of hepatocellular carcinoma. World Journal of Hepatology, 2020, 12, 21-33.	2.0	8
159	Calcium Score Predicts Mortality After Revascularization in Critical Limb Ischemia. Journal of Endovascular Therapy, 2022, 29, 438-443.	1.5	8
160	A Simple Homemade Carbon Dioxide Delivery System for Endovascular Procedures in the Iliofemoral Arteries. Circulation Journal, 2013, 77, 831.	1.6	7
161	Public private partnership in vascular surgery. Einstein (Sao Paulo, Brazil), 2014, 12, 342-346.	0.7	7
162	Clinical, ultrasonographic and histological findings in varicose vein surgery. Revista Da Associação Médica Brasileira, 2018, 64, 729-735.	0.7	7

#	Article	IF	CITATIONS
163	Endovascular infrarenal aortic aneurysm repair combined with laparoscopic cholecystectomy. Clinics, 2010, 65, 743-744.	1.5	7
164	A new test to avoid arterial complications during pancreaticoduodenectomy. Hepato-Gastroenterology, 2004, 51, 1671-3.	0.5	7
165	Gadolinium Magnetic Angioresonance in the Study of Aortoiliac Disease. Angiology, 2003, 54, 163-168.	1.8	6
166	Peroneal Artery Approach for Angioplasty of the Superficial Femoral Artery. Vascular and Endovascular Surgery, 2003, 37, 129-133.	0.7	6
167	Endovascular techniques for placement of long-term chemotherapy catheters. Revista Do Hospital Das Clinicas, 2003, 58, 215-218.	0.5	6
168	Natural history of stenosis in the iliac arteries in patients with intermittent claudication undergoing clinical treatment. Revista Do Hospital Das Clinicas, 2004, 59, 341-348.	0.5	6
169	Reliability of the Baltimore Activity Scale Questionnaire for Intermittent Claudication. Angiology, 2012, 63, 254-258.	1.8	6
170	Limitação funcional e claudicação intermitente: impacto das medidas de pressão arterial. Arquivos Brasileiros De Cardiologia, 2012, 98, 161-166.	0.8	6
171	Influence of peripheral arterial disease on daily living activities in elderly women. Journal of Vascular Nursing, 2016, 34, 39-43.	0.7	6
172	Reproducibility of Anaerobic and Pain Thresholds in Male Patients With Intermittent Claudication. Journal of Cardiopulmonary Rehabilitation and Prevention, 2016, 36, 358-367.	2.1	6
173	Endovascular Treatment of Late Aortic Erosive Lesion by Pedicle Screw without Screw Removal: Case Report and Literature Review. Annals of Vascular Surgery, 2017, 39, 285.e17-285.e21.	0.9	6
174	Forced-Air Warming in Patients Undergoing Endovascular Procedures: Comparison between 2 Thermal Blanket Models. Annals of Vascular Surgery, 2018, 47, 98-103.	0.9	6
175	Cardiac Autonomic Modulation Is Associated with Arterial Stiffness in Patients with Symptomatic Peripheral Artery Disease. Annals of Vascular Surgery, 2019, 61, 72-77.	0.9	6
176	Influence of smoking on physical function, physical activity, and cardiovascular health parameters in patients with symptomatic peripheral arterial disease: A cross-sectional study. Journal of Vascular Nursing, 2019, 37, 106-112.	0.7	6
177	Peak Systolic Velocity for Calcified Plaques Fails to Estimate Carotid Stenosis Degree. Annals of Vascular Surgery, 2019, 59, 1-4.	0.9	6
178	Effect of frailty on physical activity levels and walking capacity in patients with peripheral artery disease: A cross-sectional study. Journal of Vascular Nursing, 2021, 39, 84-88.	0.7	6
179	Medication errors in emergency departments: is electronic medical record an effective barrier?. Einstein (Sao Paulo, Brazil), 2019, 17, eGS4282.	0.7	6
180	Carbon dioxide contrast medium for endovascular treatment of ilio-femoral occlusive disease. Clinics, 2015, 70, 675-679.	1.5	6

#	Article	IF	CITATIONS
181	Covered Stent Treatment for an Aneurysm of a Saphenous Vein Graft to the Common Carotid Artery. Annals of Vascular Surgery, 2010, 24, 954.e9-954.e12.	0.9	5
182	Sympathetic cardiac modulation and vascular worsening in arteritis: A case report. Journal of Vascular Nursing, 2012, 30, 21-23.	0.7	5
183	Comparação entre os métodos subjetivo e objetivo para avaliação da capacidade funcional durante tratamento clÃnico em pacientes com claudicação intermitente. Einstein (Sao Paulo, Brazil), 2013, 11, 495-499.	0.7	5
184	Successful Image-Guided Percutaneous Embolization of a Ruptured Abdominal Aortic Aneurysm Sac due to Type II Endoleak after Endovascular Repair. Annals of Vascular Surgery, 2015, 29, 361.e1-361.e4.	0.9	5
185	Endovascular revascularization of TASC C and D femoropopliteal occlusive disease using carbon dioxide as contrast. Einstein (Sao Paulo, Brazil), 2016, 14, 124-129.	0.7	5
186	Factors Associated to Arterial Stiffness in Patients With Symptomatic Peripheral Artery Disease. Annals of Vascular Surgery, 2019, 61, 78-82.	0.9	5
187	Are cardiovascular function and habitual physical activity levels similar in patients with classic and atypical claudication symptoms? A cross-sectional study. Vascular, 2020, 28, 360-367.	0.9	5
188	Evaluation of compensatory hyperhidrosis after sympathectomy: The use of an objective method. Annals of Vascular Surgery, 2021, , .	0.9	5
189	Cohort study on 20 years' experience of bilateral video-assisted thoracic sympathectomy (VATS) for treatment of hyperhidrosis in 2431 patients. Sao Paulo Medical Journal, 2022, 140, 284-289.	0.9	5
190	Arterial embolectomy in lower limbs. Sao Paulo Medical Journal, 1996, 114, 1226-1230.	0.9	4
191	Infrarenal Aortic Aneurysm Repair by Retroperitoneal Approach Combined with Laparoscopic Cholecystectomy: Two Case Reports. Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A, 2001, 11, 115-117.	1.0	4
192	Objective evaluation of upper limb claudication: use of isokinetic dynamometry. Clinics, 2006, 61, 189-96.	1.5	4
193	Relacao entre o nivel de atividade fisica estimado pelo Baltimore Activity Scale for Intermittent Claudication e a pedometria em pacientes com claudicacao intermitente. Jornal Vascular Brasileiro, 2013, 12, 187-192.	0.5	4
194	Revisao de 15 casos submetidos a oclusao temporaria bilateral de arteria iliaca interna em pacientes com alto risco para hemorragia obstetrica. Jornal Vascular Brasileiro, 2013, 12, 202-206.	0.5	4
195	Regarding "Optimal level of sympathectomy for primary palmar hyperhidrosis: T3 versus T4 in a retrospective cohort study― International Journal of Surgery, 2014, 12, 788.	2.7	4
196	Lower functional capacity is associated with higher cardiovascular risk in Brazilian patients with intermittent claudication. Journal of Vascular Nursing, 2015, 33, 21-25.	0.7	4
197	Enoxaparin Treatment Followed by Rivaroxaban for the Treatment of Acute Lower Limb Venous Thromboembolism. Clinical and Applied Thrombosis/Hemostasis, 2016, 22, 377-380.	1.7	4
198	Evaluation of patients who underwent resympathectomy for treatment of primary hyperhidrosis. Interactive Cardiovascular and Thoracic Surgery, 2017, 25, 716-719.	1.1	4

#	Article	IF	CITATIONS
199	Nutcracker Syndrome: laparoscopic external stenting of the renal vein ("the shield techniqueâ€). International Braz J Urol: Official Journal of the Brazilian Society of Urology, 2017, 43, 373-373.	1.5	4
200	Reproducibility of heart rate recovery in patients with intermittent claudication. Clinical Physiology and Functional Imaging, 2018, 38, 603-609.	1.2	4
201	Duplex scan and histologic assessment of acute renal injury in a kidney-kidney crosstalk swine experimental model. Journal of Vascular Surgery, 2018, 68, 588-595.	1.1	4
202	Depression and cancer were independently associated with quality of life in Brazilian older people. Australasian Journal on Ageing, 2019, 38, E7-E11.	0.9	4
203	Magnetic Resonance Imaging Evaluation of Left Common Iliac Vein Compression in Patients With and Without Symptoms of Venous Disease. Circulation Journal, 2020, 84, 763-768.	1.6	4
204	Lower Limb Revascularization for PeripheralÂArterial Disease in 10,951 Procedures over 11Âyears in a Public HealthÂSystem: A Descriptive Analysis of the Largest Brazilian City. Annals of Vascular Surgery, 2021, 70, 223-229.	0.9	4
205	Respostas Fisiológicas à Caminhada Máxima e Submáxima em Pacientes com Doença Arterial Periférica Sintomática. Arquivos Brasileiros De Cardiologia, 2021, 117, 309-316.	0.8	4
206	Thoracic aortic size in Brazilian smokers: measures using low-dose chest computed tomography anatomical and epidemiological assessment. Clinics, 2021, 76, e2315.	1.5	4
207	Thoracic Sympathectomy. , 2010, , 1854-1864.		4
208	Endovascular treatment for iliac artery pseudoaneurysm with arteriovenous fistula after abdominal aortic aneurysm open repair. Clinics, 2011, 66, 1499-1500.	1.5	4
209	Impact of hypertension on arterial stiffness and cardiac autonomic modulation in patients with peripheral artery disease: a cross-sectional study. Einstein (Sao Paulo, Brazil), 2021, 19, eA06100.	0.7	4
210	Impact of the COVID-19 pandemic on health lifestyle in patients with peripheral artery disease: A cross-sectional study. Journal of Vascular Nursing, 2022, 40, 54-58.	0.7	4
211	Regarding "Floppy aortic graft reconstruction for germ cell tumor invasion of the infrarenal aortaâ€. Journal of Vascular Surgery, 2004, 39, 922.	1.1	3
212	Distances walked in the six-minute walk test: suggestion of defining characteristic for the nursing diagnosis Ineffective Peripheral Tissue Perfusion. Revista Latino-Americana De Enfermagem, 2012, 20, 251-258.	1.0	3
213	Influence of Criteria Used in Determining Prevalence of Metabolic Syndrome (NCEP-ATPIII versus IDF) in Patients withÂlntermittent Claudication. Annals of Vascular Surgery, 2014, 28, 640-643.	0.9	3
214	The therapeutic challenge of giant splenic artery aneurysm: a case repport. Einstein (Sao Paulo,) Tj ETQq0 0 0 rgl	BT /Oyerlo	ock 10 Tf 50 1
215	Upper extremity sympathectomy. Journal of Visualized Surgery, 2018, 4, 180-180.	0.2	3
216	Late neurological deficit after attempted PICC insertion in the arm. Journal of Vascular Access, 2019, 20, 226-228.	0.9	3

#	Article	IF	CITATIONS
217	Does Creatine Supplementation Affect Renal Function in Patients with Peripheral Artery Disease? A Randomized, Double Blind, Placebo-controlled, Clinical Trial. Annals of Vascular Surgery, 2020, 63, 45-52.	0.9	3
218	Symptoms of anxiety and depression in patients with primary hyperhidrosis and its association with the result of clinical treatment with oxybutynin. Clinics, 2021, 76, e2892.	1.5	3
219	Epidemiological Analysis of 37,424 Carotid Artery Stenosis Intervention Procedures During 11 Years in the Public Health System in Brazil: Stenting has Been More Common Than Endarterectomy. Annals of Vascular Surgery, 2021, 76, 269-275.	0.9	3
220	Anxiety and Depression Scores in Patients Subjected to Arterial Revascularization for Critical Limb Ischemia. Annals of Vascular Surgery, 2021, 75, 94-101.	0.9	3
221	Local and Systemic Inflammation and Oxidative Stress After a Single Bout of Maximal Walking in Patients With Symptomatic Peripheral Artery Disease. Journal of Cardiovascular Nursing, 2021, 36, 498-506.	1.1	3
222	Comparison between antegrade common femoral artery access and superficial femoral artery access in infrainguinal endovascular interventions. Journal of Vascular Surgery, 2021, 74, 763-770.	1.1	3
223	Epidemiological Analysis of 5,595 Procedures of Endovascular Correction of Isolated Descending Thoracic Aortic Disease Over 12 Years in the Public Health System in Brazil. Clinics, 2021, 76, e2890.	1.5	3
224	O tratamento atual da hiperhidrose. Jornal Vascular Brasileiro, 2015, 14, 279-281.	0.5	3
225	ABDOMINAL AORTIC PSEUDOANEURYSM ASSOCIATED WITH A METASTATIC GERM CELL TUMOR: A RARE COMPLICATION. Clinics, 2007, 62, 657-660.	1.5	3
226	Consensus on the investigation of thrombophilia in women and clinical management. Einstein (Sao) Tj ETQq0 0	0 rgBT /O\ 9.7	verlock 10 Tf !
227	The use of stents in the treatment of traumatic intimal flaps: case report. Revista Do Hospital Das Clinicas, 2001, 56, 119-122.	0.5	2
228	Preservation of Alpha-3 Neuronal Nicotinic Acetylcholine Receptor Expression in Sympathetic Ganglia After Brain Death. Molecular Neurobiology, 2012, 45, 362-365.	4.0	2
229	Concomitant aortic and vena caval reconstruction associated with germ-cell tumor resection with creation of a new venous bifurcation. Journal of Vascular Surgery: Venous and Lymphatic Disorders, 2013, 1, 209-211.	1.6	2
230	Functional and Cardiovascular Parameters in Peripheral Artery Disease Patients with Interarm Blood Pressure Difference. Annals of Vascular Surgery, 2021, 70, 355-361.	0.9	2
231	Saccular Superior Vena Cava Aneurysm: Case Report and Comprehensive Review. Annals of Vascular Surgery, 2021, 72, 666.e23-666.e32.	0.9	2
232	Incidence, diagnosis, treatment methods, and outcomes of clinically suspected venous thromboembolic disease in patients with COVID-19 in a quaternary hospital in Brazil. Jornal Vascular Brasileiro, 2021, 20, e20200203.	0.5	2
233	Physical activity practice during COVID-19 pandemic in patients with intermittent claudication. Revista Da Associação Médica Brasileira, 2021, 67, 35-39.	0.7	2
234	Endovascular correction of isolated descending thoracic aortic disease: a descriptive analysis of 1,344 procedures over 10 years in the public health system of São Paulo. Clinics, 2021, 76, e2332.	1.5	2

#	Article	IF	Citations
235	Comparative Analysis of Artery Anatomy Evaluated by Postmortem Tomography, CT Angiography, and Postmortem and Predeath CT Scans. Annals of Vascular Surgery, 2021, 72, 124-137.	0.9	2
236	Treinamento de Caminhada Melhora a Variabilidade da Pressão Arterial Ambulatorial em Claudicantes. Arquivos Brasileiros De Cardiologia, 2021, 116, 898-905.	0.8	2
237	Arm mobilization provokes deformity of long-term indwelling ports implanted via the jugular vein. Journal of Vascular Surgery: Venous and Lymphatic Disorders, 2021, 9, 998-1006.	1.6	2
238	Current treatment options for craniofacial hyperhidrosis. Jornal Vascular Brasileiro, 2020, 19, e20190152.	0.5	2
239	Bradicardia sinusal persistente por nove dias ap $\tilde{A}^3$ s angioplastia carot $\tilde{A}$ dea com stent. Arquivos Brasileiros De Cardiologia, 2012, 99, e134-e136.	0.8	2
240	External aggression to the limb as a predictive factor in the evolution of patients undergoing arterial revascularization. Clinics, 2005, 60, 451-4.	1.5	2
241	Conventional Varicose Vein Surgery: Comparison between Single versus Staged Surgery Using Patient Reported Outcomes. Annals of Vascular Surgery, 2022, 80, 60-69.	0.9	2
242	Epidemiological analysis of 556 procedures of open thoracoabdominal aortic aneurysm repair in the Public Health System in the largest Brazilian city. Einstein (Sao Paulo, Brazil), 2022, 20, eAO6724.	0.7	2
243	Epidemiology of Abdominal Aortic Aneurysm Repair in Brazil from 2008 to 2019 and Comprehensive Review of Nationwide Statistics Across the World. World Journal of Surgery, 2022, 46, 1485-1492.	1.6	2
244	Variations in white blood count, thromboxane B2 levels and hematocrit in chronic venous hypertension. Sao Paulo Medical Journal, 1998, 116, 1721-1726.	0.9	1
245	Use of arteriography for the initial evaluation of patients with intermittent lower limb claudication. Sao Paulo Medical Journal, 2001, 119, 59-61.	0.9	1
246	Carbon dioxide as a substitute for iodine contrast in arteriography during embolectomy. Einstein (Sao) Tj ETQq0	0 8.19BT /	Overlock 10 <sup>-</sup>
247	Paraplegia of Lower Limbs Caused by a Segmental Thrombosis of the Descending Thoracic Aorta Reversed with Endovascular Treatment—A Case Report and Literature Review. Annals of Vascular Surgery, 2018, 50, 300.e5-300.e10.	0.9	1
248	Hyperhidrosis in Children. , 2018, , 39-44.		1
249	Management of Compensatory Hyperhidrosis., 2018,, 197-202.		1
250	Safety and Effectiveness of Suture-mediated Arterial Closure Device in Hepatocellular Carcinoma Patients Who Underwent Drug-Eluting Beads Transarterial Chemoembolization. Annals of Vascular Surgery, 2019, 55, 203-209.	0.9	1
251	Brazil's COVID-19 response. Lancet, The, 2020, 396, e33.	13.7	1
252	Multilayer stents affect the final diameter of aortic aneurysms and maintain renal artery patency for a short time in a swine experimental model. Clinics, 2021, 76, e2812.	1.5	1

#	Article	IF	CITATIONS
253	Cardiovascular Responses during and after Maximal Walking in Men and Women with Symptomatic Peripheral Artery Disease. Annals of Vascular Surgery, 2021, 71, 9-18.	0.9	1
254	Anxiety and depression scores in patients subjected to aortic and iliac aneurysm repair procedures. Revista Da Associação Médica Brasileira, 2021, 67, 747-752.	0.7	1
255	Signs of impending rupture in abdominal aortic and iliac artery aneurysms by computed tomography: Outcomes in 41 patients. Clinics, 2021, 76, e2455.	1.5	1
256	Is age group a predictive factor for satisfaction among patients undergoing sympathectomy to treat hyperhidrosis?. Jornal Vascular Brasileiro, 2011, 10, 284-288.	0.5	1
257	Associação entre fadiga e capacidade funcional em pacientes com claudicação intermitente. Revista Brasileira De Enfermagem, 2015, 68, 937-944.	0.7	1
258	Impact of implementing good care and management practice guidelines in carotid revascularization procedures. Acta Neurochirurgica, 2022, 164, 1047-1053.	1.7	1
259	The Use of Stents in the Treatment of Intimal Flaps: An Experimental Study. Vascular Surgery, 2000, 34, 37-41.	0.3	0
260	Traitement par stent couvert d'un anévrysme sur greffe veineuse saphéne de l'artère carotide commune. Annales De Chirurgie Vasculaire, 2010, 24, 1038.e5-1038.e8.	0.0	0
261	Utilisation de l'oxybutynine dans le traitement de l'hyperhidrose axillaire. Annales De Chirurgie Vasculaire, 2011, 25, 1126-1132.	0.0	0
262	Review of the surgical technique for the treatment of hyperhidrosis. Expert Review of Dermatology, 2012, 7, 529-538.	0.3	0
263	Effectiveness of oxybutynin for treatment of hyperhidrosis in overweight and obese patients. Revista Da Associação Mà ©dica Brasileira (English Edition), 2013, 59, 143-147.	0.1	0
264	Einsteins' role in clinical research. Einstein (Sao Paulo, Brazil), 2014, 12, 7-9.	0.7	0
265	Uso combinado de endoprótese GORE TAG® e Gore Exculder® para tratamento de aneurisma de aorta abdominal com angulação extrema. Einstein (Sao Paulo, Brazil), 2014, 12, 499-501.	0.7	0
266	Response to correspondence regarding †Evaluation and management of symptomatic isolated spontaneous celiac trunk dissection†by Galastri et al Vascular Medicine, 2016, 21, 554-554.	1.5	0
267	Optimized Protocol for Fast CT Angiography of Lower Limbs Using 160-Row Detector. Journal of Computer Assisted Tomography, 2016, 40, 953-957.	0.9	0
268	Effects of isometric handgrip training in patients with cardiovascular disease: rationale and design of the ISOPRESS network. Motriz Revista De Educacao Fisica, 2017, 23, .	0.2	0
269	Combination of topical agents and oxybutynin as a therapeutic modality for patients with both osmidrosis and hyperhidrosis. Revista Da Associação Médica Brasileira, 2018, 64, 127-132.	0.7	0
270	Evaluation of the Activity of Heparin Injected into the Fully Implantable Catheter for Chemotherapy (Portocath) between Two Moments of Use. Annals of Vascular Surgery, 2019, 61, 165-169.	0.9	0

#	Article	IF	CITATIONS
271	Kissing Balloon Technique for Infrapopliteal Angioplasty in Patients with Critical Limb Ischemia. Annals of Vascular Surgery, 2020, 66, 502-509.	0.9	0
272	A prospective controlled randomized multicenter study to evaluate the severity of compensatory sweating after one-stage bilateral thoracic sympathectomy versus unilateral thoracic sympathectomy in the dominant side. Contemporary Clinical Trials Communications, 2020, 19, 100618.	1.1	0
273	Changes in the quality of life following surgery for hyperhidrosis. Shanghai Chest, 2020, 4, 20-20.	0.3	O
274	Impacto da pandemia da COVID-19 sobre o tratamento medicamentoso dos pacientes com doen $\tilde{A}$ arterial perif $\tilde{A}$ ©rica: um estudo observacional transversal. Jornal Vascular Brasileiro, 2021, 20, e20210021.	0.5	0
275	Prevalence, growth rate and complications of splenic artery aneurysms in chronic liver disease patients. Vasa - European Journal of Vascular Medicine, 2021, 50, 139-144.	1.4	0
276	Effect of Sex on Vascular Adaptations to Isometric Handgrip Training in Elderly Patients with Peripheral Artery Disease: A Randomized Controlled Trial. Journal of Vascular Research, 2021, 58, 1-4.	1.4	0
277	Are Vascular Parameters Associated with Walking Impairment in Patients with Claudication?. Annals of Vascular Surgery, 2021, , .	0.9	O
278	Efeito da isquemia renal unilateral no rim contralateral avaliada pela expressão de Caspase 3. Jornal Vascular Brasileiro, 2021, 20, e20210040.	0.5	0
279	Is routine screening for silent pulmonary embolism justified in patients with deep vein thrombosis?. Jornal Vascular Brasileiro, 2021, 20, e20200124.	0.5	0
280	Intraoperative evaluation of tunneled dialysis catheter mobility and function with arm movement. Journal of Vascular Surgery: Venous and Lymphatic Disorders, 2021, , .	1.6	0
281	Hiper-homocisteinemia associada ao aumento no risco de doença vascular obstrutiva periférica: verdade ou mito?. Jornal Vascular Brasileiro, 2009, 8, 291-293.	0.5	0
282	Leadership potential of physicians in a public teaching hospital in the city of São Paulo. Einstein (Sao) Tj ETQq0	08.5BT	Overlock 10
283	Diagnosis and management of hepatic artery in-stent restenosis after liver transplantation by optical coherence tomography: A case report. World Journal of Hepatology, 2020, 12, 399-405.	2.0	0
284	Use of carbon dioxide for therapeutic decision-making in endoleaks: a case report. Jornal Vascular Brasileiro, 2020, 19, e20200060.	0.5	0
285	Experiência inicial com ultrassom Doppler com contraste por microbolhas em adição ao ultrassom Doppler convencional para seguimento de correção endovascular de aneurisma de aorta abdominal. Jornal Vascular Brasileiro, 2021, 20, e20200093.	0.5	0
286	Rivaroxaban with Aspirin Versus Aspirin for Peripheral Arterial Disease and Intermittent Claudication. Rationale and Design of the COMPASS CLAUDICATION Trial. Clinical and Applied Thrombosis/Hemostasis, 2022, 28, 107602962110739.	1.7	0
287	Effects of COVID-19 Outbreak in Image-Guided Biopsies in Brazil: An Epidemiological Study over 13ÂYears and 2 Million Biopsies. CardioVascular and Interventional Radiology, 2022, 45, 533.	2.0	0
288	Pseudoaneurisma e fÃstula arteriovenosa da artéria femoral profunda após rotura completa do músculo vasto medial: tratamento endovascular. Jornal Vascular Brasileiro, 2022, 21, e20190001.	0.5	0

#	Article	IF	CITATIONS
289	Nationwide Cross-Sectional Epidemiological Analysis of 3,306 Lower Limb Peripheral Aneurysm Repairs in Brazilian Public Hospitals Between 2008 and 2019: Trends, Mortality and Costs. Annals of Vascular Surgery, 2022, , .	0.9	0
290	Temporal trends in vena cava filter implantation in public health system inpatients: an 11-year analysis of the largest city in Brazil. Jornal Vascular Brasileiro, 2022, 21, e20210186.	0.5	0
291	Effects of arm-crank exercise on cardiovascular function, functional capacity, cognition and quality of life in patients with peripheral artery disease: Study protocol for a randomized controlled trial. PLoS ONE, 2022, 17, e0267849.	2.5	0