## Nelson Wolosker

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8134399/publications.pdf

Version: 2024-02-01

291 papers

4,575 citations

35 h-index 189892 50 g-index

299 all docs

299 docs citations

times ranked

299

2824 citing authors

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Conventional Varicose Vein Surgery: Comparison between Single versus Staged Surgery Using Patient Reported Outcomes. Annals of Vascular Surgery, 2022, 80, 60-69.  | 0.9 | 2         |
| 2  | Calcium Score Predicts Mortality After Revascularization in Critical Limb Ischemia. Journal of Endovascular Therapy, 2022, 29, 438-443.  | 1.5 | 8         |
| 3  | Impact of the COVID-19 pandemic on health lifestyle in patients with peripheral artery disease: A cross-sectional study. Journal of Vascular Nursing, 2022, 40, 54-58.   | 0.7 | 4         |
| 4  | Impact of implementing good care and management practice guidelines in carotid revascularization procedures. Acta Neurochirurgica, 2022, 164, 1047-1053.   | 1.7 | 1         |
| 5  | Rivaroxaban with Aspirin Versus Aspirin for Peripheral Arterial Disease and Intermittent Claudication.<br>Rationale and Design of the COMPASS CLAUDICATION Trial. Clinical and Applied<br>Thrombosis/Hemostasis, 2022, 28, 107602962110739.        | 1.7 | O         |
| 6  | Effects of COVID-19 Outbreak in Image-Guided Biopsies in Brazil: An Epidemiological Study over 13ÂYears and 2 Million Biopsies. CardioVascular and Interventional Radiology, 2022, 45, 533.  | 2.0 | 0         |
| 7  | Epidemiological analysis of 556 procedures of open thoracoabdominal aortic aneurysm repair in the Public Health System in the largest Brazilian city. Einstein (Sao Paulo, Brazil), 2022, 20, eAO6724.   | 0.7 | 2         |
| 8  | Pseudoaneurisma e fÃstula arteriovenosa da artéria femoral profunda após rotura completa do músculo vasto medial: tratamento endovascular. Jornal Vascular Brasileiro, 2022, 21, e20190001.  | 0.5 | 0         |
| 9  | Cohort study on 20 years' experience of bilateral video-assisted thoracic sympathectomy (VATS) for treatment of hyperhidrosis in 2431 patients. Sao Paulo Medical Journal, 2022, 140, 284-289.   | 0.9 | 5         |
| 10 | Epidemiology of Abdominal Aortic Aneurysm Repair in Brazil from 2008 to 2019 and Comprehensive Review of Nationwide Statistics Across the World. World Journal of Surgery, 2022, 46, 1485-1492.  | 1.6 | 2         |
| 11 | Nationwide Cross-Sectional Epidemiological Analysis of 3,306 Lower Limb Peripheral Aneurysm Repairs in Brazilian Public Hospitals Between 2008 and 2019: Trends, Mortality and Costs. Annals of Vascular Surgery, 2022, , .                        | 0.9 | 0         |
| 12 | Epidemiology of 869,220 varicose vein surgeries over 12 years in Brazil: trends, costs and mortality rate. Annals of Vascular Surgery, 2022, 82, 1-6.  | 0.9 | 9         |
| 13 | Temporal trends in vena cava filter implantation in public health system inpatients: an 11-year analysis of the largest city in Brazil. Jornal Vascular Brasileiro, 2022, 21, e20210186.   | 0.5 | O         |
| 14 | Effects of arm-crank exercise on cardiovascular function, functional capacity, cognition and quality of life in patients with peripheral artery disease: Study protocol for a randomized controlled trial. PLoS ONE, 2022, 17, e0267849.           | 2.5 | 0         |
| 15 | In peripheral artery disease, diabetes is associated with reduced physical activity level and physical function and impaired cardiac autonomic control: A cross-sectional study. Annals of Physical and Rehabilitation Medicine, 2021, 64, 101365. | 2.3 | 14        |
| 16 | Functional and Cardiovascular Parameters in Peripheral Artery Disease Patients with Interarm Blood Pressure Difference. Annals of Vascular Surgery, 2021, 70, 355-361.   | 0.9 | 2         |
| 17 | Expanding the Use of Six-Minute Walking Test in Patients with Intermittent Claudication. Annals of Vascular Surgery, 2021, 70, 258-262.  | 0.9 | 13        |
| 18 | Saccular Superior Vena Cava Aneurysm: Case Report and Comprehensive Review. Annals of Vascular Surgery, 2021, 72, 666.e23-666.e32.   | 0.9 | 2         |

| #  | Article   | IF          | CITATIONS |
|----|---|-------------|-----------|
| 19 | Lower Limb Revascularization for PeripheralÂArterial Disease in 10,951 Procedures over 11Âyears in a<br>Public HealthÂSystem: A Descriptive Analysis of the Largest Brazilian City. Annals of Vascular Surgery,<br>2021, 70, 223-229.       | 0.9         | 4         |
| 20 | Incidence, diagnosis, treatment methods, and outcomes of clinically suspected venous thromboembolic disease in patients with COVID-19 in a quaternary hospital in Brazil. Jornal Vascular Brasileiro, 2021, 20, e20200203.                  | 0.5         | 2         |
| 21 | Physical activity practice during COVID-19 pandemic in patients with intermittent claudication. Revista<br>Da Associação Médica Brasileira, 2021, 67, 35-39.  | 0.7         | 2         |
| 22 | Symptoms of anxiety and depression in patients with primary hyperhidrosis and its association with the result of clinical treatment with oxybutynin. Clinics, 2021, 76, e2892.  | <b>1.</b> 5 | 3         |
| 23 | Endovascular correction of isolated descending thoracic aortic disease: a descriptive analysis of 1,344 procedures over 10 years in the public health system of São Paulo. Clinics, 2021, 76, e2332.  | 1.5         | 2         |
| 24 | Multilayer stents affect the final diameter of aortic aneurysms and maintain renal artery patency for a short time in a swine experimental model. Clinics, 2021, 76, e2812.   | 1.5         | 1         |
| 25 | Impacto da pandemia da COVID-19 sobre o tratamento medicamentoso dos pacientes com doença<br>arterial periférica: um estudo observacional transversal. Jornal Vascular Brasileiro, 2021, 20,<br>e20210021.                                  | 0.5         | 0         |
| 26 | Cardiovascular Responses during and after Maximal Walking in Men and Women with Symptomatic Peripheral Artery Disease. Annals of Vascular Surgery, 2021, 71, 9-18.  | 0.9         | 1         |
| 27 | Prevalence, growth rate and complications of splenic artery aneurysms in chronic liver disease patients. Vasa - European Journal of Vascular Medicine, 2021, 50, 139-144.   | 1.4         | 0         |
| 28 | The burden of the pandemic on the non-SARS-CoV-2 emergencies: A multicenter study. American Journal of Emergency Medicine, 2021, 42, 9-14.  | 1.6         | 13        |
| 29 | Comparative Analysis of Artery Anatomy Evaluated by Postmortem Tomography, CT Angiography, and Postmortem and Predeath CT Scans. Annals of Vascular Surgery, 2021, 72, 124-137.   | 0.9         | 2         |
| 30 | Treinamento de Caminhada Melhora a Variabilidade da Pressão Arterial Ambulatorial em Claudicantes.<br>Arquivos Brasileiros De Cardiologia, 2021, 116, 898-905.  | 0.8         | 2         |
| 31 | Validity and reliability of 2-min step test in patients with symptomatic peripheral artery disease. Journal of Vascular Nursing, 2021, 39, 33-38.   | 0.7         | 12        |
| 32 | Walking Training Improves Systemic and Local Pathophysiological Processes in Intermittent Claudication. European Journal of Vascular and Endovascular Surgery, 2021, 61, 954-963.   | 1.5         | 11        |
| 33 | Effect of Sex on Vascular Adaptations to Isometric Handgrip Training in Elderly Patients with Peripheral Artery Disease: A Randomized Controlled Trial. Journal of Vascular Research, 2021, 58, 1-4.  | 1.4         | 0         |
| 34 | Epidemiological Analysis of 37,424 Carotid Artery Stenosis Intervention Procedures During 11 Years in the Public Health System in Brazil: Stenting has Been More Common Than Endarterectomy. Annals of Vascular Surgery, 2021, 76, 269-275. | 0.9         | 3         |
| 35 | Anxiety and depression scores in patients subjected to aortic and iliac aneurysm repair procedures.<br>Revista Da Associação Médica Brasileira, 2021, 67, 747-752.  | 0.7         | 1         |
| 36 | Arm mobilization provokes deformity of long-term indwelling ports implanted via the jugular vein. Journal of Vascular Surgery: Venous and Lymphatic Disorders, 2021, 9, 998-1006.   | 1.6         | 2         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Anxiety and Depression Scores in Patients Subjected to Arterial Revascularization for Critical Limb Ischemia. Annals of Vascular Surgery, 2021, 75, 94-101.   | 0.9 | 3         |
| 38 | Respostas Fisiológicas à Caminhada Máxima e Submáxima em Pacientes com Doença Arterial Periférica Sintomática. Arquivos Brasileiros De Cardiologia, 2021, 117, 309-316.   | 0.8 | 4         |
| 39 | Are Vascular Parameters Associated with Walking Impairment in Patients with Claudication?. Annals of Vascular Surgery, 2021, , .  | 0.9 | 0         |
| 40 | Evaluation of compensatory hyperhidrosis after sympathectomy: The use of an objective method. Annals of Vascular Surgery, 2021, , .   | 0.9 | 5         |
| 41 | Local and Systemic Inflammation and Oxidative Stress After a Single Bout of Maximal Walking in Patients With Symptomatic Peripheral Artery Disease. Journal of Cardiovascular Nursing, 2021, 36, 498-506.   | 1.1 | 3         |
| 42 | Effect of frailty on physical activity levels and walking capacity in patients with peripheral artery disease: A cross-sectional study. Journal of Vascular Nursing, 2021, 39, 84-88.   | 0.7 | 6         |
| 43 | Comparison between antegrade common femoral artery access and superficial femoral artery access in infrainguinal endovascular interventions. Journal of Vascular Surgery, 2021, 74, 763-770.  | 1.1 | 3         |
| 44 | Epidemiological Analysis of 5,595 Procedures of Endovascular Correction of Isolated Descending Thoracic Aortic Disease Over 12 Years in the Public Health System in Brazil. Clinics, 2021, 76, e2890.   | 1.5 | 3         |
| 45 | Efeito da isquemia renal unilateral no rim contralateral avaliada pela expressão de Caspase 3. Jornal<br>Vascular Brasileiro, 2021, 20, e20210040.  | 0.5 | 0         |
| 46 | Effect of Creatine Supplementation on Functional Capacity and Muscle Oxygen Saturation in Patients with Symptomatic Peripheral Arterial Disease: A Pilot Study of a Randomized, Double-Blind Placebo-Controlled Clinical Trial. Nutrients, 2021, 13, 149. | 4.1 | 8         |
| 47 | Signs of impending rupture in abdominal aortic and iliac artery aneurysms by computed tomography: Outcomes in 41 patients. Clinics, 2021, 76, e2455.  | 1.5 | 1         |
| 48 | Is routine screening for silent pulmonary embolism justified in patients with deep vein thrombosis?. Jornal Vascular Brasileiro, 2021, 20, e20200124.   | 0.5 | 0         |
| 49 | Symptoms of anxiety and depression and their relationship with barriers to physical activity in patients with intermittent claudication. Clinics, 2021, 76, e1802.  | 1.5 | 8         |
| 50 | Thoracic aortic size in Brazilian smokers: measures using low-dose chest computed tomography anatomical and epidemiological assessment. Clinics, 2021, 76, e2315.   | 1.5 | 4         |
| 51 | Intraoperative evaluation of tunneled dialysis catheter mobility and function with arm movement.<br>Journal of Vascular Surgery: Venous and Lymphatic Disorders, 2021, , .  | 1.6 | 0         |
| 52 | Impact of hypertension on arterial stiffness and cardiac autonomic modulation in patients with peripheral artery disease: a cross-sectional study. Einstein (Sao Paulo, Brazil), 2021, 19, eA06100.   | 0.7 | 4         |
| 53 | Experiência inicial com ultrassom Doppler com contraste por microbolhas em adição ao ultrassom<br>Doppler convencional para seguimento de correção endovascular de aneurisma de aorta abdominal.<br>Jornal Vascular Brasileiro, 2021, 20, e20200093.      | 0.5 | 0         |
| 54 | Does Creatine Supplementation Affect Renal Function in Patients with Peripheral Artery Disease? A Randomized, Double Blind, Placebo-controlled, Clinical Trial. Annals of Vascular Surgery, 2020, 63, 45-52.  | 0.9 | 3         |

| #  | Article  | IF   | Citations |
|----|--|------|-----------|
| 55 | Analysis of the Results of Videotoracoscopic Sympathectomy in the Treatment of Hyperhidrosis in Patients 40 Years or Older. Annals of Vascular Surgery, 2020, 65, 107-112.   | 0.9  | 8         |
| 56 | Kissing Balloon Technique for Infrapopliteal Angioplasty in Patients with Critical Limb Ischemia. Annals of Vascular Surgery, 2020, 66, 502-509.   | 0.9  | 0         |
| 57 | Functional and Cardiovascular Measurements in Patients With Peripheral Artery Disease. Journal of Cardiopulmonary Rehabilitation and Prevention, 2020, 40, 24-28.  | 2.1  | 9         |
| 58 | A prospective controlled randomized multicenter study to evaluate the severity of compensatory sweating after one-stage bilateral thoracic sympathectomy versus unilateral thoracic sympathectomy in the dominant side. Contemporary Clinical Trials Communications, 2020, 19, 100618. | 1.1  | 0         |
| 59 | Brazil's COVID-19 response. Lancet, The, 2020, 396, e33.   | 13.7 | 1         |
| 60 | Are cardiovascular function and habitual physical activity levels similar in patients with classic and atypical claudication symptoms? A cross-sectional study. Vascular, 2020, 28, 360-367.   | 0.9  | 5         |
| 61 | Changes in the quality of life following surgery for hyperhidrosis. Shanghai Chest, 2020, 4, 20-20.  | 0.3  | 0         |
| 62 | Epidemiological Analysis of Carotid Artery Stenosis Intervention during 10Âyears in the Public Health System in the Largest City in Brazil: Stenting Has Been More Common than Endarterectomy. Annals of Vascular Surgery, 2020, 66, 378-384.  | 0.9  | 9         |
| 63 | Rationale and design for the study Apixaban versus ClopidoGRel on a background of aspirin in patient<br>undergoing InfraPoPliteal angioplasty for critical limb ischemia: AGRIPPA trial. American Heart<br>Journal, 2020, 227, 100-106.  | 2.7  | 19        |
| 64 | Comparative analysis of the results of videothoracoscopic sympathectomy in the treatment of hyperhidrosis in adolescent patients. Journal of Pediatric Surgery, 2020, 55, 418-424.   | 1.6  | 10        |
| 65 | Magnetic Resonance Imaging Evaluation of Left Common Iliac Vein Compression in Patients With and Without Symptoms of Venous Disease. Circulation Journal, 2020, 84, 763-768.   | 1.6  | 4         |
| 66 | Impact of obesity on walking capacity and cardiovascular parameters in patients with peripheral artery disease: A cross-sectional study. Journal of Vascular Nursing, 2020, 38, 66-71.   | 0.7  | 8         |
| 67 | Longâ€ŧerm results of the treatment of primary hyperhidrosis with oxybutynin: followâ€up of 1,658 cases.<br>International Journal of Dermatology, 2020, 59, 709-715.   | 1.0  | 19        |
| 68 | Effects of Isometric Handgrip Training in Patients With Peripheral Artery Disease: A Randomized Controlled Trial. Journal of the American Heart Association, 2020, 9, e013596.   | 3.7  | 16        |
| 69 | Current treatment options for craniofacial hyperhidrosis. Jornal Vascular Brasileiro, 2020, 19, e20190152.   | 0.5  | 2         |
| 70 | Imaging response predictors following drug eluting beads chemoembolization in the neoadjuvant liver transplant treatment of hepatocellular carcinoma. World Journal of Hepatology, 2020, 12, 21-33.  | 2.0  | 8         |
| 71 | Diagnosis and management of hepatic artery in-stent restenosis after liver transplantation by optical coherence tomography: A case report. World Journal of Hepatology, 2020, 12, 399-405.   | 2.0  | 0         |
| 72 | Use of carbon dioxide for therapeutic decision-making in endoleaks: a case report. Jornal Vascular Brasileiro, 2020, 19, e20200060.  | 0.5  | 0         |

| #  | Article   | IF  | Citations |
|----|---|-----|-----------|
| 73 | Number of Preoperative Hyperhidrosis Sites Does Not Affect the Sympathectomy Postoperative Results and Compensatory Hyperhidrosis Occurrence. Thoracic and Cardiovascular Surgeon, 2019, 67, 407-414.                                 | 1.0 | 9         |
| 74 | Late neurological deficit after attempted PICC insertion in the arm. Journal of Vascular Access, 2019, 20, 226-228.   | 0.9 | 3         |
| 75 | Analysis of the Correlation Between Central Obesity and Abdominal Aortic Diseases. Annals of Vascular Surgery, 2019, 54, 176-184.   | 0.9 | 11        |
| 76 | Cardiac Autonomic Modulation Is Associated with Arterial Stiffness in Patients with Symptomatic Peripheral Artery Disease. Annals of Vascular Surgery, 2019, 61, 72-77.   | 0.9 | 6         |
| 77 | Factors Associated to Arterial Stiffness in Patients With Symptomatic Peripheral Artery Disease. Annals of Vascular Surgery, 2019, 61, 78-82.   | 0.9 | 5         |
| 78 | Zika and Chikungunya Virus and Risk for Venous Thromboembolism. Clinical and Applied Thrombosis/Hemostasis, 2019, 25, 107602961882118.  | 1.7 | 51        |
| 79 | Influence of smoking on physical function, physical activity, and cardiovascular health parameters in patients with symptomatic peripheral arterial disease: A cross-sectional study. Journal of Vascular Nursing, 2019, 37, 106-112. | 0.7 | 6         |
| 80 | The Need for a Vena Cava Filter in Oncological Patients with Acute Venous Thrombosis: A Marker of a Worse Prognosis. Annals of Vascular Surgery, 2019, 60, 35-44.   | 0.9 | 8         |
| 81 | Peak Systolic Velocity for Calcified Plaques Fails to Estimate Carotid Stenosis Degree. Annals of Vascular Surgery, 2019, 59, 1-4.  | 0.9 | 6         |
| 82 | Barriers and Levels of Physical Activity in Patients With Symptomatic Peripheral Artery Disease: Comparison Between Women and Men. Journal of Aging and Physical Activity, 2019, 27, 719-724.   | 1.0 | 14        |
| 83 | Evaluation of the Activity of Heparin Injected into the Fully Implantable Catheter for Chemotherapy (Portocath) between Two Moments of Use. Annals of Vascular Surgery, 2019, 61, 165-169.  | 0.9 | O         |
| 84 | Depression and cancer were independently associated with quality of life in Brazilian older people. Australasian Journal on Ageing, 2019, 38, E7-E11.   | 0.9 | 4         |
| 85 | Safety and Effectiveness of Suture-mediated Arterial Closure Device in Hepatocellular Carcinoma Patients Who Underwent Drug-Eluting Beads Transarterial Chemoembolization. Annals of Vascular Surgery, 2019, 55, 203-209.             | 0.9 | 1         |
| 86 | Medication errors in emergency departments: is electronic medical record an effective barrier?. Einstein (Sao Paulo, Brazil), 2019, 17, eGS4282.  | 0.7 | 6         |
| 87 | Long-term outcomes of hepatocellular carcinoma that underwent chemoembolization for bridging or downstaging. World Journal of Gastroenterology, 2019, 25, 5687-5701.  | 3.3 | 34        |
| 88 | Physical Activity Levels in Peripheral Artery Disease Patients. Arquivos Brasileiros De Cardiologia, 2019, 113, 410-416.  | 0.8 | 22        |
| 89 | Relationship between gait speed and physical function in patients with symptomatic peripheral artery disease. Clinics, 2019, 74, e1254.   | 1.5 | 15        |

Leadership potential of physicians in a public teaching hospital in the city of São Paulo. Einstein (Sao) Tj ETQq0 0 8.58T /Overlock 10 7

| #   | Article   | IF         | CITATIONS   |
|-----|---|------------|-------------|
| 91  | Consensus on the investigation of thrombophilia in women and clinical management. Einstein (Sao) Tj ETQq1 1   | 0.784314 r | ggT /Overlo |
| 92  | Paraplegia of Lower Limbs Caused by a Segmental Thrombosis of the Descending Thoracic Aorta Reversed with Endovascular Treatment—A Case Report and Literature Review. Annals of Vascular Surgery, 2018, 50, 300.e5-300.e10.                   | 0.9        | 1           |
| 93  | Association between physical activity and walking capacity with cognitive function in peripheral artery disease patients. European Journal of Vascular and Endovascular Surgery, 2018, 55, 672-678.   | 1.5        | 23          |
| 94  | Rupture of Thrombosed Popliteal Aneurysm: A Case Report. Annals of Vascular Surgery, 2018, 51, 324.e7-324.e10.  | 0.9        | 8           |
| 95  | Reproducibility of heart rate recovery in patients with intermittent claudication. Clinical Physiology and Functional Imaging, 2018, 38, 603-609.   | 1.2        | 4           |
| 96  | Video-Assisted Thoracoscopic Sympathectomy for Facial Hyperhidrosis: The Influence of the Main Site of Complaint. Annals of Vascular Surgery, 2018, 46, 337-344.  | 0.9        | 10          |
| 97  | Duplex scan and histologic assessment of acute renal injury in a kidney-kidney crosstalk swine experimental model. Journal of Vascular Surgery, 2018, 68, 588-595.  | 1.1        | 4           |
| 98  | Forced-Air Warming in Patients Undergoing Endovascular Procedures: Comparison between 2 Thermal Blanket Models. Annals of Vascular Surgery, 2018, 47, 98-103.   | 0.9        | 6           |
| 99  | Upper extremity sympathectomy. Journal of Visualized Surgery, 2018, 4, 180-180.   | 0.2        | 3           |
| 100 | Clinical, ultrasonographic and histological findings in varicose vein surgery. Revista Da Associação Médica Brasileira, 2018, 64, 729-735.  | 0.7        | 7           |
| 101 | Calf Muscle Oxygen Saturation during 6-Minute Walk Test and Its Relationship with Walking Impairment in Symptomatic Peripheral Artery Disease. Annals of Vascular Surgery, 2018, 52, 147-152.   | 0.9        | 9           |
| 102 | Translation and Validation of the Brazilian-Portuguese Short Version of Vascular Quality of Life Questionnaire in Peripheral Artery Disease Patients with Intermittent Claudication Symptoms. Annals of Vascular Surgery, 2018, 51, 48-54.e1. | 0.9        | 12          |
| 103 | The relation between age and outcomes of thoracic sympathectomy for hyperhidrosis: The older the better. Journal of Thoracic and Cardiovascular Surgery, 2018, 156, 1748-1756.  | 0.8        | 18          |
| 104 | Hyperhidrosis in Children. , 2018, , 39-44.   |            | 1           |
| 105 | Management of Compensatory Hyperhidrosis. , 2018, , 197-202.  |            | 1           |
| 106 | Combination of topical agents and oxybutynin as a therapeutic modality for patients with both osmidrosis and hyperhidrosis. Revista Da Associação MÃ@dica Brasileira, 2018, 64, 127-132.  | 0.7        | 0           |
| 107 | Oral Rivaroxaban for the Treatment of Symptomatic Venous Thromboembolism in 400 Patients With Active Cancer: A Single-Center Experience. Clinical and Applied Thrombosis/Hemostasis, 2017, 23, 883-887.                                       | 1.7        | 26          |
| 108 | Endovascular Repair of Ruptured Thoracoabdominal Aortic Aneurysm with an Off-the-shelf Endoprosthesis. Annals of Vascular Surgery, 2017, 43, 312.e1-312.e4.   | 0.9        | 12          |

| #   | Article  | IF         | CITATIONS      |
|-----|--|------------|----------------|
| 109 | Occurrence of Vascular Lake Phenomenon as a Predictor of Improved Tumor Response in HCC Patients That Underwent DEB-TACE. CardioVascular and Interventional Radiology, 2017, 40, 1044-1051.  | 2.0        | 21             |
| 110 | Videothoracoscopic Sympathectomy Results after Oxybutynin Chloride Treatment Failure. Annals of Vascular Surgery, 2017, 43, 283-287.   | 0.9        | 11             |
| 111 | Relationship between walking capacity and ambulatory blood pressure in patients with intermittent claudication. Blood Pressure Monitoring, 2017, 22, 115-121.  | 0.8        | 15             |
| 112 | Walking training at the heart rate of pain threshold improves cardiovascular function and autonomic regulation in intermittent claudication: A randomized controlled trial. Journal of Science and Medicine in Sport, 2017, 20, 886-892. | 1.3        | 39             |
| 113 | Graduated Compression Stockings Does Not Decrease Walking Capacity and Muscle Oxygen Saturation during 6-Minute Walk Test in Intermittent Claudication Patients. Annals of Vascular Surgery, 2017, 40, 239-242.                          | 0.9        | 9              |
| 114 | Endovascular Treatment of Penetrating Injury to the Vertebral Artery by a Stab Wound: Case Report and Literature Review. Annals of Vascular Surgery, 2017, 45, 267.e1-267.e5.  | 0.9        | 12             |
| 115 | Endovascular Treatment of Late Aortic Erosive Lesion by Pedicle Screw without Screw Removal: Case Report and Literature Review. Annals of Vascular Surgery, 2017, 39, 285.e17-285.e21.   | 0.9        | 6              |
| 116 | Carbon Dioxide as Contrast Medium to Guide Endovascular Aortic Aneurysm Repair. Annals of Vascular Surgery, 2017, 39, 67-73.   | 0.9        | 19             |
| 117 | Evaluation of patients who underwent resympathectomy for treatment of primary hyperhidrosis. Interactive Cardiovascular and Thoracic Surgery, 2017, 25, 716-719.   | 1.1        | 4              |
| 118 | The therapeutic challenge of giant splenic artery aneurysm: a case repport. Einstein (Sao Paulo,) Tj ETQq0 0 0 rg  | BT /Overlo | ock 10 Tf 50 3 |
| 119 | Epidemiologic analysis of prevalence of the hyperhidrosis. Anais Brasileiros De Dermatologia, 2017, 92, 630-634.   | 1.1        | 30             |
| 120 | Effects of isometric handgrip training in patients with cardiovascular disease: rationale and design of the ISOPRESS network. Motriz Revista De Educacao Fisica, 2017, 23, .   | 0.2        | 0              |
| 121 | Nutcracker Syndrome: laparoscopic external stenting of the renal vein ("the shield techniqueâ€).<br>International Braz J Urol: Official Journal of the Brazilian Society of Urology, 2017, 43, 373-373.                                  | 1.5        | 4              |
| 122 | Brachial insertion of fully implantable venous catheters for chemotherapy: complications and quality of life assessment in 35 patients. Einstein (Sao Paulo, Brazil), 2016, 14, 473-479.   | 0.7        | 9              |
| 123 | Translation and validation of Hyperhidrosis Disease Severity Scale. Revista Da Associação Médica<br>Brasileira, 2016, 62, 843-847.   | 0.7        | 20             |
| 124 | Endovascular revascularization of TASC C and D femoropopliteal occlusive disease using carbon dioxide as contrast. Einstein (Sao Paulo, Brazil), 2016, 14, 124-129.  | 0.7        | 5              |
| 125 | Randomized trial of radiofrequency ablation versus conventional surgery for superficial venous insufficiency: if you don't tell, they won't know. Clinics, 2016, 71, 650-656.  | 1.5        | 20             |
| 126 | Response to correspondence regarding â€~Evaluation and management of symptomatic isolated spontaneous celiac trunk dissection' by Galastri et al Vascular Medicine, 2016, 21, 554-554.   | 1.5        | 0              |

| #   | Article  | IF              | CITATIONS                    |
|-----|--|-----------------|------------------------------|
| 127 | Influence of peripheral arterial disease on daily living activities in elderly women. Journal of Vascular Nursing, 2016, 34, 39-43.  | 0.7             | 6                            |
| 128 | Systematic Literature Review on Evaluation and Management of Isolated Spontaneous Celiac Trunk Dissection. Annals of Vascular Surgery, 2016, 34, 274-279.  | 0.9             | 42                           |
| 129 | Walking Capacity Is Positively Related with Heart Rate Variability in Symptomatic Peripheral Artery Disease. European Journal of Vascular and Endovascular Surgery, 2016, 52, 82-89.   | 1.5             | 22                           |
| 130 | Quality of Life Changes Following Surgery for Hyperhidrosis. Thoracic Surgery Clinics, 2016, 26, 435-443.  | 1.0             | 19                           |
| 131 | Endovascular Repair of Infrarenal Abdominal Aortic Aneurysm Results in Higher Hospital Expenses than Open Surgical Repair: Evidence from a Tertiary Hospital in Brazil. Annals of Vascular Surgery, 2016, 36, 44-54.   | 0.9             | 12                           |
| 132 | Management of Compensatory Sweating After Sympathetic Surgery. Thoracic Surgery Clinics, 2016, 26, 445-451.  | 1.0             | 28                           |
| 133 | Video-Assisted Thoracic Sympathectomy for Hyperhidrosis. Thoracic Surgery Clinics, 2016, 26, 347-358.  | 1.0             | 8                            |
| 134 | Optimized Protocol for Fast CT Angiography of Lower Limbs Using 160-Row Detector. Journal of Computer Assisted Tomography, 2016, 40, 953-957.  | 0.9             | 0                            |
| 135 | Risk factors for infectious and noninfectious complications of totally implantable venous catheters in cancer patients. Journal of Vascular Surgery: Venous and Lymphatic Disorders, 2016, 4, 200-205.   | 1.6             | 23                           |
| 136 | Rediscussing Anticoagulation in Distal Deep Venous Thrombosis. Clinical and Applied Thrombosis/Hemostasis, 2016, 22, 772-778.  | 1.7             | 13                           |
| 137 | Treatment of Abdominal Aortic Aneurysms in Cancer Patients. Annals of Vascular Surgery, 2016, 30, 159-165.   | 0.9             | 9                            |
| 138 | Reproducibility of Anaerobic and Pain Thresholds in Male Patients With Intermittent Claudication. Journal of Cardiopulmonary Rehabilitation and Prevention, 2016, 36, 358-367.   | 2.1             | 6                            |
| 139 | Enoxaparin Treatment Followed by Rivaroxaban for the Treatment of Acute Lower Limb Venous Thromboembolism. Clinical and Applied Thrombosis/Hemostasis, 2016, 22, 377-380.  | 1.7             | 4                            |
| 140 | Validation of a Brazilian Portuguese Version of the Walking Estimated-Limitation Calculated by History (WELCH). Arquivos Brasileiros De Cardiologia, 2016, 106, 49-55.   | 0.8             | 17                           |
| 141 | Carbon dioxide as a substitute for iodine contrast in arteriography during embolectomy. Einstein (Sao) Tj ETQq1  | 0.784314<br>0.7 | 1<br>1 <sub>1</sub> gBT /Ove |
| 142 | Evaluation and management of symptomatic isolated spontaneous celiac trunk dissection. Vascular Medicine, 2015, 20, 358-363.   | 1.5             | 31                           |
| 143 | Effects of oral <i>N</i> -acetylcysteine on walking capacity, leg reactive hyperemia, and inflammatory and angiogenic mediators in patients with intermittent claudication. American Journal of Physiology - Heart and Circulatory Physiology, 2015, 309, H897-H905. | 3.2             | 21                           |
| 144 | Lower functional capacity is associated with higher cardiovascular risk in Brazilian patients with intermittent claudication. Journal of Vascular Nursing, 2015, 33, 21-25.  | 0.7             | 4                            |

| #   | Article  | IF               | CITATIONS   |
|-----|--|------------------|-------------|
| 145 | Longâ€Term Efficacy of Oxybutynin for Palmar and Plantar Hyperhidrosis in Children Younger than 14 Years. Pediatric Dermatology, 2015, 32, 663-667.  | 0.9              | 38          |
| 146 | Surgical outcomes of vascular reconstruction in soft tissue sarcomas of the lower extremities. Journal of Vascular Surgery, 2015, 62, 143-149.   | 1.1              | 41          |
| 147 | Longâ€ŧerm results of the use of oxybutynin for the treatment of plantar hyperhidrosis. International Journal of Dermatology, 2015, 54, 605-611.   | 1.0              | 16          |
| 148 | Post-Walking Exercise Hypotension in Patients with Intermittent Claudication. Medicine and Science in Sports and Exercise, 2015, 47, 460-467.  | 0.4              | 22          |
| 149 | Successful Image-Guided Percutaneous Embolization of a Ruptured Abdominal Aortic Aneurysm Sac<br>due to Type II Endoleak after Endovascular Repair. Annals of Vascular Surgery, 2015, 29, 361.e1-361.e4. | 0.9              | 5           |
| 150 | Severe visceral ischemia and death after multilayer stent deployment for the treatment of a thoracoabdominal aortic aneurysm. Journal of Vascular Surgery, 2015, 62, 1632-1635.                          | 1.1              | 10          |
| 151 | Barriers to Physical Activity in Patients with Intermittent Claudication. International Journal of Behavioral Medicine, 2015, 22, 70-76.   | 1.7              | 57          |
| 152 | Vascular Reactivity Is Impaired and Associated With Walking Ability in Patients With Intermittent Claudication. Angiology, 2015, 66, 680-686.  | 1.8              | 13          |
| 153 | Are the Barriers for Physical Activity Practice Equal for All Peripheral Artery Disease Patients?. Archives of Physical Medicine and Rehabilitation, 2015, 96, 248-252.                                  | 0.9              | 44          |
| 154 | O tratamento atual da hiperhidrose. Jornal Vascular Brasileiro, 2015, 14, 279-281.   | 0.5              | 3           |
| 155 | Carbon dioxide contrast medium for endovascular treatment of ilio-femoral occlusive disease.<br>Clinics, 2015, 70, 675-679.  | 1.5              | 6           |
| 156 | Associação entre fadiga e capacidade funcional em pacientes com claudicação intermitente. Revista Brasileira De Enfermagem, 2015, 68, 937-944.   | 0.7              | 1           |
| 157 | Analysis of oxybutynin treatment for hyperhidrosis in patients aged over 40 years. Einstein (Sao Paulo,) Tj ETQq1 I  | l 0.78431<br>0.7 | 4.rgBT /Ove |
| 158 | Long-term results of oxybutynin use in treating facial hyperhidrosis. Anais Brasileiros De Dermatologia, 2014, 89, 912-916.  | 1.1              | 29          |
| 159 | Long-term results of oxybutynin treatment for palmar hyperhidrosis. Clinical Autonomic Research, 2014, 24, 297-303.  | 2.5              | 35          |
| 160 | Ethanol sclerotherapy of head and neck venous malformations. Einstein (Sao Paulo, Brazil), 2014, 12, 181-186.  | 0.7              | 24          |
| 161 | Einsteins' role in clinical research. Einstein (Sao Paulo, Brazil), 2014, 12, 7-9.   | 0.7              | 0           |
| 162 | Uso combinado de endoprótese GORE TAG® e Gore Exculder® para tratamento de aneurisma de aorta abdominal com angulação extrema. Einstein (Sao Paulo, Brazil), 2014, 12, 499-501.                          | 0.7              | 0           |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 163 | Public private partnership in vascular surgery. Einstein (Sao Paulo, Brazil), 2014, 12, 342-346.   | 0.7 | 7         |
| 164 | Efficacy and Quality of Life Outcomes of Oxybutynin for Treating Palmar Hyperhidrosis in Children Younger than 14ÂYears Old. Pediatric Dermatology, 2014, 31, 48-53.   | 0.9 | 54        |
| 165 | Expanded level of sympathectomy and incidence or severity of compensatory hyperhidrosis. Journal of Thoracic and Cardiovascular Surgery, 2014, 148, 2443-2444.   | 0.8 | 13        |
| 166 | Sildenafil improves skeletal muscle oxygenation during exercise in men with intermittent claudication. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2014, 307, R396-R404. | 1.8 | 21        |
| 167 | Doença cÃstica adventicial da artéria poplÃŧea: causa infrequente de claudicação intermitente. Einstein (Sao Paulo, Brazil), 2014, 12, 358-360.  | 0.7 | 8         |
| 168 | Effects of Clustered Comorbid Conditions on Walking Capacity in Patients with Peripheral Artery Disease. Annals of Vascular Surgery, 2014, 28, 279-283.  | 0.9 | 20        |
| 169 | Quality of Life before Hyperhidrosis Treatment as a Predictive Factor for Oxybutynin Treatment Outcomes in Palmar and Axillary Hyperhidrosis. Annals of Vascular Surgery, 2014, 28, 970-976.                     | 0.9 | 15        |
| 170 | Carbon dioxide Is a Cost-effective Contrast Medium to Guide Revascularization of TASC A and TASC B Femoropopliteal Occlusive Disease. Annals of Vascular Surgery, 2014, 28, 1473-1478.                           | 0.9 | 19        |
| 171 | Influence of Criteria Used in Determining Prevalence of Metabolic Syndrome (NCEP-ATPIII versus IDF) in Patients withÂlntermittent Claudication. Annals of Vascular Surgery, 2014, 28, 640-643.                   | 0.9 | 3         |
| 172 | Compensatory Hyperhidrosis: Results of Pharmacologic Treatment With Oxybutynin. Annals of Thoracic Surgery, 2014, 98, 1797-1802.   | 1.3 | 26        |
| 173 | Late Surgical Outcomes of Carotid Resection and Saphenous Vein Graft Revascularization in Patients with Advanced Head and Neck Squamous Cell Carcinoma. Annals of Vascular Surgery, 2014, 28, 1878-1884.         | 0.9 | 26        |
| 174 | Regarding "Optimal level of sympathectomy for primary palmar hyperhidrosis: T3 versus T4 in a retrospective cohort study― International Journal of Surgery, 2014, 12, 788.                                       | 2.7 | 4         |
| 175 | Comparative Study of Valved and Nonvalved Fully Implantable Catheters Inserted Via Ultrasound-Guided Puncture for Chemotherapy. Annals of Vascular Surgery, 2014, 28, 351-357.                                   | 0.9 | 12        |
| 176 | Morphometric Analysis of Thoracic Ganglion Neurons in Subjects with and without Primary Palmar Hyperhidrosis. Annals of Vascular Surgery, 2014, 28, 1023-1029.   | 0.9 | 13        |
| 177 | Long-term Results of the Use of Oxybutynin for the Treatment of Axillary Hyperhidrosis. Annals of Vascular Surgery, 2014, 28, 1106-1112.   | 0.9 | 40        |
| 178 | Fracture and migration into the coronary sinus of a totally implantable catheter introduced via the right internal jugular vein. BMJ Case Reports, 2014, 2014, bcr2014207276-bcr2014207276.                      | 0.5 | 10        |
| 179 | Predictive factors for pelvic magnetic resonance in response to arterial embolization of a uterine leiomyoma. Clinics, 2014, 69, 185-189.  | 1.5 | 9         |
| 180 | Treatment of uncommon sites of focal primary hyperhidrosis: experience with pharmacological therapy using oxybutynin. Clinics, 2014, 69, 608-614.  | 1.5 | 22        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | Risk of asymptomatic pulmonary embolism in patients with deep venous thrombosis. Journal of Vascular Surgery: Venous and Lymphatic Disorders, 2013, 1, 370-375.   | 1.6 | 10        |
| 182 | Use of oxybutynin for treating plantar hyperhidrosis. International Journal of Dermatology, 2013, 52, 620-623.  | 1.0 | 40        |
| 183 | Effectiveness of oxybutynin for treatment of hyperhidrosis in overweight and obese patients. Revista Da Associação Médica Brasileira, 2013, 59, 143-147.  | 0.7 | 32        |
| 184 | Concomitant aortic and vena caval reconstruction associated with germ-cell tumor resection with creation of a new venous bifurcation. Journal of Vascular Surgery: Venous and Lymphatic Disorders, 2013, 1, 209-211.          | 1.6 | 2         |
| 185 | Effectiveness of oxybutynin for treatment of hyperhidrosis in overweight and obese patients. Revista Da Associação Médica Brasileira (English Edition), 2013, 59, 143-147.  | 0.1 | 0         |
| 186 | Technical Difficulties and Complications of Sympathectomy in the Treatment of Hyperhidrosis: An Analysis of 1731 Cases. Annals of Vascular Surgery, 2013, 27, 447-453.  | 0.9 | 48        |
| 187 | Expression of Acetylcholine and Its Receptor in Human Sympathetic Ganglia in Primary Hyperhidrosis.<br>Annals of Thoracic Surgery, 2013, 95, 465-470.   | 1.3 | 39        |
| 188 | Objective evaluation of plantar hyperhidrosis after sympathectomy. Clinics, 2013, 68, 311-315.  | 1.5 | 11        |
| 189 | Relacao entre o nivel de atividade fisica estimado pelo Baltimore Activity Scale for Intermittent<br>Claudication e a pedometria em pacientes com claudicacao intermitente. Jornal Vascular Brasileiro,<br>2013, 12, 187-192. | 0.5 | 4         |
| 190 | Revisao de 15 casos submetidos a oclusao temporaria bilateral de arteria iliaca interna em pacientes com alto risco para hemorragia obstetrica. Jornal Vascular Brasileiro, 2013, 12, 202-206.                                | 0.5 | 4         |
| 191 | A Simple Homemade Carbon Dioxide Delivery System for Endovascular Procedures in the Iliofemoral Arteries. Circulation Journal, 2013, 77, 831.   | 1.6 | 7         |
| 192 | Comparação entre os métodos subjetivo e objetivo para avaliação da capacidade funcional durante tratamento clÃnico em pacientes com claudicação intermitente. Einstein (Sao Paulo, Brazil), 2013, 11, 495-499.                | 0.7 | 5         |
| 193 | Low-intensity resistance exercise does not affect cardiac autonomic modulation in patients with peripheral artery disease. Clinics, 2013, 68, 632-637.  | 1.5 | 10        |
| 194 | Remote ischemic preconditioning in patients with intermittent claudication. Clinics, 2013, 68, 495-499.   | 1.5 | 13        |
| 195 | Exercise prescription using the heart of claudication pain onset in patients with intermittent claudication. Clinics, 2013, 68, 974-978.  | 1.5 | 27        |
| 196 | Predictors of walking capacity in peripheral arterial disease patients. Clinics, 2013, 68, 537-541.   | 1.5 | 23        |
| 197 | Reliability of the Baltimore Activity Scale Questionnaire for Intermittent Claudication. Angiology, 2012, 63, 254-258.  | 1.8 | 6         |
| 198 | Totally Implantable Venous Catheters: Insertion via Internal Jugular Vein with Pocket Implantation in the Arm is an Alternative for Diseased Thoracic Walls. Journal of Vascular Access, 2012, 13, 71-74.                     | 0.9 | 10        |

| #                 | Article  | IF                | CITATIONS   |
|-------------------|--|-------------------|---|
| 199               | Longâ€Term Comparison of Videoâ€Assisted Thoracic Sympathectomy and Clinical Observation for the Treatment of Palmar Hyperhidrosis in Children Younger Than 14. Pediatric Dermatology, 2012, 29, 575-579.  | 0.9               | 20  |
| 200               | Review of the surgical technique for the treatment of hyperhidrosis. Expert Review of Dermatology, 2012, 7, 529-538.   | 0.3               | 0   |
| 201               | Isokinetic Strength and Endurance in Proximal and Distal Muscles in Patients With Peripheral Artery Disease. Annals of Vascular Surgery, 2012, 26, 1114-1119.  | 0.9               | 30  |
| 202               | Comparison of Laser Versus Sclerotherapy in the Treatment of Lower Extremity Telangiectases: A Prospective Study. Dermatologic Surgery, 2012, 38, 635-639.   | 0.8               | 40  |
| 203               | Evaluation of quality of life over time among 453 patients with hyperhidrosis submitted to endoscopic thoracic sympathectomy. Journal of Vascular Surgery, 2012, 55, 154-156.  | 1.1               | 49  |
| 204               | A randomized placebo-controlled trial of oxybutynin for the initial treatment of palmar and axillary hyperhidrosis. Journal of Vascular Surgery, 2012, 55, 1696-1700.  | 1.1               | 102   |
| 205               | Stages of health behavior change and factors associated with physical activity in patients with intermittent claudication. Einstein (Sao Paulo, Brazil), 2012, 10, 422-427.  | 0.7               | 8   |
| 206               | Avaliação quantitativa da intensidade da transpiração palmar e plantar em pacientes portadores de hiperidrose palmoplantar primária. Jornal Brasileiro De Pneumologia, 2012, 38, 573-578.  | 0.7               | 12  |
| 207               | Limitação funcional e claudicação intermitente: impacto das medidas de pressão arterial. Arquivos<br>Brasileiros De Cardiologia, 2012, 98, 161-166.  | 0.8               | 6   |
| 208               | Oxybutynin treatment for hyperhidrosis: a comparative analysis between genders. Einstein (Sao Paulo,) Tj ETQq0   | 0 0 rgBT /        | Oyerlock 10                                       |
| 209               | Distances walked in the six-minute walk test: suggestion of defining characteristic for the nursing diagnosis Ineffective Peripheral Tissue Perfusion. Revista Latino-Americana De Enfermagem, 2012, 20,   |                   |   |
|                   | 251-258.   | 1.0               | 3   |
| 210               | 25Î-258.  NÃvel de atividade fÃsica em indivÃduos com doença arterial periférica: uma revisão sistemática. Jornal Vascular Brasileiro, 2012, 11, 22-28.  | 0.5               | 8   |
| 210               | 25Ĭ-258.  NÃvel de atividade fÃsica em indivÃduos com doença arterial periférica: uma revisão sistemática. Jornal  |                   |   |
|                   | 25Î-258.  NÃvel de atividade fÃsica em indivÃduos com doença arterial periférica: uma revisão sistemática. Jornal Vascular Brasileiro, 2012, 11, 22-28.  Preservation of Alpha-3 Neuronal Nicotinic Acetylcholine Receptor Expression in Sympathetic Ganglia   | 0.5               | 8   |
| 211               | NÃvel de atividade fÃsica em indivÃduos com doença arterial periférica: uma revisão sistemática. Jornal Vascular Brasileiro, 2012, 11, 22-28.  Preservation of Alpha-3 Neuronal Nicotinic Acetylcholine Receptor Expression in Sympathetic Ganglia After Brain Death. Molecular Neurobiology, 2012, 45, 362-365.  Sympathetic cardiac modulation and vascular worsening in arteritis: A case report. Journal of  | 0.5               | 8   |
| 211               | NÃvel de atividade fÃsica em indivÃduos com doenÃSa arterial periférica: uma revisão sistemática. Jornal Vascular Brasileiro, 2012, 11, 22-28.  Preservation of Alpha-3 Neuronal Nicotinic Acetylcholine Receptor Expression in Sympathetic Ganglia After Brain Death. Molecular Neurobiology, 2012, 45, 362-365.  Sympathetic cardiac modulation and vascular worsening in arteritis: A case report. Journal of Vascular Nursing, 2012, 30, 21-23.  Bradicardia sinusal persistente por nove dias após angioplastia carotÃdea com stent. Arquivos   | 0.5<br>4.0<br>0.7 | 8<br>2<br>5                                       |
| 211<br>212<br>213 | NÃvel de atividade fÃsica em indivÃduos com doença arterial perifÃ@rica: uma revisão sistemática. Jornal Vascular Brasileiro, 2012, 11, 22-28.  Preservation of Alpha-3 Neuronal Nicotinic Acetylcholine Receptor Expression in Sympathetic Ganglia After Brain Death. Molecular Neurobiology, 2012, 45, 362-365.  Sympathetic cardiac modulation and vascular worsening in arteritis: A case report. Journal of Vascular Nursing, 2012, 30, 21-23.  Bradicardia sinusal persistente por nove dias após angioplastia carotÃdea com stent. Arquivos Brasileiros De Cardiologia, 2012, 99, e134-e136.  Utilisation de l'oxybutynine dans le traitement de l'hyperhidrose axillaire. Annales De Chirurgie | 0.5<br>4.0<br>0.7 | <ul><li>8</li><li>2</li><li>5</li><li>2</li></ul> |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 217 | The use of oxybutynin for treating facial hyperhidrosis. Anais Brasileiros De Dermatologia, 2011, 86, 451-456.  | 1.1 | 44        |
| 218 | Post-resistance exercise hypotension in patients with intermittent claudication. Clinics, 2011, 66, 221-226.  | 1.5 | 19        |
| 219 | Impact of a supervised strength training or walking training over a subsequent unsupervised therapy period on walking capacity in patients with claudication. Journal of Vascular Nursing, 2011, 29, 81-86. | 0.7 | 16        |
| 220 | An alternative to treat palmar hyperhidrosis: use of oxybutynin. Clinical Autonomic Research, 2011, 21, 389-393.  | 2.5 | 50        |
| 221 | Objective evaluation of patients with palmar hyperhidrosis submitted to two levels of sympathectomy: T3 and T4. Interactive Cardiovascular and Thoracic Surgery, 2011, 12, 545-549.                         | 1.1 | 67        |
| 222 | Is age group a predictive factor for satisfaction among patients undergoing sympathectomy to treat hyperhidrosis?. Jornal Vascular Brasileiro, 2011, 10, 284-288.   | 0.5 | 1         |
| 223 | Endovascular treatment for iliac artery pseudoaneurysm with arteriovenous fistula after abdominal aortic aneurysm open repair. Clinics, 2011, 66, 1499-1500.  | 1.5 | 4         |
| 224 | Outpatient percutaneous treatment of deep venous malformations using pure ethanol at low doses under local anesthesia. Clinics, 2010, 65, 837-840.  | 1.5 | 30        |
| 225 | Totally Implantable Ports Connected to Valved Catheters for Chemotherapy: Experience from 350 Groshong Devices. Journal of Vascular Access, 2010, 11, 17-22.  | 0.9 | 23        |
| 226 | Respostas cardiovasculares durante avaliação muscular isocinética em claudicantes. Arquivos Brasileiros De Cardiologia, 2010, 95, 571-576.  | 0.8 | 9         |
| 227 | Retained Catheter: A Rare Complication Associated with Totally Implantable Venous Ports. Journal of Vascular Access, 2010, 11, 159-161.   | 0.9 | 8         |
| 228 | Oxidized low-density lipoprotein and ankle-brachial pressure index in patients with clinically evident peripheral arterial disease. Clinics, 2010, 65, 383-387.   | 1.5 | 10        |
| 229 | Is gender a predictive factor for satisfaction among patients undergoing sympathectomy to treat palmar hyperhidrosis?. Clinics, 2010, 65, 583-6.  | 1.5 | 42        |
| 230 | Test-retest reliability of isokinetic strength and endurance tests in patients with intermittent claudication. Vascular Medicine, 2010, 15, 275-278.  | 1.5 | 15        |
| 231 | Prevalence of Metabolic Syndrome in Patients With Intermittent Claudication and its Correlation With the Segment of Arterial Obstruction. Angiology, 2010, 61, 784-788.                                     | 1.8 | 13        |
| 232 | Comparison of pain severity following video-assisted thoracoscopic sympathectomy: electric versus harmonic scalpels. Interactive Cardiovascular and Thoracic Surgery, 2010, 10, 919-922.                    | 1.1 | 15        |
| 233 | Ethanol Sclerotherapy of Superficial Venous Malformation: A New Procedure. Dermatology, 2010, 220, 376-380.   | 2.1 | 22        |
| 234 | Covered Stent Treatment for an Aneurysm of a Saphenous Vein Graft to the Common Carotid Artery. Annals of Vascular Surgery, 2010, 24, 954.e9-954.e12.   | 0.9 | 5         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 235 | Strength training increases walking tolerance in intermittent claudication patients: Randomized trial. Journal of Vascular Surgery, 2010, 51, 89-95.                                       | 1.1 | 85        |
| 236 | Quality of life before surgery is a predictive factor for satisfaction among patients undergoing sympathectomy to treat hyperhidrosis. Journal of Vascular Surgery, 2010, 51, 1190-1194.   | 1.1 | 36        |
| 237 | Videothoracoscopic-guided management of a central vein perforation during hemodialysis catheter placement. Journal of Vascular Surgery, 2010, 52, 1354-1356.                               | 1.1 | 20        |
| 238 | Azygos Lobe: A Difficulty in Video-Assisted Thoracic Sympathectomy. Annals of Thoracic Surgery, 2010, 89, e57-e59.   | 1.3 | 21        |
| 239 | Traitement par stent couvert d'un anévrysme sur greffe veineuse saphéne de l'artère carotide<br>commune. Annales De Chirurgie Vasculaire, 2010, 24, 1038.e5-1038.e8.                       | 0.0 | 0         |
| 240 | Thoracic Sympathectomy. , 2010, , 1854-1864.   |     | 4         |
| 241 | Endovascular infrarenal aortic aneurysm repair combined with laparoscopic cholecystectomy.<br>Clinics, 2010, 65, 743-744.  | 1.5 | 7         |
| 242 | Eccentric Strength and Endurance in Patients with Unilateral Intermittent Claudication. Clinics, 2009, 64, 319-322.  | 1.5 | 15        |
| 243 | Tradução e validação do Walking Impairment Questionnaire em brasileiros com claudicação intermitente. Arquivos Brasileiros De Cardiologia, 2009, 92, 136-49.                               | 0.8 | 41        |
| 244 | Obesity Decreases Time to Claudication and Delays Post-Exercise Hemodynamic Recovery in Elderly Peripheral Arterial Disease Patients. Gerontology, 2009, 55, 21-26.                        | 2.8 | 23        |
| 245 | Twenty Months of Evolution Following Sympathectomy on Patients with Palmar Hyperhidrosis: Sympathectomy at the T3 Level is Better than at the T2 Level. Clinics, 2009, 64, 743-749.        | 1.5 | 69        |
| 246 | Pain Threshold Is Achieved at Intensity Above Anaerobic Threshold in Patients With Intermittent Claudication. Journal of Cardiopulmonary Rehabilitation and Prevention, 2009, 29, 396-401. | 2.1 | 15        |
| 247 | Hiper-homocisteinemia associada ao aumento no risco de doença vascular obstrutiva periférica: verdade ou mito?. Jornal Vascular Brasileiro, 2009, 8, 291-293.                              | 0.5 | 0         |
| 248 | Is Sympathectomy at T4 Level Better Than at T3 Level for Treating Palmar Hyperhidrosis?. Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A, 2008, 18, 102-106.         | 1.0 | 49        |
| 249 | Sustained Benefit Lasting One Year from T4 Instead of T3-T4 Sympathectomy for Isolated Axillary Hyperhidrosis. Clinics, 2008, 63, 771-774.   | 1.5 | 44        |
| 250 | A randomized trial of T3-T4 versus T4 sympathectomy for isolated axillary hyperhidrosis. Journal of Vascular Surgery, 2007, 45, 130-133.   | 1.1 | 68        |
| 251 | ExercÃcios resistidos terapêuticos para indivÃduos com doença arterial obstrutiva periférica: evidências para a prescrição. Jornal Vascular Brasileiro, 2007, 6, 246-256.                  | 0.5 | 12        |
| 252 | Evaluation of plantar hyperhidrosis in patients undergoing video-assisted thoracoscopic sympathectomy. Clinical Autonomic Research, 2007, 17, 172-176.                                     | 2.5 | 45        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 253 | ABDOMINAL AORTIC PSEUDOANEURYSM ASSOCIATED WITH A METASTATIC GERM CELL TUMOR: A RARE COMPLICATION. Clinics, 2007, 62, 657-660.   | 1.5 | 3         |
| 254 | Venous reconstructions in lower limbs associated with resection of malignancies. Journal of Vascular Surgery, 2006, 44, 1046-1050.   | 1.1 | 25        |
| 255 | Objective evaluation of upper limb claudication: use of isokinetic dynamometry. Clinics, 2006, 61, 189-96.   | 1.5 | 4         |
| 256 | Performance of patients with intermittent claudication undergoing physical training, with or without an aggravation of arterial disease: retrospective cohort study. Clinics, 2006, 61, 535-8. | 1.5 | 8         |
| 257 | Arterial reconstructions associated with the resection of malignant tumors. Clinics, 2006, 61, 339-44.   | 1.5 | 9         |
| 258 | Axillary Hyperhidrosis: T3/T4 Versus T4 Thoracic Sympathectomy in a Series of 276 Cases. Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A, 2006, 16, 598-603.             | 1.0 | 48        |
| 259 | The body mass index and level of resection. Clinical Autonomic Research, 2005, 15, 116-120.  | 2.5 | 88        |
| 260 | Comparison of ultrasonography, computed tomography and magnetic resonance imaging with intraoperative measurements in the evaluation of abdominal aortic aneurysms. Clinics, 2005, 60, 21-28.  | 1.5 | 12        |
| 261 | Vena cava filters in cancer patients: experience with 50 patients. Clinics, 2005, 60, 361-366.   | 1.5 | 31        |
| 262 | Palmar hyperhidrosisâ€"which is the best level of denervation using video-assisted thoracoscopic sympathectomy: T2 or T3 ganglion?. Journal of Vascular Surgery, 2005, 42, 281-285.            | 1,1 | 101       |
| 263 | Endovascular treatment for intermittent claudication in patients who do not improve with clinical treatment. Clinics, 2005, 60, 193-200.   | 1.5 | 11        |
| 264 | External aggression to the limb as a predictive factor in the evolution of patients undergoing arterial revascularization. Clinics, 2005, 60, 451-4.   | 1.5 | 2         |
| 265 | Natural history of stenosis in the iliac arteries in patients with intermittent claudication undergoing clinical treatment. Revista Do Hospital Das Clinicas, 2004, 59, 341-348.               | 0.5 | 6         |
| 266 | Totally implantable venous catheters for chemotherapy: experience in 500 patients. Sao Paulo Medical Journal, 2004, 122, 147-151.  | 0.9 | 63        |
| 267 | Vascular Reconstruction in Limbs with Malignant Tumors. Vascular and Endovascular Surgery, 2004, 38, 423-429.  | 0.7 | 16        |
| 268 | Regarding "Floppy aortic graft reconstruction for germ cell tumor invasion of the infrarenal aorta―<br>Journal of Vascular Surgery, 2004, 39, 922.   | 1.1 | 3         |
| 269 | Aneurysm of superior mesenteric vein: case report with 5-year follow-up and review of the literature.<br>Journal of Vascular Surgery, 2004, 39, 459-461.                                       | 1.1 | 20        |
| 270 | Tratamento cirúrgico para claudicação intermitente em pacientes que não melhoram com o tratamento clÃnico. Arquivos Brasileiros De Cardiologia, 2004, 82, 445-449.                             | 0.8 | 8         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 271 | A new test to avoid arterial complications during pancreaticoduodenectomy. Hepato-Gastroenterology, 2004, 51, 1671-3.   | 0.5 | 7         |
| 272 | Vascular Reconstruction in Limbs Associated with Resection of Tumors. Annals of Vascular Surgery, 2003, 17, 411-416.  | 0.9 | 27        |
| 273 | Prevalence of factor V Leiden, FII G20210A, FXIII Val34Leu and MTHFR C677T polymorphisms in cancer patients with and without venous thrombosis. Thrombosis Research, 2003, 109, 171-174.                                    | 1.7 | 50        |
| 274 | Quality of life, before and after thoracic sympathectomy: report on 378 operated patients. Annals of Thoracic Surgery, 2003, 76, 886-891.   | 1.3 | 280       |
| 275 | Idiopathic aneurysm of inferior vena cava associated with retroperitoneal ganglioneuroma: Case report. Journal of Vascular Surgery, 2003, 37, 895-898.  | 1.1 | 19        |
| 276 | Primary Utilization of Stents in Angioplasty of Superficial Femoral Artery. Vascular and Endovascular Surgery, 2003, 37, 271-277.   | 0.7 | 26        |
| 277 | Gadolinium Magnetic Angioresonance in the Study of Aortoiliac Disease. Angiology, 2003, 54, 163-168.  | 1.8 | 6         |
| 278 | Peroneal Artery Approach for Angioplasty of the Superficial Femoral Artery. Vascular and Endovascular Surgery, 2003, 37, 129-133.   | 0.7 | 6         |
| 279 | Evaluation of Walking Capacity Over Time in 500 Patients With Intermittent Claudication Who Underwent Clinical Treatment. Archives of Internal Medicine, 2003, 163, 2296.   | 3.8 | 48        |
| 280 | Endovascular techniques for placement of long-term chemotherapy catheters. Revista Do Hospital Das Clinicas, 2003, 58, 215-218.   | 0.5 | 6         |
| 281 | Questionnaire of quality of life in patients with primary hyperhidrosis. Jornal De Pneumologia, 2003, 29, 178-181.  | 0.1 | 29        |
| 282 | Carotid reconstruction in patients operated for malignant head and neck neoplasia. Sao Paulo Medical Journal, 2002, 120, 137-140.   | 0.9 | 11        |
| 283 | Use of arteriography for the initial evaluation of patients with intermittent lower limb claudication. Sao Paulo Medical Journal, 2001, 119, 59-61.   | 0.9 | 1         |
| 284 | The use of stents in the treatment of traumatic intimal flaps: case report. Revista Do Hospital Das Clinicas, 2001, 56, 119-122.  | 0.5 | 2         |
| 285 | Infrarenal Aortic Aneurysm Repair by Retroperitoneal Approach Combined with Laparoscopic<br>Cholecystectomy: Two Case Reports. Journal of Laparoendoscopic and Advanced Surgical Techniques -<br>Part A, 2001, 11, 115-117. | 1.0 | 4         |
| 286 | Ground Reaction Force Pattern in Limbs with Intermittent Claudication. European Journal of Vascular and Endovascular Surgery, 2000, 20, 254-259.  | 1.5 | 18        |
| 287 | Predictive value of the ankle-brachial index in the evaluation of intermittent claudication. Revista Do Hospital Das Clinicas, 2000, 55, 61-64.   | 0.5 | 51        |
| 288 | The Use of Stents in the Treatment of Intimal Flaps: An Experimental Study. Vascular Surgery, 2000, 34, 37-41.  | 0.3 | 0         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 289 | Variations in white blood count, thromboxane B2 levels and hematocrit in chronic venous hypertension. Sao Paulo Medical Journal, 1998, 116, 1721-1726. | 0.9 | 1         |
| 290 | Endovascular Grafting of a Popliteal Aneurysm Using the Saphenous Vein. Journal of Endovascular Therapy, 1998, 5, 64-70.                               | 3.2 | 42        |
| 291 | Arterial embolectomy in lower limbs. Sao Paulo Medical Journal, 1996, 114, 1226-1230.  | 0.9 | 4         |