

Sunil Bansal

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8134712/sunil-bansal-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

695
papers

30,605
citations

76
h-index

144
g-index

723
ext. papers

34,304
ext. citations

4.9
avg, IF

3.17
L-index

#	Paper	IF	Citations
695	Observation of a new boson at a mass of 125 GeV with the CMS experiment at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 716, 30-61	4.2	5161
694	Observation of long-range, near-side angular correlations in pPb collisions at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 718, 795-814	4.2	452
693	Combined results of searches for the standard model Higgs boson in pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 710, 26-48	4.2	437
692	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 212	4.2	399
691	Observation of long-range, near-side angular correlations in proton-proton collisions at the LHC. <i>Journal of High Energy Physics</i> , 2010 , 2010, 1	5.4	389
690	Study of high-p T charged particle suppression in PbPb compared to pp collisions at ($\sqrt{s_{\text{NN}}}=2.76\text{~TeV}$). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	316
689	Multiplicity and transverse momentum dependence of two- and four-particle correlations in pPb and PbPb collisions. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 724, 213-240	4.2	315
688	Observation of a new boson with mass near 125 GeV in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	261
687	Measurement of the properties of a Higgs boson in the four-lepton final state. <i>Physical Review D</i> , 2014 , 89,	4.9	260
686	Search for dark matter, extra dimensions, and unparticles in monojet events in proton-proton collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 235	4.2	250
685	Event generator tunes obtained from underlying event and multiparton scattering measurements. <i>European Physical Journal C</i> , 2016 , 76, 155	4.2	250
684	Observation of the diphoton decay of the Higgs boson and measurement of its properties. <i>European Physical Journal C</i> , 2014 , 74, 3076	4.2	239
683	Study of the mass and spin-parity of the Higgs boson candidate via its decays to Z boson pairs. <i>Physical Review Letters</i> , 2013 , 110, 081803	7.4	235
682	Measurement of the $B_s(0) \rightarrow \mu^+ \mu^-$ branching fraction and search for $B(0) \rightarrow \mu^+ \mu^-$ with the CMS experiment. <i>Physical Review Letters</i> , 2013 , 111, 101804	7.4	220
681	Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at ($\sqrt{s} = 0.9$) and 2.36 TeV. <i>Journal of High Energy Physics</i> , 2010 , 2010, 1	5.4	201
680	Search for supersymmetry at the LHC in events with jets and missing transverse energy. <i>Physical Review Letters</i> , 2011 , 107, 221804	7.4	188
679	Suppression of non-prompt J/ψ and (Υ)(1S) in PbPb collisions at ($\sqrt{s_{\text{NN}}}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	184

678	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8 TeV. <i>European Physical Journal C</i> , 2014 , 74, 3036	4.2	183
677	Search for lepton-flavour-violating decays of the Higgs boson. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 749, 337-362	4.2	175
676	Observation of sequential Λ suppression in PbPb collisions. <i>Physical Review Letters</i> , 2012 , 109, 222301	7.4	172
675	Search for top-squark pair production in the single-lepton final state in pp collisions at ($\sqrt{s}=8$ TeV). <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	162
674	Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at ($\sqrt{s_{NN}}=2.76$ TeV). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	158
673	Search for dark matter and large extra dimensions in monojet events in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	155
672	Combined measurements of Higgs boson couplings in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 421	4.2	153
671	Search for resonances and quantum black holes using dijet mass spectra in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2015 , 91,	4.9	152
670	Search for heavy neutrinos and [Formula: see text] bosons with right-handed couplings in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3149	4.2	149
669	Measurement of the elliptic anisotropy of charged particles produced in PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physical Review C</i> , 2013 , 87,	2.7	148
668	Evidence for Collective Multiparticle Correlations in p-Pb Collisions. <i>Physical Review Letters</i> , 2015 , 115, 012301	7.4	145
667	Search for the standard model Higgs boson produced in association with a W or a Z boson and decaying to bottom quarks. <i>Physical Review D</i> , 2014 , 89,	4.9	145
666	Jet momentum dependence of jet quenching in PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 712, 176-197	4.2	144
665	Measurement of Higgs boson production and properties in the WW decay channel with leptonic final states. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	144
664	Constraints on the spin-parity and anomalous HVV couplings of the Higgs boson in proton collisions at 7 and 8 TeV. <i>Physical Review D</i> , 2015 , 92,	4.9	142
663	Search for the standard model Higgs boson decaying into two photons in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 710, 403-425	4.2	138
662	Indications of suppression of excited Λ states in Pb-Pb collisions at ($\sqrt{s_{NN}}=2.76$ TeV). <i>Physical Review Letters</i> , 2011 , 107, 052302	7.4	137
661	Study of the inclusive production of charged pions, kaons, and protons in pp collisions at ($\sqrt{s} = 0.9, 2.76, 7$ TeV). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	133

660	Search for invisible decays of Higgs bosons in the vector boson fusion and associated ZH production modes. <i>European Physical Journal C</i> , 2014 , 74, 2980	4.2	131
659	Modification of jet shapes in PbPb collisions at $\sqrt{s_{NN}}=2.76\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 730, 243-263	4.2	124
658	Measurement of the inclusive W and Z production cross sections in pp collisions at ($\sqrt{s} = 7$) TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	121
657	Prompt and non-prompt J/ Ψ production in pp collisions at ($\sqrt{s} = 7$) TeV. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	118
656	Constraints on the Higgs boson width from off-shell production and decay to Z-boson pairs. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 736, 64-85	4.2	116
655	Search for dark matter and large extra dimensions in pp collisions yielding a photon and missing transverse energy. <i>Physical Review Letters</i> , 2012 , 108, 261803	7.4	116
654	Measurement of isolated photon production in pp and PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 710, 256-277	4.2	111
653	Search for neutral Higgs bosons decaying to tau pairs in pp collisions at $\sqrt{s}=7\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 713, 68-90	4.2	111
652	A search for a doubly-charged Higgs boson in pp collisions at ($\sqrt{s} = 7 \text{ mbox{TeV}}$). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	111
651	Search for resonances in the dijet mass spectrum from 7 TeV pp collisions at CMS. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011 , 704, 123-142	4.2	111
650	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , 2012 , 109, 171803	7.4	111
649	Measurement of higher-order harmonic azimuthal anisotropy in PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physical Review C</i> , 2014 , 89,	2.7	109
648	Studies of jet quenching using isolated-photon + jet correlations in PbPb and pp collisions at $\sqrt{s_{NN}}=2.76\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 718, 773-794	4.2	109
647	Evidence for transverse-momentum- and pseudorapidity-dependent event-plane fluctuations in PbPb and pPb collisions. <i>Physical Review C</i> , 2015 , 92,	2.7	104
646	Measurements of inclusive W and Z cross sections in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	104
645	Inclusive search for a vector-like T quark with charge . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 729, 149-171	4.2	103
644	Measurement of differential top-quark-pair production cross sections in pp collisions at ($\sqrt{s} = 7 \text{ mbox{TeV}}$). <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	102
643	Evidence for the 125 GeV Higgs boson decaying to a pair of τ leptons. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	101

642	Search for a light charged Higgs boson in top quark decays in pp collisions at ($\sqrt{s} = 7$;TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	101
641	CMS tracking performance results from early LHC operation. <i>European Physical Journal C</i> , 2010 , 70, 1165-1192	4.1	99
640	Measurement of the differential cross section for top quark pair production in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 542	4.2	98
639	Searches for long-lived charged particles in pp collisions at (\sqrt{s}) =7 and 8 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	96
638	Azimuthal anisotropy of charged particles at high transverse momenta in Pb-Pb collisions at $\sqrt{s(NN)} = 2.76$ TeV. <i>Physical Review Letters</i> , 2012 , 109, 022301	7.4	95
637	Measurement of the inclusive jet cross section in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , 2011 , 107, 132001	7.4	94
636	Search for supersymmetry in hadronic final states using M T2 in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	92
635	Measurement of jet fragmentation in PbPb and pp collisions at $\sqrt{sNN}=2.76$ TeV. <i>Physical Review C</i> , 2014 , 90,	2.7	89
634	Charged particle multiplicities in pp interactions at ($\sqrt{s} = 0.9$), 2.36, and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	89
633	Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at ($\sqrt{s} = 2.76$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	87
632	Measurements of differential jet cross sections in proton-proton collisions at $\sqrt{s}=7$ TeV with the CMS detector. <i>Physical Review D</i> , 2013 , 87,	4.9	85
631	Search for the standard model Higgs boson in the decay channel $H \rightarrow ZZ \rightarrow 4\ell$ in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2012 , 108, 111804	7.4	85
630	Search for long-lived neutral particles decaying to quark-antiquark pairs in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2015 , 91,	4.9	83
629	Observation of a peaking structure in the J/ψ mass spectrum from $B \rightarrow J/\psi K$ decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 734, 261-281	4.2	83
628	Search for the standard model Higgs boson decaying to $\tau\tau$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 710, 91-113	4.2	83
627	Measurement of the prompt τ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 727, 381-402	4.2	83
626	Search for supersymmetry in hadronic final states with missing transverse energy using the variables M_{T2} and b -quark multiplicity in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2568	4.2	82
625	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at (\sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	81

624	Search for resonant pair production of Higgs bosons decaying to two bottom quark-antiquark pairs in proton-proton collisions at 8 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 749, 560-582	4.2	78
623	Search for heavy narrow dilepton resonances in pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 720, 63-82	4.2	78
622	Strange particle production in pp collisions at ($\sqrt{s} = 0.9$) and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	78
621	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	77
620	Measurement of the rapidity and transverse momentum distributions of Z bosons in pp collisions at ($\sqrt{s}=7$) TeV. <i>Physical Review D</i> , 2012 , 85,	4.9	77
619	Study of W boson production in PbPb and pp collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 715, 66-87	4.2	76
618	Searches for new physics using the $t\bar{t}$ invariant mass distribution in pp collisions at $\sqrt{s}=8$ TeV. <i>Physical Review Letters</i> , 2013 , 111, 211804	7.4	76
617	Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at (\sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	74
616	Measurement of the inelastic proton-proton cross section at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 722, 5-27	4.2	74
615	Searches for invisible decays of the Higgs boson in pp collisions at (\sqrt{s}) = 7, 8, and 13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	74
614	Search for a Higgs boson decaying into a Z and a photon in pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 726, 587-609	4.2	73
613	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	73
612	Measurement of jet fragmentation into charged particles in pp and PbPb collisions at ($\sqrt{s_{NN}} = 2.76$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	73
611	Measurement of the $W+W$ and ZZ production cross sections in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 721, 190-211	4.2	72
610	Study of the production of charged pions, kaons, and protons in pPb collisions at [Formula: see text]5.02[Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 2847	4.2	71
609	A new boson with a mass of 125 GeV observed with the CMS experiment at the Large Hadron Collider. <i>Science</i> , 2012 , 338, 1569-75	33.3	71
608	Measurement of the ρ_S , $\rho_{\bar{S}}$, and $\rho_{\bar{S}}$ polarizations in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , 2013 , 110, 081802	7.4	71
607	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	70

606	Measurement of the single-top-quark t-channel cross section in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	70
605	Measurement of the underlying event activity at the LHC with ($\sqrt{s} = 7$) TeV and comparison with ($\sqrt{s} = 0.9$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	70
604	Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	69
603	J/ψ and $\Upsilon(2S)$ production in pp collisions at ($\sqrt{s} = 7$ TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	69
602	Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at ($\sqrt{s_{\mathrm{NN}}} = 5.02$) (TeV). <i>European Physical Journal C</i> , 2014 , 74, 1	4-2	67
601	Search for anomalous production of multilepton events in pp collisions at ($\sqrt{s} = 7$, TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	65
600	Measurement of the electron charge asymmetry in inclusive W production in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2012 , 109, 111806	7-4	65
599	Charged-particle nuclear modification factors in PbPb and pPb collisions at ($\sqrt{s_{\mathrm{N};\mathrm{N}}}=5.02$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	64
598	Long-range two-particle correlations of strange hadrons with charged particles in pPb and PbPb collisions at LHC energies. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 742, 200-224	4-2	64
597	Search for anomalous production of events with three or more leptons in pp collisions at $s=8$ TeV. <i>Physical Review D</i> , 2014 , 90,	4-9	64
596	Determination of the top-quark pole mass and strong coupling constant from the . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 728, 496-517	4-2	64
595	Measurement of the ($\overline{\mathrm{t}}\mathrm{t}$) production cross section in the dilepton channel in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	64
594	Measurement of the muon charge asymmetry in inclusive pp-W+X production at $s=7$ TeV and an improved determination of light parton distribution functions. <i>Physical Review D</i> , 2014 , 90,	4-9	63
593	Search for narrow resonances using the dijet mass spectrum in pp collisions at $s=8$ TeV. <i>Physical Review D</i> , 2013 , 87,	4-9	63
592	Measurement of the t-channel single top quark production cross section in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2011 , 107, 091802	7-4	63
591	Search for high-mass resonances in dilepton final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	63
590	Search for long-lived particles that decay into final states containing two electrons or two muons in proton-proton collisions at $s=8$ TeV. <i>Physical Review D</i> , 2015 , 91,	4-9	62
589	Study of vector boson scattering and search for new physics in events with two same-sign leptons and two jets. <i>Physical Review Letters</i> , 2015 , 114, 051801	7-4	62

588	Observation of the associated production of a single top quark and a W boson in pp collisions at $\sqrt{s} = 8$ TeV. <i>Physical Review Letters</i> , 2014 , 112, 231802	7.4	62
587	Search for pair-produced resonances decaying to jet pairs in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 747, 98-119	4.2	62
586	Searches for electroweak neutralino and chargino production in channels with Higgs, Z, and W bosons in pp collisions at 8 TeV. <i>Physical Review D</i> , 2014 , 90,	4.9	62
585	Evidence of b-jet quenching in PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physical Review Letters</i> , 2014 , 113, 132301	7.4	62
584	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. <i>European Physical Journal C</i> , 2020 , 80, 4	4.2	61
583	Study of double parton scattering using W + 2-jet events in proton-proton collisions at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	61
582	Search for physics beyond the standard model in final states with a lepton and missing transverse energy in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2015 , 91,	4.9	61
581	Search for a charged Higgs boson in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	61
580	Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at $(\sqrt{s_{NN}}) = 2.76$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	60
579	Search for a standard model-like Higgs boson in the $\mu\mu$ and $e+e$ decay channels at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 744, 184-207	4.2	59
578	Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	59
577	Measurement of the charge asymmetry in top-quark pair production in proton-proton collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 709, 28-49	4.2	59
576	Search for narrow resonances in dilepton mass spectra in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 714, 158-179	4.2	59
575	Suppression and azimuthal anisotropy of prompt and nonprompt $[B]$ production in PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>European Physical Journal C</i> , 2017 , 77, 252	4.2	58
574	Search for heavy Majorana neutrinos in $\mu\mu +$ jets events in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 748, 144-166	4.2	58
573	Search for top-quark partners with charge 5/3 in the same-sign dilepton final state. <i>Physical Review Letters</i> , 2014 , 112, 171801	7.4	58
572	Search for top-squark pairs decaying into Higgs or Z bosons in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 736, 371-397	4.2	57
571	Search for the standard model Higgs boson decaying to bottom quarks in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 710, 284-306	4.2	57

570	Search for anomalous (t) production in the highly-boosted all-hadronic final state. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	57
569	Inclusive and differential measurements of the $t\bar{t}$ charge asymmetry in proton-proton collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 717, 129-130	4-2	57
568	Observation of a new Λ_b baryon. <i>Physical Review Letters</i> , 2012 , 108, 252002	7-4	57
567	Study of exclusive two-photon production of $W+W$ in pp collisions at ($\sqrt{s}=7$) TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	56
566	Measurement of the $W+W$ cross section in pp collisions at ($\sqrt{s} = 7$ TeV) and limits on anomalous WW and WWZ couplings. <i>European Physical Journal C</i> , 2013 , 73, 1	4-2	56
565	Search for pair production of third-generation scalar leptoquarks and top squarks in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 739, 229-249	4-2	56
564	Long-range and short-range dihadron angular correlations in central PbPb collisions at ($\sqrt{s_{NN}} = 2.76$ TeV). <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	56
563	Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. <i>European Physical Journal C</i> , 2015 , 75, 251	4-2	55
562	Measurement of the pseudorapidity and centrality dependence of the transverse energy density in Pb-Pb collisions at ($\sqrt{s_{NN}}=2.76$ TeV). <i>Physical Review Letters</i> , 2012 , 109, 152303	7-4	55
561	Search for new phenomena with the variable in the all-hadronic final state produced in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 710	4-2	54
560	Measurement of inclusive W and Z boson production cross sections in pp collisions at $\sqrt{s} = 8$ TeV. <i>Physical Review Letters</i> , 2014 , 112, 191802	7-4	54
559	Search for heavy long-lived charged particles in pp collisions at. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 713, 408-433	4-2	54
558	Evidence for associated production of a single top quark and W boson in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2013 , 110, 022003	7-4	54
557	Search for signatures of extra dimensions in the diphoton mass spectrum at the large hadron collider. <i>Physical Review Letters</i> , 2012 , 108, 111801	7-4	53
556	Search for a vectorlike quark with charge $2/3$ in $t+Z$ events from pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2011 , 107, 271802	7-4	53
555	Search for ($B_{(s)}^0 \rightarrow \mu^+ \mu^-$) and $B^0 \rightarrow \mu^+ \mu^-$ decays. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	52
554	Interpretation of searches for supersymmetry with simplified models. <i>Physical Review D</i> , 2013 , 88,	4-9	52
553	Search for a light pseudoscalar Higgs boson in the dimuon decay channel in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , 2012 , 109, 121801	7-4	51

552	Measurements of differential and double-differential Drell-Yan cross sections in proton-proton collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 147	4.2	50
551	Search for supersymmetry in pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 733, 328-353	4.2	50
550	Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at ($\sqrt{s} = 7 \text{ TeV}$) and first determination of the strong coupling constant in the TeV range. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	50
549	Search for gluino mediated bottom- and top-squark production in multijet final states in pp collisions at 8 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 725, 243-270	4.2	50
548	Search for narrow and broad dijet resonances in proton-proton collisions at ($\sqrt{s}=13$) TeV and constraints on dark matter mediators and other new particles. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	50
547	Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. <i>European Physical Journal C</i> , 2013 , 73, 2469	4.2	49
546	Measurements of tt spin correlations and top-quark polarization using dilepton final states in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2014 , 112, 182001	7.4	49
545	Search for new physics with a monojet and missing transverse energy in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , 2011 , 107, 201804	7.4	49
544	Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 237	4.2	48
543	Measurement of the t-channel single-top-quark production cross section and of the $ V_{tb} $ CKM matrix element in pp collisions at (\sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	48
542	Measurement of the ($t\bar{t}$) production cross section and the top quark mass in the dilepton channel in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	48
541	Search for new resonances decaying via WZ to leptons in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 740, 83-104	4.2	47
540	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	46
539	Search for flavor-changing neutral currents in top-quark decays $t \rightarrow Zq$ in pp collisions at $\sqrt{s} = 8$ TeV. <i>Physical Review Letters</i> , 2014 , 112, 171802	7.4	46
538	Measurement of the relative prompt production rate of and in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2012 , 72, 2251	4.2	46
537	Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	46
536	Search for new physics with jets and missing transverse momentum in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	46
535	Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy. <i>Physical Review Letters</i> , 2012 , 109, 071803	7.4	46

534	Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	45
533	Exclusive $\bar{t}t$ production in proton-proton collisions at ($\sqrt{s} = \{7\}$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	45
532	Search for the associated production of the Higgs boson with a top-quark pair. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	45
531	Search for exclusive or semi-exclusive $\bar{t}t$ production and observation of exclusive and semi-exclusive $e+e$ production in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	45
530	Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2283	4-2	45
529	Measurement of the differential cross section for isolated prompt photon production in pp collisions at 7 TeV. <i>Physical Review D</i> , 2011 , 84,	4-9	45
528	Measurement of the X(3872) production cross section via decays to $J/\psi \pi^0$ in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	44
527	Measurement of the σ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 727, 101-125	4-2	44
526	Search for heavy bottom-like quarks in 4.9 fb $^{-1}$ of pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	44
525	Charged particle transverse momentum spectra in pp collisions at ($\sqrt{s} = 0.9$) and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	44
524	Measurement of the $t\bar{t}$ production cross section in pp collisions at 7 TeV in lepton+jets events using b-quark jet identification. <i>Physical Review D</i> , 2011 , 84,	4-9	44
523	Search for $B(s)(0) \rightarrow \mu^+\mu^-$ and $B(0) \rightarrow \mu^+\mu^-$ decays in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , 2011 , 107, 191802	7-4	44
522	Measurement of the ($\overline{t}t$) production cross section in the dilepton channel in pp collisions at (\sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	43
521	Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at (\sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	43
520	Searches for heavy Higgs bosons in two-Higgs-doublet models and for $t \rightarrow \bar{c}h$ decay using multilepton and diphoton final states in pp collisions at 8 TeV. <i>Physical Review D</i> , 2014 , 90,	4-9	43
519	Search for leptonic decays of W^\pm bosons in pp collisions at ($\sqrt{s} = \{7\}$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	43
518	Search for new phenomena in monophoton final states in proton-proton collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 755, 102-124	4-2	42
517	Event activity dependence of (Υ)(nS) production in ($\sqrt{s_{NN}} = 5.02$ TeV pPb and (\sqrt{s}) = 2.76 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	42

516	Angular coefficients of Z bosons produced in pp collisions at $\sqrt{s}=8\text{ TeV}$ and decaying to $\mu\mu$ as a function of transverse momentum and rapidity. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 750, 154-175	4.2	42
515	Measurement of the $\sigma_{\text{had}}/\sigma_{\text{had}}^{\text{LO}}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 720, 83-104	4.2	42
514	Search for heavy neutrinos and W(R) bosons with right-handed couplings in a left-right symmetric model in pp collisions at $\sqrt{s}=7\text{ TeV}$. <i>Physical Review Letters</i> , 2012 , 109, 261802	7.4	42
513	Search for heavy, top-like quark pair production in the dilepton final state in pp collisions at $\sqrt{s}=7\text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 716, 103-121	4.2	42
512	Measurement of the weak mixing angle with the Drell-Yan process in proton-proton collisions at the LHC. <i>Physical Review D</i> , 2011 , 84,	4.9	42
511	Search for additional neutral MSSM Higgs bosons in the $\tau\tau$ final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	42
510	Measurement of J/ψ and $\psi(2S)$ Prompt Double-Differential Cross Sections in pp Collisions at $\sqrt{s}=7\text{ TeV}$. <i>Physical Review Letters</i> , 2015 , 114, 191802	7.4	41
509	Search for supersymmetry using razor variables in events with b-tagged jets in pp collisions at $\sqrt{s}=8\text{ TeV}$. <i>Physical Review D</i> , 2015 , 91,	4.9	41
508	Measurement of the ratio $B(t \rightarrow Wb)/B(t \rightarrow Wq)$ in pp collisions at $\sqrt{s}=8\text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 736, 33-57	4.2	41
507	Measurement of the inclusive 3-jet production differential cross section in proton-proton collisions at 7 TeV and determination of the strong coupling constant in the TeV range. <i>European Physical Journal C</i> , 2015 , 75, 186	4.2	41
506	Measurement of prompt J/ψ pair production in pp collisions at (\sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	41
505	Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	41
504	Search for heavy Majorana neutrinos in $\mu\mu$ +jets and $e\mu$ +jets events in pp collisions at $\sqrt{s}=7\text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 717, 109-128	4.2	41
503	Inclusive search for supersymmetry using razor variables in pp collisions at $\sqrt{s}=7\text{ TeV}$. <i>Physical Review Letters</i> , 2013 , 111, 081802	7.4	41
502	Search for pair-produced dijet resonances in four-jet final states in pp collisions at $\sqrt{s}=7\text{ TeV}$. <i>Physical Review Letters</i> , 2013 , 110, 141802	7.4	41
501	Measurement of the inelastic proton-proton cross section at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	41
500	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	40
499	Search for pair production of third-generation leptoquarks and top squarks in pp collisions at $\sqrt{s}=7\text{ TeV}$. <i>Physical Review Letters</i> , 2013 , 110, 081801	7.4	40

498	Inclusive search for squarks and gluinos in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review D</i> , 2012 , 85,	4.9	40
497	Search for displaced supersymmetry in events with an electron and a muon with large impact parameters. <i>Physical Review Letters</i> , 2015 , 114, 061801	7.4	39
496	Studies of jet mass in dijet and W/Z + jet events. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	39
495	Study of the underlying event at forward rapidity in pp collisions at ($\sqrt{s}=0.9, 2.76, \text{and } 7$ TeV). <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	39
494	Measurement of the ZZ production cross section and search for anomalous couplings in 200 final states in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	39
493	Search for a Higgs boson decaying into a b-quark pair and produced in association with b quarks in proton-proton collisions at 7 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 722, 207-232	4.2	39
492	Search for same-sign top-quark pair production at ($\sqrt{s}=7$) TeV and limits on flavour changing neutral currents in the top sector. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	39
491	Search for natural and split supersymmetry in proton-proton collisions at ($\sqrt{s}=13$) TeV in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	39
490	Measurement of the pp-ZZ production cross section and constraints on anomalous triple gauge couplings in four-lepton final states at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 740, 250-272	4.2	38
489	Search for new physics in events with same-sign dileptons and jets in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	38
488	Search for microscopic black holes in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	38
487	Measurement of prompt (χ_{S1}) to J/ψ yield ratios in Pb-Pb and p-p collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physical Review Letters</i> , 2014 , 113, 262301	7.4	38
486	Search for top squark and Higgsino production using diphoton Higgs boson decays. <i>Physical Review Letters</i> , 2014 , 112, 161802	7.4	38
485	Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at ($\sqrt{s}=7$ TeV). <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	38
484	Measurement of the [Formula: see text] cross section in pp collisions at [Formula: see text] TeV and limits on anomalous gauge couplings. <i>European Physical Journal C</i> , 2016 , 76, 401	4.2	38
483	Differential cross section measurements for the production of a W boson in association with jets in proton-proton collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 741, 12-37	4.2	37
482	Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 288	4.2	37
481	Measurement of the differential cross section and charge asymmetry for inclusive [Formula: see text] production at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2016 , 76, 469	4.2	37

480	Measurement of associated W + charm production in pp collisions at (\sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	37
479	Jet production rates in association with W and Z bosons in pp collisions at (\sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	37
478	Measurement of masses in the [Formula: see text] system by kinematic endpoints in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2494	4-2	37
477	Search for narrow resonances and quantum black holes in inclusive and b-tagged dijet mass spectra from pp collisions at (\sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	37
476	Measurement of pseudorapidity distributions of charged particles in proton-proton collisions at (\sqrt{s}) = 8 TeV by the CMS and TOTEM experiments. <i>European Physical Journal C</i> , 2014 , 74, 1	4-2	37
475	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	37
474	Measurement of prompt and nonprompt charmonium suppression in collisions at 5.02. <i>European Physical Journal C</i> , 2018 , 78, 509	4-2	37
473	Study of W boson production in pPb collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 750, 565-586	4-2	36
472	Measurement of the Z boson differential cross section in transverse momentum and rapidity in proton-proton collisions at 8 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 749, 187-209	4-2	36
471	Measurement of the ratio of inclusive jet cross sections using the anti-kT algorithm with radius parameters $R=0.5$ and 0.7 in pp collisions at $s=7$ TeV. <i>Physical Review D</i> , 2014 , 90,	4-9	36
470	Measurement of the top-quark mass in ($\overline{\text{t}}\text{t}$) events with dilepton final states in pp collisions at (\sqrt{s}) = 7 TeV. <i>European Physical Journal C</i> , 2012 , 72, 1	4-2	36
469	First measurement of the underlying event activity at the LHC with (\sqrt{s}) = 0.9 TeV. <i>European Physical Journal C</i> , 2010 , 70, 555-572	4-2	36
468	Measurement of the double-differential inclusive jet cross section in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 451	4-2	36
467	Search for disappearing tracks in proton-proton collisions at (\sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	35
466	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 13	4-2	35
465	Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	35
464	Angular analysis and branching fraction measurement of the decay $B_0 \rightarrow K^* \mu^+ \mu^-$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 727, 77-100	4-2	35
463	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	35

462	Searches for light- and heavy-flavour three-jet resonances in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 730, 193-214	4.2	35
461	Search for top squarks in R-parity-violating supersymmetry using three or more leptons and b-tagged jets. <i>Physical Review Letters</i> , 2013 , 111, 221801	7.4	35
460	Measurement of the $(\mathit{t}\bar{\mathit{t}})$ production cross section in pp collisions at $(\sqrt{s}=7)$ TeV using the kinematic properties of events with leptons and jets. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	35
459	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at $(\sqrt{s}=8)$ TeV and cross section ratios to 2.76 and 7 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	34
458	Search for new physics in same-sign dilepton events in proton-proton collisions at $\sqrt{s}=7$ TeV. <i>European Physical Journal C</i> , 2016 , 76, 439	4.2	34
457	Search for microscopic black holes in pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	34
456	Measurement of associated production of vector bosons and top quark-antiquark pairs in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2013 , 110, 172002	7.4	34
455	Search for heavy stable charged particles in pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	34
454	Search for three-jet resonances in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2011 , 107, 101801	7.4	34
453	Search for decays of stopped long-lived particles produced in proton-proton collisions at $\sqrt{s}=7$ TeV. <i>European Physical Journal C</i> , 2015 , 75, 151	4.2	33
452	Search for new physics in events with same-sign dileptons and b jets in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	33
451	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	33
450	Search for a light charged Higgs boson decaying to $(\mathit{c}\bar{\mathit{c}})$ in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1-37	5.4	33
449	Search for pair produced fourth-generation up-type quarks in pp collisions at $\sqrt{s}=7$ TeV with a lepton in the final state. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 718, 307-328	4.2	33
448	Search for heavy lepton partners of neutrinos in proton-proton collisions in the context of the type III seesaw mechanism. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 718, 348-368	4.2	33
447	Search for Z resonances decaying to $\mathit{t}\bar{\mathit{t}}$ in dilepton+jets final states in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review D</i> , 2013 , 87,	4.9	33
446	Identification techniques for highly boosted W bosons that decay into hadrons. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	32
445	Search for fractionally charged particles in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review D</i> , 2013 , 87,	4.9	32

444	Search for resonances in the dilepton mass distribution in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	32
443	Search for supersymmetry in pp collisions at ($\sqrt{s} = 7$) TeV in events with a single lepton, jets, and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	32
442	Measurement of the Drell-Yan cross section in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	32
441	Search for a new bottomonium state decaying to $\mu^+\mu^-$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 727, 57-76	4.2	31
440	Search for a χ_{c0} . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 718, 1229-1251	4.2	31
439	Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 7$ TeV in dilepton final states containing a b . <i>Physical Review D</i> , 2012 , 85,	4.9	31
438	Measurement of the B_s^0 Production Cross Section with $B_s^0 \rightarrow \mu^+\mu^-$ Decays in pp Collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review D</i> , 2011 , 84,	4.9	31
437	Search for narrow high-mass resonances in proton-proton collisions at $\sqrt{s} = 8$ TeV decaying to a Z and a Higgs boson. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 748, 255-277	4.2	30
436	Measurement of the $(\overline{\text{t}}\text{t})$ production cross section in the $e\bar{e}$ channel in proton-proton collisions at ($\sqrt{s} = 7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	30
435	Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	30
434	Event shapes and azimuthal correlations in Z+jets events in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 722, 238-261	4.2	30
433	Inclusive b-jet production in pp collisions at ($\sqrt{s} = 7$ TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	30
432	Observation of Z decays to four leptons with the CMS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	30
431	Measurement of the top-quark mass in $(\overline{\text{t}}\text{t})$ events with lepton+jets final states in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	30
430	Measurement of the B cross section and the $\Gamma(B) \rightarrow B$ ratio with J/ψ decays in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 714, 136-147	4.2	30
429	Measurement of the underlying event in the Drell-Yan process in proton-proton collisions at ($\sqrt{s} = 7$ TeV). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	30
428	Measurements of the production cross section and the branching fraction, and constraints on anomalous triple gauge couplings at $\sqrt{s} = 7$ TeV. <i>European Physical Journal C</i> , 2018 , 78, 165	4.2	29
427	Search for supersymmetry in final states with missing transverse energy and 0, 1, 2, or B b-quark jets in 7 TeV pp collisions using the variable β_T . <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	29

426	Observation of $Y(1S)$ pair production in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	29
425	Measurement of diffractive dissociation cross sections in pp collisions at $s=7$ TeV. <i>Physical Review D</i> , 2015 , 92,	4.9	29
424	Measurement of top quark-antiquark pair production in association with a W or Z boson in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3060	4.2	29
423	Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3129	4.2	29
422	Search for vector-like T and B quark pairs in final states with leptons at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	29
421	Search for heavy Majorana neutrinos in $e\bar{e}\mu^+\mu^+$ jets and $e\bar{e}\mu^+\mu^+$ jets events in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	28
420	Search for long-lived particles in events with photons and missing energy in proton-proton collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 722, 273-294	4.2	28
419	Measurement of the W and Z inclusive cross sections in pp collisions at $s=7$ TeV and limits on anomalous triple gauge boson couplings. <i>Physical Review D</i> , 2014 , 89,	4.9	28
418	Search for physics beyond the standard model using multilepton signatures in . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011 , 704, 411-433	4.2	28
417	Search for supersymmetry in events with b jets and missing transverse momentum at the LHC. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	28
416	Search for pair production of first- and second-generation scalar leptoquarks in pp collisions at $s=7$ TeV. <i>Physical Review D</i> , 2012 , 86,	4.9	28
415	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	28
414	Measurement of the production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. <i>European Physical Journal C</i> , 2019 , 79, 368	4.2	27
413	Measurements of the $\Upsilon(1S)$, $\Upsilon(2S)$, and $\Upsilon(3S)$ differential cross sections in pp collisions at $s=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 749, 14-34	4.2	27
412	Evidence for exclusive $\Upsilon \rightarrow W + W$ production and constraints on anomalous quartic gauge couplings in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	27
411	Shape, transverse size, and charged-hadron multiplicity of jets in pp collisions at ($\sqrt{s}=7$;TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	27
410	Measurement of ($\overline{B}B$) angular correlations based on secondary vertex reconstruction at ($\sqrt{s} = 7, \text{TeV}$). <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	27
409	Measurement of prompt and nonprompt [Formula: see text] production in [Formula: see text] and [Formula: see text] collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 269	4.2	26

408	Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	26
407	Search for a non-standard-model Higgs boson decaying to a pair of new light bosons in four-muon final states. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 726, 564-586	4.2	26
406	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at $(\sqrt{s}=7)$ and 8 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	26
405	Searches for supersymmetry using the M T2 variable in hadronic events produced in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	26
404	Search for high-mass resonances decaying into dilepton pairs in pp collisions at $s=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 716, 82-102	4.2	26
403	Search for physics beyond the standard model in opposite-sign dilepton events in pp collisions at $(\sqrt{s} = 7, \text{TeV})$. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	26
402	Search for a W' or techni- ρ decaying into WZ in pp Collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , 2012 , 109, 141801	7.4	26
401	Search for monotop signatures in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physical Review Letters</i> , 2015 , 114, 101801	7.4	25
400	Measurement of the W-boson helicity in top-quark decays from $(\overline{\text{t}}\text{t})$ production in lepton+jets events in pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	25
399	Search for top squark pair production in pp collisions at $(\sqrt{s}=13)$ TeV using single lepton events. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	25
398	Measurements of the $[\text{Formula: see text}][\text{Formula: see text}]$ production cross sections in the $[\text{Formula: see text}]$ channel in proton-proton collisions at $[\text{Formula: see text}]$ and $[\text{Formula: see text}]$ and combined constraints on triple gauge couplings. <i>European Physical Journal C</i> , 2015 , 75, 511	4.2	25
397	Search for resonant $(\overline{\text{t}}\text{t})$ production in lepton+jets events in pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	25
396	Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. <i>European Physical Journal C</i> , 2016 , 76, 371	4.2	25
395	Measurement of the weak mixing angle using the forward-backward asymmetry of Drell-Yan events in collisions at 8. <i>European Physical Journal C</i> , 2018 , 78, 701	4.2	25
394	Search for charged Higgs bosons in the $\text{H}^{\pm} \rightarrow \text{H}^{\pm}$ decay channel in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	24
393	Measurements of jet multiplicity and differential production cross sections of Z+jets events in proton-proton collisions at $s=7$ TeV. <i>Physical Review D</i> , 2015 , 91,	4.9	24
392	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton-proton collisions at $[\text{Formula: see text}]$. <i>European Physical Journal C</i> , 2015 , 75, 325	4.2	24
391	Search for production of four top quarks in final states with same-sign or multiple leptons in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 75	4.2	24

390	Measurement of inclusive jet production and nuclear modifications in pPb collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 372	4.2	24
389	Jet and underlying event properties as a function of charged-particle multiplicity in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2674	4.2	24
388	Search for WW and ZZ production and constraints on anomalous quartic gauge couplings in pp collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2014 , 90,	4.9	24
387	Measurement of the Z/ γ + b-jet cross section in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	24
386	Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	24
385	Search for three-jet resonances in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 718, 329-347	4.2	24
384	Search for the standard model Higgs boson in the H \rightarrow ZZ \rightarrow 4 ℓ channel in pp collisions at ($\sqrt{s} = 7$);{text{TeV}}). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	24
383	Forward-Backward asymmetry of Drell-Yan lepton pairs in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 718, 752-772	4.2	24
382	Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	24
381	Performance of the CMS Level-1 trigger in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of Instrumentation</i> , 2020 , 15, P10017-P10017	1	23
380	Search for W \rightarrow τ b decays in the lepton + jets final state in pp collisions at ($\sqrt{s} = 8$) TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	23
379	Measurement of four-jet production in proton-proton collisions at $\sqrt{s}=7$ TeV. <i>Physical Review D</i> , 2014 , 89,	4.9	23
378	Search for physics beyond the standard model in events with a Z boson, jets, and missing transverse energy in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 716, 260-284	4.2	23
377	Combined search for the quarks of a sequential fourth generation. <i>Physical Review D</i> , 2012 , 86,	4.9	23
376	Search for third-generation scalar leptoquarks decaying to a top quark and a lepton at. <i>European Physical Journal C</i> , 2018 , 78, 707	4.2	23
375	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying τ leptons at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	23
374	Measurement of the [Formula: see text] production cross section using events in the [Formula: see text] final state in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 172	4.2	22
373	Search for a new scalar resonance decaying to a pair of Z bosons in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	22

372	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 845	4.2	22
371	Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at (\sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	22
370	Measurement of Bose-Einstein correlations in pp collisions at ($\sqrt{s} = 0.9$) and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	22
369	Measurement of the WZ production cross section in pp collisions at [Formula: see text] and 8[Formula: see text] and search for anomalous triple gauge couplings at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 236	4.2	21
368	A search for new phenomena in pp collisions at [Formula: see text] in final states with missing transverse momentum and at least one jet using the [Formula: see text] variable. <i>European Physical Journal C</i> , 2017 , 77, 294	4.2	21
367	Search for quark contact interactions and extra spatial dimensions using dijet angular distributions in proton-proton collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 746, 79-99	4.2	21
366	Measurement of electroweak production of two jets in association with a Z boson in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 66	4.2	21
365	Correlations between jets and charged particles in PbPb and pp collisions at ($\sqrt{s_{\mathrm{NN}}}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	21
364	Measurement of the [Formula: see text] production cross section in the all-jets final state in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 128	4.2	21
363	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at (\sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	21
362	Measurement of the top-quark mass in all-jets [Formula: see text] events in pp collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2014 , 74, 2758	4.2	21
361	Measurement of the (\bar{t}) production cross section in the \bar{t} jets channel in pp collisions at ($\sqrt{s}=7$ TeV). <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	21
360	Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 578	4.2	21
359	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	21
358	Search for excited quarks in the \bar{t} jet final state in proton-proton collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 738, 274-293	4.2	21
357	Search for a Higgs boson in the decay channel $H \rightarrow ZZ^* \rightarrow q(\overline{q}) \mu\mu$ in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	21
356	Inclusive b-hadron production cross section with muons in pp collisions at ($\sqrt{s} = 7$; TeV). <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	21
355	Search for large extra dimensions in the diphoton final state at the Large Hadron Collider. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	21

354	Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at ($\sqrt{s_{\text{NN}}}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	21
353	Search for supersymmetry in proton-proton collisions at 13 TeV in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	21
352	Searches for supersymmetry based on events with b jets and four W bosons in pp collisions at 8 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 745, 5-28	4.2	20
351	Search for high mass dijet resonances with a new background prediction method in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	20
350	Measurement of [Formula: see text] production with additional jet activity, including [Formula: see text] quark jets, in the dilepton decay channel using pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 379	4.2	20
349	Search for standard model production of four top quarks with same-sign and multilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 140	4.2	20
348	Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at. <i>European Physical Journal C</i> , 2019 , 79, 564	4.2	20
347	Measurement of the production cross section for pairs of isolated photons in pp collisions at ($\sqrt{s} = 7$;TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	20
346	Search for supersymmetry in events with photons and low missing transverse energy in pp collisions at $s=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 719, 42-61	4.2	20
345	Observation of a diffractive contribution to dijet production in proton-proton collisions at $s=7$ TeV. <i>Physical Review D</i> , 2013 , 87,	4.9	20
344	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	20
343	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at. <i>European Physical Journal C</i> , 2017 , 77, 636	4.2	20
342	Search for new physics in events with opposite-sign leptons, jets, and missing transverse energy in pp collisions at $s=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 718, 815-840	4.2	20
341	Search for anomalous single top quark production in association with a photon in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	20
340	Search for a heavy right-handed W boson and a heavy neutrino in events with two same-flavor leptons and two jets at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	20
339	Search for the flavor-changing neutral current interactions of the top quark and the Higgs boson which decays into a pair of b quarks at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	20
338	Measurements of the [Formula: see text] production cross section in lepton+jets final states in pp collisions at 8 [Formula: see text] and ratio of 8 to 7 [Formula: see text] cross sections. <i>European Physical Journal C</i> , 2017 , 77, 15	4.2	19
337	Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	19

336	Search for resonant and nonresonant Higgs boson pair production in the ($\overline{b}b\ell\nu\ell\nu$) final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	19
335	Search for massive WH resonances decaying into the [Formula: see text] final state at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 237	4.2	19
334	Measurement of exclusive photoproduction from protons in Pb collisions at. <i>European Physical Journal C</i> , 2019 , 79, 277	4.2	19
333	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	19
332	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	19
331	Search for third-generation scalar leptoquarks in the $t\bar{t}$ channel in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	19
330	Measurement of the production cross section for a W boson and two b jets in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 735, 204-225	4.2	19
329	Measurement of energy flow at large pseudorapidities in pp collisions at ($\sqrt{s} = 0.9$) and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	19
328	Measurement of differential cross sections for boson production in association with jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 965	4.2	19
327	Search for new physics in dijet angular distributions using proton-proton collisions at and constraints on dark matter and other models. <i>European Physical Journal C</i> , 2018 , 78, 789	4.2	19
326	Search for lepton flavour violating decays of the Higgs boson to $\mu\bar{\nu}_\tau$ and $e\nu_\tau$ in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	19
325	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 364	4.2	18
324	Study of Z production in PbPb and pp collisions at ($\sqrt{s}_{\text{NN}}=2.76$) TeV in the dimuon and dielectron decay channels. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	18
323	Observation of top quark pairs produced in association with a vector boson in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	18
322	Search for heavy neutrinos and third-generation leptoquarks in hadronic states of two μ leptons and two jets in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	18
321	. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	18
320	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	18
319	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying μ leptons and two jets in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	18

318	Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	18
317	Search for supersymmetry in events with b-quark jets and missing transverse energy in pp collisions at 7 TeV. <i>Physical Review D</i> , 2012 , 86,	4.9	18
316	Search for heavy Higgs bosons decaying to a top quark pair in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	18
315	Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	18
314	Search for ($\overline{\text{t}}\text{H}$) production in the ($\text{H}\text{to}\overline{\text{b}}\text{b}$) decay channel with leptonic ($\overline{\text{t}}$) decays in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	17
313	Search for stealth supersymmetry in events with jets, either photons or leptons, and low missing transverse momentum in pp collisions at 8 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 743, 503-525	4.2	17
312	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton-proton collisions at = 13. <i>European Physical Journal C</i> , 2018 , 78, 291	4.2	17
311	Measurement of the inclusive jet cross section in pp collisions at ($\sqrt{s} = 2.76, \text{text {TeV}}$). <i>European Physical Journal C</i> , 2016 , 76, 1	4.2	17
310	Measurement of the tt production cross section in pp collisions at $s=8$ TeV in dilepton final states containing one lepton. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 739, 23-43	4.2	17
309	Search for ($\overline{\text{t}}$) resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	17
308	Searches for pair production of third-generation squarks in [Formula: see text][Formula: see text] pp collisions. <i>European Physical Journal C</i> , 2017 , 77, 327	4.2	17
307	Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	17
306	Search for stopped long-lived particles produced in pp collisions at ($\sqrt{s} = \text{text{7TeV}}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	17
305	Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton-proton collisions at ($\sqrt{s} = 7 \text{ TeV}$). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	17
304	Measurement of the azimuthal anisotropy of neutral pions in Pb-Pb collisions at $\sqrt{s}(\text{NN}) = 2.76$ TeV. <i>Physical Review Letters</i> , 2013 , 110, 042301	7.4	17
303	Measurement of the inclusive Z cross section via decays to tau pairs in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	17
302	Measurement of double-differential cross sections for top quark pair production in pp collisions at [Formula: see text][Formula: see text] and impact on parton distribution functions. <i>European Physical Journal C</i> , 2017 , 77, 459	4.2	16
301	Searches for physics beyond the standard model with the variable in hadronic final states with and without disappearing tracks in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 3	4.2	16

300	Search for new physics with the M_{T2} variable in all-jets final states produced in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16
299	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into ℓ leptons in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16
298	Measurement of WZ and ZZ production in pp collisions at [Formula: see text] in final states with b-tagged jets. <i>European Physical Journal C</i> , 2014 , 74, 2973	4.2	16
297	Search for large extra dimensions in dimuon and dielectron events in pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012 , 711, 15-34	4.2	16
296	Search for exotic resonances decaying into WZ/ZZ in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	16
295	Search for flavor changing neutral currents in top quark decays in pp collisions at 7 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 718, 1252-1272	4.2	16
294	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	16
293	Search for a charged Higgs boson decaying into top and bottom quarks in events with electrons or muons in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	16
292	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	16
291	Search for a charged Higgs boson decaying to charm and bottom quarks in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	16
290	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	16
289	Measurements of ($\overline{\text{t}}\text{t}$) differential cross sections in proton-proton collisions at ($\sqrt{s}=13$) TeV using events containing two leptons. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	15
288	Measurement of the cross section ratio $\sigma(\text{t}\bar{\text{t}}\text{bb})/\sigma(\text{t}\bar{\text{t}}\text{jj})$ in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 746, 132-153	4.2	15
287	Measurements of the associated production of a Z boson and b jets in pp collisions at. <i>European Physical Journal C</i> , 2017 , 77, 751	4.2	15
286	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	15
285	Search for new particles decaying to a jet and an emerging jet. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	15
284	Measurement of the triple-differential cross section for photon + jets production in proton-proton collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	15
283	Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	15

282	Search for supersymmetry in pp collisions at [Formula: see text] TeV in events with a single lepton, jets, and missing transverse momentum. <i>European Physical Journal C</i> , 2013 , 73, 2404	4.2	15
281	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	15
280	Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	15
279	Search for high-mass resonances in final states with a lepton and missing transverse momentum at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	15
278	Measurement of the jet mass in highly boosted [Formula: see text] events from pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 467	4.2	14
277	Search for heavy Majorana neutrinos in same-sign dilepton channels in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	14
276	Measurement of the production cross section ratio $\sigma(B2(1P))/\sigma(B1(1P))$ in pp collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 743, 383-402	4.2	14
275	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 460	4.2	14
274	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	14
273	Measurement of the (Λ_{b}^0) lifetime in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	14
272	Measurement of the ($\overline{\text{t}}\text{t}$) production cross section in the all-jet final state in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	14
271	Measurement of the ($\overline{\text{t}}\text{t}$) production cross section using events with one lepton and at least one jet in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	14
270	Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	14
269	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	14
268	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state of two muons and two τ leptons in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	14
267	Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	14
266	Search for supersymmetry in events with a τ lepton pair and missing transverse momentum in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	14
265	Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	14

246	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	12
245	Measurement of normalized differential ($\overline{\sigma}(\mathbf{t})$) cross sections in the dilepton channel from pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	12
244	Measurement of the production cross section for ($Z\gamma \rightarrow \nu \overline{\nu}$) in pp collisions at ($\sqrt{s} = 7$) TeV and limits on ZZ and Z triple gauge boson couplings. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	12
243	Search for heavy quarks decaying into a top quark and a W or Z boson using lepton + jets events in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	12
242	Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12
241	Search for quark compositeness in dijet angular distributions from pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	12
240	Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at ($\sqrt{s}=7$;TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	12
239	Search for heavy resonances in the W/Z-tagged dijet mass spectrum in pp collisions at 7 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 723, 280-301	4.2	12
238	Search for light resonances decaying into pairs of muons as a signal of new physics. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	12
237	Study of the Dijet mass spectrum in pp $\rightarrow W$ +jets events at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , 2012 , 109, 251801	7.4	12
236	Searches for pair production of charginos and top squarks in final states with two oppositely charged leptons in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	12
235	Studies of η and mesons including the observation of the decay in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 939	4.2	12
234	Electroweak production of two jets in association with a Z boson in proton-proton collisions at ($\sqrt{s}=$) 13(TeV). <i>European Physical Journal C</i> , 2018 , 78, 1	4.2	12
233	Search for single production of vector-like quarks decaying to a b quark and a Higgs boson. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	12
232	Search for new physics in the monophoton final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
231	Search for a heavy Higgs boson decaying to a pair of W bosons in proton-proton collisions at ($\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	11
230	Measurement of associated Z + charm production in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 287	4.2	11
229	Phenomenological MSSM interpretation of CMS searches in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	11

228	Measurement of jet multiplicity distributions in [Formula: see text] production in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3014	4.2	11
227	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
226	Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
225	Search for new physics with dijet angular distributions in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
224	Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	11
223	Search for supersymmetry with razor variables in pp collisions at $s=7$ TeV. <i>Physical Review D</i> , 2014 , 90,	4.9	11
222	Measurement of the underlying event activity in pp collisions at ($\sqrt{s} = 0.9$) and 7 TeV with the novel jet-area/median approach. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	11
221	Forward energy flow, central charged-particle multiplicities, and pseudorapidity gaps in W and Z boson events from pp collisions at ($\sqrt{s}=7$) TeV. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	11
220	Search for the standard model Higgs boson in the $H \rightarrow ZZ \rightarrow 4\ell$ decay channel in pp collisions at ($\sqrt{s} = \{7\}; \{\text{TeV}\}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	11
219	Rapidity distributions in exclusive Z+jet and μ jet events in pp collisions at $s=7$ TeV. <i>Physical Review D</i> , 2013 , 88,	4.9	11
218	Search for first generation scalar leptoquarks in the . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011 , 703, 246-266	4.2	11
217	Measurements of differential Z boson production cross sections in proton-proton collisions at ($\sqrt{s} = 13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	11
216	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of Instrumentation</i> , 2020 , 15, P02027-P02027	1	11
215	Charged-particle nuclear modification factors in XeXe collisions at ($\sqrt{s_{\text{NN}}} = 5.44$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	11
214	Search for Z resonances using leptonic and hadronic final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	11
213	Search for the decay of a Higgs boson in the τ channel in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	11
212	Search for beyond the standard model Higgs bosons decaying into a ($\overline{\text{b}}\text{b}$) pair in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	11
211	Measurements of the pp $\rightarrow WZ$ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at ($\sqrt{s} = 13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	10

210	Search for new neutral Higgs bosons through the $(\mathrm{H})\to\mathrm{ZA}\to\{\ell\}^+\{\ell\}^-\overline{\mathrm{b}}\mathrm{b}$ process in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	10
209	A multi-dimensional search for new heavy resonances decaying to boosted $\tau\tau$ or boson pairs in the dijet final state at 13 TeV. <i>European Physical Journal C</i> , 2020 , 80, 237	4.2	10
208	Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at $(\sqrt{s}=8)$ TeV using $\mathrm{H}\to\mathrm{WW}$ decays. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
207	Search for excited leptons in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	10
206	Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	10
205	Search for physics beyond the standard model in events with leptons, jets, and large transverse momentum imbalance in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2493	4.2	10
204	Measurements of jet charge with dijet events in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
203	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
202	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
201	Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	10
200	Search for new physics in final states with a lepton and missing transverse energy in pp collisions at the LHC. <i>Physical Review D</i> , 2013 , 87,	4.9	10
199	Search for contact interactions using the inclusive jet pT spectrum in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review D</i> , 2013 , 87,	4.9	10
198	Search for supersymmetry in events with a lepton, a photon, and large missing transverse energy in pp collisions at $(\sqrt{s}=7)$ TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	10
197	Measurement of properties of $(\mathrm{B})_s^0\to\mu\mu$ decays and search for $\mathrm{B}_s^0\to\mu\mu$ with the CMS experiment. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	10
196	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	10
195	Layout and assembly technique of the GEM chambers for the upgrade of the CMS first muon endcap station. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2019 , 918, 67-75	1.2	10
194	Search for resonant pair production of Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	10
193	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	10

192	Search for new physics in final states with a single photon and missing transverse momentum in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	9
191	A search for the standard model Higgs boson decaying to charm quarks. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	9
190	Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	9
189	Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	9
188	Measurement of b hadron lifetimes in pp collisions at. <i>European Physical Journal C</i> , 2018 , 78, 457	4.2	9
187	Search for top quark partners with charge 5/3 in the same-sign dilepton and single-lepton final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	9
186	Search for baryon number violation in top-quark decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 731, 173-196	4.2	9
185	Search for a narrow, spin-2 resonance decaying to a pair of Z bosons in the . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 718, 1208-1228	4.2	9
184	Search for associated production of dark matter with a Higgs boson decaying to ($\overline{\text{b}}\text{b}$) or $\text{b}\bar{\text{t}}$ ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
183	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
182	Measurement of electroweak-induced production of $W\gamma$ with two jets in pp collisions at ($\sqrt{s}=8$) TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
181	Search for supersymmetry in final states with a single lepton, b-quark jets, and missing transverse energy in proton-proton collisions at $\sqrt{s}=7$ TeV. <i>Physical Review D</i> , 2013 , 87,	4.9	9
180	Search for anomalous triple gauge couplings in WW and WZ production in lepton + jet events in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	9
179	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an [Formula: see text] pair in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 317	4.2	9
178	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	9
177	Measurement of charged particle spectra in minimum-bias events from proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 697	4.2	9
176	Search for a singly produced third-generation scalar leptoquark decaying to a μ lepton and a bottom quark in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	9
175	Search for supersymmetry with a compressed mass spectrum in the vector boson fusion topology with 1-lepton and 0-lepton final states in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8

174	Search for contact interactions and large extra dimensions in the dilepton mass spectra from proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
173	Measurement of inclusive and differential Higgs boson production cross sections in the diphoton decay channel in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
172	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
171	Measurement of the integrated luminosity of the Phase 2 data of the Belle II experiment. <i>Chinese Physics C</i> , 2020 , 44, 021001	2.2	8
170	Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at ($\sqrt{s_{\text{NN}}}=5.02$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	8
169	Search for s channel single top quark production in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	8
168	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
167	Search for excited leptons in pp collisions at $s=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 720, 309-329	4.2	8
166	Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	8
165	Measurement of the top quark mass using single top quark events in proton-proton collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2017 , 77, 354	4.2	8
164	Measurement of the triple-differential dijet cross section in proton-proton collisions at and constraints on parton distribution functions. <i>European Physical Journal C</i> , 2017 , 77, 746	4.2	8
163	A search for excited leptons in pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011 , 704, 143-162	4.2	8
162	Search for electroweak production of a vector-like T quark using fully hadronic final states. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
161	Search for physics beyond the standard model in multilepton final states in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
160	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	8
159	Search for electroweak production of charginos in final states with two leptons in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
158	Measurement of the production cross section of a W boson in association with two b jets in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 92	4.2	7
157	Measurement of the energy density as a function of pseudorapidity in proton-proton collisions at ($\sqrt{s}=13$,text {TeV}). <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	7

156	Search for rare decays of and Higgs bosons to and a photon in proton-proton collisions at $\sqrt{s}=13$. <i>European Physical Journal C</i> , 2019 , 79, 94	4.2	7
155	Search for production of Higgs boson pairs in the four b quark final state using large-area jets in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	7
154	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	7
153	Measurement of the cross section for electroweak production of a Z boson, a photon and two jets in proton-proton collisions at ($\sqrt{s}=13$) TeV and constraints on anomalous quartic couplings. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	7
152	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	7
151	Search for supersymmetry in pp collisions at ($\sqrt{s}=13$) TeV in the single-lepton final state using the sum of masses of large-radius jets. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	7
150	Measurement of top quark polarisation in t-channel single top quark production. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	7
149	Jet properties in PbPb and pp collisions at ($\sqrt{s_{\text{N};\text{N}}}=5.02$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
148	Measurement of the semileptonic ($\text{t}\overline{\text{t}} + \text{t}\overline{\text{b}}$) production cross section in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
147	Searches for $W\gamma$ bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
146	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
145	Measurement of the $Z\gamma$ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	7
144	Search for dark photons in decays of Higgs bosons produced in association with Z bosons in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	7
143	Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	7
142	Search for dark matter produced in association with a leptonically decaying boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 13	4.2	7
141	Search for resonances in the mass spectrum of muon pairs produced in association with b quark jets in proton-proton collisions at ($\sqrt{s}=8$) and 13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
140	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
139	Search for a heavy resonance decaying into a Z boson and a Z or W boson in $2\ell q$ final states at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7

138	Search for dark matter produced in association with a Higgs boson decaying to $b\bar{b}$ ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
137	Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
136	Precision luminosity measurement in proton-proton collisions at in 2015 and 2016 at CMS. <i>European Physical Journal C</i> , 2021 , 81, 800	4.2	7
135	Search for single production of vector-like quarks decaying to a top quark and a boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 90	4.2	6
134	Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at ($\sqrt{s}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	6
133	Mixed higher-order anisotropic flow and nonlinear response coefficients of charged particles in collisions at and 5.02. <i>European Physical Journal C</i> , 2020 , 80, 534	4.2	6
132	Measurement of electroweak production of a boson in association with two jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 43	4.2	6
131	Search for lepton flavour violating decays of a neutral heavy Higgs boson to $b\bar{b}$ and $e\bar{e}$ in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	6
130	Measurement of dijet azimuthal decorrelation in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 536	4.2	6
129	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets final state in pp collisions at ($\sqrt{s} = 13$, text {TeV}). <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	6
128	Search for anomalous production of highly boosted Z bosons decaying to $b\bar{b}$ in proton-proton collisions at $s=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 722, 28-47	4.2	6
127	Measurement of the mass difference between top quark and antiquark in pp collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 770, 50-71	4.2	6
126	Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	6
125	Search for the associated production of the Higgs boson with a top-quark pair 2014 , 2014, 1		6
124	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	6
123	Measurement of the differential Drell-Yan cross section in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	6
122	Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 893	4.2	6
121	Search for new physics in top quark production in dilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 886	4.2	6

120	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	6
119	Search for top squarks decaying via four-body or chargino-mediated modes in single-lepton final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	6
118	Search for a heavy resonance decaying into a Z boson and a vector boson in the (ν $\overline{\nu}$) final state. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	6
117	New observables for multiple-parton interactions measurements using Z+jets processes at the LHC. <i>Physical Review D</i> , 2016 , 93,	4-9	5
116	Measurement of the mass of the top quark in decays with a J/ ψ meson in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	5
115	Search for supersymmetry in final states with photons and missing transverse momentum in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	5
114	Measurement of neutral strange particle production in the underlying event in proton-proton collisions at $\sqrt{s}=7$ TeV. <i>Physical Review D</i> , 2013 , 88,	4-9	5
113	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	5
112	Production of leading charged particles and leading charged-particle jets at small transverse momenta in pp collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2015 , 92,	4-9	5
111	Comparison of the Z/ γ + jets to γ jets cross sections in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	5
110	Search for jet extinction in the inclusive jet-pT spectrum from proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2014 , 90,	4-9	5
109	CMS Collaboration. <i>Nuclear Physics A</i> , 2014 , 932, 595-620	1-3	5
108	Search for contact interactions in $\mu\mu$ events in pp collisions at $\sqrt{s}=7$ TeV. <i>Physical Review D</i> , 2013 , 87,	4-9	5
107	Measurement of energy flow at large pseudorapidities in pp collisions at ($\sqrt{s} = 0.9$) and 7 TeV 2011 , 2011, 1		5
106	Search for a heavy pseudoscalar Higgs boson decaying into a 125 GeV Higgs boson and a Z boson in final states with two tau and two light leptons at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	5
105	Measurements of production cross sections and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , 2021 , 81, 200	4-2	5
104	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at. <i>European Physical Journal C</i> , 2021 , 81, 378	4-2	5
103	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 488	4-2	5

102	Search for resonances decaying to a pair of Higgs bosons in the $b(\overline{\text{mathrm{b}}})q(\overline{\text{mathrm{q}}})$ final state in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	5
101	Search for top squark pair production using dilepton final states in collision data collected at. <i>European Physical Journal C</i> , 2021 , 81, 3	4-2	5
100	Measurement of the groomed jet mass in PbPb and pp collisions at $(\sqrt{s_{\text{NN}}})=5.02$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	5
99	Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	5
98	Measurement of the cross section in pp collisions at and validation of lepton analysis techniques. <i>European Physical Journal C</i> , 2018 , 78, 708	4-2	5
97	Search for a low-mass χ resonance in association with a bottom quark in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	4
96	Search for the pair production of light top squarks in the $e\chi\chi$ final state in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	4
95	Search for nonresonant Higgs boson pair production in the $(\text{mathrm{b}}\overline{\text{mathrm{b}}}\text{mathrm{b}}\overline{\text{mathrm{b}}})$ final state at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	4
94	Study of the underlying event in top quark pair production in collisions at 13. <i>European Physical Journal C</i> , 2019 , 79, 123	4-2	4
93	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 20	4-2	4
92	Distributions of topological observables in inclusive three- and four-jet events in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 302	4-2	4
91	Evidence for $(\text{text } \{W\}\text{text } \{W\})$ production from double-parton interactions in proton-proton collisions at $(\sqrt{s} = 13, \text{text } \{\text{TeV}\})$. <i>European Physical Journal C</i> , 2020 , 80, 1	4-2	4
90	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at. <i>European Physical Journal C</i> , 2018 , 78, 242	4-2	4
89	Pseudorapidity distributions of charged hadrons in proton-lead collisions at $(\sqrt{s_{\text{NN}}})=5.02$ and 8.16 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	4
88	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	4
87	Measurement of the ratio $B(\text{Bs}0 \rightarrow \gamma \ell \ell)/B(\text{Bs}0 \rightarrow \gamma \mu \mu)$ in pp collisions at $s=7\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 756, 84-102	4-2	4
86	Search for a W' boson decaying to a vector-like quark and a top or bottom quark in the all-jets final state. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	4
85	Search for a heavy resonance decaying to a top quark and a vector-like top quark at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	4

84	Search for high-mass $Z\tau$ resonances in e^+e^- and $\tau^+\tau^-$ final states in proton-proton collisions at ($\sqrt{s}=8$) and 13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	4
83	Search for CP violation in (\overline{t}) production and decay in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	4
82	Study of final-state radiation in decays of Z bosons produced in pp collisions at 7 TeV. <i>Physical Review D</i> , 2015 , 91,	4-9	4
81	Measurement of differential cross sections and charge ratios for τ -channel single top quark production in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 370	4-2	4
80	Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	4
79	Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at ($\sqrt{s}=13$) TeV. <i>European Physical Journal C</i> , 2018 , 78, 1	4-2	4
78	MUSiC: a model-unspecific search for new physics in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 629	4-2	4
77	Search for the associated production of the Higgs boson and a vector boson in proton-proton collisions at ($\sqrt{s}=13$) TeV via Higgs boson decays to τ leptons. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	3
76	Search for direct pair production of supersymmetric partners to the lepton in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 189	4-2	3
75	Measurement of the top quark forward-backward production asymmetry and the anomalous chromoelectric and chromomagnetic moments in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	3
74	Measurement of the inclusive (\overline{t}) cross section in pp collisions at ($\sqrt{s}=5.02$) TeV using final states with at least one charged lepton. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	3
73	Search for ZZ resonances in the 2τ final state in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	3
72	Jet fragmentation as a tool to explore double parton scattering using Z boson+jets processes at the LHC. <i>Physical Review D</i> , 2019 , 99,	4-9	3
71	Search for pair production of excited top quarks in the lepton + jets final state. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	3
70	CMS computing operations during run 1. <i>Journal of Physics: Conference Series</i> , 2014 , 513, 032040	0-3	3
69	Search for top quark partners with charge 5/3 in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	3
68	Study of hadronic event-shape variables in multijet final states in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	3
67	Measurement of the cross section for production of ($\overline{b}X$) decaying to muons in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	3

66	Measurements of the $(\text{pp}) \rightarrow \text{ZZ}$ production cross section and the $(\text{Z}) \rightarrow 4\ell$ branching fraction, and constraints on anomalous triple gauge couplings at $(\sqrt{s} = 13, \text{TeV})$ 2018 , 78, 1		3
65	Combined searches for the production of supersymmetric top quark partners in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 970	4-2	3
64	Measurement of the (\overline{t}) production cross section in the dilepton channel in pp collisions at $(\sqrt{s}) = 8 \text{ TeV}$ 2014 , 2014, 1		3
63	A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. <i>Computing and Software for Big Science</i> , 2020 , 4, 10	6	3
62	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at $(\sqrt{\text{mathrm{s}}}) = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	3
61	Event shape variables measured using multijet final states in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	3
60	Search for lepton-flavor violating decays of heavy resonances and quantum black holes to e[final states in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	3
59	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 723	4-2	3
58	Search for resonant production of second-generation sleptons with same-sign dimuon events in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 305	4-2	2
57	Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in proton-proton collisions at $(\sqrt{s} = 13)$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	2
56	Determination of the strong coupling constant $\mu S(m_Z)$ from measurements of inclusive $W\mu$ and Z boson production cross sections in proton-proton collisions at $(\sqrt{\text{mathrm{s}}}) = 7$ and 8 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	2
55	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	2
54	Measurement of differential cross sections in the kinematic angular variable θ^* for inclusive Z boson production in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	2
53	Search for dark matter particles in proton-proton collisions at $(\sqrt{s}=8)$ TeV using the razor variables. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	2
52	Search for $W? \rightarrow \text{b}$ in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	2
51	Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	2
50	Inclusive search for supersymmetry in pp collisions at $(\sqrt{s}=13)$ TeV using razor variables and boosted object identification in zero and one lepton final states. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	2
49	Search for excited leptons in [final states in proton-proton collisions at $(\sqrt{\text{mathrm{s}}}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	2

48	Measurements of the $pp \rightarrow W\ell$ and $pp \rightarrow Z\ell\ell$ cross sections and limits on anomalous quartic gauge couplings at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	2
47	Search for new phenomena with multiple charged leptons in proton-proton collisions at $(\sqrt{s}=13)$ (TeV). <i>European Physical Journal C</i> , 2017 , 77, 1	4-2	2
46	Search for invisibly decaying Higgs boson at Large Hadron Collider 2010 , 74, 231-246		2
45	Search for new physics in events with same-sign dileptons and b jets in pp collisions at $(\sqrt{s}=8)$ TeV 2013 , 2013, 1		2
44	Search for supersymmetry using Higgs boson to diphoton decays at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	2
43	Performance of prototype GE11 chambers for the CMS muon spectrometer upgrade. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2020 , 972, 164104	1-2	2
42	Bose-Einstein correlations of charged hadrons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	2
41	Study of central exclusive production in proton-proton collisions at and 13TeV. <i>European Physical Journal C</i> , 2020 , 80, 718	4-2	2
40	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 752	4-2	2
39	Search for the production of four top quarks in the single-lepton and opposite-sign dilepton final states in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	2
38	. <i>IEEE Transactions on Nuclear Science</i> , 2018 , 65, 2808-2816	1-7	2
37	Search for supersymmetry in events with a photon, jets, γ -jets, and missing transverse momentum in proton-proton collisions at 13. <i>European Physical Journal C</i> , 2019 , 79, 444	4-2	1
36	Search for an excited lepton that decays via a contact interaction to a lepton and two jets in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	1
35	Search for top squark pair production in a final state with two tau leptons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	1
34	Search for Higgs boson decays into a pair of pseudoscalar particles in the $b\bar{b}$ final state with the ATLAS detector in pp collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2022 , 105,	4-9	1
33	Study of the $(\mathbf{B}^+ \rightarrow \mathbf{J}/\psi \overline{\Lambda} \mathbf{p})$ decay in proton-proton collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5-4	1
32	Development and validation of HERWIG7 tunes from CMS underlying-event measurements. <i>European Physical Journal C</i> , 2021 , 81, 312	4-2	1
31	Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in collisions at. <i>European Physical Journal C</i> , 2019 , 79, 969	4-2	1

30	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	1
29	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in collisions at. <i>European Physical Journal C</i> , 2019 , 79, 773	4.2	0
28	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2022 , 82, 1	4.2	0
27	Measurement of single-diffractive dijet production in proton-proton collisions at with the CMS and TOTEM experiments. <i>European Physical Journal C</i> , 2020 , 80, 1164	4.2	0
26	Measurement of the top quark pair production cross section in dilepton final states containing one lepton in pp collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	0
25	Search for a heavy vector resonance decaying to a τ boson and a Higgs boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 688	4.2	0
24	Measurements of angular distance and momentum ratio distributions in three-jet and + two-jet final states in collisions. <i>European Physical Journal C</i> , 2021 , 81, 852	4.2	0
23	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
22	Search for long-lived particles decaying to leptons with large impact parameter in proton-proton collisions at .. <i>European Physical Journal C</i> , 2022 , 82, 153	4.2	0
21	Search for associated production of a Z boson with an invisibly decaying Higgs boson or dark matter candidates at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2022 , 137066	4.2	0
20	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton-proton collisions at .. <i>European Physical Journal C</i> , 2022 , 82, 290	4.2	0
19	Quality control of mass-produced GEM detectors for the CMS GE1/1 muon upgrade. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2022 , 166716	1.2	0
18	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
17	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
16	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
15	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
14	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
13	Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0

12	Forward physics results on jet production and energy flow at the LHC. <i>International Journal of Modern Physics A</i> , 2020 , 35, 2030001	1.2
11	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4
10	Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4
9	Measurement of $Z \rightarrow e\bar{e}$ inclusive process at Large Hadron Collider 2010 , 75, 439-448	
8	Double Parton Scattering Studies at the Large Hadron Collider Using the CMS Detector. <i>Springer Proceedings in Physics</i> , 2018 , 529-531	0.2
7	Measurement of the Observables Sensitive to Underlying Event. <i>Advanced Series on Directions in High Energy Physics</i> , 2018 , 227-266	0
6	Study of the Double Parton Scattering via W + 2-Jet Process Using the CMS Detector at LHC. <i>Springer Proceedings in Physics</i> , 2016 , 147-152	0.2
5	Calibration of the CMS hadron calorimeters using proton-proton collision data at $\sqrt{s} = 13$ TeV. <i>Journal of Instrumentation</i> , 2020 , 15, P05002-P05002	1
4	Simulation of two-body decay of a particle and radioactive equilibrium states. <i>Physics Education</i> , 2021 , 56, 055007	0.8
3	Jet Substructure as a Tool to Study Double Parton Scatterings in V + Jets Processes at the LHC. <i>Springer Proceedings in Physics</i> , 2021 , 25-30	0.2
2	Study of dijet events with large rapidity separation in proton-proton collisions at $\sqrt{s} = 2.76$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5-4
1	Measurement of the inclusive $\overline{t}t$ production cross section in proton-proton collisions at $\sqrt{s} = 5.02$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5-4