

Francisco J Pena Pardo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8135504/publications.pdf>

Version: 2024-02-01

16

papers

97

citations

1307594

7

h-index

1372567

10

g-index

19

all docs

19

docs citations

19

times ranked

160

citing authors

#	ARTICLE	IF	CITATIONS
1	Increasing the confidence of ¹⁸ F-Florbetaben PET interpretations: Machine learning quantitative approximation. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2022, 41, 153-163.	0.2	1
2	Prognostic Potential of Postoperative ¹⁸ F-Fluorocholine PET/CT in Patients With High-Grade Glioma. Clinical Validation of FuMeGA Postoperative PET Criteria. <i>Clinical Nuclear Medicine</i> , 2022, Publish Ahead of Print, .	1.3	1
3	A prospective comparative study of two methods for the individual calculation of ¹³¹ I activity in the treatment of hyperthyroidism. <i>EndocrinologÃa Diabetes Y NutriciÃ³n (English Ed)</i> , 2020, 67, 568-577.	0.2	1
4	Estudio prospectivo comparativo de dos mÃ©todos de cÃ¡lculo individual de la actividad de ¹³¹ I en el tratamiento del hipertiroidismo. <i>Endocrinologia, Diabetes Y NutriciÃ³n</i> , 2020, 67, 568-577.	0.3	0
5	Intestinal amyloidosis diagnosed by ¹⁸ F-FDG PET/CT. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2020, 39, 98-99.	0.2	0
6	Metabolic targeting can improve the efficiency of brain tumor biopsies. <i>Seminars in Oncology</i> , 2020, 47, 148-154.	2.2	8
7	¹⁸ F-Fluorocholine PET/CT in the Prediction of Molecular Subtypes and Prognosis for Gliomas. <i>Clinical Nuclear Medicine</i> , 2019, 44, e548-e558.	1.3	15
8	Ischemic Complications After High-Grade Glioma Resection Could Interfere With Residual Tumor Detection With ¹⁸ F-Fluorocholine PET/CT. <i>Clinical Nuclear Medicine</i> , 2019, 44, e76-e84.	1.3	4
9	Papel predictivo y pronÃ³stico de las variables volumÃ©tricas metabÃ³licas obtenidas en la ¹⁸ F-FDG PET/TC en el cÃ¡ncer de mama con indicaciÃ³n de quimioterapia neoadyuvante. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2018, 37, 73-79.	0.0	5
10	Low-Dose Radioiodine Ablation in Patients with Low-Risk Differentiated Thyroid Cancer. <i>European Thyroid Journal</i> , 2018, 7, 218-224.	2.4	10
11	Value of [¹⁸ F]FDG-PET/CT and CA125, serum levels and kinetic parameters, in early detection of ovarian cancer recurrence. <i>Medicine (United States)</i> , 2018, 97, e0098.	1.0	9
12	Utility of ¹⁸ F-FDG-PET/CT in patients suspected of paraneoplastic neurological syndrome: importance of risk classification. <i>Clinical and Translational Oncology</i> , 2017, 19, 111-118.	2.4	8
13	PET/TC con ¹⁸ F-FDG como predictor de la biologÃa tumoral y del pronÃ³stico en el cÃ¡ncer epitelial ovÃ¡rico. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2017, 36, 233-240.	0.0	2
14	Prognostic Role of Early and End-of-Neoadjuvant Treatment ¹⁸ F-FDG PET/CT in Patients With Breast Cancer. <i>Clinical Nuclear Medicine</i> , 2016, 41, e313-e322.	1.3	14
15	BCGitis detected by ¹⁸ F-FDG PET/CT after treatment of bladder urothelial carcinoma. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2016, 35, 141-142.	0.0	1
16	Solitary focus in the liver in a thyroid cancer patient after a whole body scan with ¹³¹ I iodine. <i>Revista EspaÃ±ola De Medicina Nuclear</i> , 2007, 26, 294-296.	0.3	10