

# Mustafa TÃœerkmen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/813668/publications.pdf>

Version: 2024-02-01

26  
papers

1,217  
citations

516561

16  
h-index

580701

25  
g-index

26  
all docs

26  
docs citations

26  
times ranked

1212  
citing authors

#	ARTICLE	IF	CITATIONS
1	Multivariate statistical and spatial assessment of water quality from a dam threatened by drought at the mid-Anatolia, Cappadocia/Turkey. <i>Arabian Journal of Geosciences</i> , 2022, 15, 1.	0.6	4
2	Multivariate statistical methods and GIS based evaluation of the health risk potential and water quality due to arsenic pollution in the Kızılırmak River. <i>International Journal of Sediment Research</i> , 2022, 37, 754-765.	1.8	15
3	The Effect of Brown Seaweed and Cattle Manure Combinations on The Properties of Eisenia fetida's Organic Fertilizer. <i>Turkish Journal of Agriculture: Food Science and Technology</i> , 2021, 9, 1070-1075.	0.1	2
4	Türkiye'nin Karadeniz Bölgesi'ndeki Balık Pazarlarından Seşilmi Balıklarındaki Aşır Metallerin Değerlendirilmesi. <i>Journal of Anatolian Environmental and Animal Sciences</i> , 2020, 5, 636-639.	0.2	5
5	Assessment of Metal Levels in Biotic and Abiotic Materials from Giresun Forests. <i>Turkish Journal of Agriculture: Food Science and Technology</i> , 2020, 8, 2468-2471.	0.1	0
6	The Effect of Sea Lettuce ( <i>Ulva lactuca</i> ) Liquid Fertilizer and Zeolite Combinations on the Development of Cucumber ( <i>Cucumis sativus</i> ). <i>Turkish Journal of Agriculture: Food Science and Technology</i> , 2019, 7, 1021.	0.1	5
7	Heavy metal contaminations in edible wild mushroom species from Turkey's Black Sea region. <i>Food Chemistry</i> , 2018, 254, 256-259.	4.2	41
8	Comparison of Metal Levels in Different Tissues of Seven Ray Species from Antalya Bay, Mediterranean Sea. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2014, 93, 159-164.	1.3	10
9	Assessment of Heavy Metal Contamination in Various Tissues of Six Ray Species from Öskenderun Bay, Northeastern Mediterranean Sea. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2013, 90, 702-707.	1.3	11
10	Comparison of Metal Concentrations in Tissues of Blue Crab, <i>Callinectes sapidus</i> from Mediterranean Lagoons. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2011, 87, 282-286.	1.3	19
11	Comparison of Metals in Tissues of Fish From Paradeniz Lagoon in the Coastal Area of Northern East Mediterranean. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2011, 87, 381-385.	1.3	38
12	Metals in tissues of fish from Yelkoma Lagoon, northeastern Mediterranean. <i>Environmental Monitoring and Assessment</i> , 2010, 168, 223-230.	1.3	30
13	The changes in digestive enzymes and hormones of gilthead seabream larvae ( <i>Sparus aurata</i> , L 1758) fed on <i>Artemia nauplii</i> enriched with free methionine. <i>Aquaculture International</i> , 2009, 17, 243-256.	1.1	5
14	Changes in the digestive enzymes and hormones of gilthead seabream larvae ( <i>Sparus aurata</i> , L. 1758) fed on <i>Artemia nauplii</i> enriched with free lysine. <i>Aquaculture International</i> , 2009, 17, 523-535.	1.1	16
15	Heavy Metal Contaminants in Tissues of the Garfish, <i>Belone belone</i> L., 1761, and the Bluefish, <i>Pomatomus saltatrix</i> L., 1766, from Turkey Waters. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2009, 82, 70-74.	1.3	20
16	Determination of metals in fish species from Aegean and Mediterranean seas. <i>Food Chemistry</i> , 2009, 113, 233-237.	4.2	237
17	Assessment of heavy metals in two commercial fish species of four Turkish seas. <i>Environmental Monitoring and Assessment</i> , 2008, 146, 277-284.	1.3	97
18	Metal Levels in Tissues of the European Anchovy, <i>Engraulis encrasicolus</i> L., 1758, and Picarel, <i>Spicara smaris</i> L., 1758, from Black, Marmara and Aegean Seas. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2008, 80, 521-525.	1.3	25

#	ARTICLE	IF	CITATIONS
19	Determination of metal contaminations in sea foods from Marmara, Aegean and Mediterranean seas: Twelve fish species. Food Chemistry, 2008, 108, 794-800.	4.2	153
20	METAL CONTAMINATIONS IN FIVE FISH SPECIES FROM BLACK, MARMARA, AEGEAN AND MEDITERRANEAN SEAS, TURKEY. Journal of the Chilean Chemical Society, 2008, 53, .	0.5	28
21	Determination of metals in fish and mussel species by inductively coupled plasma-atomic emission spectrometry. Food Chemistry, 2007, 103, 670-675.	4.2	93
22	Metal Concentrations in Blue Crab ( <i>Callinectes sapidus</i> ) and Mullet ( <i>Mugil cephalus</i> ) in Iskenderun Bay, Northern East Mediterranean, Turkey. Bulletin of Environmental Contamination and Toxicology, 2006, 77, 186-193.	1.3	65
23	Heavy metals in three commercially valuable fish species from Ä°skenderun Bay, Northern East Mediterranean Sea, Turkey. Food Chemistry, 2005, 91, 167-172.	4.2	222
24	Limpet, <i>Patella caerulea</i> Linnaeus, 1758 and Barnacle, <i>Balanus</i> sp., as Biomonitors of Trace Metal Availabilities in Ä°skenderun Bay, Northern East Mediterranean Sea. Bulletin of Environmental Contamination and Toxicology, 2005, 74, 301-307.	1.3	32
25	Seasonal and Spatial Variations of Heavy Metals in the Spiny Rock Oyster, <i>Spondylus spinosus</i> , from Coastal Waters of Iskenderun Bay, Northern East Mediterranean Sea, Turkey. Bulletin of Environmental Contamination and Toxicology, 2005, 75, 716-722.	1.3	15
26	Reproduction tactics, age and growth of <i>Capoeta capoeta umbra</i> Heckel 1843 from the AAkale Region of the Karasu River, Turkey. Fisheries Research, 2002, 54, 317-328.	0.9	29