

Henk S Schipper

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8137506/publications.pdf>

Version: 2024-02-01

19
papers

785
citations

758635

12
h-index

996533

15
g-index

19
all docs

19
docs citations

19
times ranked

1622
citing authors

#	ARTICLE	IF	CITATIONS
1	Preclinical Aortic Atherosclerosis in Adolescents With Chronic Disease. <i>Journal of the American Heart Association</i> , 2022, 11, .	1.6	4
2	Immunometabolic factors in adolescent chronic disease are associated with Th1 skewing of invariant Natural Killer T cells. <i>Scientific Reports</i> , 2021, 11, 20082.	1.6	1
3	Harnessing immunometabolism for cardiovascular health and cancer therapy. <i>Immunotherapy Advances</i> , 2021, 1, .	1.2	3
4	Adipocytes harbor a glucosylceramide biosynthesis pathway involved in iNKT cell activation. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2019, 1864, 1157-1167.	1.2	21
5	P3447Multimodal assessment and phenomapping of early atherosclerosis in children with chronic disease. <i>European Heart Journal</i> , 2019, 40, .	1.0	0
6	Effect on BMI of a multi-component treatment with E-modules for 3-8-year-old obese children. <i>Child and Adolescent Obesity</i> , 2019, 2, 79-95.	1.3	0
7	Endogenous lipid antigens for invariant natural killer T cells hold the reins in adipose tissue homeostasis. <i>Immunology</i> , 2018, 153, 179-189.	2.0	28
8	Immunometabolic Activation of Invariant Natural Killer T Cells. <i>Frontiers in Immunology</i> , 2018, 9, 1192.	2.2	20
9	Dietary intake and lipid profile in children and adolescents with cystic fibrosis. <i>Journal of Cystic Fibrosis</i> , 2017, 16, 410-417.	0.3	21
10	Monocyte gene expression in childhood obesity is associated with obesity and complexity of atherosclerosis in adults. <i>Scientific Reports</i> , 2017, 7, 16826.	1.6	16
11	Differential adipokine receptor expression on circulating leukocyte subsets in lean and obese children. <i>PLoS ONE</i> , 2017, 12, e0187068.	1.1	17
12	CD1d-mediated Presentation of Endogenous Lipid Antigens by Adipocytes Requires Microsomal Triglyceride Transfer Protein. <i>Journal of Biological Chemistry</i> , 2014, 289, 22128-22139.	1.6	30
13	Vitamin D deficiency in childhood obesity is associated with high levels of circulating inflammatory mediators, and low insulin sensitivity. <i>International Journal of Obesity</i> , 2014, 38, 46-52.	1.6	53
14	PS15 - 73. Identification and characterization of microvesicles secreted by human SGBS-adipocytes. <i>Nederlands Tijdschrift Voor Diabetologie</i> , 2012, 10, 150-151.	0.0	0
15	PS15 - 74. CD1d-restricted NKT cell function prevents insulin resistance in lean mice, and is regulated by adipocytes. <i>Nederlands Tijdschrift Voor Diabetologie</i> , 2012, 10, 151-151.	0.0	0
16	Systemic inflammation in childhood obesity: circulating inflammatory mediators and activated CD14++ monocytes. <i>Diabetologia</i> , 2012, 55, 2800-2810.	2.9	96
17	Adipose tissue-resident immune cells: key players in immunometabolism. <i>Trends in Endocrinology and Metabolism</i> , 2012, 23, 407-415.	3.1	244
18	Natural killer T cells in adipose tissue prevent insulin resistance. <i>Journal of Clinical Investigation</i> , 2012, 122, 3343-3354.	3.9	185

#	ARTICLE	IF	CITATIONS
19	A Multiplex Immunoassay for Human Adipokine Profiling. <i>Clinical Chemistry</i> , 2010, 56, 1320-1328.	1.5	46