
Antonio Garcia-Moyano

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8137529/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Deciphering a Marine Bone-Degrading Microbiome Reveals a Complex Community Effort. MSystems, 2021, 6, . | 3.8 | 10 |
| 2 | Two-step functional screen on multiple proteinaceous substrates reveals temperature-robust proteases with a broad-substrate range. Applied Microbiology and Biotechnology, 2021, 105, 3195-3209. | 3.6 | 6 |
| 3 | The bone-degrading enzyme machinery: From multi-component understanding to the treatment of residues from the meat industry. Computational and Structural Biotechnology Journal, 2021, 19, 6328-6342. | 4.1 | 2 |
| 4 | Use of Flavin-Containing Monooxygenases for Conversion of Trimethylamine in Salmon Protein Hydrolysates. Applied and Environmental Microbiology, 2020, 86, . | 3.1 | 5 |
| 5 | Fragment Exchange Plasmid Tools for CRISPR/Cas9-Mediated Gene Integration and Protease Production in Bacillus subtilis. Applied and Environmental Microbiology, 2020, 87, . | 3.1 | 9 |
| 6 | A Novel Moderately Thermophilic Type Ib Methanotroph Isolated from an Alkaline Thermal Spring in the Ethiopian Rift Valley. Microorganisms, 2020, 8, 250. | 3.6 | 10 |
| 7 | New ecosystems in the deep subsurface follow the flow of water driven by geological activity. Scientific Reports, 2019, 9, 3310. | 3.3 | 14 |
| 8 | Decoding the ocean's microbiological secrets for marine enzyme biodiscovery. FEMS Microbiology Letters, 2019, 366, . | 1.8 | 26 |
| 9 | Bioprospecting Reveals Class III ω-Transaminases Converting Bulky Ketones and Environmentally Relevant Polyamines. Applied and Environmental Microbiology, 2019, 85, . | 3.1 | 17 |
| 10 | Diversity patterns and isolation of Planctomycetes associated with metalliferous deposits from hydrothermal vent fields along the Valu Fa Ridge (SW Pacific). Antonie Van Leeuwenhoek, 2018, 111, 841-858. | 1.7 | 28 |
| 11 | Determinants and Prediction of Esterase Substrate Promiscuity Patterns. ACS Chemical Biology, 2018, 13, 225-234. | 3.4 | 106 |
| 12 | Mutational analysis of the proâ€peptide of a marine intracellular subtilisin protease supports its role in inhibition. Proteins: Structure, Function and Bioinformatics, 2018, 86, 965-977. | 2.6 | 5 |
| 13 | Relationships between Substrate Promiscuity and Chiral Selectivity of Esterases from Phylogenetically and Environmentally Diverse Microorganisms. Catalysts, 2018, 8, 10. | 3.5 | 11 |
| 14 | Novel and Unexpected Microbial Diversity in Acid Mine Drainage in Svalbard (78° N), Revealed by Culture-Independent Approaches. Microorganisms, 2015, 3, 667-694. | 3.6 | 44 |
| 15 | Deciphering the Prokaryotic Community and Metabolisms in South African Deep-Mine Biofilms through Antibody Microarrays and Graph Theory. PLoS ONE, 2014, 9, e114180. | 2.5 | 23 |
| 16 | Comparative microbial ecology of the water column of an extreme acidic pit lake, Nuestra Señora del Carmen, and the RÃo Tinto basin (Iberian Pyrite Belt). International Microbiology, 2014, 17, 225-33. | 2.4 | 9 |
| 17 | Comparative microbial ecology study of the sediments and the water column of the RÃo Tinto, an extreme acidic environment. FEMS Microbiology Ecology, 2012, 81, 303-314. | 2.7 | 82 |
| 18 | From RÃo Tinto to Mars. Advances in Applied Microbiology, 2011, 77, 41-70. | 2.4 | 28 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Nematoda from the terrestrial deep subsurface of South Africa. Nature, 2011, 474, 79-82. | 27.8 | 196 |
| 20 | Microbial ecology of RÃo Tinto, a natural extreme acidic environment of biohydrometallurgical interest. Hydrometallurgy, 2010, 104, 329-333. | 4.3 | 18 |
| 21 | Microbial Ecology of a Natural Extreme Acidic Environment: Lessons from RÃo Tinto. Advanced Materials Research, 2009, 71-73, 13-19. | 0.3 | 4 |
| 22 | Evaluation of Leptospirillum spp. in the RÃo Tinto, a model of interest to biohydrometallurgy. Hydrometallurgy, 2008, 94, 155-161. | 4.3 | 31 |
| 23 | An oligonucleotide prokaryotic acidophile microarray: its validation and its use to monitor seasonal variations in extreme acidic environments with total environmental RNA. Environmental Microbiology, 2008, 10, 836-850. | 3.8 | 41 |
| 24 | Microbial Ecology of <i>Leptospirillum</i> spp. in RÃo Tinto, a Model of Interest to Biohydrometallurgy. Advanced Materials Research, 2007, 20-21, 409-412. | 0.3 | 2 |
| 25 | Extreme environments as Mars terrestrial analogs: The Rio Tinto case. Planetary and Space Science, 2007, 55, 370-381. | 1.7 | 166 |
| 26 | Prokaryotic community composition and ecology of floating macroscopic filaments from an extreme acidic environment, RÃo Tinto (SW, Spain). Systematic and Applied Microbiology, 2007, 30, 601-614. | 2.8 | 92 |
| 27 | Characterization of the Anoxic Sediments of Rio Tinto: Biohydrometallurgical Implications. Advanced Materials Research, 0, 71-73, 109-112. | 0.3 | 4 |