

Omrana Pasha

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8138746/publications.pdf>

Version: 2024-02-01

82
papers

3,775
citations

109264

35
h-index

138417

58
g-index

82
all docs

82
docs citations

82
times ranked

5185
citing authors

#	ARTICLE	IF	CITATIONS
1	Longitudinal Changes of One-Carbon Metabolites and Amino Acid Concentrations during Pregnancy in the Women First Maternal Nutrition Trial. <i>Current Developments in Nutrition</i> , 2020, 4, nzz132.	0.1	6
2	Maternal Characteristics Affect Fetal Growth Response in the Women First Preconception Nutrition Trial. <i>Nutrients</i> , 2019, 11, 2534.	1.7	9
3	A multicountry randomized controlled trial of comprehensive maternal nutrition supplementation initiated before conception: the Women First trial. <i>American Journal of Clinical Nutrition</i> , 2019, 109, 457-469.	2.2	77
4	A Prospective, Population-Based Study of Trends in Operative Vaginal Delivery Compared to Cesarean Delivery Rates in Low- and Middle-Income Countries, 2010â€“2016. <i>American Journal of Perinatology</i> , 2019, 36, 730-736.	0.6	18
5	Coming of Age in the Shadow of the Taliban: Education, Child Marriage, and the Future of Afghanistan From the Perspectives of Adolescents and Their Parents. <i>Journal of Adolescent Health</i> , 2019, 64, 370-375.	1.2	5
6	Immunization decision-making capacity building in low- and middle-income countries through teaching vaccine economics everywhere: a program evaluation. <i>Journal of Global Health Science</i> , 2019, 1, .	1.7	0
7	The Relationship between Body Mass Index in Pregnancy and Adverse Maternal, Perinatal, and Neonatal Outcomes in Rural India and Pakistan. <i>American Journal of Perinatology</i> , 2018, 35, 844-851.	0.6	16
8	Coming of Age in the Shadow of the Taliban: Adolescentsâ€™ and Parentsâ€™ Views Toward Interpersonal Violence and Harmful Traditional Practices in Afghanistan. <i>American Journal of Public Health</i> , 2018, 108, 1688-1694.	1.5	7
9	Anthropometric indices for non-pregnant women of childbearing age differ widely among four low-middle income populations. <i>BMC Public Health</i> , 2018, 18, 45.	1.2	23
10	Womenâ€™s Perceptions and Experiences of Domestic Violence. <i>Journal of Interpersonal Violence</i> , 2017, 32, 76-100.	1.3	39
11	A prospective study of maternal, fetal and neonatal outcomes in the setting of cesarean section in lowâ€“and middleâ€“income countries. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017, 96, 410-420.	1.3	50
12	Ambulatory Treatment of Fast Breathing in Young Infants Aged <60 Days: A Double-Blind, Randomized, Placebo-Controlled Equivalence Trial in Low-Income Settlements of Karachi. <i>Clinical Infectious Diseases</i> , 2017, 64, 184-189.	2.9	12
13	Post-traumatic stress disorder and its predictors in emergency medical service personnel: a cross-sectional study from Karachi, Pakistan. <i>BMC Emergency Medicine</i> , 2017, 17, 26.	0.7	40
14	Association of post-traumatic stress disorder and work performance: A survey from an emergency medical service, Karachi, Pakistan. <i>World Journal of Emergency Medicine</i> , 2017, 8, 214.	0.5	4
15	Trends in the incidence of possible severe bacterial infection and case fatality rates in rural communities in Sub-Saharan Africa, South Asia and Latin America, 2010â€“2013: a multicenter prospective cohort study. <i>Reproductive Health</i> , 2016, 13, 65.	1.2	14
16	Reducing stillbirths in lowâ€“income countries. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016, 95, 135-143.	1.3	26
17	The global network antenatal corticosteroids trial: impact on stillbirth. <i>Reproductive Health</i> , 2016, 13, 68.	1.2	7
18	The Antenatal Corticosteroids Trial (ACT)â€™s explanations for neonatal mortality - a secondary analysis. <i>Reproductive Health</i> , 2016, 13, 62.	1.2	29

#	ARTICLE	IF	CITATIONS
19	The Antenatal Corticosteroids Trial (ACT): a secondary analysis to explore site differences in a multi-country trial. <i>Reproductive Health</i> , 2016, 13, 64.	1.2	12
20	Use of antenatal corticosteroids at health facilities and communities in low-and-middle income countries. <i>Reproductive Health</i> , 2016, 13, 66.	1.2	11
21	Home-Based Early Intervention and the Influence of Family Resources on Cognitive Development. <i>Pediatrics</i> , 2016, 137, .	1.0	35
22	Adverse maternal and perinatal outcomes in adolescent pregnancies: The Global Network's Maternal Newborn Health Registry study. <i>Reproductive Health</i> , 2015, 12, S8.	1.2	158
23	Postpartum contraceptive use and unmet need for family planning in five low-income countries. <i>Reproductive Health</i> , 2015, 12, S11.	1.2	106
24	Validation of the Urdu Version of Wagnild and Young's Long and Short Resilience Scales Among 20- to 40-Year-Old Married Women Living in Urban Squatter Settlements of Karachi, Pakistan. <i>Journal of Nursing Measurement</i> , 2015, 23, 425-435.	0.2	19
25	Neonatal mortality and coverage of essential newborn interventions 2010 - 2013: a prospective, population-based study from low-middle income countries. <i>Reproductive Health</i> , 2015, 12, S6.	1.2	41
26	A prospective population-based study of maternal, fetal, and neonatal outcomes in the setting of prolonged labor, obstructed labor and failure to progress in low- and middle-income countries. <i>Reproductive Health</i> , 2015, 12, S9.	1.2	50
27	Maternal and newborn outcomes in Pakistan compared to other low and middle income countries in the Global Network's Maternal Newborn Health Registry: an active, community-based, pregnancy surveillance mechanism. <i>Reproductive Health</i> , 2015, 12, S15.	1.2	47
28	Stillbirth rates in low-middle income countries 2010 - 2013: a population-based, multi-country study from the Global Network. <i>Reproductive Health</i> , 2015, 12, S7.	1.2	89
29	The Global Network Maternal Newborn Health Registry: a multi-national, community-based registry of pregnancy outcomes. <i>Reproductive Health</i> , 2015, 12, S1.	1.2	90
30	Rates and determinants of early initiation of breastfeeding and exclusive breast feeding at 42 days postnatal in six low and middle-income countries: A prospective cohort study. <i>Reproductive Health</i> , 2015, 12, S10.	1.2	79
31	A prospective observational description of frequency and timing of antenatal care attendance and coverage of selected interventions from sites in Argentina, Guatemala, India, Kenya, Pakistan and Zambia. <i>Reproductive Health</i> , 2015, 12, S12.	1.2	24
32	Data quality monitoring and performance metrics of a prospective, population-based observational study of maternal and newborn health in low resource settings. <i>Reproductive Health</i> , 2015, 12, S2.	1.2	19
33	Lost to follow-up among pregnant women in a multi-site community based maternal and newborn health registry: a prospective study. <i>Reproductive Health</i> , 2015, 12, S4.	1.2	14
34	A Population-Based, Multifaceted Strategy to Implement Antenatal Corticosteroid Treatment Versus Standard Care for the Reduction of Neonatal Mortality Due to Preterm Birth in Low-Income and Middle-Income Countries. <i>Obstetrical and Gynecological Survey</i> , 2015, 70, 379-381.	0.2	3
35	A randomized controlled behavioral intervention trial to improve medication adherence in adult stroke patients with prescription tailored Short Messaging Service (SMS)-SMS4Stroke study. <i>BMC Neurology</i> , 2015, 15, 212.	0.8	107
36	Risk factors for maternal death and trends in maternal mortality in low- and middle-income countries: a prospective longitudinal cohort analysis. <i>Reproductive Health</i> , 2015, 12, S5.	1.2	78

#	ARTICLE	IF	CITATIONS
37	Can Trained Field Community Workers Identify Stroke Using a Stroke Symptom Questionnaire as well as Neurologists?. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2015, 24, 91-99.	0.7	12
38	Development of a 12month screener based on items from the Bayley II Scales of Infant Development for use in Low Middle Income countries. <i>Early Human Development</i> , 2015, 91, 253-258.	0.8	11
39	Impact of exposure to cooking fuels on stillbirths, perinatal, very early and late neonatal mortality - a multicenter prospective cohort study in rural communities in India, Pakistan, Kenya, Zambia and Guatemala. <i>Maternal Health, Neonatology and Perinatology</i> , 2015, 1, 18.	1.0	35
40	Improving medication adherence in stroke patients through Short Text Messages (SMS4Stroke)-study protocol for a randomized, controlled trial. <i>BMC Neurology</i> , 2015, 15, 157.	0.8	19
41	An Intervention to Enhance Obstetric and Newborn Care in India: A Cluster Randomized-Trial. <i>Maternal and Child Health Journal</i> , 2015, 19, 2698-2706.	0.7	7
42	A population-based, multifaceted strategy to implement antenatal corticosteroid treatment versus standard care for the reduction of neonatal mortality due to preterm birth in low-income and middle-income countries: the ACT cluster-randomised trial. <i>Lancet, The</i> , 2015, 385, 629-639.	6.3	262
43	Study Protocol: Validation and Adaptation of community-worker-administered stroke symptom questionnaire in a periurban Pakistani community to determine disease burden. <i>Journal of Vascular and Interventional Neurology</i> , 2015, 8, 1-10.	1.1	1
44	A prospective study of maternal, fetal and neonatal deaths in low- and middle-income countries. <i>Bulletin of the World Health Organization</i> , 2014, 92, 605-612.	1.5	144
45	Perinatal Outcomes of Multiple-Gestation Pregnancies in Kenya, Zambia, Pakistan, India, Guatemala, and Argentina: A Global Network Study. <i>American Journal of Perinatology</i> , 2014, 31, 125-132.	0.6	14
46	Preconception maternal nutrition: a multi-site randomized controlled trial. <i>BMC Pregnancy and Childbirth</i> , 2014, 14, 111.	0.9	68
47	First look: a cluster-randomized trial of ultrasound to improve pregnancy outcomes in low income country settings. <i>BMC Pregnancy and Childbirth</i> , 2014, 14, 73.	0.9	64
48	Dose of early intervention treatment during children's first 36 months of life is associated with developmental outcomes: an observational cohort study in three low/low-middle income countries. <i>BMC Pediatrics</i> , 2014, 14, 281.	0.7	25
49	Factors associated with dengue fever IgG sero-prevalence in South Kordofan State, Sudan, in 2012: Reporting prevalence ratios. <i>Journal of Infection and Public Health</i> , 2014, 7, 54-61.	1.9	27
50	Development of children at risk for adverse outcomes participating in early intervention in developing countries: a randomized controlled trial. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2014, 55, 1251-1259.	3.1	46
51	Clinical, lifestyle, socioeconomic determinants and rate of asymptomatic intracranial atherosclerosis in stroke free Pakistanis. <i>BMC Neurology</i> , 2014, 14, 155.	0.8	11
52	Theory-driven process evaluation of a complementary feeding trial in four countries. <i>Health Education Research</i> , 2014, 29, 297-305.	1.0	10
53	Developmental trajectories of children with birth asphyxia through 36months of age in low/low-middle income countries. <i>Early Human Development</i> , 2014, 90, 343-348.	0.8	14
54	A combined community- and facility-based approach to improve pregnancy outcomes in low-resource settings: a Global Network cluster randomized trial. <i>BMC Medicine</i> , 2013, 11, 215.	2.3	49

#	ARTICLE	IF	CITATIONS
55	A multi-country study of the "intrapartum stillbirth and early neonatal death indicator" in hospitals in low-resource settings. <i>International Journal of Gynecology and Obstetrics</i> , 2013, 122, 230-233.	1.0	23
56	Randomized Trial of Early Developmental Intervention on Outcomes in Children after Birth Asphyxia in Developing Countries. <i>Journal of Pediatrics</i> , 2013, 162, 705-712.e3.	0.9	47
57	Assessment of Obstetric and Neonatal Health Services in Developing Country Health Facilities. <i>American Journal of Perinatology</i> , 2013, 30, 787-794.	0.6	42
58	High HIV Incidence among Persons Who Inject Drugs in Pakistan: Greater Risk with Needle Sharing and Injecting Frequently among the Homeless. <i>PLoS ONE</i> , 2013, 8, e81715.	1.1	20
59	Neonatal Death in Low- to Middle-Income Countries: A Global Network Study. <i>American Journal of Perinatology</i> , 2012, 29, 649-656.	0.6	58
60	Randomized controlled trial of meat compared with multimicronutrient-fortified cereal in infants and toddlers with high stunting rates in diverse settings. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 840-847.	2.2	70
61	The Maternal and Newborn Health Registry Study of the Global Network for Women's and Children's Health Research. <i>International Journal of Gynecology and Obstetrics</i> , 2012, 118, 190-193.	1.0	109
62	Home birth attendants in low income countries: who are they and what do they do?. <i>BMC Pregnancy and Childbirth</i> , 2012, 12, 34.	0.9	36
63	Antenatal corticosteroids trial in preterm births to increase neonatal survival in developing countries: study protocol. <i>Reproductive Health</i> , 2012, 9, 22.	1.2	34
64	Neurodevelopmental Outcomes in Infants Requiring Resuscitation in Developing Countries. <i>Journal of Pediatrics</i> , 2012, 160, 781-785.e1.	0.9	23
65	Epidemiology of stillbirth in lowâ€middle income countries: A Global Network Study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2011, 90, 1379-1385.	1.3	76
66	Evaluation of meat as a first complementary food for breastfed infants: impact on iron intake. <i>Nutrition Reviews</i> , 2011, 69, S57-S63.	2.6	18
67	Complementary feeding: a Global Network cluster randomized controlled trial. <i>BMC Pediatrics</i> , 2011, 11, 4.	0.7	27
68	Classifying perinatal mortality using verbal autopsy: is there a role for nonphysicians?. <i>Population Health Metrics</i> , 2011, 9, 42.	1.3	8
69	Prevalence of suicidal thoughts and attempts among pregnant Pakistani women. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2010, 89, 1545-1551.	1.3	49
70	Communities, birth attendants and health facilities: a continuum of emergency maternal and newborn care (the global network's EmONC trial). <i>BMC Pregnancy and Childbirth</i> , 2010, 10, 82.	0.9	42
71	Brain Research to Ameliorate Impaired Neurodevelopment - Home-based Intervention Trial (BRAIN-HIT). <i>BMC Pediatrics</i> , 2010, 10, 27.	0.7	34
72	Chlorhexidine Vaginal and Infant Wipes to Reduce Perinatal Mortality and Morbidity. <i>Obstetrics and Gynecology</i> , 2010, 115, 1225-1232.	1.2	34

#	ARTICLE	IF	CITATIONS
73	Dating gestational age by last menstrual period, symphysis-fundal height, and ultrasound in urban Pakistan. <i>International Journal of Gynecology and Obstetrics</i> , 2010, 110, 231-234.	1.0	62
74	Neonatal mortality, risk factors and causes: a prospective population-based cohort study in urban Pakistan. <i>Bulletin of the World Health Organization</i> , 2009, 87, 130-138.	1.5	178
75	Prevalence of Anxiety, Depression and Associated Factors Among Pregnant Women of Hyderabad, Pakistan. <i>International Journal of Social Psychiatry</i> , 2009, 55, 414-424.	1.6	127
76	Stillbirth in developing countries: a review of causes, risk factors and prevention strategies. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 183-190.	0.7	167
77	Domestic violence prior to and during pregnancy among Pakistani women. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2008, 87, 1194-1201.	1.3	54
78	Stillbirths in developing countries. <i>Expert Review of Obstetrics and Gynecology</i> , 2008, 3, 657-664.	0.4	1
79	Anemia Prevalence and Risk Factors in Pregnant Women in an Urban Area of Pakistan. <i>Food and Nutrition Bulletin</i> , 2008, 29, 132-139.	0.5	148
80	Stillbirths in an urban community in Pakistan. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 197, 257.e1-257.e8.	0.7	42
81	The effect of providing fansidar (sulfadoxine-pyrimethamine) in schools on mortality in school-age children in Malawi. <i>Lancet, The</i> , 2003, 361, 577-578.	6.3	22
82	HIV Antibody Seroprevalence and Associated Risk Factors in Sex Workers, Drug Users, and Prisoners in Sindh, Pakistan. <i>Journal of Acquired Immune Deficiency Syndromes</i> , 1998, 18, 73-79.	0.3	41