

Jong-Min Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8139114/publications.pdf>

Version: 2024-02-01

109
papers

2,757
citations

172386
29
h-index

206029
48
g-index

111
all docs

111
docs citations

111
times ranked

1390
citing authors

#	ARTICLE	IF	CITATIONS
1	Radial tears of the posterior horn of the medial meniscus. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2004, 20, 373-378.	1.3	257
2	Predictors of degenerative medial meniscus extrusion: radial component and knee osteoarthritis. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2011, 19, 222-229.	2.3	139
3	Evaluation of Meniscus Allograft Transplantation With Serial Magnetic Resonance Imaging During the First Postoperative Year: Focus on Graft Extrusion. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2008, 24, 1115-1121.	1.3	101
4	International Meniscus Reconstruction Experts Forum (IMREF) 2015 Consensus Statement on the Practice of Meniscal Allograft Transplantation. <i>American Journal of Sports Medicine</i> , 2017, 45, 1195-1205.	1.9	95
5	Results of Meniscus Allograft Transplantation Using Bone Fixation. <i>American Journal of Sports Medicine</i> , 2012, 40, 1027-1034.	1.9	85
6	Correlation between type of discoid lateral menisci and tear pattern. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2002, 10, 218-222.	2.3	80
7	Results of Subtotal/Total or Partial Meniscectomy for Discoid Lateral Meniscus in Children. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2009, 25, 496-503.	1.3	79
8	Review of Meniscal Allograft Transplantation Focusing on Long-term Results and Evaluation Methods. <i>Knee Surgery and Related Research</i> , 2013, 25, 1-6.	1.8	70
9	Femoral Component Varus Malposition is Associated with Tibial Aseptic Loosening After TKA. <i>Clinical Orthopaedics and Related Research</i> , 2018, 476, 400-407.	0.7	68
10	Survivorship After Meniscal Allograft Transplantation According to Articular Cartilage Status. <i>American Journal of Sports Medicine</i> , 2017, 45, 1095-1101.	1.9	61
11	Greater Axial Trough Obliquity Increases the Risk of Graft Extrusion in Lateral Meniscus Allograft Transplantation. <i>American Journal of Sports Medicine</i> , 2012, 40, 1597-1605.	1.9	59
12	What Is An Acceptable Limit of Joint-Line Obliquity After Medial Open Wedge High Tibial Osteotomy? Analysis Based on Midterm Results. <i>American Journal of Sports Medicine</i> , 2020, 48, 3028-3035.	1.9	55
13	Meniscal Allograft Transplantation After Total Meniscectomy of Torn Discoid Lateral Meniscus. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2006, 22, 1344-1350.e1.	1.3	54
14	Long-term Outcomes of Meniscal Allograft Transplantation With and Without Extrusion: Mean 12.3-Year Follow-up Study. <i>American Journal of Sports Medicine</i> , 2019, 47, 815-821.	1.9	54
15	Arthroscopic Treatment of Muroid Hypertrophy of the Anterior Cruciate Ligament. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2008, 24, 642-649.	1.3	52
16	Arthroscopic partial meniscectomy for horizontal tear of discoid lateral meniscus. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2002, 10, 20-24.	2.3	50
17	Articular Cartilage Degenerates After Subtotal/Total Lateral Meniscectomy but Radiographic Arthrosis Progression Is Reduced After Meniscal Transplantation. <i>American Journal of Sports Medicine</i> , 2016, 44, 159-165.	1.9	48
18	Long-term Survival Analysis of Meniscus Allograft Transplantation With Bone Fixation. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2017, 33, 387-393.	1.3	48

#	ARTICLE	IF	CITATIONS
19	Femoral shaft bowing in the coronal plane has more significant effect on the coronal alignment of TKA than proximal or distal variations of femoral shape. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2015, 23, 1936-1942.	2.3	47
20	Morphologic Changes in Fresh-Frozen Meniscus Allografts Over 1 Year. <i>American Journal of Sports Medicine</i> , 2012, 40, 1384-1391.	1.9	46
21	Partial Meniscectomy for Degenerative Medial Meniscal Root Tears Shows Favorable Outcomes in Well-Aligned, Nonarthritic Knees. <i>American Journal of Sports Medicine</i> , 2019, 47, 606-611.	1.9	44
22	Width is a more important predictor in graft extrusion than length using plain radiographic sizing in lateral meniscal transplantation. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2012, 20, 179-186.	2.3	37
23	An Osteophyte in the Tibial Plateau Is a Risk Factor for Allograft Extrusion After Meniscus Allograft Transplantation. <i>American Journal of Sports Medicine</i> , 2015, 43, 1215-1221.	1.9	36
24	Arthroscopic partial meniscectomy in young patients with symptomatic discoid lateral meniscus: an average 10-year follow-up study. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2018, 138, 369-376.	1.3	35
25	Inframeniscal Portal for Horizontal Tears of the Meniscus. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2009, 25, 269-273.	1.3	33
26	Increased preoperative medial and lateral laxity is a predictor of overcorrection in open wedge high tibial osteotomy. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 3164-3172.	2.3	33
27	The Correlation between Posterior Tibial Slope and Maximal Angle of Flexion after Total Knee Arthroplasty. <i>Knee Surgery and Related Research</i> , 2012, 24, 158-163.	1.8	31
28	Clinical Results and Prognostic Factors of Arthroscopic Surgeries for Discoid Lateral Menisci Tear: Analysis of 179 Cases with Minimum 2 Years Follow-up. <i>Knee Surgery and Related Research</i> , 2012, 24, 108-112.	1.8	30
29	Results of Isolated Lateral Meniscus Allograft Transplantation. <i>American Journal of Sports Medicine</i> , 2011, 39, 1960-1967.	1.9	29
30	High-flexion Prosthesis Improves Function of TKA in Asian Patients Without Decreasing Early Survivorship. <i>Clinical Orthopaedics and Related Research</i> , 2013, 471, 1504-1511.	0.7	29
31	Meniscal Extrusion Does Not Progress During the Midterm Follow-up Period After Lateral Meniscal Transplantation. <i>American Journal of Sports Medicine</i> , 2017, 45, 900-908.	1.9	29
32	High-flexion total knee arthroplasty improves flexion of stiff knees. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2011, 19, 936-942.	2.3	28
33	Clinical Comparison of Medial Patellofemoral Ligament Reconstruction With or Without Tibial Tuberosity Transfer for Recurrent Patellar Instability. <i>American Journal of Sports Medicine</i> , 2021, 49, 3335-3343.	1.9	28
34	Hinge Fractures Are Underestimated on Plain Radiographs After Open Wedge Proximal Tibial Osteotomy: Evaluation by Computed Tomography. <i>American Journal of Sports Medicine</i> , 2019, 47, 1370-1375.	1.9	27
35	No impact of severe varus deformity on clinical outcome after posterior stabilized total knee arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2011, 19, 960-966.	2.3	26
36	Using a Tibial Short Extension Stem Reduces Tibial Component Loosening After Primary Total Knee Arthroplasty in Severely Varus Knees: Long-term Survival Analysis With Propensity Score Matching. <i>Journal of Arthroplasty</i> , 2018, 33, 2512-2517.	1.5	26

#	ARTICLE	IF	CITATIONS
37	Impact of preoperative varus deformity on postoperative mechanical alignment and long-term results of mechanically aligned total knee arthroplasty. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2019, 105, 1061-1066.	0.9	24
38	Patient-Related Risk Factors for the Extrusion of Lateral Meniscal Allograft Transplants. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2015, 31, 699-706.	1.3	23
39	Changes in Magnetic Resonance Imaging Signal Intensity of Transplanted Meniscus Allografts Are Not Associated With Clinical Outcomes. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2011, 27, 1211-1218.	1.3	22
40	Effect of Sagittal Allograft Position on Coronal Extrusion in Lateral Meniscus Allograft Transplantation. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2015, 31, 266-274.	1.3	22
41	Tear gap and severity of osteoarthritis are associated with meniscal extrusion in degenerative medial meniscus posterior root tears. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2019, 105, 1395-1399.	0.9	22
42	Mobile-bearing unicompartmental knee arthroplasty in old-aged patients demonstrates superior short-term clinical outcomes to open-wedge high tibial osteotomy in middle-aged patients with advanced isolated medial osteoarthritis. <i>International Orthopaedics</i> , 2018, 42, 2357-2363.	0.9	21
43	Magnetic Resonance Imaging Findings in Symptomatic Patients After Arthroscopic Partial Meniscectomy for Torn Discoid Lateral Meniscus. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2016, 32, 2366-2372.	1.3	19
44	Discoid lateral meniscus can be overlooked by magnetic resonance imaging in patients with meniscal tears. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 2317-2323.	2.3	19
45	No difference in graft healing or clinical outcome between trans-portal and outside-in techniques after anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 2338-2344.	2.3	19
46	Comparison of Postoperative Magnetic Resonance Imaging and Second-Look Arthroscopy for Evaluating Meniscal Allograft Transplantation. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2015, 31, 859-866.	1.3	17
47	Does discoid lateral meniscus have inborn peripheral rim instability? Comparison between intact discoid lateral meniscus and normal lateral meniscus. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2018, 138, 1725-1730.	1.3	17
48	A Novel Arthroscopic Classification of Degenerative Medial Meniscus Posterior Root Tears Based on the Tear Gap. <i>Orthopaedic Journal of Sports Medicine</i> , 2019, 7, 232596711982794.	0.8	17
49	Distinct extra-articular invasion patterns of diffuse pigmented villonodular synovitis/tenosynovial giant cell tumor in the knee joints. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 3508-3514.	2.3	16
50	Nonanatomic Horn Position Increases Risk of Early Graft Failures After Lateral Meniscal Allograft Transplantation. <i>American Journal of Sports Medicine</i> , 2018, 46, 3407-3414.	1.9	15
51	Results of Gender-Specific Total Knee Arthroplasty: Comparative Study with Traditional Implant in Female Patients. <i>Knee Surgery and Related Research</i> , 2015, 27, 17-23.	1.8	15
52	Does Lateral Meniscal Allograft Transplantation Using the Keyhole Technique Restore the Anatomic Location of the Native Lateral Meniscus?. <i>American Journal of Sports Medicine</i> , 2016, 44, 1744-1752.	1.9	14
53	Comparison of tunnel variability between trans-portal and outside-in techniques in ACL reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 1227-1233.	2.3	14
54	Prediction of the Peripheral Rim Instability of the Discoid Lateral Meniscus in Children by Using Preoperative Clinicoradiological Factors. <i>Journal of Pediatric Orthopaedics</i> , 2019, 39, e761-e768.	0.6	14

#	ARTICLE	IF	CITATIONS
55	Does Age Itself Have an Adverse Effect on Survivorship of Meniscal Allograft Transplantation? A Cartilage Status and Time From Previous Meniscectomyâ€™Matched Cohort Study. <i>American Journal of Sports Medicine</i> , 2020, 48, 1696-1701.	1.9	14
56	Arthroscopic All-Inside Repair of Tears of the Anterior Horn of the Lateral Meniscus. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2005, 21, 1399.e1-1399.e4.	1.3	13
57	Total Knee Arthroplasty With Patellar Retention: The Severity of Patellofemoral Osteoarthritis Did Not Affect the Clinical and Radiographic Outcomes. <i>Journal of Arthroplasty</i> , 2018, 33, 2136-2140.	1.5	13
58	Meniscal extrusion is positively correlated with the anatomical position changes of the meniscal anterior and posterior horns, following medial meniscal allograft transplantation. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 2389-2399.	2.3	13
59	Large chondral defect not covered by meniscal allograft is associated with inferior graft survivorship after lateral meniscal allograft transplantation. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 82-89.	2.3	13
60	Absolute Meniscal Extrusion After Lateral Meniscal Allograft Transplantation Does Not Progress During Long-term Follow-up: Average of 10.3 Yearsâ€™™ Follow-up Longitudinal Magnetic Resonance Imaging Study. <i>American Journal of Sports Medicine</i> , 2020, 48, 326-333.	1.9	12
61	Insufficient Correction and Preoperative Medial Tightness Increases the Risk of Varus Recurrence in Open-Wedge High Tibial Osteotomy. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2022, 38, 1547-1554.	1.3	12
62	Meniscal allograft transplantation shows a mismatch between anatomic and clinical failures. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 1700-1705.	2.3	12
63	Proper Cartilage Status for Meniscal Allograft Transplantation Cannot Be Accurately Determined by Patient Symptoms. <i>American Journal of Sports Medicine</i> , 2016, 44, 646-651.	1.9	11
64	Progression of radiographic osteoarthritis after partial meniscectomy in degenerative medial meniscal posterior root tears was greater in varus- than in neutral-aligned knees: a minimum 5-year follow-up. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 3443-3449.	2.3	11
65	Does Medial Meniscal Allograft Transplantation With the Bone-Plug Technique Restore the Anatomic Location of the Native Medial Meniscus?. <i>American Journal of Sports Medicine</i> , 2015, 43, 3045-3054.	1.9	10
66	Early and Delayed Meniscal Shrinkage After Fresh-Frozen Lateral Meniscal Allograft Transplantation: Magnetic Resonance Imaging Study With a Midterm Follow-up. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2018, 34, 3216-3223.	1.3	10
67	Discoid lateral meniscus: a simple horizontal tear was associated with less articular cartilage degeneration compared to other types of tear. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 3390-3395.	2.3	10
68	There Is No Difference in Radiographic Outcomes After Average 9ÂˆYears After Arthroscopic Partial Medial Meniscectomy for Both Posterior Horn Tears and Posterior Horn Root Tears. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2020, 36, 524-532.	1.3	10
69	Medial and Lateral Meniscus Allograft Transplantation Showed No Difference With Respect to Graft Survivorship and Clinical Outcomes: A Comparative Analysis With a Minimum 2-Year Follow-Up. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2020, 36, 3061-3068.	1.3	10
70	Influence of Varus Alignment on Survivorship After Lateral Meniscal Allograft Transplantation. <i>American Journal of Sports Medicine</i> , 2020, 48, 1374-1378.	1.9	10
71	Unstable Lateral Hinge Fracture or Occult Complete Osteotomy Adversely Affects Correction Accuracy in Open-Wedge High Tibial Osteotomy. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, 37, 3297-3306.	1.3	10
72	Meniscal allograft subluxations are not associated with preoperative native meniscal subluxations. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 200-206.	2.3	9

#	ARTICLE	IF	CITATIONS
73	Does the Preoperative Varus Deformity Influence the Survival of Postoperative Neutral-Aligned TKAs? An Analysis With a Minimum 5-Year Follow-Up. <i>Journal of Arthroplasty</i> , 2018, 33, 3181-3185.	1.5	9
74	Morphologic MRI changes of the anterior cruciate ligament are associated with an increase in the medial tibial plateau bony slope after medial opening wedge high tibial osteotomy in a non-injured ACL population. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2019, 105, 1369-1375.	0.9	9
75	Clinicoradiologic Outcomes of Medial Open-Wedge High-Tibial Osteotomy Are Equivalent in Bone-on-Bone and Nonâ€œBone-on-Bone Medial Osteoarthritis. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, 37, 638-644.	1.3	9
76	Meniscal Deficiency Period and High Body Mass Index Are Preoperative Risk Factors for Joint Space Narrowing After Meniscal Allograft Transplantation. <i>American Journal of Sports Medicine</i> , 2021, 49, 693-699.	1.9	9
77	Partial meniscectomy provides the favorable outcomes for symptomatic medial meniscus tear with an intact posterior root. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 3497-3503.	2.3	8
78	Postoperative Subchondral Bone Marrow Lesion Is Associated With Graft Extrusion After Lateral Meniscal Allograft Transplantation. <i>American Journal of Sports Medicine</i> , 2020, 48, 3163-3169.	1.9	8
79	Learning Curve For Lateral Meniscal Allograft Transplantation: Preventing Meniscal Extrusion. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, 37, 3326-3334.	1.3	8
80	Cartilage Status, Rather Than Chronologic Age, Determines the Outcomes of Open Wedge High Tibial Osteotomy: A Cartilage Statusâ€œMatched Cohort Study. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, 37, 2915-2922.	1.3	8
81	Anatomical Popliteal Artery Entrapment Syndrome Caused by an Aberrant Plantaris Muscle. <i>Vascular Specialist International</i> , 2015, 31, 95-101.	0.2	8
82	Revision Meniscal Allograft Transplantation in the Lateral Compartment. <i>American Journal of Sports Medicine</i> , 2016, 44, 2884-2891.	1.9	7
83	Short knee radiographs can be inadequate for estimating TKA alignment in knees with bowing. <i>Knee Surgery and Related Research</i> , 2020, 32, 9.	1.8	7
84	Volumetric assessment of extrusion in medial meniscus posterior root tears through semi-automatic segmentation on 3-tesla magnetic resonance images. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2020, 106, 963-968.	0.9	6
85	Postoperative alignment but not femoral coronal bowing is a significant longevity factor after total knee arthroplasty. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2020, 106, 435-442.	0.9	6
86	Extrusions do not affect degenerative morphologic changes in lateral meniscus allografts during midterm follow-ups. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 1197-1205.	2.3	6
87	Increased MRI Signal Intensity of Allografts in the Midterm Period After Meniscal Allograft Transplant: An Evaluation of Clinical Significance According to Location and Morphology. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712110335.	0.8	6
88	Intra-Articular Injection of a Novel DVS Cross-Linked Hyaluronic Acid Manufactured by Biological Fermentation (YYD302) in Patients With Knee Osteoarthritis: A Double-Blind, Randomized, Multicenter, Noninferiority Study. <i>Clinical Therapeutics</i> , 2021, 43, 1843-1860.	1.1	6
89	Accuracy of the femoral tunnel position in robotâ€œassisted anterior cruciate ligament reconstruction using a magnetic resonance imagingâ€œbased navigation system: A preliminary report. <i>International Journal of Medical Robotics and Computer Assisted Surgery</i> , 2018, 14, e1933.	1.2	5
90	A Magnetic Resonance Imaging Analysis of Shrinkage of Transplanted Fresh-Frozen Lateral Meniscal Allografts During a Minimum Follow-up of 8â€œYears. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2019, 35, 2887-2895.	1.3	5

#	ARTICLE	IF	CITATIONS
91	Degenerative medial meniscus posterior root tear and non-root tear do not show differences in joint survival and clinical outcome after partial meniscectomy. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 3426-3434.	2.3	5
92	Joint Space Width Increases Medially and Decreases Laterally at Different Time Points After Medial Open-Wedge High Tibial Osteotomy. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, 37, 3316-3323.	1.3	5
93	Radial tears in the anterior third of the lateral meniscus are frequently combined with horizontal tears. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2022, 108, 103223.	0.9	5
94	The entry point of intramedullary tibia cutting guide should vary according to the individual tibia morphology in TKA. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2020, 140, 391-400.	1.3	4
95	Progression of Allograft Extrusion in Both the Coronal and Sagittal Planes at Midterm Follow-up After Medial Meniscal Allograft Transplant. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712097235.	0.8	4
96	Using the Lower Limb Adduction Angle to Predict Postoperative Knee Joint-Line Obliquity After Open-Wedge High Tibial Osteotomy. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712110039.	0.8	4
97	Editorial Commentary: Meniscal Allograft Transplantation: Still Effective With Poor Cartilage, But Much Better With Good Cartilage—Better Done Earlier. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2018, 34, 1877-1878.	1.3	3
98	Significant proportion of severe lateral osteoarthritis in Korean patients have non-valgus knee alignment with milder clinical manifestation. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2020, 106, 487-493.	0.9	2
99	Intrasubstance degeneration of medial meniscus horizontal cleavage tear in young patients is associated with increased joint line obliquity in the coronal plane of the knee. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 1797-1804.	2.3	2
100	Trends in Meniscal Allograft Transplant in the Republic of Korea, 2010-2018: An Analysis Based on the Korean National Health Insurance Claims Database. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712199639.	0.8	2
101	Flexion contracture can be relieved by concurrent notchplasty in medial open wedge high tibial osteotomy. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2021, 107, 103020.	0.9	2
102	Clinical Results of Contralateral Arthroscopic Meniscectomy Performed with Unilateral Total Knee Arthroplasty: Minimum 3-year Follow-up. <i>Knee Surgery and Related Research</i> , 2015, 27, 76-81.	1.8	2
103	Quantitative MRI of the ACL-Injured and Reconstructed Knee. <i>Clinics in Sports Medicine</i> , 2013, 32, 21-36.	0.9	1
104	Partial Meniscectomy for Degenerative Medial Meniscal Root Tears Shows Favorable Outcomes in Well-Aligned, Nonarthritic Knees: Response. <i>American Journal of Sports Medicine</i> , 2019, 47, NP54-NP57.	1.9	1
105	Patellar Fracture After Total Knee Arthroplasty With Retention: A Retrospective Analysis of 2954 Consecutive Cases. <i>Journal of Arthroplasty</i> , 2021, 36, 2986-2991.	1.5	1
106	Exchange coupling of Fe/NiO through nonmagnetic layer in NiO. , 2005, , .		0
107	Évaluation volumétrique de l'extrusion dans les chirurgies des racines postérieures du ménisque médial par segmentation semi-automatique des images IRM 3D. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2020, 106, 550.	0.0	0
108	L'alignement frontal après prothèse totale du genou a une influence significative sur la survie contrairement à l'incurvation frontale de la diaphyse fémorale. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2020, 106, 216.	0.0	0

#	ARTICLE	IF	CITATIONS
109	Une proportion importante d'arthrose latérale s'observe chez les patients coréens ayant un genou normo-axé ou en varus et avec des symptômes cliniques moins sévères. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2020, 106, 246.	0.0	0