

Jong-Min Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8139114/publications.pdf>

Version: 2024-02-01

109
papers

2,757
citations

172386
29
h-index

206029
48
g-index

111
all docs

111
docs citations

111
times ranked

1390
citing authors

#	ARTICLE	IF	CITATIONS
1	Insufficient Correction and Preoperative Medial Tightness Increases the Risk of Varus Recurrence in Open-Wedge High Tibial Osteotomy. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2022, 38, 1547-1554.	1.3	12
2	Meniscal allograft transplantation shows a mismatch between anatomic and clinical failures. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 1700-1705.	2.3	12
3	Radial tears in the anterior third of the lateral meniscus are frequently combined with horizontal tears. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2022, 108, 103223.	0.9	5
4	Intrasubstance degeneration of medial meniscus horizontal cleavage tear in young patients is associated with increased joint line obliquity in the coronal plane of the knee. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 1797-1804.	2.3	2
5	Extrusions do not affect degenerative morphologic changes in lateral meniscus allografts during midterm follow-ups. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 1197-1205.	2.3	6
6	Clinicoradiologic Outcomes of Medial Open-Wedge High-Tibial Osteotomy Are Equivalent in Bone-on-Bone and Nonâ€œBone-on-Bone Medial Osteoarthritis. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, 37, 638-644.	1.3	9
7	Large chondral defect not covered by meniscal allograft is associated with inferior graft survivorship after lateral meniscal allograft transplantation. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 82-89.	2.3	13
8	Progression of Allograft Extrusion in Both the Coronal and Sagittal Planes at Midterm Follow-up After Medial Meniscal Allograft Transplant. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712097235.	0.8	4
9	Meniscal Deficiency Period and High Body Mass Index Are Preoperative Risk Factors for Joint Space Narrowing After Meniscal Allograft Transplantation. <i>American Journal of Sports Medicine</i> , 2021, 49, 693-699.	1.9	9
10	Unstable Lateral Hinge Fracture or Occult Complete Osteotomy Adversely Affects Correction Accuracy in Open-Wedge High Tibial Osteotomy. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, 37, 3297-3306.	1.3	10
11	Trends in Meniscal Allograft Transplant in the Republic of Korea, 2010-2018: An Analysis Based on the Korean National Health Insurance Claims Database. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712199639.	0.8	2
12	Joint Space Width Increases Medially and Decreases Laterally at Different Time Points After Medial Open-Wedge High Tibial Osteotomy. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, 37, 3316-3323.	1.3	5
13	Learning Curve For Lateral Meniscal Allograft Transplantation: Preventing Meniscal Extrusion. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, 37, 3326-3334.	1.3	8
14	Using the Lower Limb Adduction Angle to Predict Postoperative Knee Joint-Line Obliquity After Open-Wedge High Tibial Osteotomy. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712110039.	0.8	4
15	Flexion contracture can be relieved by concurrent notchplasty in medial open wedge high tibial osteotomy. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2021, 107, 103020.	0.9	2
16	Increased MRI Signal Intensity of Allografts in the Midterm Period After Meniscal Allograft Transplant: An Evaluation of Clinical Significance According to Location and Morphology. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712110335.	0.8	6
17	Patellar Fracture After Total Knee Arthroplasty With Retention: A Retrospective Analysis of 2954 Consecutive Cases. <i>Journal of Arthroplasty</i> , 2021, 36, 2986-2991.	1.5	1
18	Cartilage Status, Rather Than Chronologic Age, Determines the Outcomes of Open Wedge High Tibial Osteotomy: A Cartilage Statusâ€œMatched Cohort Study. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, 37, 2915-2922.	1.3	8

#	ARTICLE	IF	CITATIONS
19	Clinical Comparison of Medial Patellofemoral Ligament Reconstruction With or Without Tibial Tuberosity Transfer for Recurrent Patellar Instability. American Journal of Sports Medicine, 2021, 49, 3335-3343.	1.9	28
20	Intra-Articular Injection of a Novel DVS Cross-Linked Hyaluronic Acid Manufactured by Biological Fermentation (YYD302) in Patients With Knee Osteoarthritis: A Double-Blind, Randomized, Multicenter, Noninferiority Study. Clinical Therapeutics, 2021, 43, 1843-1860.	1.1	6
21	Partial meniscectomy provides the favorable outcomes for symptomatic medial meniscus tear with an intact posterior root. Knee Surgery, Sports Traumatology, Arthroscopy, 2020, 28, 3497-3503.	2.3	8
22	Degenerative medial meniscus posterior root tear and non-root tear do not show differences in joint survival and clinical outcome after partial meniscectomy. Knee Surgery, Sports Traumatology, Arthroscopy, 2020, 28, 3426-3434.	2.3	5
23	There Is No Difference in Radiographic Outcomes After Average 9 Years After Arthroscopic Partial Medial Meniscectomy for Both Posterior Horn Tears and Posterior Horn Root Tears. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2020, 36, 524-532.	1.3	10
24	The entry point of intramedullary tibia cutting guide should vary according to the individual tibia morphology in TKA. Archives of Orthopaedic and Trauma Surgery, 2020, 140, 391-400.	1.3	4
25	Significant proportion of severe lateral osteoarthritis in Korean patients have non-valgus knee alignment with milder clinical manifestation. Orthopaedics and Traumatology: Surgery and Research, 2020, 106, 487-493.	0.9	2
26	Increased preoperative medial and lateral laxity is a predictor of overcorrection in open wedge high tibial osteotomy. Knee Surgery, Sports Traumatology, Arthroscopy, 2020, 28, 3164-3172.	2.3	33
27	Absolute Meniscal Extrusion After Lateral Meniscal Allograft Transplantation Does Not Progress During Long-term Follow-up: Average of 10.3 Years Follow-up Longitudinal Magnetic Resonance Imaging Study. American Journal of Sports Medicine, 2020, 48, 326-333.	1.9	12
28	Postoperative Subchondral Bone Marrow Lesion Is Associated With Graft Extrusion After Lateral Meniscal Allograft Transplantation. American Journal of Sports Medicine, 2020, 48, 3163-3169.	1.9	8
29	Volumetric assessment of extrusion in medial meniscus posterior root tears through semi-automatic segmentation on 3-tesla magnetic resonance images. Orthopaedics and Traumatology: Surgery and Research, 2020, 106, 963-968.	0.9	6
30	Medial and Lateral Meniscus Allograft Transplantation Showed No Difference With Respect to Graft Survivorship and Clinical Outcomes: A Comparative Analysis With a Minimum 2-Year Follow-Up. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2020, 36, 3061-3068.	1.3	10
31	What Is An Acceptable Limit of Joint-Line Obliquity After Medial Open Wedge High Tibial Osteotomy? Analysis Based on Midterm Results. American Journal of Sports Medicine, 2020, 48, 3028-3035.	1.9	55
32	Évaluation volumétrique de l'extrusion dans les chirurgies des racines postérieures du ménisque médial par segmentation semi-automatique des images IRM 3T. Revue De Chirurgie Orthopedique Et Traumatologique, 2020, 106, 550.	0.0	0
33	Does Age Itself Have an Adverse Effect on Survivorship of Meniscal Allograft Transplantation? A Cartilage Status and Time From Previous Meniscectomy Matched Cohort Study. American Journal of Sports Medicine, 2020, 48, 1696-1701.	1.9	14
34	Short knee radiographs can be inadequate for estimating TKA alignment in knees with bowing. Knee Surgery and Related Research, 2020, 32, 9.	1.8	7
35	Progression of radiographic osteoarthritis after partial meniscectomy in degenerative medial meniscal posterior root tears was greater in varus- than in neutral-aligned knees: a minimum 5-year follow-up. Knee Surgery, Sports Traumatology, Arthroscopy, 2020, 28, 3443-3449.	2.3	11
36	Postoperative alignment but not femoral coronal bowing is a significant longevity factor after total knee arthroplasty. Orthopaedics and Traumatology: Surgery and Research, 2020, 106, 435-442.	0.9	6

#	ARTICLE	IF	CITATIONS
37	Influence of Varus Alignment on Survivorship After Lateral Meniscal Allograft Transplantation. American Journal of Sports Medicine, 2020, 48, 1374-1378.	1.9	10
38	L'alignement frontal après prothèse totale du genou a une influence significative sur la survie contrairement à l'incurvation frontale de la diaphyse fémorale. Revue De Chirurgie Orthopedique Et Traumatologique, 2020, 106, 216.	0.0	0
39	Une proportion importante d'arthrose latérale s'observe chez les patients coréens ayant un genou normo-axé ou en varus et avec des symptômes cliniques moins sévères. Revue De Chirurgie Orthopedique Et Traumatologique, 2020, 106, 246.	0.0	0
40	Partial Meniscectomy for Degenerative Medial Meniscal Root Tears Shows Favorable Outcomes in Well-Aligned, Nonarthritic Knees: Response. American Journal of Sports Medicine, 2019, 47, NP54-NP57.	1.9	1
41	Impact of preoperative varus deformity on postoperative mechanical alignment and long-term results of mechanical aligned total knee arthroplasty. Orthopaedics and Traumatology: Surgery and Research, 2019, 105, 1061-1066.	0.9	24
42	A Magnetic Resonance Imaging Analysis of Shrinkage of Transplanted Fresh-Frozen Lateral Meniscal Allografts During a Minimum Follow-up of 8 Years. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2019, 35, 2887-2895.	1.3	5
43	Morphologic MRI changes of the anterior cruciate ligament are associated with an increase in the medial tibial plateau bony slope after medial opening wedge high tibial osteotomy in a non-injured ACL population. Orthopaedics and Traumatology: Surgery and Research, 2019, 105, 1369-1375.	0.9	9
44	Tear gap and severity of osteoarthritis are associated with meniscal extrusion in degenerative medial meniscus posterior root tears. Orthopaedics and Traumatology: Surgery and Research, 2019, 105, 1395-1399.	0.9	22
45	Partial Meniscectomy for Degenerative Medial Meniscal Root Tears Shows Favorable Outcomes in Well-Aligned, Nonarthritic Knees. American Journal of Sports Medicine, 2019, 47, 606-611.	1.9	44
46	Hinge Fractures Are Underestimated on Plain Radiographs After Open Wedge Proximal Tibial Osteotomy: Evaluation by Computed Tomography. American Journal of Sports Medicine, 2019, 47, 1370-1375.	1.9	27
47	Discoid lateral meniscus: a simple horizontal tear was associated with less articular cartilage degeneration compared to other types of tear. Knee Surgery, Sports Traumatology, Arthroscopy, 2019, 27, 3390-3395.	2.3	10
48	A Novel Arthroscopic Classification of Degenerative Medial Meniscus Posterior Root Tears Based on the Tear Gap. Orthopaedic Journal of Sports Medicine, 2019, 7, 232596711982794.	0.8	17
49	Long-term Outcomes of Meniscal Allograft Transplantation With and Without Extrusion: Mean 12.3-Year Follow-up Study. American Journal of Sports Medicine, 2019, 47, 815-821.	1.9	54
50	Prediction of the Peripheral Rim Instability of the Discoid Lateral Meniscus in Children by Using Preoperative Clinicoradiological Factors. Journal of Pediatric Orthopaedics, 2019, 39, e761-e768.	0.6	14
51	Meniscal extrusion is positively correlated with the anatomical position changes of the meniscal anterior and posterior horns, following medial meniscal allograft transplantation. Knee Surgery, Sports Traumatology, Arthroscopy, 2019, 27, 2389-2399.	2.3	13
52	Distinct extra-articular invasion patterns of diffuse pigmented villonodular synovitis/tenosynovial giant cell tumor in the knee joints. Knee Surgery, Sports Traumatology, Arthroscopy, 2018, 26, 3508-3514.	2.3	16
53	Arthroscopic partial meniscectomy in young patients with symptomatic discoid lateral meniscus: an average 10-year follow-up study. Archives of Orthopaedic and Trauma Surgery, 2018, 138, 369-376.	1.3	35
54	Using a Tibial Short Extension Stem Reduces Tibial Component Loosening After Primary Total Knee Arthroplasty in Severely Varus Knees: Long-term Survival Analysis With Propensity Score Matching. Journal of Arthroplasty, 2018, 33, 2512-2517.	1.5	26

#	ARTICLE	IF	CITATIONS
55	Total Knee Arthroplasty With Patellar Retention: The Severity of Patellofemoral Osteoarthritis Did Not Affect the Clinical and Radiographic Outcomes. <i>Journal of Arthroplasty</i> , 2018, 33, 2136-2140.	1.5	13
56	Mobile-bearing unicompartmental knee arthroplasty in old-aged patients demonstrates superior short-term clinical outcomes to open-wedge high tibial osteotomy in middle-aged patients with advanced isolated medial osteoarthritis. <i>International Orthopaedics</i> , 2018, 42, 2357-2363.	0.9	21
57	Femoral Component Varus Malposition is Associated with Tibial Aseptic Loosening After TKA. <i>Clinical Orthopaedics and Related Research</i> , 2018, 476, 400-407.	0.7	68
58	Discoid lateral meniscus can be overlooked by magnetic resonance imaging in patients with meniscal tears. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 2317-2323.	2.3	19
59	No difference in graft healing or clinical outcome between trans-portal and outside-in techniques after anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 2338-2344.	2.3	19
60	Early and Delayed Meniscal Shrinkage After Fresh-Frozen Lateral Meniscal Allograft Transplantation: Magnetic Resonance Imaging Study With a Midterm Follow-up. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2018, 34, 3216-3223.	1.3	10
61	Nonanatomic Horn Position Increases Risk of Early Graft Failures After Lateral Meniscal Allograft Transplantation. <i>American Journal of Sports Medicine</i> , 2018, 46, 3407-3414.	1.9	15
62	Accuracy of the femoral tunnel position in robot-assisted anterior cruciate ligament reconstruction using a magnetic resonance imaging-based navigation system: A preliminary report. <i>International Journal of Medical Robotics and Computer Assisted Surgery</i> , 2018, 14, e1933.	1.2	5
63	Does the Preoperative Varus Deformity Influence the Survival of Postoperative Neutral-Aligned TKAs? An Analysis With a Minimum 5-Year Follow-Up. <i>Journal of Arthroplasty</i> , 2018, 33, 3181-3185.	1.5	9
64	Does discoid lateral meniscus have inborn peripheral rim instability? Comparison between intact discoid lateral meniscus and normal lateral meniscus. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2018, 138, 1725-1730.	1.3	17
65	Editorial Commentary: Meniscal Allograft Transplantation: Still Effective With Poor Cartilage, But Much Better With Good Cartilage—Better Done Earlier. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2018, 34, 1877-1878.	1.3	3
66	Comparison of tunnel variability between trans-portal and outside-in techniques in ACL reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 1227-1233.	2.3	14
67	Survivorship After Meniscal Allograft Transplantation According to Articular Cartilage Status. <i>American Journal of Sports Medicine</i> , 2017, 45, 1095-1101.	1.9	61
68	Meniscal Extrusion Does Not Progress During the Midterm Follow-up Period After Lateral Meniscal Transplantation. <i>American Journal of Sports Medicine</i> , 2017, 45, 900-908.	1.9	29
69	Meniscal allograft subluxations are not associated with preoperative native meniscal subluxations. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 200-206.	2.3	9
70	International Meniscus Reconstruction Experts Forum (IMREF) 2015 Consensus Statement on the Practice of Meniscal Allograft Transplantation. <i>American Journal of Sports Medicine</i> , 2017, 45, 1195-1205.	1.9	95
71	Long-term Survival Analysis of Meniscus Allograft Transplantation With Bone Fixation. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2017, 33, 387-393.	1.3	48
72	Proper Cartilage Status for Meniscal Allograft Transplantation Cannot Be Accurately Determined by Patient Symptoms. <i>American Journal of Sports Medicine</i> , 2016, 44, 646-651.	1.9	11

#	ARTICLE	IF	CITATIONS
73	Does Lateral Meniscal Allograft Transplantation Using the Keyhole Technique Restore the Anatomic Location of the Native Lateral Meniscus?. American Journal of Sports Medicine, 2016, 44, 1744-1752.	1.9	14
74	Revision Meniscal Allograft Transplantation in the Lateral Compartment. American Journal of Sports Medicine, 2016, 44, 2884-2891.	1.9	7
75	Magnetic Resonance Imaging Findings in Symptomatic Patients After Arthroscopic Partial Meniscectomy for Torn Discoid Lateral Meniscus. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2016, 32, 2366-2372.	1.3	19
76	Articular Cartilage Degenerates After Subtotal/Total Lateral Meniscectomy but Radiographic Arthrosis Progression Is Reduced After Meniscal Transplantation. American Journal of Sports Medicine, 2016, 44, 159-165.	1.9	48
77	Effect of Sagittal Allograft Position on Coronal Extrusion in Lateral Meniscus Allograft Transplantation. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2015, 31, 266-274.	1.3	22
78	An Osteophyte in the Tibial Plateau Is a Risk Factor for Allograft Extrusion After Meniscus Allograft Transplantation. American Journal of Sports Medicine, 2015, 43, 1215-1221.	1.9	36
79	Patient-Related Risk Factors for the Extrusion of Lateral Meniscal Allograft Transplants. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2015, 31, 699-706.	1.3	23
80	Comparison of Postoperative Magnetic Resonance Imaging and Second-Look Arthroscopy for Evaluating Meniscal Allograft Transplantation. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2015, 31, 859-866.	1.3	17
81	Does Medial Meniscal Allograft Transplantation With the Bone-Plug Technique Restore the Anatomic Location of the Native Medial Meniscus?. American Journal of Sports Medicine, 2015, 43, 3045-3054.	1.9	10
82	Femoral shaft bowing in the coronal plane has more significant effect on the coronal alignment of TKA than proximal or distal variations of femoral shape. Knee Surgery, Sports Traumatology, Arthroscopy, 2015, 23, 1936-1942.	2.3	47
83	Anatomical Popliteal Artery Entrapment Syndrome Caused by an Aberrant Plantaris Muscle. Vascular Specialist International, 2015, 31, 95-101.	0.2	8
84	Results of Gender-Specific Total Knee Arthroplasty: Comparative Study with Traditional Implant in Female Patients. Knee Surgery and Related Research, 2015, 27, 17-23.	1.8	15
85	Clinical Results of Contralateral Arthroscopic Meniscectomy Performed with Unilateral Total Knee Arthroplasty: Minimum 3-year Follow-up. Knee Surgery and Related Research, 2015, 27, 76-81.	1.8	2
86	High-flexion Prosthesis Improves Function of TKA in Asian Patients Without Decreasing Early Survivorship. Clinical Orthopaedics and Related Research, 2013, 471, 1504-1511.	0.7	29
87	Quantitative MRI of the ACL-Injured and Reconstructed Knee. Clinics in Sports Medicine, 2013, 32, 21-36.	0.9	1
88	Review of Meniscal Allograft Transplantation Focusing on Long-term Results and Evaluation Methods. Knee Surgery and Related Research, 2013, 25, 1-6.	1.8	70
89	Greater Axial Trough Obliquity Increases the Risk of Graft Extrusion in Lateral Meniscus Allograft Transplantation. American Journal of Sports Medicine, 2012, 40, 1597-1605.	1.9	59
90	Results of Meniscus Allograft Transplantation Using Bone Fixation. American Journal of Sports Medicine, 2012, 40, 1027-1034.	1.9	85

#	ARTICLE	IF	CITATIONS
91	Morphologic Changes in Fresh-Frozen Meniscus Allografts Over 1 Year. American Journal of Sports Medicine, 2012, 40, 1384-1391.	1.9	46
92	Clinical Results and Prognostic Factors of Arthroscopic Surgeries for Discoid Lateral Menisci Tear: Analysis of 179 Cases with Minimum 2 Years Follow-up. Knee Surgery and Related Research, 2012, 24, 108-112.	1.8	30
93	Width is a more important predictor in graft extrusion than length using plain radiographic sizing in lateral meniscal transplantation. Knee Surgery, Sports Traumatology, Arthroscopy, 2012, 20, 179-186.	2.3	37
94	The Correlation between Posterior Tibial Slope and Maximal Angle of Flexion after Total Knee Arthroplasty. Knee Surgery and Related Research, 2012, 24, 158-163.	1.8	31
95	Changes in Magnetic Resonance Imaging Signal Intensity of Transplanted Meniscus Allografts Are Not Associated With Clinical Outcomes. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2011, 27, 1211-1218.	1.3	22
96	High-flexion total knee arthroplasty improves flexion of stiff knees. Knee Surgery, Sports Traumatology, Arthroscopy, 2011, 19, 936-942.	2.3	28
97	Predictors of degenerative medial meniscus extrusion: radial component and knee osteoarthritis. Knee Surgery, Sports Traumatology, Arthroscopy, 2011, 19, 222-229.	2.3	139
98	No impact of severe varus deformity on clinical outcome after posterior stabilized total knee arthroplasty. Knee Surgery, Sports Traumatology, Arthroscopy, 2011, 19, 960-966.	2.3	26
99	Results of Isolated Lateral Meniscus Allograft Transplantation. American Journal of Sports Medicine, 2011, 39, 1960-1967.	1.9	29
100	Inframenisal Portal for Horizontal Tears of the Meniscus. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2009, 25, 269-273.	1.3	33
101	Results of Subtotal/Total or Partial Meniscectomy for Discoid Lateral Meniscus in Children. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2009, 25, 496-503.	1.3	79
102	Evaluation of Meniscus Allograft Transplantation With Serial Magnetic Resonance Imaging During the First Postoperative Year: Focus on Graft Extrusion. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2008, 24, 1115-1121.	1.3	101
103	Arthroscopic Treatment of Muroid Hypertrophy of the Anterior Cruciate Ligament. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2008, 24, 642-649.	1.3	52
104	Meniscal Allograft Transplantation After Total Meniscectomy of Torn Discoid Lateral Meniscus. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2006, 22, 1344-1350.e1.	1.3	54
105	Exchange coupling of Fe/NiO through nonmagnetic layer in NiO. , 2005, , .		0
106	Arthroscopic All-Inside Repair of Tears of the Anterior Horn of the Lateral Meniscus. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2005, 21, 1399.e1-1399.e4.	1.3	13
107	Radial tears of the posterior horn of the medial meniscus. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2004, 20, 373-378.	1.3	257
108	Correlation between type of discoid lateral menisci and tear pattern. Knee Surgery, Sports Traumatology, Arthroscopy, 2002, 10, 218-222.	2.3	80

#	ARTICLE	IF	CITATIONS
109	Arthroscopic partial meniscectomy for horizontal tear of discoid lateral meniscus. Knee Surgery, Sports Traumatology, Arthroscopy, 2002, 10, 20-24.	2.3	50