

Hsien-Yeang Seow

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/813943/publications.pdf>

Version: 2024-02-01

171
papers

3,621
citations

168829

31
h-index

198040

52
g-index

175
all docs

175
docs citations

175
times ranked

4072
citing authors

#	ARTICLE	IF	CITATIONS
1	The impact of routine Edmonton symptom assessment system use on receiving palliative care services: results of a population-based retrospective-matched cohort analysis. <i>BMJ Supportive and Palliative Care</i> , 2023, 13, e144-e149.	0.8	9
2	Effect of Early Palliative Care on End-of-Life Health Care Costs: A Population-Based, Propensity Score-Matched Cohort Study. <i>JCO Oncology Practice</i> , 2022, 18, e183-e192.	1.4	25
3	Patient-reported outcome measures are associated with health care utilization in patients with transplant ineligible multiple myeloma: a population-based study. <i>Blood Cancer Journal</i> , 2022, 12, 17.	2.8	5
4	Controversies About Advance Care Planning. <i>JAMA - Journal of the American Medical Association</i> , 2022, 327, 684.	3.8	12
5	Health care utilization and costs following Kawasaki disease. <i>Paediatrics and Child Health</i> , 2022, 27, 160-168.	0.3	3
6	The impact of preoperative imaging on wait times, surgical approach and overall survival in endometrioid endometrial cancers. <i>Gynecologic Oncology</i> , 2022, , .	0.6	1
7	A multi-stage process to develop quality indicators for community-based palliative care using interRAI data. <i>PLoS ONE</i> , 2022, 17, e0266569.	1.1	4
8	Palliative care physicians'™ motivations for models of practicing in the community: A qualitative descriptive study. <i>Palliative Medicine</i> , 2022, 36, 181-188.	1.3	2
9	Treatment Modality and Trends in Survival for Gallbladder Cancer: a Population-Based Study. <i>Journal of Gastrointestinal Cancer</i> , 2021, 52, 256-262.	0.6	5
10	Trajectory of psychosocial symptoms among home care patients with cancer at end-of-life. <i>Psycho-Oncology</i> , 2021, 30, 103-110.	1.0	14
11	Artificial neural networks for simultaneously predicting the risk of multiple co-occurring symptoms among patients with cancer. <i>Cancer Medicine</i> , 2021, 10, 989-998.	1.3	5
12	Disparities in treatment patterns and outcomes among younger and older adults with newly diagnosed multiple myeloma: A population-based study. <i>Journal of Geriatric Oncology</i> , 2021, 12, 508-514.	0.5	12
13	#Caremongering: A community-led social movement to address health and social needs during COVID-19. <i>PLoS ONE</i> , 2021, 16, e0245483.	1.1	8
14	Emergency Department Use at End of Life. , 2021, , 753-763.		0
15	Medication use and its impact on high-cost health care users among older adults: protocol for the population-based matched cohort HiCOSTT study. <i>CMAJ Open</i> , 2021, 9, E44-E52.	1.1	2
16	Extent of Surgical Resection in Inflammatory Bowel Disease Associated Colorectal Cancer: a Population-Based Study. <i>Journal of Gastrointestinal Surgery</i> , 2021, 25, 2610-2618.	0.9	15
17	End-of-life outcomes with or without early palliative care: a propensity score matched, population-based cancer cohort study. <i>BMJ Open</i> , 2021, 11, e041432.	0.8	15
18	Incidence and short-term outcomes of Kawasaki disease. <i>Pediatric Research</i> , 2021, 90, 670-677.	1.1	11

#	ARTICLE	IF	CITATIONS
19	Association between high cost user status and end-of-life care in hospitalized patients: A national cohort study of patients who die in hospital. <i>Palliative Medicine</i> , 2021, 35, 1671-1681.	1.3	5
20	Trajectory of End-of-Life Pain and Other Physical Symptoms among Cancer Patients Receiving Home Care. <i>Current Oncology</i> , 2021, 28, 1641-1651.	0.9	11
21	Activating Patients and Families to Improve Palliative Care: The Waiting Room Revolution. <i>Healthcare Quarterly (Toronto, Ont)</i> , 2021, 24, 6-9.	0.3	0
22	External validation of the FIRST trial's simplified frailty score in a population-based cohort. <i>Leukemia</i> , 2021, 35, 1823-1827.	3.3	9
23	The association between varying levels of palliative care involvement on costs during terminal hospitalizations in Canada from 2012 to 2015. <i>BMC Health Services Research</i> , 2021, 21, 331.	0.9	10
24	The impact of routine HIV drug resistance testing in Ontario: A controlled interrupted time series study. <i>PLoS ONE</i> , 2021, 16, e0246766.	1.1	0
25	Impact of physician-based palliative care delivery models on health care utilization outcomes: A population-based retrospective cohort study. <i>Palliative Medicine</i> , 2021, 35, 1170-1180.	1.3	6
26	Association between end-of-life cancer care and immigrant status: a retrospective cohort study in Ontario, Canada. <i>BMJ Open</i> , 2021, 11, e042978.	0.8	9
27	The use of imaging in endometrial cancer prior to potential surgery: Are guidelines being followed?. <i>Gynecologic Oncology</i> , 2021, 161, 361-366.	0.6	1
28	Symptom trajectories of non-cancer patients in the last six months of life: Identifying needs in a population-based home care cohort. <i>PLoS ONE</i> , 2021, 16, e0252814.	1.1	3
29	Response to "Adverse cardiac outcomes in patients with chronic myeloid leukaemia treated with tyrosine kinase inhibitors". <i>Heart</i> , 2021, 107, 1680.2-1681.	1.2	0
30	Development and validation of a prediction model of poor performance status and severe symptoms over time in cancer patients (PROVIEW+). <i>Palliative Medicine</i> , 2021, 35, 1713-1723.	1.3	7
31	Diagnostic Performance of Serial High-Sensitivity Cardiac Troponin Measurements in the Emergency Setting. <i>Journal of Cardiovascular Development and Disease</i> , 2021, 8, 97.	0.8	9
32	Prevalence and Risk Factors of Breathlessness Across Canada: A National Retrospective Cohort Study in Home Care and Nursing Home Populations. <i>Journal of Pain and Symptom Management</i> , 2021, 62, 346-354.e1.	0.6	5
33	Trajectory of Symptoms in Patients Undergoing Autologous Stem Cell Transplant for Multiple Myeloma: A Population-Based Cohort Study of Patient-Reported Outcomes. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2021, 21, e714-e721.	0.2	9
34	Tyrosine kinase inhibitors in chronic myeloid leukaemia and emergent cardiovascular disease. <i>Heart</i> , 2021, 107, 667-673.	1.2	13
35	Symptom burden in transplant-ineligible patients with newly diagnosed multiple myeloma: a population-based cohort study. <i>Haematologica</i> , 2021, 106, 1991-1994.	1.7	6
36	Quality of End-of-Life Cancer Care in Canada: A 12-Year Retrospective Analysis of Three Provinces' Administrative Health Care Data Evaluating Changes over Time. <i>Current Oncology</i> , 2021, 28, 4673-4685.	0.9	6

#	ARTICLE	IF	CITATIONS
37	Common care practices among effective community-based specialist palliative care teams: a qualitative study. <i>BMJ Supportive and Palliative Care</i> , 2020, 10, e3-e3.	0.8	20
38	Predictors of Minimally Invasive Surgery for Uterine and Cervix Cancer from 2000 to 2017 in Ontario, Canada. <i>Gynecologic Oncology</i> , 2020, 159, 273-274.	0.6	0
39	Social determinants of health in uterine cancer patients in Ontario: Association with disease presentation and outcomes. <i>Gynecologic Oncology</i> , 2020, 159, 66.	0.6	0
40	Effect of Access to After-Hours Primary Care on the Association Between Home Nursing Visits and Same-Day Emergency Department Use. <i>Annals of Family Medicine</i> , 2020, 18, 406-412.	0.9	5
41	Describing the characteristics and healthcare use of high-cost acute care users at the end of life: a pan-Canadian population-based study. <i>BMC Health Services Research</i> , 2020, 20, 997.	0.9	5
42	Change in treatment modality and trends in survival among stage I non-small cell lung cancer patients: a population-based study. <i>Journal of Thoracic Disease</i> , 2020, 12, 4670-4679.	0.6	3
43	Cost-effectiveness of Investment in End-of-Life Home Care to Enable Death in Community Settings. <i>Medical Care</i> , 2020, 58, 665-673.	1.1	10
44	Physician Home Visit Patterns and Hospital Use Among Older Adults with Functional Impairments. <i>Journal of the American Geriatrics Society</i> , 2020, 68, 2074-2081.	1.3	10
45	Impact of Standardized Edmonton Symptom Assessment System Use on Emergency Department Visits and Hospitalization: Results of a Population-Based Retrospective Matched Cohort Analysis. <i>JCO Oncology Practice</i> , 2020, 16, e958-e965.	1.4	40
46	The impact of routine Edmonton Symptom Assessment System (ESAS) use on overall survival in cancer patients: Results of a population-based retrospective matched cohort analysis. <i>Cancer Medicine</i> , 2020, 9, 7107-7115.	1.3	52
47	Risk Stratification for Patients with Chest Pain Discharged Home from the Emergency Department. <i>Journal of Clinical Medicine</i> , 2020, 9, 2948.	1.0	6
48	Cardiac Morbidity Following Radical Thoracic Chemoradiotherapy for Locally Advanced Lung Cancer: A Population-Based Cohort Study. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020, 108, e115-e116.	0.4	0
49	Disparities in surgical management of endometrial cancers in a public healthcare system: A question of equity. <i>Gynecologic Oncology</i> , 2020, 159, 387-393.	0.6	2
50	High-Sensitivity Cardiac Troponin T Testing and Cardiovascular Outcomes at 30 Days and 1 Year in Patients Discharged Home from the Emergency Department with Chest Pain. <i>Journal of Applied Laboratory Medicine</i> , 2020, 5, 821-824.	0.6	1
51	Associations between continuity of primary and specialty physician care and use of hospital-based care among community-dwelling older adults with complex care needs. <i>PLoS ONE</i> , 2020, 15, e0234205.	1.1	13
52	High-Sensitivity Cardiac Troponin I vs a Clinical Chemistry Score for Predicting All-Cause Mortality in an Emergency Department Population. <i>CJC Open</i> , 2020, 2, 296-302.	0.7	7
53	Access to Palliative Care during a Terminal Hospitalization. <i>Journal of Palliative Medicine</i> , 2020, 23, 1644-1648.	0.6	6
54	Operationalizing Outpatient Palliative Care Referral Criteria in Lung Cancer Patients: A Population-Based Cohort Study Using Health Administrative Data. <i>Journal of Palliative Medicine</i> , 2020, 23, 670-677.	0.6	5

#	ARTICLE	IF	CITATIONS
55	Endometrial cancer presentation is associated with social determinants of health in a public healthcare system: A population-based cohort study. <i>Gynecologic Oncology</i> , 2020, 158, 130-136.	0.6	11
56	Development and Validation of a Prognostic Survival Model With Patient-Reported Outcomes for Patients With Cancer. <i>JAMA Network Open</i> , 2020, 3, e201768.	2.8	16
57	Trends in Survival Based on Treatment Modality in Patients with Pancreatic Cancer: A Population-Based Study. <i>Current Oncology</i> , 2020, 27, 1-8.	0.9	5
58	Integration of patient-reported outcomes (PROs) for personalized symptom management in "real-world" oncology practices: a population-based cohort comparison study of impact on healthcare utilization. <i>Supportive Care in Cancer</i> , 2020, 28, 4933-4942.	1.0	28
59	Using the clinical chemistry score in the emergency department to detect adverse cardiac events: a diagnostic accuracy study. <i>CMAJ Open</i> , 2020, 8, E676-E684.	1.1	15
60	Symptom Burden in Transplant Ineligible Patients with Newly Diagnosed Multiple Myeloma: A Population-Based Study of Patient-Reported Outcomes. <i>Blood</i> , 2020, 136, 30-31.	0.6	0
61	Trajectory of Symptoms after Autologous Stem Cell Transplant Among Patients with Multiple Myeloma: A Population-Based Study. <i>Blood</i> , 2020, 136, 1-2.	0.6	0
62	Title is missing!. , 2020, 15, e0234205.		0
63	Title is missing!. , 2020, 15, e0234205.		0
64	Title is missing!. , 2020, 15, e0234205.		0
65	Title is missing!. , 2020, 15, e0234205.		0
66	Trends in Survival Based on Treatment Modality in Non-Small Cell Lung Cancer Patients: A Population-Based Study. <i>Cancer Investigation</i> , 2019, 37, 355-366.	0.6	3
67	Is Access to Care Associated With Stage at Presentation and Survival for Melanoma Patients?. <i>Journal of Cutaneous Medicine and Surgery</i> , 2019, 23, 586-594.	0.6	10
68	Changes in Soft-Tissue Sarcoma Treatment Patterns over Time: A Population-Based Study in a Country with Universal and Centralized Healthcare. <i>Sarcoma</i> , 2019, 2019, 1-7.	0.7	9
69	The primary care and other health system use of home care patients: a retrospective cohort analysis. <i>CMAJ Open</i> , 2019, 7, E360-E370.	1.1	10
70	Age-Related Survival Differences in Patients With Inflammatory Bowel Disease-Associated Colorectal Cancer: A Population-Based Cohort Study. <i>Inflammatory Bowel Diseases</i> , 2019, 25, 1957-1965.	0.9	21
71	Quality Indicator Rates for Seriously Ill Home Care Clients: Analysis of Resident Assessment Instrument for Home Care Data in Six Canadian Provinces. <i>Journal of Palliative Medicine</i> , 2019, 22, 1346-1356.	0.6	12
72	Factors Associated With Opioid Use in Long-term Cancer Survivors. <i>Journal of Pain and Symptom Management</i> , 2019, 58, 100-107.e2.	0.6	18

#	ARTICLE	IF	CITATIONS
73	Community-based specialist palliative care teams and health system costs at end of life: a retrospective matched cohort study. <i>CMAJ Open</i> , 2019, 7, E73-E80.	1.1	14
74	Trends in survival based on treatment modality for esophageal cancer: a population-based study. <i>European Journal of Gastroenterology and Hepatology</i> , 2019, 31, 1192-1199.	0.8	6
75	Potential quality indicators for seriously ill home care clients: a cross-sectional analysis using Resident Assessment Instrument for Home Care (RAI-HC) data for Ontario. <i>BMC Palliative Care</i> , 2019, 18, 3.	0.8	9
76	Early initiation of palliative care is associated with reduced late-life acute-hospital use: A population-based retrospective cohort study. <i>Palliative Medicine</i> , 2019, 33, 150-159.	1.3	63
77	Undertreatment of Older Patients with Newly-Diagnosed Multiple Myeloma: Real World Evidence from a Canadian Registry Cohort. <i>Blood</i> , 2019, 134, 268-268.	0.6	5
78	The impact of routine ESAS use on overall survival: Results of a population-based retrospective matched cohort analysis.. <i>Journal of Clinical Oncology</i> , 2019, 37, 6509-6509.	0.8	10
79	Cost disparities with age in the treatment of advanced non-small cell lung cancer (NSCLC) in Ontario, Canada.. <i>Journal of Clinical Oncology</i> , 2019, 37, 6629-6629.	0.8	0
80	EP618â€¦The use of preoperative imaging in endometrial cancer: are ontario physicians following GOC guidelines?. , 2019, , .		0
81	Access to palliative care by disease trajectory: a population-based cohort of Ontario decedents. <i>BMJ Open</i> , 2018, 8, e021147.	0.8	79
82	Palliative Care Experience in the Last 3 Months of Life: A Quantitative Comparison of Care Provided in Residential Hospices, Hospitals, and the Home From the Perspectives of Bereaved Caregivers. <i>American Journal of Hospice and Palliative Medicine</i> , 2018, 35, 456-463.	0.8	23
83	The care experiences of patients who die in residential hospice: A qualitative analysis of the last three months of life from the views of bereaved caregivers. <i>Palliative and Supportive Care</i> , 2018, 16, 421-431.	0.6	19
84	Does access to end-of-life homecare nursing differ by province and community size?: A population-based cohort study of cancer decedents across Canada. <i>Health Policy</i> , 2018, 122, 134-139.	1.4	3
85	A Review of the Essential Components of Quality Palliative Care in the Home. <i>Journal of Palliative Medicine</i> , 2018, 21, S-37-S-44.	0.6	53
86	Benchmarking time to initiation of end-of-life homecare nursing: a population-based cancer cohort study in regions across Canada. <i>BMC Palliative Care</i> , 2018, 17, 70.	0.8	2
87	The association between home care visits and same-day emergency department use: a caseâ€“crossover study. <i>Cmaj</i> , 2018, 190, E525-E531.	0.9	32
88	Comparison of Opioid Prescribing Among Cancer and Noncancer Patients Aged 18â€“64: Analysis Using Administrative Data. <i>Journal of Pain and Symptom Management</i> , 2018, 56, 72-79.	0.6	9
89	Benefits of Early Palliative Care in the Community: A Propensity Score Matched Cancer Cohort. <i>Journal of Pain and Symptom Management</i> , 2018, 56, e42.	0.6	0
90	P2.15-31 The Evolution of Costs in the Treatment of Advanced Non-Small Cell Lung Cancer (NSCLC) in Ontario, Canada Between 1999 to 2014. <i>Journal of Thoracic Oncology</i> , 2018, 13, S829-S830.	0.5	0

#	ARTICLE	IF	CITATIONS
91	Pan-Canadian Quality Indicators for Patients at End of Life Derived from interRAI Data. <i>Journal of Pain and Symptom Management</i> , 2018, 56, e59-e60.	0.6	1
92	The development of specialized palliative care in the community: A qualitative study of the evolution of 15 teams. <i>Palliative Medicine</i> , 2018, 32, 1255-1266.	1.3	4
93	Place of Care Trajectories in the Last Two Weeks of Life: A Population-Based Cohort Study of Ontario Decedents. <i>Journal of Palliative Medicine</i> , 2018, 21, 1588-1595.	0.6	25
94	How are physicians delivering palliative care? A population-based retrospective cohort study describing the mix of generalist and specialist palliative care models in the last year of life. <i>Palliative Medicine</i> , 2018, 32, 1334-1343.	1.3	61
95	The impact of routine ESAS use on receiving palliative care services: Results of a population-based retrospective matched cohort analysis.. <i>Journal of Clinical Oncology</i> , 2018, 36, 191-191.	0.8	3
96	Associations between physician home visits for the dying and place of death: A population-based retrospective cohort study. <i>PLoS ONE</i> , 2018, 13, e0191322.	1.1	53
97	Opioid use in long term cancer survivors.. <i>Journal of Clinical Oncology</i> , 2018, 36, 6520-6520.	0.8	0
98	Children's End-of-Life Health Care Use and Cost. <i>Pediatrics</i> , 2017, 139, .	1.0	19
99	Opioid Prescribing Among Cancer and Non-cancer Patients: Time Trend Analysis in the Elderly Using Administrative Data. <i>Journal of Pain and Symptom Management</i> , 2017, 54, 484-492.e1.	0.6	23
100	EP-1387: Time Trends In Opioid Use In Cancer Patients with Pain: Observations from Administrative Data. <i>Radiotherapy and Oncology</i> , 2017, 123, S742-S743.	0.3	0
101	Palliative homecare is associated with reduced high- and low-acuity emergency department visits at the end of life: A population-based cohort study of cancer decedents. <i>Palliative Medicine</i> , 2017, 31, 448-455.	1.3	31
102	Capturing the Palliative Home Care Experience From Bereaved Caregivers Through Qualitative Survey Data: Toward Informing Quality Improvement. <i>Journal of Pain and Symptom Management</i> , 2017, 53, 188-197.	0.6	17
103	Validation of a modified VOICES survey to measure end-of-life care quality: the CaregiverVoice survey. <i>BMC Palliative Care</i> , 2017, 16, 44.	0.8	9
104	Has Province-Wide Symptom Screening Changed Opioid Prescribing Rates in Older Patients With Cancer?. <i>Journal of Oncology Practice</i> , 2017, 13, e927-e934.	2.5	3
105	Temporal Association between Home Nursing and Hospital Costs at End of Life in Three Provinces. <i>Current Oncology</i> , 2016, 23, 42-51.	0.9	11
106	Isolation of a potential anticancer agent with protein phosphatase inhibitory activity from soil-derived <i>Penicillium</i> sp strain H9318. <i>Tropical Journal of Pharmaceutical Research</i> , 2016, 15, 1423.	0.2	3
107	Predictors of caregiver burden across the home-based palliative care trajectory in Ontario, Canada. <i>Health and Social Care in the Community</i> , 2016, 24, 428-438.	0.7	62
108	Common Components of Efficacious In-Home End-of-Life Care Programs: A Review of Systematic Reviews. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 632-639.	1.3	40

#	ARTICLE	IF	CITATIONS
109	The CaregiverVoice Survey: A Pilot Study Surveying Bereaved Caregivers To Measure the Caregiver and Patient Experience at End of Life. <i>Journal of Palliative Medicine</i> , 2016, 19, 712-719.	0.6	14
110	End-of-Life Cancer Care: Temporal Association between Homecare Nursing and Hospitalizations. <i>Journal of Palliative Medicine</i> , 2016, 19, 263-270.	0.6	25
111	Does Increasing Home Care Nursing Reduce Emergency Department Visits at the End of Life? A Population-Based Cohort Study of Cancer Decedents. <i>Journal of Pain and Symptom Management</i> , 2016, 51, 204-212.	0.6	48
112	The Effect of Community-Based Specialist Palliative Care Teams on Place of Care. <i>Journal of Palliative Medicine</i> , 2016, 19, 16-21.	0.6	26
113	Emergency Department Use at End of Life Among Cancer Patients. , 2016, , 501-511.		0
114	Time trends in opioid use in cancer and noncancer patients: Observations from administrative data.. <i>Journal of Clinical Oncology</i> , 2016, 34, 298-298.	0.8	0
115	Time Interval Between Endometrial Biopsy and Surgical Staging for Type I Endometrial Cancer. <i>Obstetrics and Gynecology</i> , 2015, 125, 1497-1498.	1.2	3
116	Identification of the physician workforce providing palliative care in Ontario using administrative claims data. <i>CMAJ Open</i> , 2015, 3, E292-E298.	1.1	36
117	Measuring Interprofessional Collaboration Between 2 Palliative Care Teams. <i>Journal of Hospice and Palliative Nursing</i> , 2015, 17, 229-234.	0.5	3
118	Quality of End-of-Life Cancer Care in Canada: A Retrospective Four-Province Study Using Administrative Health Care Data. <i>Current Oncology</i> , 2015, 22, 341-355.	0.9	41
119	Predictors of Place of Death for those in Receipt of Home-Based Palliative Care Services in Ontario, Canada. <i>Journal of Palliative Care</i> , 2015, 31, 76-88.	0.4	26
120	What matters most for end-of-life care? Perspectives from community-based palliative care providers and administrators. <i>BMJ Open</i> , 2015, 5, e007492.	0.8	47
121	Dimensionality, Reliability and Validity of the InterRAI Depression Rating Scale in a Canadian Palliative Care Population. <i>Social Indicators Research</i> , 2015, 122, 297-314.	1.4	7
122	Quality Indicators of End-of-Life Care in Patients With Cancer: What Rate Is Right?. <i>Journal of Oncology Practice</i> , 2015, 11, e279-e287.	2.5	53
123	Patient Characteristics Associated With Prognostic Awareness: A Study of a Canadian Palliative Care Population Using the InterRAI Palliative Care Instrument. <i>Journal of Pain and Symptom Management</i> , 2015, 49, 716-725.	0.6	24
124	Does routine symptom screening with ESAS decrease ED visits in breast cancer patients undergoing adjuvant chemotherapy?. <i>Supportive Care in Cancer</i> , 2015, 23, 3025-3032.	1.0	75
125	Identifying changes in scores on the EORTC-QLQ-C30 representing a change in patients's™ supportive care needs. <i>Quality of Life Research</i> , 2015, 24, 1207-1216.	1.5	65
126	Factors associated with not receiving homecare, end-of-life homecare, or early homecare referral among cancer decedents: A population-based cohort study. <i>Health Policy</i> , 2015, 119, 831-839.	1.4	16

#	ARTICLE	IF	CITATIONS
127	Factors associated with acute care use among nursing home residents dying of cancer: a population-based study. <i>International Journal of Palliative Nursing</i> , 2015, 21, 349-356.	0.2	6
128	Is Performance Status Associated with Symptom Scores?. <i>Journal of Palliative Care</i> , 2014, 30, 99-107.	0.4	10
129	Initiation of Chemotherapy in Cancer Patients with Poor Performance Status: A Population-Based Analysis. <i>Journal of Palliative Care</i> , 2014, 30, 166-172.	0.4	3
130	Impact of community based, specialist palliative care teams on hospitalisations and emergency department visits late in life and hospital deaths: a pooled analysis. <i>BMJ, The</i> , 2014, 348, g3496-g3496.	3.0	169
131	Are family physician visits and continuity of care associated with acute care use at end-of-life? A population-based cohort study of homecare cancer patients. <i>Palliative Medicine</i> , 2014, 28, 176-183.	1.3	54
132	Prevalence and risk factors of depressive symptoms in a Canadian palliative home care population: a cross-sectional study. <i>BMC Palliative Care</i> , 2014, 13, 10.	0.8	21
133	Developing a dashboard to help measure and achieve the triple aim: a population-based cohort study. <i>BMC Health Services Research</i> , 2014, 14, 363.	0.9	10
134	Reply to J. Menczer. <i>Journal of Clinical Oncology</i> , 2014, 32, 2114-2114.	0.8	13
135	Impact of Wait Times on Survival for Women With Uterine Cancer. <i>Obstetrical and Gynecological Survey</i> , 2014, 69, 143-144.	0.2	2
136	Impact of Wait Times on Survival for Women With Uterine Cancer. <i>Journal of Clinical Oncology</i> , 2014, 32, 27-33.	0.8	95
137	Repeated Assessments of Symptom Severity Improve Predictions for Risk of Death Among Patients With Cancer. <i>Journal of Pain and Symptom Management</i> , 2014, 48, 1041-1049.	0.6	16
138	Does routine symptom screening with the Edmonton Symptom Assessment System (ESAS) decrease emergency department visits in breast cancer patients undergoing adjuvant chemotherapy?. <i>Journal of Clinical Oncology</i> , 2014, 32, 6514-6514.	0.8	0
139	Data collection in cancer clinical trials: Too much of a good thing?. <i>Clinical Trials</i> , 2013, 10, 624-632.	0.7	23
140	Do Patient-Reported Symptoms Predict Emergency Department Visits in Cancer Patients? A Population-Based Analysis. <i>Annals of Emergency Medicine</i> , 2013, 61, 427-437.e5.	0.3	102
141	The wait time creep: Changes in the surgical wait time for women with uterine cancer in Ontario, Canada, during 2000-2009. <i>Gynecologic Oncology</i> , 2013, 131, 151-157.	0.6	10
142	The Association of the Palliative Performance Scale and Hazard of Death in an Ambulatory Cancer Population. <i>Journal of Palliative Medicine</i> , 2013, 16, 156-162.	0.6	26
143	Modeling the Longitudinal Transitions of Performance Status in Cancer Outpatients: Time to Discuss Palliative Care. <i>Journal of Pain and Symptom Management</i> , 2013, 45, 726-734.	0.6	25
144	Performance Status and Symptom Scores of Women With Gynecologic Cancer at the End of Life. <i>International Journal of Gynecological Cancer</i> , 2013, 23, 971-978.	1.2	21

#	ARTICLE	IF	CITATIONS
145	Palliative care programs for patients with breast cancer: the benefits of home-based care. <i>Breast Cancer Management</i> , 2013, 2, 407-416.	0.2	3
146	Quality Indicators for Pain in Palliative Care. , 2013, , 95-107.		1
147	Funding Oncology Clinical Trials: Are Cooperative Group Trials Sustainable?. <i>Journal of Clinical Oncology</i> , 2012, 30, 1456-1461.	0.8	18
148	Do High Symptom Scores Trigger Clinical Actions? An Audit After Implementing Electronic Symptom Screening. <i>Journal of Oncology Practice</i> , 2012, 8, e142-e148.	2.5	90
149	Progress towards systems of quality measurement that capture the essence of good palliative care. <i>Palliative Medicine</i> , 2012, 26, 291-293.	1.3	6
150	Opioid Prescription After Pain Assessment: A Population-Based Cohort of Elderly Patients With Cancer. <i>Journal of Clinical Oncology</i> , 2012, 30, 1095-1099.	0.8	56
151	Symptom clusters in a population-based ambulatory cancer cohort validated using bootstrap methods. <i>European Journal of Cancer</i> , 2012, 48, 3073-3081.	1.3	19
152	Trajectory of Performance Status and Symptom Scores for Patients With Cancer During the Last Six Months of Life. <i>Journal of Clinical Oncology</i> , 2011, 29, 1151-1158.	0.8	352
153	Multistate Analysis of Interval-Censored Longitudinal Data: Application to a Cohort Study on Performance Status Among Patients Diagnosed With Cancer. <i>American Journal of Epidemiology</i> , 2011, 173, 468-475.	1.6	32
154	Perspectives of Patients on the Utility of Electronic Patient-Reported Outcomes on Cancer Care. <i>Journal of Clinical Oncology</i> , 2011, 29, 4213-4214.	0.8	7
155	Reply to J.-J. de Arriba, et al. <i>Journal of Clinical Oncology</i> , 2011, 29, 2833-2834.	0.8	0
156	Multidisciplinary Health Care Professionals' Perceptions of the Use and Utility of a Symptom Assessment System for Oncology Patients. <i>Journal of Oncology Practice</i> , 2011, 7, 19-23.	2.5	44
157	How often are opioids prescribed for cancer patients reporting pain? Results of a population-based analysis.. <i>Journal of Clinical Oncology</i> , 2011, 29, 6084-6084.	0.8	2
158	Funding academic oncology clinical trials.. <i>Journal of Clinical Oncology</i> , 2011, 29, e16507-e16507.	0.8	0
159	Do high symptom scores trigger clinical actions by providers? Assessing the effect of standardized symptom screening.. <i>Journal of Clinical Oncology</i> , 2011, 29, 9127-9127.	0.8	0
160	Using More End-of-Life Homecare Services is Associated With Using Fewer Acute Care Services. <i>Medical Care</i> , 2010, 48, 118-124.	1.1	74
161	Symptom burden and performance status in a population-based cohort of ambulatory cancer patients. <i>Cancer</i> , 2010, 116, 5767-5776.	2.0	181
162	How End-Of-Life Home Care Services Are Used from Admission to Death: A Population-Based Cohort Study. <i>Journal of Palliative Care</i> , 2010, 26, 270-278.	0.4	8

#	ARTICLE	IF	CITATIONS
163	A Review of Quality of Care Evaluation for the Palliation of Dyspnea. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2010, 181, 534-538.	2.5	68
164	Did Ontario's End-of-Life Care Strategy Reduce Acute Care Service Use?: The need to use quality indicators for improvement. <i>Healthcare Quarterly</i> , 2010, 13, 93-100.	0.7	15
165	How end-of-life home care services are used from admission to death: a population-based cohort study. <i>Journal of Palliative Care</i> , 2010, 26, 270-8.	0.4	3
166	A Framework for Assessing Quality Indicators for Cancer Care at the End of Life. <i>Journal of Pain and Symptom Management</i> , 2009, 38, 903-912.	0.6	51
167	Evaluating a Palliative Care Case Management Program for Cancer Patients: The Omega Life Program. <i>Journal of Palliative Medicine</i> , 2008, 11, 1314-1318.	0.6	19
168	Increasing Influenza Immunization for Long-Term Care Facility Staff Using Quality Improvement. <i>Journal of the American Geriatrics Society</i> , 2007, 55, 1741-1747.	1.3	21
169	Ontario, Canada: Using Networks to Integrate Palliative Care Province-Wide. <i>Journal of Pain and Symptom Management</i> , 2007, 33, 640-644.	0.6	35
170	Isolation of Health Services Research from Practice and Policy: The Example of Chronic Heart Failure Management. <i>Journal of the American Geriatrics Society</i> , 2006, 54, 535-540.	1.3	39
171	The Impact of Ontario's End-of-Life Care Strategy on End-of-Life Care in the Community. <i>Healthcare Quarterly</i> , 0, 11, 56-62.	0.7	14