

Aldo Quattrone

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8139498/aldo-quattrone-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

535
papers

18,416
citations

61
h-index

115
g-index

544
ext. papers

21,027
ext. citations

5.2
avg, IF

6.05
L-index

#	Paper	IF	Citations
535	Evaluation of rest tremor in different positions in Parkinson's disease and essential tremor plus.. <i>Neurological Sciences</i> , 2022 , 1	3.5	0
534	Whole-genome analysis of SARS-CoV-2 in a 2020 infection cluster in a nursing home of Southern Italy.. <i>Infection, Genetics and Evolution</i> , 2022 , 105253	4.5	2
533	Development and Validation of Automated Magnetic Resonance Parkinsonism Index 2.0 to Distinguish Progressive Supranuclear Palsy-Parkinsonism From Parkinson's Disease.. <i>Movement Disorders</i> , 2022 ,	7	2
532	Diagnostic Accuracy of Magnetic Resonance Imaging Measures of Brain Atrophy Across the Spectrum of Progressive Supranuclear Palsy and Corticobasal Degeneration.. <i>JAMA Network Open</i> , 2022 , 5, e229588	10.4	1
531	Cognitive functioning in essential tremor without dementia: a clinical and imaging study.. <i>Neurological Sciences</i> , 2022 , 1	3.5	0
530	Video-oculographic biomarkers for evaluating vertical ocular dysfunction in progressive supranuclear palsy. <i>Parkinsonism and Related Disorders</i> , 2022 , 99, 84-90	3.6	
529	Exosomal miRNA as peripheral biomarkers in Parkinson's disease and progressive supranuclear palsy: A pilot study. <i>Parkinsonism and Related Disorders</i> , 2021 , 93, 77-84	3.6	6
528	Multiple system atrophy and C9orf72 hexanucleotide repeat expansions in a cohort of Italian patients.. <i>Neurobiology of Aging</i> , 2021 , 112, 12-15	5.6	2
527	Corticospinal tract abnormalities and ventricular dilatation: A transdiagnostic comparative tractography study. <i>NeuroImage: Clinical</i> , 2021 , 32, 102862	5.3	2
526	Neuropsychological assessment could distinguish among different clinical phenotypes of progressive supranuclear palsy: A Machine Learning approach. <i>Journal of Neuropsychology</i> , 2021 , 15, 301-318	2.6	5
525	Diagnostic Utility of Measuring Cerebral Atrophy in the Behavioral Variant of Frontotemporal Dementia and Association With Clinical Deterioration. <i>JAMA Network Open</i> , 2021 , 4, e211290	10.4	3
524	Aging effect on head motion: A Machine Learning study on resting state fMRI data. <i>Journal of Neuroscience Methods</i> , 2021 , 352, 109084	3	1
523	Incidental evidence of hypointensity in brain grey nuclei on routine MR imaging: when to suspect a neurodegenerative disorder?. <i>Neurological Sciences</i> , 2021 , 1	3.5	0
522	Defining Populations for Neuroprotective Interventions: The Prodromal Stage of Synucleinopathies. <i>Movement Disorders</i> , 2021 , 36, 1553	7	
521	Wearable Devices for Assessment of Tremor. <i>Frontiers in Neurology</i> , 2021 , 12, 680011	4.1	5
520	Roles of Non-Coding RNAs as Novel Diagnostic Biomarkers in Parkinson's Disease. <i>Journal of Parkinsons Disease</i> , 2021 , 11, 1475-1489	5.3	1
519	Blink reflex recovery cycle distinguishes patients with idiopathic normal pressure hydrocephalus from elderly subjects. <i>Journal of Neurology</i> , 2021 , 1	5.5	0

518	Microstructural changes in normal-appearing white matter in male sleep apnea patients are reversible after treatment: A pilot study. <i>Journal of Neuroscience Research</i> , 2021 , 99, 2646-2656	4.4	1
517	A New MRI Measure to Early Differentiate Progressive Supranuclear Palsy From De Novo Parkinson's Disease in Clinical Practice: An International Study. <i>Movement Disorders</i> , 2021 , 36, 681-689	7	11
516	Reduced Striatal DAT Uptake Normalizes After Shunt in Normal-Pressure Hydrocephalus. <i>Movement Disorders</i> , 2021 , 36, 261-262	7	6
515	Opicapone-induced reversible myopathy in a patient with advanced Parkinson's disease and familial hyperCKemia. <i>Neurological Sciences</i> , 2021 , 42, 2583-2585	3.5	1
514	Explainable Boosting Machine for Predicting Alzheimer's Disease from MRI Hippocampal Subfields. <i>Lecture Notes in Computer Science</i> , 2021 , 341-350	0.9	2
513	A Novel Approach for Cognitive Clustering of Parkinsonisms through Affinity Propagation. <i>Algorithms</i> , 2021 , 14, 49	1.8	1
512	Semi-automated assessment of the principal diffusion direction in the corpus callosum: differentiation of idiopathic normal pressure hydrocephalus from neurodegenerative diseases. <i>Journal of Neurology</i> , 2021 , 1	5.5	1
511	Hyper-religiosity and visual hallucinations in a patient with frontotemporal dementia carrying a double variant in GRN gene. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2021 , 1-4	3.6	
510	Aceruloplasminemia: a multimodal imaging study in an Italian family with a novel mutation. <i>Neurological Sciences</i> , 2021 , 1	3.5	2
509	Rest Tremor Pattern Predicts DaTscan (I-Ioflupane) Result in Tremulous Disorders. <i>Movement Disorders</i> , 2021 ,	7	1
508	Progressive supranuclear palsy with marked ventricular dilatation mimicking normal pressure hydrocephalus. <i>Neurological Sciences</i> , 2021 , 1	3.5	1
507	Reply to: "Experience with a New Index to Differentiate Parkinson's Disease and Progressive Supranuclear Palsy". <i>Movement Disorders</i> , 2021 , 36, 2208-2209	7	
506	Development and Validation of a New Wearable Mobile Device for the Automated Detection of Resting Tremor in Parkinson's Disease and Essential Tremor. <i>Diagnostics</i> , 2021 , 11,	3.8	7
505	Impact of cortical and subcortical atrophy in the diagnosis and prognosis of bvFTD: A multicenter longitudinal study. <i>Alzheimer's and Dementia</i> , 2020 , 16, e044984	1.2	
504	Magnetic Resonance Imaging Biomarkers Distinguish Normal Pressure Hydrocephalus From Progressive Supranuclear Palsy. <i>Movement Disorders</i> , 2020 , 35, 1406-1415	7	22
503	Magnetic Resonance Parkinsonism Index for evaluating disease progression rate in progressive supranuclear palsy: A longitudinal 2-year study. <i>Parkinsonism and Related Disorders</i> , 2020 , 72, 1-6	3.6	11
502	Hippocampal impairment in patients with Essential Tremor. <i>Parkinsonism and Related Disorders</i> , 2020 , 72, 56-61	3.6	7
501	Automated MRI Classification in Progressive Supranuclear Palsy: A Large International Cohort Study. <i>Movement Disorders</i> , 2020 , 35, 976-983	7	20

500	Magnetic Resonance Imaging and Neurofilament Light in the Differentiation of Parkinsonism. <i>Movement Disorders</i> , 2020 , 35, 1388-1395	7	8
499	Neuroimaging of Essential Tremor: What is the Evidence for Cerebellar Involvement?. <i>Tremor and Other Hyperkinetic Movements</i> , 2020 , 2, 02	2	12
498	Dropped head syndrome in a patient with FTD-ALS caused by abnormal expansion of C9orf72 gene. <i>Neurological Sciences</i> , 2020 , 41, 951-952	3.5	2
497	Exosomal miRNAs as Potential Diagnostic Biomarkers in Alzheimer's Disease. <i>Pharmaceuticals</i> , 2020 , 13,	5.2	17
496	Reply to: "MRI Linear Measurements in Normal Pressure Hydrocephalus Versus Progressive Supranuclear Palsy". <i>Movement Disorders</i> , 2020 , 35, 2122	7	
495	Usefulness of cardiac parasympathetic index in CPAP-treated patients with obstructive sleep apnea: A preliminary study. <i>Journal of Sleep Research</i> , 2020 , 29, e12893	5.8	1
494	DCTN1 mutation analysis in Italian patients with PSP, MSA, and DLB. <i>Neurobiology of Aging</i> , 2020 , 93, 143.e5-143.e7	5.6	1
493	Value of Multimodal Imaging Approach to Diagnosis of Neurosarcoidosis. <i>Brain Sciences</i> , 2019 , 9,	3.4	9
492	Apomorphine-induced reorganization of striato-frontal connectivity in patients with tremor-dominant Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2019 , 67, 14-20	3.6	4
491	Functional activity changes in memory and emotional systems of healthy subjects with djvu. <i>Epilepsy and Behavior</i> , 2019 , 97, 8-14	3.2	1
490	A multicenter retrospective study of charcot-marie-tooth disease type 4B (CMT4B) associated with mutations in myotubularin-related proteins (MTMRs). <i>Annals of Neurology</i> , 2019 , 86, 55-67	9.4	13
489	Color vision study to assess the impaired retina-brain cortex pathway in type 2 diabetes: a pilot study in Calabria (Southern Italy). <i>Neurological Sciences</i> , 2019 , 40, 1939-1942	3.5	2
488	REM-Sleep Behavior Disorder in Patients With Essential Tremor: What Is Its Clinical Significance?. <i>Frontiers in Neurology</i> , 2019 , 10, 315	4.1	7
487	Periventricular white matter changes in idiopathic intracranial hypertension. <i>Annals of Clinical and Translational Neurology</i> , 2019 , 6, 233-242	5.3	6
486	Microstructural changes of normal-appearing white matter in Vascular Parkinsonism. <i>Parkinsonism and Related Disorders</i> , 2019 , 63, 60-65	3.6	8
485	Does levodopa have a disease-modifying effect in Parkinson's disease? Evidence from a delayed-start trial. <i>Movement Disorders</i> , 2019 , 34, 820	7	1
484	Imaging counterpart of postural instability and vertical ocular dysfunction in patients with PSP: A multimodal MRI study. <i>Parkinsonism and Related Disorders</i> , 2019 , 63, 124-130	3.6	16
483	Evaluation of machine learning algorithms performance for the prediction of early multiple sclerosis from resting-state fMRI connectivity data. <i>Brain Imaging and Behavior</i> , 2019 , 13, 1103-1114	4.1	29

482	Characterization of the Effects of a Six-Month Dancing as Approach for Successful Aging. <i>International Journal of Endocrinology</i> , 2019 , 2019, 2048391	2.7	8
481	Intracellular FMRpolyG-Hsp70 complex in fibroblast cells from a patient affected by fragile X tremor ataxia syndrome. <i>Heliyon</i> , 2019 , 5, e01954	3.6	6
480	Track density imaging: A reliable method to assess white matter changes in Progressive Supranuclear Palsy with predominant parkinsonism. <i>Parkinsonism and Related Disorders</i> , 2019 , 69, 23-29	3.6	4
479	Refining initial diagnosis of Parkinson's disease after follow-up: A 4-year prospective clinical and magnetic resonance imaging study. <i>Movement Disorders</i> , 2019 , 34, 487-495	7	16
478	Are novel outcome measures for Charcot-Marie-Tooth disease sensitive to change? The 6-minute walk test and StepWatch Activity Monitor in a 12-month longitudinal study. <i>Neuromuscular Disorders</i> , 2019 , 29, 310-316	2.9	2
477	Assessment of the Corticospinal Tract Profile in Pure Lower Motor Neuron Disease: A Diffusion Tensor Imaging Study. <i>Neurodegenerative Diseases</i> , 2019 , 19, 128-138	2.3	3
476	In vivo evidence for decreased scyllo-inositol levels in the supplementary motor area of patients with Progressive Supranuclear Palsy: A proton MR spectroscopy study. <i>Parkinsonism and Related Disorders</i> , 2019 , 62, 185-191	3.6	13
475	Was the subject portrayed in "A Man" by Cornelis Anthonisz around 1530 really affected by progressive supranuclear palsy?. <i>Neurological Sciences</i> , 2019 , 40, 427-428	3.5	
474	Methodologies of speech analysis for neurodegenerative diseases evaluation. <i>International Journal of Medical Informatics</i> , 2019 , 122, 45-54	5.3	9
473	Track density imaging in progressive supranuclear palsy: A pilot study. <i>Human Brain Mapping</i> , 2019 , 40, 1729-1737	5.9	7
472	Impairment of acquired color vision in multiple sclerosis: an early diagnostic sign linked to the greatness of disease. <i>International Ophthalmology</i> , 2019 , 39, 671-676	2.2	2
471	Hepatic microabscesses during CMV reactivation in a multiple sclerosis patient after alemtuzumab treatment. <i>Multiple Sclerosis and Related Disorders</i> , 2018 , 20, 6-8	4	11
470	Relationship between Hippocampal Subfields and Category Cued Recall in AD and PDD: A Multimodal MRI Study. <i>Neuroscience</i> , 2018 , 371, 506-517	3.9	16
469	Color vision as a biological marker able to differentiate two phenotypically similar neurological diseases. <i>Neurological Sciences</i> , 2018 , 39, 951-952	3.5	1
468	A new CHCHD2 mutation identified in a southern italy patient with multiple system atrophy. <i>Parkinsonism and Related Disorders</i> , 2018 , 47, 91-93	3.6	8
467	The placebo effect on resting tremor in Parkinson's disease: an electrophysiological study. <i>Parkinsonism and Related Disorders</i> , 2018 , 52, 17-23	3.6	9
466	Processing graspable object images and their nouns is impaired in Parkinson's disease patients. <i>Cortex</i> , 2018 , 100, 32-39	3.8	25
465	Personality biomarkers of pathological gambling: A machine learning study. <i>Journal of Neuroscience Methods</i> , 2018 , 294, 7-14	3	11

464	Neuropsychological heterogeneity in patients with primary familial brain calcification due to a novel mutation in SLC20A2. <i>Neurological Sciences</i> , 2018 , 39, 379-380	3.5	3
463	Analysis of the TMEM230 gene in patients with multiple system atrophy. <i>Journal of the Neurological Sciences</i> , 2018 , 392, 128-129	3.2	1
462	Multimodal assessment of normal-appearing corpus callosum is a useful marker of disability in relapsing-remitting multiple sclerosis: an MRI cluster analysis study. <i>Journal of Neurology</i> , 2018 , 265, 2243-2250	5.5	8
461	A new MR imaging index for differentiation of progressive supranuclear palsy-parkinsonism from Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2018 , 54, 3-8	3.6	49
460	Comparison between Electrocardiographic and Earlobe Pulse Photoplethysmographic Detection for Evaluating Heart Rate Variability in Healthy Subjects in Short- and Long-Term Recordings. <i>Sensors</i> , 2018 , 18,	3.8	30
459	MRI Asymmetry Index of Hippocampal Subfields Increases Through the Continuum From the Mild Cognitive Impairment to the Alzheimer's Disease. <i>Frontiers in Neuroscience</i> , 2018 , 12, 576	5.1	37
458	LRP10 genetic variants in familial Parkinson's disease and dementia with Lewy bodies: a genome-wide linkage and sequencing study. <i>Lancet Neurology</i> , 2018 , 17, 597-608	24.1	68
457	Clinical, electrophysiological, and imaging study in essential tremor-Parkinson's disease syndrome. <i>Parkinsonism and Related Disorders</i> , 2018 , 56, 20-26	3.6	12
456	Cardiac parasympathetic index identifies subjects with adult obstructive sleep apnea: A simultaneous polysomnographic-heart rate variability study. <i>PLoS ONE</i> , 2018 , 13, e0193879	3.7	6
455	Increased glutamate + glutamine levels in the thalamus of patients with essential tremor: A preliminary proton MR spectroscopic study. <i>Parkinsonism and Related Disorders</i> , 2018 , 47, 57-63	3.6	12
454	Cerebrospinal Fluid Pressure-Related Features in Chronic Headache: A Prospective Study and Potential Diagnostic Implications. <i>Frontiers in Neurology</i> , 2018 , 9, 1090	4.1	8
453	The application of artificial intelligence to understand the pathophysiological basis of psychogenic nonepileptic seizures. <i>Epilepsy and Behavior</i> , 2018 , 87, 167-172	3.2	20
452	Neurobiology of placebo effect in Parkinson's disease: What we have learned and where we are going. <i>Movement Disorders</i> , 2018 , 33, 1213-1227	7	20
451	DNAJC13 mutation screening in patients with Parkinson's disease from South Italy. <i>Parkinsonism and Related Disorders</i> , 2018 , 55, 134-137	3.6	4
450	The movement time analyser task investigated with functional near infrared spectroscopy: an ecologic approach for measuring hemodynamic response in the motor system. <i>Aging Clinical and Experimental Research</i> , 2017 , 29, 311-318	4.8	3
449	Transcranial Non-Invasive Brain Stimulation in Parkinson's Disease Patients with Dyskinesias. Where is the Optimal Target?. <i>Cerebellum</i> , 2017 , 16, 276-278	4.3	3
448	Near-Infrared Spectroscopy in Gait Disorders: Is It Time to Begin?. <i>Neurorehabilitation and Neural Repair</i> , 2017 , 31, 402-412	4.7	42
447	Magnetic Resonance Parkinsonism Index and midbrain to pons ratio: Which index better distinguishes Progressive Supranuclear Palsy patients with a low degree of diagnostic certainty from patients with Parkinson Disease?. <i>Parkinsonism and Related Disorders</i> , 2017 , 41, 31-36	3.6	18

446	Structural connectivity differences in motor network between tremor-dominant and nontremor Parkinson's disease. <i>Human Brain Mapping</i> , 2017 , 38, 4716-4729	5.9	39
445	MRI measures of brainstem in Parkinsonian syndromes: Where we stand and where we need to go. <i>Movement Disorders</i> , 2017 , 32, 1261	7	2
444	Camptocormia as presenting in lower motor neuron disease with TARDBP mutation: case report. <i>Neurological Sciences</i> , 2017 , 38, 1885-1887	3.5	2
443	A Fully Automated, Atlas-Based Approach for Superior Cerebellar Peduncle Evaluation in Progressive Supranuclear Palsy Phenotypes. <i>American Journal of Neuroradiology</i> , 2017 , 38, 523-530	4.4	17
442	A new PLA2G6 mutation in a family with infantile neuroaxonal dystrophy. <i>Journal of the Neurological Sciences</i> , 2017 , 381, 209-212	3.2	5
441	Validation Study of Italian Version of Inventory for D β -Epsilon Experiences Assessment (I-IDEA): A Screening Tool to Detect D β -Epsilon Phenomenon in Italian Healthy Individuals. <i>Behavioral Sciences (Basel, Switzerland)</i> , 2017 , 7,	2.3	1
440	Increased cerebellar gray matter volume in head chefs. <i>PLoS ONE</i> , 2017 , 12, e0171457	3.7	9
439	Superior Cerebellar Peduncle Atrophy Predicts Cognitive Impairment in Relapsing Remitting Multiple Sclerosis Patients with Cerebellar Symptoms: A DTI Study. <i>Journal of Multiple Sclerosis</i> , 2017 , 04,		1
438	Structural connectivity differences in essential tremor with and without resting tremor. <i>Journal of Neurology</i> , 2017 , 264, 1865-1874	5.5	22
437	Thalamic neurometabolic alterations in tremulous Parkinson's disease: A preliminary proton MR spectroscopy study. <i>Parkinsonism and Related Disorders</i> , 2017 , 43, 78-84	3.6	14
436	Head trauma and Parkinson's disease: results from an Italian case-control study. <i>Neurological Sciences</i> , 2017 , 38, 1835-1839	3.5	6
435	Ictal 18F-FDG PET/MRI in a Patient With Cortical Heterotopia and Focal Epilepsy. <i>Clinical Nuclear Medicine</i> , 2017 , 42, 768-769	1.7	5
434	Magnetic Resonance Parkinsonism Index: diagnostic accuracy of a fully automated algorithm in comparison with the manual measurement in a large Italian multicentre study in patients with progressive supranuclear palsy. <i>European Radiology</i> , 2017 , 27, 2665-2675	8	46
433	Analysis of CHCHD2 gene in familial Parkinson's disease from Calabria. <i>Neurobiology of Aging</i> , 2017 , 50, 169.e5-169.e6	5.6	7
432	The corticospinal tract profile in amyotrophic lateral sclerosis. <i>Human Brain Mapping</i> , 2017 , 38, 727-739	5.9	35
431	Evaluation of the interaction between LRRK2 and PARK16 loci in determining risk of Parkinson's disease: analysis of a large multicenter study. <i>Neurobiology of Aging</i> , 2017 , 49, 217.e1-217.e4	5.6	5
430	A SLC20A2 mutation identified in an asymptomatic patient with brain calcification. <i>Journal of the Neurological Sciences</i> , 2017 , 372, 70-72	3.2	4
429	Random Forest Algorithm for the Classification of Neuroimaging Data in Alzheimer's Disease: A Systematic Review. <i>Frontiers in Aging Neuroscience</i> , 2017 , 9, 329	5.3	163

428	Individual differences in depression are associated with abnormal function of the limbic system in multiple sclerosis patients. <i>Multiple Sclerosis Journal</i> , 2016 , 22, 1094-105	5	16
427	Connectivity Changes in Parkinson's Disease. <i>Current Neurology and Neuroscience Reports</i> , 2016 , 16, 91	6.6	33
426	MR parkinsonism index predicts vertical supranuclear gaze palsy in patients with PSP-parkinsonism. <i>Neurology</i> , 2016 , 87, 1266-73	6.5	33
425	Voxel-based morphometry to detect effect of APOE on brain gray matter changes in Parkinson's Disease. <i>Psychiatry Research - Neuroimaging</i> , 2016 , 254, 177-9	2.9	4
424	Nerve conduction velocity in CMT1A: what else can we tell?. <i>European Journal of Neurology</i> , 2016 , 23, 1566-71	6	30
423	CADA-computer-aided DaTSCAN analysis. <i>EJNMMI Physics</i> , 2016 , 3, 4	4.4	20
422	Linking Essential Tremor to the Cerebellum-Neuroimaging Evidence. <i>Cerebellum</i> , 2016 , 15, 263-75	4.3	54
421	Clinical phenotype and risk of levodopa-induced dyskinesia in Parkinson's disease. <i>Journal of Neurology</i> , 2016 , 263, 888-894	5.5	24
420	Tremor pattern differentiates drug-induced resting tremor from Parkinson disease. <i>Parkinsonism and Related Disorders</i> , 2016 , 25, 100-3	3.6	14
419	Hippocampal Subfield Atrophies in Converted and Not-Converted Mild Cognitive Impairments Patients by a Markov Random Fields Algorithm. <i>Current Alzheimer Research</i> , 2016 , 13, 566-74	3	20
418	Alterations of putaminal shape in de novo Parkinson's disease. <i>Movement Disorders</i> , 2016 , 31, 676-83	7	8
417	Integrity of the corpus callosum in patients with benign temporal lobe epilepsy. <i>Epilepsia</i> , 2016 , 57, 590-6.4		15
416	Cardiac sympathetic index identifies patients with Parkinson's disease and REM behavior disorder. <i>Parkinsonism and Related Disorders</i> , 2016 , 26, 62-6	3.6	13
415	An SNP site in pri-miR-124, a brain expressed miRNA gene, no contribution to mesial temporal lobe epilepsy in an Italian sample. <i>Neurological Sciences</i> , 2016 , 37, 1335-9	3.5	13
414	Mutational analysis of COASY in an Italian patient with NBIA. <i>Parkinsonism and Related Disorders</i> , 2016 , 28, 150-1	3.6	22
413	Long-term outcome of mild mesial temporal lobe epilepsy: A prospective longitudinal cohort study. <i>Neurology</i> , 2016 , 86, 1904-10	6.5	33
412	Reversible deep brain swelling causing REM behavior disorder. <i>Neurology</i> , 2016 , 86, 1360	6.5	1
411	Cerebellar involvement in essential tremor with and without resting tremor: A Diffusion Tensor Imaging study. <i>Parkinsonism and Related Disorders</i> , 2016 , 27, 61-6	3.6	22

410	Midbrain hemiatrophy and nigral rarefaction in a patient with hemiparkinsonism-hemiatrophy syndrome. <i>Movement Disorders</i> , 2016 , 31, 1756-1757	7	5
409	Heart rate variability in patients with essential tremor: A cross sectional study. <i>Parkinsonism and Related Disorders</i> , 2016 , 33, 134-137	3.6	6
408	The role of the cerebellum in multiple sclerosis. <i>Cerebellum</i> , 2015 , 14, 364-74	4.3	34
407	A network centred on the inferior frontal cortex is critically involved in levodopa-induced dyskinesias. <i>Brain</i> , 2015 , 138, 414-27	11.2	68
406	Polymorphism of the multidrug resistance 1 gene MDR1/ABCB1 C3435T and response to antiepileptic drug treatment in temporal lobe epilepsy. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2015 , 24, 124-6	3.2	41
405	Marinesco-Sjögren syndrome caused by a new SIL1 frameshift mutation. <i>Journal of the Neurological Sciences</i> , 2015 , 354, 112-3	3.2	4
404	C19orf12 gene mutations in patients with neurodegeneration with brain iron accumulation. <i>Parkinsonism and Related Disorders</i> , 2015 , 21, 813-6	3.6	15
403	PCDH19 mutations in female patients from Southern Italy. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2015 , 24, 118-20	3.2	7
402	Facial dystonia as depicted in art in the time of Leonardo da Vinci. <i>Lancet Neurology</i> , 2015 , 14, 351	24.1	3
401	The influence of ictal cutaneous allodynia on the response to occipital transcutaneous electrical stimulation in chronic migraine and chronic tension-type headache: a randomized, sham-controlled study. <i>Cephalalgia</i> , 2015 , 35, 389-98	6.1	13
400	A new SLC20A2 mutation identified in southern Italy family with primary familial brain calcification. <i>Gene</i> , 2015 , 568, 109-11	3.8	14
399	Electrophysiological and structural MRI correlates of dystonic head rotation in drug-naïve patients with torticollis. <i>Parkinsonism and Related Disorders</i> , 2015 , 21, 1415-20	3.6	5
398	Large-scale assessment of polyglutamine repeat expansions in Parkinson disease. <i>Neurology</i> , 2015 , 85, 1283-92	6.5	20
397	A puzzling case without solution: isolated late-onset epileptic seizure. <i>Neurological Sciences</i> , 2015 , 36, 2303-4	3.5	1
396	Anti-GAD-associated inflammatory myopathy presenting with dropped head syndrome. <i>Neurological Sciences</i> , 2015 , 36, 1517-9	3.5	3
395	Increased functional connectivity within mesocortical networks in open people. <i>NeuroImage</i> , 2015 , 104, 301-9	7.9	75
394	An exome study of Parkinson's disease in Sardinia, a Mediterranean genetic isolate. <i>Neurogenetics</i> , 2015 , 16, 55-64	3	17
393	Neuro-anatomical differences among epileptic and non-epileptic dJlvu. <i>Cortex</i> , 2015 , 64, 1-7	3.8	12

392	Role of G-protein coupled receptor kinase 5 gene in cognitive impairment in Parkinson's disease. <i>Psychiatry Research</i> , 2015 , 230, 975-7	9.9	2
391	Responsiveness of clinical outcome measures in Charcot-Marie-Tooth disease. <i>European Journal of Neurology</i> , 2015 , 22, 1556-63	6	33
390	The motor inhibition system in Parkinson's disease with levodopa-induced dyskinesias. <i>Movement Disorders</i> , 2015 , 30, 1912-20	7	23
389	White matter abnormalities differentiate severe from benign temporal lobe epilepsy. <i>Epilepsia</i> , 2015 , 56, 1109-16	6.4	33
388	The neurocognitive profile of the cerebellum in multiple sclerosis. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 12185-98	6.3	13
387	Magnetic resonance imaging biomarkers for the early diagnosis of Alzheimer's disease: a machine learning approach. <i>Frontiers in Neuroscience</i> , 2015 , 9, 307	5.1	110
386	Walking indoors, walking outdoors: an fMRI study. <i>Frontiers in Psychology</i> , 2015 , 6, 1502	3.4	17
385	Biomarkers of Eating Disorders Using Support Vector Machine Analysis of Structural Neuroimaging Data: Preliminary Results. <i>Behavioural Neurology</i> , 2015 , 2015, 924814	3	14
384	Automatic Detection of White Matter Hyperintensities in Healthy Aging and Pathology Using Magnetic Resonance Imaging: A Review. <i>Neuroinformatics</i> , 2015 , 13, 261-76	3.2	87
383	Structural 'connectomic' alterations in the limbic system of multiple sclerosis patients with major depression. <i>Multiple Sclerosis Journal</i> , 2015 , 21, 1003-12	5	39
382	3-T magnetic resonance imaging simultaneous automated multimodal approach improves detection of ambiguous visual hippocampal sclerosis. <i>European Journal of Neurology</i> , 2015 , 22, 725-e47	6	11
381	The effectiveness of cognitive treatment in patients with Parkinson's disease: a new phase for the neuropsychological rehabilitation. <i>Parkinsonism and Related Disorders</i> , 2015 , 21, 165	3.6	6
380	The relationship between regional microstructural abnormalities of the corpus callosum and physical and cognitive disability in relapsing-remitting multiple sclerosis. <i>NeuroImage: Clinical</i> , 2015 , 7, 28-33	5.3	22
379	The Effectiveness of Transcranial Brain Stimulation in Improving Clinical Signs of Hyperkinetic Movement Disorders. <i>Frontiers in Neuroscience</i> , 2015 , 9, 486	5.1	14
378	Which is the goal of cognitive rehabilitation in multiple sclerosis: the improvement of cognitive performance or the perception of cognitive deficits?. <i>Multiple Sclerosis Journal</i> , 2014 , 20, 124-5	5	5
377	Neurofunctional correlates of attention rehabilitation in Parkinson's disease: an explorative study. <i>Neurological Sciences</i> , 2014 , 35, 1173-80	3.5	65
376	Neuroanatomical correlates of dystonic tremor: a cross-sectional study. <i>Parkinsonism and Related Disorders</i> , 2014 , 20, 314-7	3.6	22
375	Blink reflex recovery cycle distinguishes essential tremor with resting tremor from de novo Parkinson's disease: an exploratory study. <i>Parkinsonism and Related Disorders</i> , 2014 , 20, 153-6	3.6	20

374	Genetic counselling in ALS: facts, uncertainties and clinical suggestions. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2014 , 85, 478-85	5.5	66
373	Protective effect of LRRK2 p.R1398H on risk of Parkinson's disease is independent of MAPT and SNCA variants. <i>Neurobiology of Aging</i> , 2014 , 35, 266.e5-14	5.6	26
372	Selected items from the Charcot-Marie-Tooth (CMT) Neuropathy Score and secondary clinical outcome measures serve as sensitive clinical markers of disease severity in CMT1A patients. <i>Neuromuscular Disorders</i> , 2014 , 24, 1003-17	2.9	22
371	Cortical volume and folding abnormalities in Parkinson's disease patients with pathological gambling. <i>Parkinsonism and Related Disorders</i> , 2014 , 20, 1209-14	3.6	30
370	Magnetic resonance support vector machine discriminates essential tremor with rest tremor from tremor-dominant Parkinson disease. <i>Movement Disorders</i> , 2014 , 29, 1216-9	7	27
369	Is overwork weakness relevant in Charcot-Marie-Tooth disease?. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2014 , 85, 1354-8	5.5	18
368	Reduced thalamic volume in Parkinson disease with REM sleep behavior disorder: volumetric study. <i>Parkinsonism and Related Disorders</i> , 2014 , 20, 1004-8	3.6	41
367	5-HTTLPR, anxiety and gender interaction moderates right amygdala volume in healthy subjects. <i>Social Cognitive and Affective Neuroscience</i> , 2014 , 9, 1537-45	4	21
366	Intraventricular tumor presenting as progressive supranuclear palsy-like phenotype. <i>Neurology</i> , 2014 , 83, 948	6.5	3
365	Machine learning on brain MRI data for differential diagnosis of Parkinson's disease and Progressive Supranuclear Palsy. <i>Journal of Neuroscience Methods</i> , 2014 , 222, 230-7	3	151
364	May stimulation of the pre-SMA become a new therapeutic target for PD patients with levodopa-induced dyskinesias?. <i>Brain Stimulation</i> , 2014 , 7, 335-6	5.1	2
363	Autosomal dominant lateral temporal epilepsy (ADLTE): absence of chromosomal rearrangements in LGI1 gene. <i>Epilepsy Research</i> , 2014 , 108, 597-9	3	1
362	May hyperdirect pathway be a plausible neural substrate for understanding the rTMS-related effects on PD patients with levodopa-induced dyskinesias?. <i>Brain Stimulation</i> , 2014 , 7, 488-9	5.1	5
361	Fully automated segmentation of the pons and midbrain using human T1 MR brain images. <i>PLoS ONE</i> , 2014 , 9, e85618	3.7	18
360	Maladaptive plasticity in levodopa-induced dyskinesias and tardive dyskinesias: old and new insights on the effects of dopamine receptor pharmacology. <i>Frontiers in Neurology</i> , 2014 , 5, 49	4.1	22
359	Viewing photos and reading nouns of natural graspable objects similarly modulate motor responses. <i>Frontiers in Human Neuroscience</i> , 2014 , 8, 968	3.3	31
358	Color vision impairment in Parkinson's disease. <i>Journal of Parkinsons Disease</i> , 2014 , 4, 317-9	5.3	13
357	Genetic associations of Nrf2-encoding NFE2L2 variants with Parkinson's disease - a multicenter study. <i>BMC Medical Genetics</i> , 2014 , 15, 131	2.1	55

356	Syphilis: a historical vignette. <i>Sexually Transmitted Infections</i> , 2014 , 90, 508	2.8	
355	'The syphilitic' by Albrecht Dürer (1471-1528). <i>Sexually Transmitted Infections</i> , 2014 , 90, 544	2.8	
354	Global investigation and meta-analysis of the C9orf72 (G4C2)n repeat in Parkinson disease. <i>Neurology</i> , 2014 , 83, 1906-13	6.5	49
353	Effect of aging on magnetic resonance measures differentiating progressive supranuclear palsy from Parkinson's disease. <i>Movement Disorders</i> , 2014 , 29, 488-95	7	25
352	Magnetic resonance support vector machine discriminates between Parkinson disease and progressive supranuclear palsy. <i>Movement Disorders</i> , 2014 , 29, 266-9	7	45
351	Hippocampal BOLD response during category learning predicts subsequent performance on transfer generalization. <i>Human Brain Mapping</i> , 2014 , 35, 3122-31	5.9	5
350	The neuroanatomical correlates of anxiety in a healthy population: differences between the State-Trait Anxiety Inventory and the Hamilton Anxiety Rating Scale. <i>Brain and Behavior</i> , 2014 , 4, 504-14	3.4	31
349	Frequency of the ASP620ASN mutation in VPS35 and Arg1205His mutation in EIF4G1 in familial Parkinson's disease from South Italy. <i>Neurobiology of Aging</i> , 2014 , 35, 2422.e1-2	5.6	10
348	The role of the inferior frontal cortex in hyperkinetic movement disorders. <i>Journal of Psychosomatic Research</i> , 2014 , 76, 486-7	4.1	1
347	Tractography in amyotrophic lateral sclerosis using a novel probabilistic tool: a study with tract-based reconstruction compared to voxel-based approach. <i>Journal of Neuroscience Methods</i> , 2014 , 224, 79-87	3	32
346	Diffusion tensor MRI changes in gray structures of the frontal-subcortical circuits in amyotrophic lateral sclerosis. <i>Neurological Sciences</i> , 2014 , 35, 911-8	3.5	14
345	Validation of the Italian version of the Movement Disorder Society--Unified Parkinson's Disease Rating Scale. <i>Neurological Sciences</i> , 2013 , 34, 683-7	3.5	85
344	Mutation in the SYNJ1 gene associated with autosomal recessive, early-onset Parkinsonism. <i>Human Mutation</i> , 2013 , 34, 1208-15	4.7	208
343	MR imaging and cognitive correlates of relapsing-remitting multiple sclerosis patients with cerebellar symptoms. <i>Journal of Neurology</i> , 2013 , 260, 1358-66	5.5	24
342	Sacsin-related spastic ataxia caused by a novel missense mutation p.Arg272His in a patient from Sicily, southern Italy. <i>Cerebellum</i> , 2013 , 12, 589-92	4.3	3
341	Population-specific frequencies for LRRK2 susceptibility variants in the Genetic Epidemiology of Parkinson's Disease (GEO-PD) Consortium. <i>Movement Disorders</i> , 2013 , 28, 1740-4	7	24
340	Age at onset influences neurodegenerative processes underlying PD with levodopa-induced dyskinesias. <i>Parkinsonism and Related Disorders</i> , 2013 , 19, 883-8	3.6	24
339	Computer-assisted cognitive rehabilitation of attention deficits for multiple sclerosis: a randomized trial with fMRI correlates. <i>Neurorehabilitation and Neural Repair</i> , 2013 , 27, 284-95	4.7	106

338	Dopamine-transporter levels drive striatal responses to apomorphine in Parkinson's disease. <i>Brain and Behavior</i> , 2013 , 3, 249-62	3.4	15
337	Brain iron deposition in essential tremor: a quantitative 3-Tesla magnetic resonance imaging study. <i>Movement Disorders</i> , 2013 , 28, 196-200	7	39
336	Hippocampal sclerosis worsens autosomal dominant nocturnal frontal lobe epilepsy (ADNFLE) phenotype related to CHRN2 mutation. <i>European Journal of Neurology</i> , 2013 , 20, 591-593	6	6
335	Failure to confirm association of a polymorphism in KCNMB4 gene with mesial temporal lobe epilepsy. <i>Epilepsy Research</i> , 2013 , 106, 284-7	3	4
334	Application of different classification techniques on brain morphological data 2013 ,		2
333	Relationship between genetic variant in pre-microRNA-146a and genetic predisposition to temporal lobe epilepsy: a case-control study. <i>Gene</i> , 2013 , 516, 181-3	3.8	18
332	No evidence for a role of the coding variant of the Toll-like receptor 4 gene in temporal lobe epilepsy. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2013 , 22, 791-3	3.2	2
331	Detection of hippocampal atrophy in patients with temporal lobe epilepsy: a 3-Tesla MRI shape. <i>Epilepsy and Behavior</i> , 2013 , 28, 489-93	3.2	23
330	Natural history of neurofibromatosis type 2 with onset before the age of 1 year. <i>Neurogenetics</i> , 2013 , 14, 89-98	3	44
329	Prefrontal thickening in PD with levodopa-induced dyskinesias: new evidence from cortical thickness measurement. <i>Parkinsonism and Related Disorders</i> , 2013 , 19, 123-5	3.6	47
328	Dysfunctions within limbic-motor networks in amyotrophic lateral sclerosis. <i>Neurobiology of Aging</i> , 2013 , 34, 2499-509	5.6	22
327	Septo-optic dysplasia plus bilateral perisylvian polymicrogyria: a case report. <i>Neurological Sciences</i> , 2013 , 34, 1479-80	3.5	2
326	Diffusivity of cerebellar hemispheres enables discrimination of cerebellar or parkinsonian multiple system atrophy from progressive supranuclear palsy-Richardson syndrome and Parkinson disease. <i>Radiology</i> , 2013 , 267, 843-50	20.5	28
325	The BDNF Val66Met polymorphism has opposite effects on memory circuits of multiple sclerosis patients and controls. <i>PLoS ONE</i> , 2013 , 8, e61063	3.7	14
324	Advanced MRI morphologic study shows no atrophy in healthy individuals with hippocampal hyperintensity. <i>American Journal of Neuroradiology</i> , 2013 , 34, 1585-8	4.4	5
323	The midbrain to pons ratio: a simple and specific MRI sign of progressive supranuclear palsy. <i>Neurology</i> , 2013 , 81, 2147	6.5	7
322	Clinical course of idiopathic intracranial hypertension with transverse sinus stenosis. <i>Neurology</i> , 2013 , 81, 695	6.5	7
321	Anti-N-methyl-D-aspartate-glutamic-receptor encephalitis presenting as paroxysmal exercise-induced foot weakness. <i>Movement Disorders</i> , 2013 , 28, 820-2	7	11

320	A multicenter study of glucocerebrosidase mutations in dementia with Lewy bodies. <i>JAMA Neurology</i> , 2013 , 70, 727-35	17.2	285
319	A Cellular Neural Network methodology for the automated segmentation of multiple sclerosis lesions. <i>Journal of Neuroscience Methods</i> , 2012 , 203, 193-9	3	39
318	Usefulness of rectal biopsy for the diagnosis of Kufs disease: a controlled study and review of the literature. <i>European Journal of Neurology</i> , 2012 , 19, 1331-6	6	5
317	Unilateral basal ganglia atrophy in a patient with tuberous sclerosis complex and hemichorea. <i>Movement Disorders</i> , 2012 , 27, 458-60	7	5
316	Prefrontal alterations in Parkinson's disease with levodopa-induced dyskinesia during fMRI motor task. <i>Movement Disorders</i> , 2012 , 27, 364-71	7	57
315	Dentatorubral-pallidoluysian atrophy: haplotype of Asian origin in 2 Italian families. <i>Movement Disorders</i> , 2012 , 27, 460-1	7	4
314	Generalised epilepsy with febrile seizures plus (GEFS(+)): molecular analysis in a restricted area. <i>Childs Nervous System</i> , 2012 , 28, 141-5	1.7	6
313	Spinocerebellar ataxia type 7: report of a new Italian family. <i>Internal Medicine</i> , 2012 , 51, 2953-5	1.1	5
312	Botulinum toxin is effective in myoclonus secondary to peripheral nerve injury. <i>European Journal of Neurology</i> , 2012 , 19, e92-3	6	4
311	Cerebellar-parietal dysfunctions in multiple sclerosis patients with cerebellar signs. <i>Experimental Neurology</i> , 2012 , 237, 418-26	5.7	21
310	A multi-centre clinico-genetic analysis of the VPS35 gene in Parkinson disease indicates reduced penetrance for disease-associated variants. <i>Journal of Medical Genetics</i> , 2012 , 49, 721-6	5.8	78
309	FUS mutations in sporadic amyotrophic lateral sclerosis: clinical and genetic analysis. <i>Neurobiology of Aging</i> , 2012 , 33, 837.e1-5	5.6	27
308	C9ORF72 hexanucleotide repeat expansions in the Italian sporadic ALS population. <i>Neurobiology of Aging</i> , 2012 , 33, 1848.e15-20	5.6	63
307	CAV3 T78M mutation as polymorphic variant in South Italy. <i>Neuromuscular Disorders</i> , 2012 , 22, 669-70; author reply 670-1	2.9	7
306	Mutation analysis of the PINK1 gene in Southern Italian patients with early- and late-onset parkinsonism. <i>Parkinsonism and Related Disorders</i> , 2012 , 18, 651-3	3.6	5
305	Large-scale replication and heterogeneity in Parkinson disease genetic loci. <i>Neurology</i> , 2012 , 79, 659-67	6.5	106
304	Clinical characteristics of patients with familial amyotrophic lateral sclerosis carrying the pathogenic GGGGCC hexanucleotide repeat expansion of C9ORF72. <i>Brain</i> , 2012 , 135, 784-93	11.2	153
303	A functional genetic variation of the 5-HT2A receptor affects age at onset in patients with temporal lobe epilepsy. <i>Annals of Human Genetics</i> , 2012 , 76, 277-82	2.2	5

302	Blink reflex recovery cycle in patients with essential tremor associated with resting tremor. <i>Neurology</i> , 2012 , 79, 1490-5	6.5	28
301	Evolving Cellular Neural Networks for the Automated Segmentation of Multiple Sclerosis Lesions 2012 , 377-412		1
300	Topiramate and temporal lobe epilepsy: an open-label study. <i>Epileptic Disorders</i> , 2012 , 14, 163-6	1.9	4
299	Cardiac denervation precedes nigrostriatal damage in idiopathic rapid eye movement sleep behavior disorder. <i>Movement Disorders</i> , 2012 , 27, 1068-9	7	13
298	Migraine attack triggering a generalised seizure: is this a case of migralepsy or ictal epileptic headache?. <i>Neurological Sciences</i> , 2012 , 33, 957-9	3.5	7
297	Neuroanatomic correlates of psychogenic nonepileptic seizures: a cortical thickness and VBM study. <i>Epilepsia</i> , 2012 , 53, 377-85	6.4	105
296	Blink reflex recovery cycle in patients with dystonic tremor: a cross-sectional study. <i>Neurology</i> , 2012 , 78, 1363-5	6.5	35
295	Contribution of cerebrospinal fluid thymosin α 4 levels to the clinical differentiation of Creutzfeldt-Jakob disease. <i>Archives of Neurology</i> , 2012 , 69, 868-72		9
294	Neuroimaging of Essential Tremor: What is the Evidence for Cerebellar Involvement?. <i>Tremor and Other Hyperkinetic Movements</i> , 2012 , 2,	2	27
293	NOS2A as a candidate gene in Relapsing-Remitting Multiple Sclerosis: a haplotype study using selected subsets of single nucleotide polymorphisms. <i>Journal of the Neurological Sciences</i> , 2011 , 304, 75-7	3.2	2
292	Dysbindin C-A-T haplotype is associated with thicker medial orbitofrontal cortex in healthy population. <i>NeuroImage</i> , 2011 , 55, 508-13	7.9	10
291	Synchronous pattern distinguishes resting tremor associated with essential tremor from rest tremor of Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2011 , 17, 30-3	3.6	39
290	Patterns of brain atrophy in Parkinson's disease, progressive supranuclear palsy and multiple system atrophy. <i>Parkinsonism and Related Disorders</i> , 2011 , 17, 172-6	3.6	119
289	Association study between the LINGO1 gene and Parkinson's disease in the Italian population. <i>Parkinsonism and Related Disorders</i> , 2011 , 17, 638-41	3.6	10
288	A large-scale genetic association study to evaluate the contribution of Omi/HtrA2 (PARK13) to Parkinson's disease. <i>Neurobiology of Aging</i> , 2011 , 32, 548.e9-18	5.6	46
287	Role of sepiapterin reductase gene at the PARK3 locus in Parkinson's disease. <i>Neurobiology of Aging</i> , 2011 , 32, 2108.e1-5	5.6	15
286	Presenilin enhancer-2 gene: identification of a novel promoter mutation in a patient with early-onset familial Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2011 , 7, 574-8	1.2	11
285	Blocking out the real diagnosis. <i>Lancet, The</i> , 2011 , 377, 690	40	5

284	Blocking out the real diagnosis [Authors' reply. <i>Lancet, The</i> , 2011 , 378, 316	4.0	
283	Neocortical thinning in "benign" mesial temporal lobe epilepsy. <i>Epilepsia</i> , 2011 , 52, 712-7	6.4	45
282	Combined use of cardiac m-i123-iodobenzylguanidine scintigraphy and [111]-fp-cit single photon emission computed tomography in older adults with rapid eye movement sleep behavior disorder. <i>Journal of the American Geriatrics Society</i> , 2011 , 59, 928-9	5.6	7
281	MAO A VNTR polymorphism and amygdala volume in healthy subjects. <i>Psychiatry Research - Neuroimaging</i> , 2011 , 191, 87-91	2.9	18
280	Ascorbic acid in Charcot-Marie-Tooth disease type 1A (CMT-TRIAAL and CMT-TRAUK): a double-blind randomised trial. <i>Lancet Neurology, The</i> , 2011 , 10, 320-8	24.1	184
279	Association of LRRK2 exonic variants with susceptibility to Parkinson's disease: a case-control study. <i>Lancet Neurology, The</i> , 2011 , 10, 898-908	24.1	237
278	A novel NF1 gene mutation in an Italian family with neurofibromatosis type 1. <i>Childs Nervous System</i> , 2011 , 27, 635-8	1.7	2
277	Lamotrigine therapy for paroxysmal dysarthria caused by multiple sclerosis: a case report. <i>Journal of Neurology</i> , 2011 , 258, 1349-50	5.5	13
276	Clinical, genetic and magnetic resonance findings in an Italian patient affected by L-2-hydroxyglutaric aciduria. <i>Neurological Sciences</i> , 2011 , 32, 95-9	3.5	4
275	Presenilin-2 gene mutation presenting as Lewy body dementia?. <i>Neurological Sciences</i> , 2011 , 32, 533-4	3.5	8
274	Association study between four polymorphisms in the HFE, TF and TFR genes and Parkinson's disease in southern Italy. <i>Neurological Sciences</i> , 2011 , 32, 525-7	3.5	11
273	Accuracy of magnetic resonance parkinsonism index for differentiation of progressive supranuclear palsy from probable or possible Parkinson disease. <i>Movement Disorders</i> , 2011 , 26, 527-33	7	63
272	Wine drinking and essential tremor: a possible protective role. <i>Movement Disorders</i> , 2011 , 26, 1310-5	7	7
271	Increased prefrontal volume in PD with levodopa-induced dyskinesias: a voxel-based morphometry study. <i>Movement Disorders</i> , 2011 , 26, 807-12	7	53
270	MRI measurements of brainstem structures in patients with Richardson's syndrome, progressive supranuclear palsy-parkinsonism, and Parkinson's disease. <i>Movement Disorders</i> , 2011 , 26, 1575-6; author reply 1576	7	3
269	Reproductive factors and Parkinson's disease: a multicenter case-control study. <i>Movement Disorders</i> , 2011 , 26, 2563-6	7	26
268	Lack of association between G-protein coupled receptor kinase 5 gene and Parkinson's disease. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011 , 156B, 104-7	3.5	11
267	Independent and joint effects of the MAPT and SNCA genes in Parkinson disease. <i>Annals of Neurology</i> , 2011 , 69, 778-92	9.4	76

266	MRI measurements predict PSP in unclassifiable parkinsonisms: a cohort study. <i>Neurology</i> , 2011 , 77, 1042-7	5.7	57
265	Sporadic motor neuron disease in a familial novel SOD1 mutation: incomplete penetrance or chance association?. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders</i> , 2011 , 12, 220-2		6
264	TARDBP gene mutations in south Italian patients with amyotrophic lateral sclerosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2011 , 82, 587-8	5.5	20
263	Altered cortical-cerebellar circuits during verbal working memory in essential tremor. <i>Brain</i> , 2011 , 134, 2274-86	11.2	82
262	Age at onset predicts good seizure outcome in sporadic non-lesional and mesial temporal sclerosis based temporal lobe epilepsy. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2011 , 82, 555-9	5.5	33
261	Leber's hereditary optic neuropathy associated with a multiple-sclerosis-like picture in a man. <i>Multiple Sclerosis Journal</i> , 2011 , 17, 763-6	5	14
260	DJ-1 is a Parkinson's disease susceptibility gene in southern Italy. <i>Clinical Genetics</i> , 2010 , 77, 183-8	4	18
259	Casimir Funk: his discovery of the vitamins and their deficiency disorders. <i>Annals of Nutrition and Metabolism</i> , 2010 , 57, 85-8	4.5	22
258	Temporal lobe abnormalities on brain MRI in healthy volunteers: a prospective case-control study. <i>Neurology</i> , 2010 , 74, 553-7	6.5	41
257	Archibald Edward Garrod and alcaptonuria: "Inborn errors of metabolism" revisited. <i>Genetics in Medicine</i> , 2010 , 12, 475-6	8.1	4
256	Proteomic profiling of cerebrospinal fluid in Creutzfeldt-Jakob disease. <i>Expert Review of Proteomics</i> , 2010 , 7, 907-17	4.2	13
255	Mutation analysis of the SPG4 gene in Italian patients with pure and complicated forms of spastic paraplegia. <i>Journal of the Neurological Sciences</i> , 2010 , 288, 96-100	3.2	23
254	Abnormal pressure waves in headache sufferers with bilateral transverse sinus stenosis. <i>Cephalalgia</i> , 2010 , 30, 1419-25	6.1	42
253	Diffusion tensor MRI changes in cerebellar structures of patients with familial essential tremor. <i>Neurology</i> , 2010 , 74, 988-94	6.5	118
252	Lack of interaction between LRP1 and A2M polymorphisms for the risk of Alzheimer disease. <i>Neuroscience Letters</i> , 2010 , 482, 112-6	3.3	13
251	The effects of BDNF Val66Met polymorphism on brain function in controls and patients with multiple sclerosis: an imaging genetic study. <i>Behavioural Brain Research</i> , 2010 , 207, 377-86	3.4	35
250	Morphological correlates of MAO A VNTR polymorphism: new evidence from cortical thickness measurement. <i>Behavioural Brain Research</i> , 2010 , 211, 118-24	3.4	22
249	Author's reply to the comment of Sironi et al. on Compound heterozygosity in DJ-1 gene non-coding portion related to Parkinsonism. <i>Parkinsonism and Related Disorders</i> , 2010 , 16, 362-363	3.6	

248	Myocardial (123)I-MIBG scintigraphy for differentiation of Lewy bodies disease from FTD. <i>Neurobiology of Aging</i> , 2010 , 31, 1903-11	5.6	26
247	Met158 variant of the catechol-O-methyltransferase genotype is associated with thicker cortex in adult brain. <i>Neuroscience</i> , 2010 , 167, 809-14	3.9	28
246	Non-replication of association for six polymorphisms from meta-analysis of genome-wide association studies of Parkinson's disease: large-scale collaborative study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 220-8	3.5	10
245	Tacrolimus-induced polyneuropathy after heart transplantation. <i>Clinical Neuropharmacology</i> , 2010 , 33, 161-2	1.4	15
244	Fronto-parietal overactivation in patients with essential tremor during Stroop task. <i>NeuroReport</i> , 2010 , 21, 148-51	1.7	44
243	The FRAGAMP study: environmental and genetic factors in Parkinson's disease, methods and clinical features. <i>Neurological Sciences</i> , 2010 , 31, 47-52	3.5	15
242	Single nucleotide polymorphism in the MMP-9 gene is associated with susceptibility to develop multiple sclerosis in an Italian case-control study. <i>Journal of Neuroimmunology</i> , 2010 , 225, 175-9	3.5	18
241	Deep brain stimulation in a patient with isolated mixed tremor. <i>Movement Disorders</i> , 2010 , 25, 248-50	7	1
240	Mixed tremors with integrity of nigrostriatal system: a clinical and DAT-SPECT follow-up study. <i>Movement Disorders</i> , 2010 , 25, 662-4	7	8
239	An magnetic resonance imaging T2*-weighted sequence at short echo time to detect putaminal hypointensity in Parkinsonisms. <i>Movement Disorders</i> , 2010 , 25, 2728-34	7	27
238	Voluptuary habits and clinical subtypes of Parkinson's disease: the FRAGAMP case-control study. <i>Movement Disorders</i> , 2010 , 25, 2387-94	7	32
237	Voxel-based morphometry of sporadic epileptic patients with mesiotemporal sclerosis. <i>Epilepsia</i> , 2010 , 51, 506-10	6.4	40
236	An axon regeneration signature in a Charcot-Marie-Tooth disease type 2 patient. <i>Journal of Neurogenetics</i> , 2009 , 23, 324-8	1.6	3
235	HOMER1 promoter analysis in Parkinson's disease: association study with psychotic symptoms. <i>Neuropsychobiology</i> , 2009 , 59, 239-45	4	19
234	Cognitive deficits in multiple sclerosis patients with cerebellar symptoms. <i>Multiple Sclerosis Journal</i> , 2009 , 15, 854-9	5	44
233	Cysteine-sparing notch3 mutations: cadasil or cadasil variants?. <i>Neurology</i> , 2009 , 72, 2135-6; author reply 2136	6.5	5
232	Neurobiological mechanisms underlying emotional processing in relapsing-remitting multiple sclerosis. <i>Brain</i> , 2009 , 132, 3380-91	11.2	78
231	Conventional MRI and NOTCH3 gene screening in sporadic CADASIL. <i>Neurology</i> , 2009 , 72, 469-71	6.5	3

230	Anti-GM1 antibodies are not associated with cerebral atrophy in patients with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2009 , 15, 114-5	5	7
229	Cerebellar atrophy in essential tremor using an automated segmentation method. <i>American Journal of Neuroradiology</i> , 2009 , 30, 1240-3	4.4	100
228	Brain atrophy evolution and lesion load accrual in multiple sclerosis: a 2-year follow-up study. <i>Multiple Sclerosis Journal</i> , 2009 , 15, 204-11	5	12
227	Archibald Edward Garrod: the physician father of biochemistry. <i>Metabolism: Clinical and Experimental</i> , 2009 , 58, 427-37	12.7	5
226	CASP-9: A susceptibility locus for multiple sclerosis in Italy. <i>Journal of Neuroimmunology</i> , 2009 , 210, 100-3.5	3.5	11
225	A longitudinal observation of brain-derived neurotrophic factor mRNA levels in patients with relapsing-remitting multiple sclerosis. <i>Brain Research</i> , 2009 , 1256, 123-8	3.7	23
224	A novel mutation in the X-linked cyclin-dependent kinase-like 5 (CDKL5) gene associated with a severe Rett phenotype. <i>American Journal of Medical Genetics, Part A</i> , 2009 , 149A, 722-5	2.5	18
223	CADASIL: extended polymorphisms and mutational analysis of the NOTCH3 gene. <i>Journal of Neuroscience Research</i> , 2009 , 87, 1162-7	4.4	21
222	Combined use of DAT-SPECT and cardiac MIBG scintigraphy in mixed tremors. <i>Movement Disorders</i> , 2009 , 24, 2242-8	7	48
221	A pathogenic rare mutation on exon 22 of the NOTCH3 gene disclosed in an Italian patient affected by CADASIL. <i>Neurological Sciences</i> , 2009 , 30, 269-71	3.5	2
220	Thymosin $\alpha 4$ is differentially expressed in the cerebrospinal fluid of Creutzfeldt-Jakob disease patients: a MALDI-TOF MS protein profiling study. <i>Proteomics - Clinical Applications</i> , 2009 , 3, 574-583	3.1	4
219	The DRD2 TaqIA polymorphism associated with changed midbrain volumes in healthy individuals. <i>Genes, Brain and Behavior</i> , 2009 , 8, 459-63	3.6	26
218	Spinal glioneuronal tumor with neuropil-like islands and meningeal dissemination: histopathological and radiological study of a pediatric case. <i>Neuropathology</i> , 2009 , 29, 574-8	2	16
217	Brain-derived neurotrophic factor and risk for primary adult-onset cranial-cervical dystonia. <i>European Journal of Neurology</i> , 2009 , 16, 949-52	6	16
216	An exploration of anger phenomenology in multiple sclerosis. <i>European Journal of Neurology</i> , 2009 , 16, 1312-7	6	11
215	Idiopathic intracranial hypertension without papilloedema in headache sufferers. <i>Cephalalgia</i> , 2009 , 29, 593; author reply 594	6.1	6
214	Multicenter analysis of glucocerebrosidase mutations in Parkinson's disease. <i>New England Journal of Medicine</i> , 2009 , 361, 1651-61	59.2	1351
213	Neurofunctional correlates of personality traits in relapsing-remitting multiple sclerosis: an fMRI study. <i>Brain and Cognition</i> , 2009 , 71, 320-7	2.7	17

212	Compound heterozygosity in DJ-1 gene non-coding portion related to parkinsonism. <i>Parkinsonism and Related Disorders</i> , 2009 , 15, 324-6	3.6	14
211	Cardiac MIBG scintigraphy in Primary Progressive Freezing Gait. <i>Parkinsonism and Related Disorders</i> , 2009 , 15, 365-9	3.6	9
210	Involvement of cardiac sympathetic nerve endings in a patient with idiopathic RBD and intact nigrostriatal pathway. <i>Parkinsonism and Related Disorders</i> , 2009 , 15, 789-91	3.6	9
209	Spastic paraplegia with thinning of the corpus callosum and white matter abnormalities: further mutations and relative frequency in ZFYVE26/SPG15 in the Italian population. <i>Journal of the Neurological Sciences</i> , 2009 , 277, 22-5	3.2	14
208	Further evidence that D90A-SOD1 mutation is recessively inherited in ALS patients in Italy. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders</i> , 2009 , 10, 58-60		8
207	Unexpected detection of melanoma brain metastasis by PET with iodine-124 betaCIT. <i>Clinical Nuclear Medicine</i> , 2009 , 34, 698-9	1.7	13
206	Correlation between clinical/neurophysiological findings and quality of life in Charcot-Marie-Tooth type 1A. <i>Journal of the Peripheral Nervous System</i> , 2008 , 13, 64-70	4.7	33
205	Genetic screening for familial amyloid polyneuropathy in patients with idiopathic carpal tunnel syndrome. <i>Journal of the Peripheral Nervous System</i> , 2008 , 13, 151-2	4.7	1
204	A novel locus for dHMN with pyramidal features maps to chromosome 4q34.3-q35.2. <i>Clinical Genetics</i> , 2008 , 73, 486-91	4	13
203	Motor-sensory neuropathy without minifascicles in a patient with 46XY gonadal dysgenesis. <i>Brain and Development</i> , 2008 , 30, 291-4	2.2	4
202	Ventro-lateral prefrontal activity during working memory is modulated by MAO A genetic variation. <i>Brain Research</i> , 2008 , 1201, 114-21	3.7	35
201	Spontaneous obliteration of MRI-silent cerebral angiomatosis revealed by CT angiography in a patient with Sturge-Weber syndrome. <i>Journal of the Neurological Sciences</i> , 2008 , 264, 168-72	3.2	6
200	Preliminary evidences of a NOS2A protective effect from relapsing-remitting multiple sclerosis. <i>Journal of the Neurological Sciences</i> , 2008 , 264, 112-7	3.2	7
199	Somatosensory evoked potentials reflect the upper limb motor performance in multiple sclerosis. <i>Journal of the Neurological Sciences</i> , 2008 , 273, 99-102	3.2	8
198	A novel Angiogenin gene mutation in a sporadic patient with amyotrophic lateral sclerosis from southern Italy. <i>Neuromuscular Disorders</i> , 2008 , 18, 68-70	2.9	41
197	Natural history of CMT1A including QoL: a 2-year prospective study. <i>Neuromuscular Disorders</i> , 2008 , 18, 199-203	2.9	34
196	Identification of the novel D297fsX318 PINK1 mutation and phenotype variation in a family with early-onset Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2008 , 14, 509-12	3.6	6
195	Genetically dependent modulation of serotonergic inactivation in the human prefrontal cortex. <i>NeuroImage</i> , 2008 , 40, 1264-73	7.9	45

194	First evidence of a pathogenic insertion in the NOTCH3 gene causing CADASIL. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2008 , 79, 108-10	5.5	9
193	Essential head tremor is associated with cerebellar vermis atrophy: a volumetric and voxel-based morphometry MR imaging study. <i>American Journal of Neuroradiology</i> , 2008 , 29, 1692-7	4.4	133
192	Paul Ehrlich: the Nobel Prize in physiology or medicine 1908. <i>International Reviews of Immunology</i> , 2008 , 27, 1-17	4.6	15
191	Hippocampal and thalamic atrophy in mild temporal lobe epilepsy: a VBM study. <i>Neurology</i> , 2008 , 71, 1094-101	6.5	83
190	MR imaging index for differentiation of progressive supranuclear palsy from Parkinson disease and the Parkinson variant of multiple system atrophy. <i>Radiology</i> , 2008 , 246, 214-21	20.5	285
189	Impact of catechol-O-methyltransferase Val(108/158) Met genotype on hippocampal and prefrontal gray matter volume. <i>NeuroReport</i> , 2008 , 19, 405-8	1.7	59
188	MAO A VNTR polymorphism and variation in human morphology: a VBM study. <i>NeuroReport</i> , 2008 , 19, 1107-10	1.7	23
187	Monotherapy for partial epilepsy: focus on levetiracetam. <i>Neuropsychiatric Disease and Treatment</i> , 2008 , 4, 33-8	3.1	32
186	COMT inhibition with tolcapone in the treatment algorithm of patients with Parkinson's disease (PD): relevance for motor and non-motor features. <i>Neuropsychiatric Disease and Treatment</i> , 2008 , 4, 1-9	3.1	47
185	Relationship between clinical examination, quality of life, disability and depression in CMT patients: Italian multicenter study. <i>Neurological Sciences</i> , 2008 , 29, 157-62	3.5	18
184	Charcot-Marie-Tooth and pain: correlations with neurophysiological, clinical, and disability findings. <i>Neurological Sciences</i> , 2008 , 29, 193-4	3.5	27
183	Hyperhomocysteinemia is associated with cognitive impairment in multiple sclerosis. <i>Journal of Neurology</i> , 2008 , 255, 64-9	5.5	54
182	A phenotypic variation of dominant optic atrophy and deafness (ADOAD) due to a novel OPA1 mutation. <i>Journal of Neurology</i> , 2008 , 255, 127-9	5.5	22
181	Bilateral transverse sinus stenosis and idiopathic intracranial hypertension without papilledema in chronic tension-type headache. <i>Journal of Neurology</i> , 2008 , 255, 807-12	5.5	45
180	Myocardial 123metaiodobenzylguanidine uptake in genetic Parkinson's disease. <i>Movement Disorders</i> , 2008 , 23, 21-7	7	52
179	Continuous dopaminergic stimulation: is it the answer to the motor complications of levodopa?. <i>Movement Disorders</i> , 2008 , 23, 1062-1063	7	2
178	Glucocerebrosidase gene mutations are associated with Parkinson's disease in southern Italy. <i>Movement Disorders</i> , 2008 , 23, 460-3	7	64
177	Orolingual tremor as unusual presentation of anti-Hu paraneoplastic syndrome. <i>Movement Disorders</i> , 2008 , 23, 1791-2	7	5

176	Apparent diffusion coefficient of the superior cerebellar peduncle differentiates progressive supranuclear palsy from Parkinson's disease. <i>Movement Disorders</i> , 2008 , 23, 2370-6	7	86
175	Alpha-synuclein promoter haplotypes and dementia in Parkinson's disease. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147, 403-7	3.5	15
174	Charcot-Marie-Tooth disease type 1B: marked phenotypic variation of the Ser78Leu mutation in five Italian families. <i>Acta Neurologica Scandinavica</i> , 2008 , 118, 328-32	3.8	14
173	Reply to "Motor assessment of upper extremity function and its relation with fatigue, cognitive function and quality of life in multiple sclerosis patients". <i>Journal of the Neurological Sciences</i> , 2007 , 253, 106	3.2	2
172	A novel point mutation in PMP22 gene in an Italian family with hereditary neuropathy with liability to pressure palsies. <i>Journal of the Neurological Sciences</i> , 2007 , 263, 194-7	3.2	13
171	Correlation between fatigue and brain atrophy and lesion load in multiple sclerosis patients independent of disability. <i>Journal of the Neurological Sciences</i> , 2007 , 263, 15-9	3.2	104
170	Parkinsonism and essential tremor in a family with pseudo-dominant inheritance of PARK2: an FP-CIT SPECT study. <i>Movement Disorders</i> , 2007 , 22, 559-63	7	30
169	Further evidence of genetic heterogeneity in families with autosomal dominant nocturnal frontal lobe epilepsy. <i>Epilepsy Research</i> , 2007 , 74, 70-3	3	28
168	Usefulness of a morning routine EEG recording in patients with juvenile myoclonic epilepsy. <i>Epilepsy Research</i> , 2007 , 77, 17-21	3	45
167	Two-dimensional gel electrophoresis of peripheral nerve proteins: Optimized sample preparation. <i>Journal of Neuroscience Methods</i> , 2007 , 159, 125-33	3	6
166	SIL1 and SARA2 mutations in Marinesco-Sjögren and chylomicron retention diseases. <i>Clinical Genetics</i> , 2007 , 71, 288-9	4	17
165	LRRK2 G6055A mutation in Italian patients with familial or sporadic Parkinson's disease. <i>Clinical Genetics</i> , 2007 , 71, 367-70	4	8
164	Gene dosage influences the age at onset of SCA2 in a family from southern Italy. <i>Clinical Genetics</i> , 2007 , 72, 381-3	4	1
163	Electroclinical features of a family with simple febrile seizures and temporal lobe epilepsy associated with SCN1A loss-of-function mutation. <i>Epilepsia</i> , 2007 , 48, 1691-1696	6.4	36
162	Mutational analysis of EFHC1 gene in Italian families with juvenile myoclonic epilepsy. <i>Epilepsia</i> , 2007 , 48, 1686-1690	6.4	37
161	Quality of life is not impaired in patients with hereditary neuropathy with liability to pressure palsies. <i>European Journal of Neurology</i> , 2007 , 14, e45-6	6	4
160	Investigating the role of brain-derived neurotrophic factor in relapsing-remitting multiple sclerosis. <i>Genes, Brain and Behavior</i> , 2007 , 6, 177-83	3.6	33
159	Impact of individual cognitive profile on visuo-motor reorganization in relapsing-remitting multiple sclerosis. <i>Brain Research</i> , 2007 , 1167, 71-9	3.7	20

158	The role of VLA4 polymorphisms in multiple sclerosis: an association study. <i>Journal of Neuroimmunology</i> , 2007 , 189, 125-8	3.5	8
157	Fas antigen and sporadic Alzheimer's disease in Southern Italy: evaluation of two polymorphisms in the TNFRSF6 gene. <i>Neurochemical Research</i> , 2007 , 32, 1445-9	4.6	5
156	CSF opening pressure: reference interval and the effect of body mass index. <i>Neurology</i> , 2007 , 68, 1439; author reply 1439-40	6.5	9
155	Hormonal replacement therapy in women with Parkinson disease and levodopa-induced dyskinesia: a crossover trial. <i>Clinical Neuropharmacology</i> , 2007 , 30, 276-80	1.4	30
154	Hepatonecrosis and cholangitis related to long-term phenobarbital therapy: an autopsy report of two patients. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2007 , 16, 653-6	3.2	5
153	Dopaminergic modulation of cognitive interference after pharmacological washout in Parkinson's disease. <i>Brain Research Bulletin</i> , 2007 , 74, 75-83	3.9	54
152	Association between the M129V variant allele of PRNP gene and mild temporal lobe epilepsy in women. <i>Neuroscience Letters</i> , 2007 , 421, 1-4	3.3	11
151	Putative role of specific JAG1 gene exons in modulating clinical features in patients with leukoencephalopathy. <i>Neuroscience Letters</i> , 2007 , 418, 1-3	3.3	
150	Serotonin transporter gene (5-Htt): association analysis with temporal lobe epilepsy. <i>Neuroscience Letters</i> , 2007 , 421, 52-6	3.3	31
149	Reflex periodic spasms induced by eating. <i>Brain and Development</i> , 2006 , 28, 170-4	2.2	22
148	Genetic heterogeneity in patients with pantothenate kinase-associated neurodegeneration and classic magnetic resonance imaging eye-of-the-tiger pattern. <i>Movement Disorders</i> , 2006 , 21, 252-4	7	22
147	Apparent diffusion coefficient measurements of the middle cerebellar peduncle differentiate the Parkinson variant of MSA from Parkinson's disease and progressive supranuclear palsy. <i>Brain</i> , 2006 , 129, 2679-87	11.2	180
146	MR imaging of middle cerebellar peduncle width: differentiation of multiple system atrophy from Parkinson disease. <i>Radiology</i> , 2006 , 239, 825-30	20.5	99
145	MRI evidence of mesial temporal sclerosis in sporadic "benign" temporal lobe epilepsy. <i>Neurology</i> , 2006 , 66, 562-5	6.5	81
144	Cognitive dysfunction in patients with relapsing-remitting multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2006 , 12, 77-87	5	98
143	Bilateral transverse sinus stenosis predicts IHH without papilledema in patients with migraine. <i>Neurology</i> , 2006 , 67, 419-23	6.5	69
142	APOE epsilon variation in multiple sclerosis susceptibility and disease severity: some answers. <i>Neurology</i> , 2006 , 66, 1373-83	6.5	72
141	Monoamine oxidase-a genetic variations influence brain activity associated with inhibitory control: new insight into the neural correlates of impulsivity. <i>Biological Psychiatry</i> , 2006 , 59, 334-40	7.9	126

140	A multicenter, randomized, double-blind, placebo-controlled trial of long-term ascorbic acid treatment in Charcot-Marie-Tooth disease type 1A (CMT-TRIAAL): the study protocol [EudraCT no.: 2006-000032-27]. <i>Pharmacological Research</i> , 2006 , 54, 436-41	10.2	42
139	Adaptive cortical changes and the functional correlates of visuo-motor integration in relapsing-remitting multiple sclerosis. <i>Brain Research Bulletin</i> , 2006 , 69, 597-605	3.9	27
138	Subcortical motor plasticity in patients with sporadic ALS: An fMRI study. <i>Brain Research Bulletin</i> , 2006 , 69, 489-94	3.9	57
137	Levetiracetam in patients with generalised epilepsy and myoclonic seizures: an open label study. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2006 , 15, 214-8	3.2	59
136	Novel spastin (SPG4) mutations in Italian patients with hereditary spastic paraplegia. <i>Neuromuscular Disorders</i> , 2006 , 16, 387-90	2.9	14
135	Genetic variation in the myeloperoxidase gene and cognitive impairment in multiple sclerosis. <i>Journal of Negative Results in BioMedicine</i> , 2006 , 5, 3		4
134	Sporadic ALS is not associated with VAPB gene mutations in Southern Italy. <i>Journal of Negative Results in BioMedicine</i> , 2006 , 5, 7		16
133	Isolated unilateral abducens palsy in idiopathic intracranial hypertension without papilledema. <i>European Journal of Neurology</i> , 2006 , 13, 670-1	6	8
132	Clinical and genetic findings in 26 Italian patients with Lafora disease. <i>Epilepsia</i> , 2006 , 47, 640-3	6.4	59
131	Proteomics of bovine myelin sheath: characterization of a truncated form of P0 by MALDI-TOF/TOF mass spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 2006 , 17, 117-23	3.5	6
130	Collaborative analysis of alpha-synuclein gene promoter variability and Parkinson disease. <i>JAMA - Journal of the American Medical Association</i> , 2006 , 296, 661-70	27.4	403
129	Empty sella and bilateral transverse sinus stenosis predict raised intracranial pressure in the absence of papilloedema: a preliminary study. <i>Journal of Neurology</i> , 2006 , 253, 674-6	5.5	8
128	Treatment of multiple sclerosis with interferon beta in clinical practice: 2-year follow-up data from the South Italy Mobile MRI Project. <i>Neurological Sciences</i> , 2006 , 27 Suppl 5, S365-8	3.5	5
127	Movement time and aging: a normative study in healthy subjects with the "Movement Time Analyzer". <i>Aging Clinical and Experimental Research</i> , 2005 , 17, 207-10	4.8	12
126	Comparison of different techniques for detecting 17p12 duplication in CMT1A. <i>Neuromuscular Disorders</i> , 2005 , 15, 488-92	2.9	9
125	ApoE epsilon4 allele and disease duration affect verbal learning in mild temporal lobe epilepsy. <i>Epilepsia</i> , 2005 , 46, 110-7	6.4	48
124	DJ-1 mutations and parkinsonism-dementia-amyotrophic lateral sclerosis complex. <i>Annals of Neurology</i> , 2005 , 58, 803-7	9.4	143
123	Posture-related cough headache and orthostatic drop in lumbar CSF pressure. <i>Journal of Neurology</i> , 2005 , 252, 237-8	5.5	9

122	Comparison of different MR venography techniques for detecting transverse sinus stenosis in idiopathic intracranial hypertension. <i>Journal of Neurology</i> , 2005 , 252, 1021-5	5.5	58
121	Clinical and muscle magnetic resonance imaging study of an Italian family with autosomal dominant inclusion body myopathy not linked to known genetic loci. <i>Neurological Sciences</i> , 2005 , 26, 303-9	3.5	2
120	Transverse sinus stenoses persist after normalization of the CSF pressure in IIH. <i>Neurology</i> , 2005 , 65, 1090-3	6.5	115
119	Motor-sensory neuropathy with minifascicle formation in a woman with normal karyotype. <i>Neurology</i> , 2005 , 65, 776	6.5	7
118	Sex differences in clinical and genetic determinants of levodopa peak-dose dyskinesias in Parkinson disease: an exploratory study. <i>Archives of Neurology</i> , 2005 , 62, 601-5		159
117	Brain atrophy and lesion load in a large population of patients with multiple sclerosis. <i>Neurology</i> , 2005 , 65, 280-5	6.5	126
116	The spectrum of Notch3 mutations in 28 Italian CADASIL families. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2005 , 76, 736-8	5.5	65
115	Identification of an Nav1.1 sodium channel (SCN1A) loss-of-function mutation associated with familial simple febrile seizures. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 18177-82	11.5	162
114	Increased risk for Alzheimer disease with the interaction of MPO and A2M polymorphisms. <i>Archives of Neurology</i> , 2004 , 61, 341-4		40
113	A novel mutation (Thr116Ile) in the presenilin 1 gene in a patient with early-onset Alzheimer's disease. <i>European Journal of Neurology</i> , 2004 , 11, 521-4	6	17
112	A novel exon 1 mutation in a patient with atypical lafora progressive myoclonus epilepsy seen as childhood-onset cognitive deficit. <i>Epilepsia</i> , 2004 , 45, 294-5	6.4	25
111	Mutations in the mitochondrial GTPase mitofusin 2 cause Charcot-Marie-Tooth neuropathy type 2A. <i>Nature Genetics</i> , 2004 , 36, 449-51	36.3	1243
110	Startle epilepsy complicating aspartylglucosaminuria. <i>Brain and Development</i> , 2004 , 26, 130-3	2.2	11
109	Association between Synapsin III gene promoter polymorphisms and multiple sclerosis. <i>Journal of Neurology</i> , 2004 , 251, 165-70	5.5	17
108	Gender-related effect of clinical and genetic variables on the cognitive impairment in multiple sclerosis. <i>Journal of Neurology</i> , 2004 , 251, 1208-14	5.5	114
107	Narrowing of the critical region in autosomal recessive spastic paraplegia linked to the SPG5 locus. <i>Neurogenetics</i> , 2004 , 5, 49-54	3	20
106	Normal sleep-wake and circadian rhythms in a case of Gerstmann-Strüssler-Sheinker (GSS) disease. <i>Clinical Autonomic Research</i> , 2004 , 14, 39-41	4.3	5
105	Gene conversion events in adult-onset spinal muscular atrophy. <i>Acta Neurologica Scandinavica</i> , 2004 , 109, 151-4	3.8	11

104	The gender effect in juvenile Huntington disease patients of Italian origin. <i>American Journal of Medical Genetics Part A</i> , 2004 , 125B, 92-8		33
103	UCHL1 is a Parkinson's disease susceptibility gene. <i>Annals of Neurology</i> , 2004 , 55, 512-21	9.4	190
102	Chronic bilateral subthalamic deep brain stimulation in a patient with homozygous deletion in the parkin gene. <i>Movement Disorders</i> , 2004 , 19, 1450-2	7	21
101	Abnormally high levels of SOD1 mRNA in a patient with amyotrophic lateral sclerosis. <i>Muscle and Nerve</i> , 2004 , 29, 610-1	3.4	11
100	Further evidence of genetic heterogeneity in autosomal dominant distal motor neuronopathy. <i>Neuromuscular Disorders</i> , 2004 , 14, 705-10	2.9	2
99	FRAXE intermediate alleles are associated with Parkinson's disease. <i>Neuroscience Letters</i> , 2004 , 368, 21-4	3.3	13
98	Could mitochondrial haplogroups play a role in sporadic amyotrophic lateral sclerosis?. <i>Neuroscience Letters</i> , 2004 , 371, 158-62	3.3	61
97	Quetiapine and clozapine in parkinsonian patients with dopaminergic psychosis. <i>Clinical Neuropharmacology</i> , 2004 , 27, 153-6	1.4	159
96	Temporal lobe epilepsy as a unique manifestation of multiple sclerosis. <i>Canadian Journal of Neurological Sciences</i> , 2003 , 30, 228-32	1	28
95	Mutation analysis of the MECP2 gene in patients with Rett syndrome 2003 , 117A, 184-7		4
94	Apolipoprotein E genotype does not influence the progression of multiple sclerosis. <i>Journal of Neurology</i> , 2003 , 250, 1094-8	5.5	35
93	Association of tau gene polymorphism with Parkinson's disease. <i>Neurological Sciences</i> , 2003 , 24, 223-4	3.5	11
92	CD45 and multiple sclerosis: the exon 4 C77G polymorphism (additional studies and meta-analysis) and new markers. <i>Journal of Neuroimmunology</i> , 2003 , 140, 216-21	3.5	24
91	Prodynorphin gene promoter polymorphism and temporal lobe epilepsy. <i>Epilepsia</i> , 2003 , 44, 1255-6	6.4	26
90	Two novel SCN1A missense mutations in generalized epilepsy with febrile seizures plus. <i>Epilepsia</i> , 2003 , 44, 1257-8	6.4	50
89	Mutations in a Sar1 GTPase of COPII vesicles are associated with lipid absorption disorders. <i>Nature Genetics</i> , 2003 , 34, 29-31	36.3	304
88	NACP-REP1 polymorphism is not involved in Parkinson's disease: a case-control study in a population sample from southern Italy. <i>Neuroscience Letters</i> , 2003 , 351, 75-8	3.3	39
87	A simple method for diagnosis of autosomal recessive spinal muscular atrophy by denaturing high-performance liquid chromatography. <i>Journal of Child Neurology</i> , 2003 , 18, 269-71	2.5	9

86	Further evidence that SPG3A gene mutations cause autosomal dominant hereditary spastic paraplegia. <i>Annals of Neurology</i> , 2002 , 51, 794-5	9.4	31
85	Familial essential tremor is not associated with SCA-12 mutation in southern Italy. <i>Movement Disorders</i> , 2002 , 17, 837-8	7	15
84	Body weight, levodopa pharmacokinetics and dyskinesia in Parkinson's disease. <i>Neurological Sciences</i> , 2002 , 23 Suppl 2, S53-4	3.5	41
83	Quetiapine versus clozapine: a preliminary report of comparative effects on dopaminergic psychosis in patients with Parkinson's disease. <i>Neurological Sciences</i> , 2002 , 23 Suppl 2, S89-90	3.5	38
82	A novel mutation in the CLN1 gene in a patient with juvenile neuronal ceroid lipofuscinosis. <i>Journal of Neurology</i> , 2002 , 249, 1398-400	5.5	15
81	A large family with pure autosomal dominant hereditary spastic paraplegia from southern Italy mapping to chromosome 14q11.2-q24.3. <i>Journal of Neurology</i> , 2002 , 249, 1413-6	5.5	4
80	Association study of dopamine D2, D3 receptor gene polymorphisms with motor fluctuations in PD. <i>Neurology</i> , 2002 , 58, 837; author reply 837-8	6.5	2
79	Gender and pramipexole effects on levodopa pharmacokinetics and pharmacodynamics. <i>Neurology</i> , 2002 , 59, 2010; author reply 2010	6.5	3
78	Motor response to apomorphine in patients with Parkinson's disease with long-duration response to levodopa. <i>Clinical Neuropharmacology</i> , 2002 , 25, 119-21	1.4	1
77	Body weight influences pharmacokinetics of levodopa in Parkinson's disease. <i>Clinical Neuropharmacology</i> , 2002 , 25, 79-82	1.4	54
76	No evidence of association between the alpha-2 macroglobulin gene and Parkinson's disease in a case-control sample. <i>Neuroscience Letters</i> , 2002 , 328, 65-7	3.3	8
75	Lack of association between estrogen receptor 1 gene polymorphisms and multiple sclerosis in southern Italy in humans. <i>Neuroscience Letters</i> , 2002 , 327, 115-8	3.3	15
74	Silent celiac disease in patients with childhood localization-related epilepsies. <i>Epilepsia</i> , 2001 , 42, 1153-56.4		45
73	A novel mutation in the Notch3 gene in an Italian family with cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy: genetic and magnetic resonance spectroscopic findings. <i>Archives of Neurology</i> , 2001 , 58, 1418-22		28
72	The parkin gene is not a major susceptibility locus for typical late-onset Parkinson's disease. <i>Neurological Sciences</i> , 2001 , 22, 73-4	3.5	5
71	Dopamine D2 receptor TaqI A polymorphism and Parkinson's disease. <i>Movement Disorders</i> , 2001 , 16, 975	7	1
70	A genome screen for multiple sclerosis in Italian families. <i>Genes and Immunity</i> , 2001 , 2, 205-10	4.4	65
69	Vitamin E deficiency due to chylomicron retention disease in Marinesco-Sjögren syndrome. <i>Annals of Neurology</i> , 2000 , 47, 260-264	9.4	34

68	The dopamine D2 receptor gene is a susceptibility locus for Parkinson's disease. <i>Movement Disorders</i> , 2000 , 15, 127-31	7	104
67	Familial temporal lobe epilepsy autosomal dominant inheritance in a large pedigree from southern Italy. <i>Epilepsy Research</i> , 2000 , 38, 127-32	3	47
66	Interhemispheric threshold differences in idiopathic generalized epilepsies with versive or circling seizures determined with focal magnetic transcranial stimulation. <i>Epilepsy Research</i> , 2000 , 40, 1-6	3	20
65	Charcot-Marie-Tooth type 4B is caused by mutations in the gene encoding myotubularin-related protein-2. <i>Nature Genetics</i> , 2000 , 25, 17-9	36.3	419
64	The nicotinic receptor beta 2 subunit is mutant in nocturnal frontal lobe epilepsy. <i>Nature Genetics</i> , 2000 , 26, 275-6	36.3	386
63	Genetic refinement and physical mapping of the CMT4B gene on chromosome 11q22. <i>Genomics</i> , 2000 , 63, 271-8	4.3	17
62	Emotion-induced myoclonic absence-like seizures in a patient with inv-dup(15) syndrome: a clinical, EEG, and molecular genetic study. <i>Epilepsia</i> , 1999 , 40, 1316-9	6.4	14
61	Apolipoprotein E polymorphisms and the risk of nonlesional temporal lobe epilepsy. <i>Epilepsia</i> , 1999 , 40, 1804-7	6.4	31
60	Autosomal Recessive Hereditary Motor and Sensory Neuropathy with Focally Folded Myelin Sheaths (CMT4B). <i>Annals of the New York Academy of Sciences</i> , 1999 , 883, 47-55	6.5	10
59	Linkage analysis of multiple sclerosis with candidate region markers in Sardinian and Continental Italian families. <i>European Journal of Human Genetics</i> , 1999 , 7, 377-85	5.3	34
58	A hypofibrinolytic state in overweight patients with cerebral venous thrombosis and isolated intracranial hypertension. <i>Journal of Neurology</i> , 1999 , 246, 1086-9	5.5	27
57	Apolipoprotein E polymorphisms and Parkinson's disease. <i>Neuroscience Letters</i> , 1999 , 277, 83-6	3.3	17
56	Exclusion of the SCN2B gene as candidate for CMT4B. <i>European Journal of Human Genetics</i> , 1998 , 6, 629-34	3.4	5
55	Usefulness of latero-orbital electrodes in detecting interictal epileptiform activity--a study of 60 patients with complex partial seizures. <i>Electroencephalography and Clinical Neurophysiology</i> , 1998 , 107, 174-6		3
54	Treatment of palatal myoclonus with sumatriptan. <i>Movement Disorders</i> , 1998 , 13, 195	7	3
53	CAG repeat length and clinical features in three Italian families with spinocerebellar ataxia type 2 (SCA2): early impairment of Wisconsin Card Sorting Test and saccade velocity. <i>Journal of Neurology</i> , 1998 , 245, 647-52	5.5	52
52	Mild non-lesional temporal lobe epilepsy. A common, unrecognized disorder with onset in adulthood. <i>Canadian Journal of Neurological Sciences</i> , 1998 , 25, 282-6	1	50
51	Hereditary demyelinating neuropathy of infancy: a genetically complex syndrome. <i>Brain</i> , 1997 , 120 (Pt 11), 2113-5	11.2	9

50	Pontine lesion of the abducens fasciculus producing so-called posterior internuclear ophthalmoplegia. <i>European Neurology</i> , 1997 , 37, 67-9	2.1	6
49	Disappearance of periodic sharp wave complexes in Creutzfeldt-Jakob disease. <i>Neurophysiologie Clinique</i> , 1997 , 27, 277-82	2.7	6
48	Spontaneous remission of childhood epilepsy in two patients with focal extraopercular cortical dysplasia. <i>Brain and Development</i> , 1997 , 19, 422-5	2.2	3
47	Negative myoclonic status due to antiepileptic drug tapering: report of three cases. <i>Epilepsia</i> , 1997 , 38, 819-23	6.4	11
46	Long-duration response to levodopa influences the pharmacodynamics of short-duration response in Parkinson's disease. <i>Annals of Neurology</i> , 1997 , 42, 245-8	9.4	57
45	Short-term levodopa test assessed by movement time accurately predicts dopaminergic responsiveness in Parkinson's disease. <i>Movement Disorders</i> , 1997 , 12, 103-6	7	38
44	Action palatal tremor in a patient with primary intestinal lymphoma. <i>Movement Disorders</i> , 1997 , 12, 794-7		10
43	Sequential occurrence of benign partial epilepsy and childhood absence epilepsy in three patients. <i>Brain and Development</i> , 1996 , 18, 212-5	2.2	21
42	Localization of a gene responsible for autosomal recessive demyelinating neuropathy with focally folded myelin sheaths to chromosome 11q23 by homozygosity mapping and haplotype sharing. <i>Human Molecular Genetics</i> , 1996 , 5, 1051-4	5.6	66
41	Computerized analysis of eye movements as a function of age. <i>Archives of Gerontology and Geriatrics</i> , 1996 , 22, 261-9	4	20
40	Photic-induced epileptic negative myoclonus: a case report. <i>Epilepsia</i> , 1996 , 37, 492-4	6.4	9
39	De novo epileptic confusional status in a patient with cobalamin deficiency. <i>Metabolic Brain Disease</i> , 1995 , 10, 233-8	3.9	8
38	Negative myoclonus during valproate-related stupor. Neurophysiological evidence of a cortical non-epileptic origin. <i>Electroencephalography and Clinical Neurophysiology</i> , 1995 , 94, 103-8		25
37	The subacute levodopa test for evaluating long-duration response in Parkinson's disease. <i>Annals of Neurology</i> , 1995 , 38, 389-95	9.4	52
36	Chlorpromazine versus sleep deprivation in activation of EEG in adult-onset partial epilepsy. <i>Journal of Neurology</i> , 1994 , 241, 605-10	5.5	16
35	Usefulness of movement time in the assessment of Parkinson's disease. <i>Journal of Neurology</i> , 1994 , 241, 543-50	5.5	49
34	Functional integrity of benzodiazepine receptors of the geniculate-striate visual pathways in Creutzfeldt-Jakob disease. A pharmacological evoked potential study. <i>Journal of Neurology</i> , 1993 , 240, 25-7	5.5	9
33	Oral pulse levodopa therapy in mild Parkinson's disease. <i>Neurology</i> , 1993 , 43, 1161-6	6.5	19

32	Saccadic eye movements analysis in the early diagnosis of myasthenia gravis. <i>Italian Journal of Neurological Sciences</i> , 1991 , 12, 389-95		5
31	Different susceptibilities of the geniculate and extrageniculate visual pathways to human Creutzfeldt-Jakob disease (a combined neurophysiological-neuropathological study). <i>Electroencephalography and Clinical Neurophysiology</i> , 1991 , 78, 413-23		22
30	Sensory evoked potentials in herpes simplex encephalitis. <i>Neurophysiologie Clinique</i> , 1991 , 21, 301-11	2.7	
29	Triphasic waves and cerebral tumors. <i>European Neurology</i> , 1990 , 30, 1-5	2.1	9
28	Nonmetabolic causes of triphasic waves: a reappraisal. <i>Clinical EEG (electroencephalography)</i> , 1990 , 21, 120-5		20
27	Combined neurophysiological studies in Creutzfeldt-Jakob disease: a case report. <i>Clinical EEG (electroencephalography)</i> , 1989 , 20, 103-10		10
26	Purulent meningitis due to spontaneous anterior sacral meningocele perforation. Case report. <i>Italian Journal of Neurological Sciences</i> , 1989 , 10, 211-3		7
25	Computer analysis of saccadic eye movements: assessment of two different carbamazepine formulations. <i>European Journal of Clinical Pharmacology</i> , 1989 , 37, 513-6	2.8	15
24	The contribution of saccadic eye movements analysis, visual and auditory evoked responses to the diagnosis of multiple sclerosis. <i>Clinical Neurology and Neurosurgery</i> , 1989 , 91, 123-8	2	4
23	Neuroocular side effects of carbamazepine and phenobarbital in epileptic patients as measured by saccadic eye movements analysis. <i>Epilepsia</i> , 1989 , 30, 62-6	6.4	18
22	Carbamazepine-induced nonepileptic myoclonus in a child with benign epilepsy. <i>Epilepsia</i> , 1987 , 28, 515-8.4		26
21	Saccadic eye movements analysis as a measure of drug effect on central nervous system function. <i>Italian Journal of Neurological Sciences</i> , 1986 , 7, 223-31		6
20	Release of endogenous dopamine from tuberoinfundibular neurons. <i>Life Sciences</i> , 1984 , 35, 399-407	6.8	13
19	Electroencephalographic and anatomic-clinical evidences of posterior cerebral damage in hypertensive encephalopathy. <i>Clinical EEG (electroencephalography)</i> , 1984 , 15, 53-60		7
18	Effect of the orally absorbed dopamine analogue N-methyl-dopamine diisobutyric ester on plasma prolactin levels. <i>European Journal of Clinical Pharmacology</i> , 1983 , 25, 131-3	2.8	6
17	Chemical denervation produces supersensitivity of central serotonergic receptors involved in the control of TSH secretion in the rat. <i>Brain Research</i> , 1983 , 261, 349-52	3.7	6
16	Increased GH responsiveness to dopamine receptor stimulation in alcohol addicts during the late withdrawal syndrome. <i>Life Sciences</i> , 1983 , 33, 2651-5	6.8	20
15	Prolactin secretion in man: a useful tool to evaluate the activity of drugs on central 5-hydroxytryptaminergic neurones. Studies with fenfluramine. <i>British Journal of Clinical Pharmacology</i> , 1983 , 16, 471-5	3.8	128

14	Stroke in two young siblings with congenital dysfibrinogenemia. <i>Italian Journal of Neurological Sciences</i> , 1983 , 4, 229-32		7
13	Pharmacological evidence of supersensitivity of central serotonergic receptors involved in the control of prolactin secretion. <i>European Journal of Pharmacology</i> , 1981 , 76, 9-13	5-3	44
12	Brain neurotransmitters regulating TRH producing neurons. <i>Pharmacological Research Communications</i> , 1981 , 13, 1-10		9
11	Serotonergic involvement in neuroendocrine function. <i>Pharmacological Research Communications</i> , 1980 , 12, 249-54		1
10	Effect of selective degeneration of brain serotonin-containing neurons on plasma corticosterone levels: studies with d-fenfluramine. <i>Pharmacological Research Communications</i> , 1979 , 11, 545-53		17
9	Effect of 6-hydroxydopamine treatment on TSH secretion in basal and cold-stimulated conditions in the rat. <i>European Journal of Pharmacology</i> , 1979 , 56, 153-7	5-3	17
8	Effect of midbrain raphe lesion or 5,7-dihydroxytryptamine treatment on the prolactin-releasing action of quipazine and D-fenfluramine in rats. <i>Brain Research</i> , 1979 , 174, 71-9	3-7	40
7	Increased plasma prolactin levels induced in rats by d-fenfluramine: relation to central serotonergic stimulation. <i>European Journal of Pharmacology</i> , 1978 , 49, 163-7	5-3	43
6	Seizure susceptibility and anticonvulsant activity of carbamazepine, diphenylhydantoin and phenobarbital in rats with selective depletions of brain monoamines. <i>Neuropharmacology</i> , 1978 , 17, 643-55		52
5	Effect of quipazine and D-fenfluramine, two serotonin-like drugs, on TSH secretion in basal and cold stimulated conditions in the rat. <i>Life Sciences</i> , 1978 , 22, 1879-85	6.8	13
4	Evidence of an interaction between serotonergic and cholinergic neurons in the corpus striatum and hippocampus of the rat brain. <i>Brain Research</i> , 1978 , 151, 73-83	3-7	91
3	Decreased anticonvulsant activity of carbamazepine in 6-hydroxydopamine-treated rats. <i>European Journal of Pharmacology</i> , 1977 , 41, 336-6	5-3	28
2	Antinociceptive action of quipazine: relation to central serotonergic receptor stimulation. <i>Psychopharmacology</i> , 1976 , 46, 219-22	4-7	63
1	Individuals' depression and anxiety might be influenced by the level of physical activity and expertise: a pilot study on elite volleyball players and amateur athletes. <i>Sport Sciences for Health</i> , 1	1-3	0