Lech Chrostek

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/813955/publications.pdf

Version: 2024-02-01

84 papers

1,103 citations

394421 19 h-index 28 g-index

86 all docs 86 docs citations

86 times ranked 1578 citing authors

#	Article	IF	CITATIONS
1	The Serum Profile of Transferrin Isoforms in Pancreatitis. Journal of Clinical Medicine, 2022, 11, 1638.	2.4	1
2	Comparison of hyaluronic acid in patients with rheumatoid arthritis, systemic sclerosis and systemic lupus erythematosus. Biochemia Medica, 2021, 31, 240-249.	2.7	3
3	Non-Invasive Indirect Markers of Liver Fibrosis after Interferon-Free Treatment for Hepatitis C. Journal of Clinical Medicine, 2021, 10, 3951.	2.4	4
4	Glycosylation in viral hepatitis. Biochimica Et Biophysica Acta - General Subjects, 2021, 1865, 129997.	2.4	5
5	Liver function in COVID-19 infection. World Journal of Hepatology, 2021, 13, 1909-1918.	2.0	5
6	Diagnostic Power of Cytokine M-CSF, Metalloproteinase 2 (MMP-2) and Tissue Inhibitor-2 (TIMP-2) in Cervical Cancer Patients Based on ROC Analysis. Pathology and Oncology Research, 2020, 26, 791-800.	1.9	15
7	Diagnostic Power of Galectin-3 in Rheumatic Diseases. Journal of Clinical Medicine, 2020, 9, 3312.	2.4	12
8	Transferrin isoforms analysis by capillary electrophoresis in systemic lupus erythematosus and systemic sclerosis. Scandinavian Journal of Clinical and Laboratory Investigation, 2020, 80, 567-570.	1.2	2
9	Changed Profile of Serum Transferrin Isoforms in Primary Biliary Cholangitis. Journal of Clinical Medicine, 2020, 9, 2894.	2.4	3
10	The concentration of total sialic acid in chronic hepatitis B and C. Annals of Clinical Biochemistry, 2019, 56, 118-122.	1.6	6
11	The Profile of Serum Transferrin Isoforms in Rheumatoid Arthritis. Journal of Clinical Rheumatology, 2019, 25, 159-162.	0.9	10
12	Noninvasive Indirect Markers of Liver Fibrosis in Alcoholics. BioMed Research International, 2019, 2019, 1-9.	1.9	14
13	Serum profile of transferrin isoforms in rheumatoid arthritis treated with biological drugs. Clinical Biochemistry, 2019, 74, 31-35.	1.9	5
14	Diagnostic power of VEGF, MMP-9 and TIMP-1 in patients with breast cancer. A multivariate statistical analysis with ROC curve. Advances in Medical Sciences, 2019, 64, 1-8.	2.1	16
15	Improvements in the perception of facial attractiveness following surgical aesthetic treatment; study based on online before and after photos. Journal of Cosmetic Dermatology, 2019, 18, 296-300.	1.6	8
16	Serum level of interleukin-6 (IL-6) and N-terminal propeptide of procollagen type I (PINP) in patients with liver diseases. Scandinavian Journal of Clinical and Laboratory Investigation, 2018, 78, 125-130.	1.2	16
17	Impact of face proportions on face attractiveness. Journal of Cosmetic Dermatology, 2018, 17, 954-959.	1.6	19
18	Serum profile of transferrin isoforms in juvenile idiopathic arthritis: a preliminary study. Rheumatology International, 2018, 38, 1235-1240.	3.0	5

#	Article	IF	CITATIONS
19	Plasma levels and diagnostic utility of macrophage-colony stimulating factor, matrix metalloproteinase-9 and tissue inhibitor of metalloproteinase-1 as tumor markers in cervical cancer patients. Tumor Biology, 2018, 40, 101042831879036.	1.8	10
20	Independence of carbohydrate-deficient isoforms of transferrin and cyclic citrullinated peptides in rheumatoid arthritis. Revista Brasileira De Reumatologia, 2017, 57, 185-189.	0.7	0
21	The transferrin isoforms in chronic hepatitis. Clinical Biochemistry, 2017, 50, 1131-1135.	1.9	4
22	Plasma levels of MMP-7 and TIMP-1 in laboratory diagnostics and differentiation of selected histological types of epithelial ovarian cancers. Journal of Ovarian Research, 2017, 10, 39.	3.0	14
23	High serum N-terminal propeptide of procollagen type III concentration is associated with liver diseases. Przeglad Gastroenterologiczny, 2017, 3, 203-207.	0.7	5
24	The role of serum hyaluronic acid determination in the diagnosis of liver fibrosis. Acta Biochimica Polonica, 2017, 64, 451-457.	0.5	25
25	Serum Sialic Acid as a Biomarker in Liver Disease. Biomarkers in Disease, 2017, , 407-425.	0.1	1
26	Changed Profile of Serum Transferrin Isoforms in Liver Diseases. Clinical Laboratory, 2017, 63, 349-354.	0.5	8
27	Simple non-invasive markers for early diagnosis and determination of the severity of liver diseases. Clinical and Experimental Hepatology, 2016, 4, 149-154.	1.3	1
28	Interactions Between Alcohol and Folate., 2016,, 157-169.		2
29	Hyaluronic acid concentration in liver diseases. Clinical and Experimental Medicine, 2016, 16, 523-528.	3.6	35
30	Selected Noninvasive Markers in Diagnosing Liver Diseases. Laboratory Medicine, 2016, 47, 67-72.	1.2	1
31	Serum Sialic Acid Concentration and Content in ApoB-Containing Lipoproteins in Liver Diseases. Clinical Laboratory, 2016, 62, 1069-74.	0.5	3
32	Serum Carbohydrate-Deficient Transferrin in Pancreatic Diseases of Different Etiologies. Clinical Laboratory, 2016, 62, 1787-1793.	0.5	3
33	Changes in Transferrin Isoforms in Pancreatic Cancer. Annals of Clinical and Laboratory Science, 2016, 46, 286-90.	0.2	7
34	Serum Sialic Acid as a Biomarker in Liver Disease. Exposure and Health, 2015, , 1-19.	4.9	0
35	The Distribution of Liver Steatosis, Fibrosis, Steatohepatitis and Inflammation Activity in Alcoholics According to FibroMax Test. Advances in Clinical and Experimental Medicine, 2015, 24, 823-827.	1.4	10
36	The Higher Prevalence of Non-Alcoholic versus Alcoholic Steatohepatitis in Alcoholics. Clinical Laboratory, 2015, 61, 1769-74.	0.5	2

#	Article	IF	Citations
37	Galectin-3 Concentration in Liver Diseases. Annals of Clinical and Laboratory Science, 2015, 45, 669-73.	0.2	26
38	Total and Free Serum Sialic Acid Concentration in Liver Diseases. BioMed Research International, 2014, 2014, 1-5.	1.9	24
39	Liver fibrosis markers in alcoholic liver disease. World Journal of Gastroenterology, 2014, 20, 8018.	3.3	55
40	Serum Sialic Acids Levels According to the Severity of Liver Cirrhosis. Journal of Clinical Laboratory Analysis, 2014, 28, 465-468.	2.1	13
41	Sialic acid level reflects the disturbances of glycosylation and acute-phase reaction in rheumatic diseases. Rheumatology International, 2014, 34, 393-399.	3.0	20
42	The effect of the severity of liver cirrhosis on the level of lipids and lipoproteins. Clinical and Experimental Medicine, 2014, 14, 417-421.	3.6	74
43	Carbohydrate-deficient transferrin depends on disease activity in rheumatoid arthritis and systemic sclerosis. Scandinavian Journal of Rheumatology, 2013, 42, 203-206.	1.1	7
44	The Distribution of Serum Folate Concentration and Red Blood Cell Indices in Alcoholics. Journal of Nutritional Science and Vitaminology, 2013, 59, 1-8.	0.6	12
45	Serum Sialic Acid as a Marker of Pancreatic Cancers. Clinical Laboratory, 2013, 59, 781-8.	0.5	13
46	N-Latex CDT Results in Liver Diseases. Alcohol and Alcoholism, 2012, 47, 428-432.	1.6	10
47	Phytotherapy of Alcoholism. Natural Product Communications, 2012, 7, 1934578X1200700.	0.5	15
48	Relationship between CDT and disease activity in rheumatoid arthritis. Zeitschrift Fur Rheumatologie, 2012, 71, 220-223.	1.0	4
49	The diagnostic power of direct carbohydrate-deficient transferrin immunoassay in alcoholics. Absolute or relative values?. Alcohol, 2012, 46, 69-73.	1.7	8
50	Lipid-bound sialic acid (LSA) in liver diseases of different etiologies. Annals of Hepatology, 2011, 10, 150-154.	1.5	11
51	Lipid-bound sialic acid (LSA) in liver diseases of different etiologies. Annals of Hepatology, 2011, 10, 150-4.	1.5	3
52	The assessment of serum soluble transferrin receptor in alcoholics. Clinical and Experimental Medicine, 2010, 10, 73-79.	3.6	2
53	Lipid-bound sialic acid in alcoholics participates in increased level of total sialic acid. Alcohol, 2010, 44, 457-462.	1.7	3
54	Serum total and free sialic acid in patients with chronic liver disease. Clinical Chemistry and Laboratory Medicine, 2010, 48, 137-139.	2.3	12

#	Article	IF	Citations
55	The Changes of Sialic Acid Concentration and Content in Apolipoprotein B-Containing Lipoproteins in the Sera of Alcoholics. Alcohol and Alcoholism, 2010, 45, 422-426.	1.6	0
56	Relationship between serum acute-phase proteins and high disease activity in patients with rheumatoid arthritis. Advances in Medical Sciences, 2010, 55, 80-85.	2.1	40
57	Relationship between Plasma Folate and Homocysteine Concentrations in Alcoholics According to Liver Enzyme Activity. Journal of Nutritional Science and Vitaminology, 2009, 55, 439-441.	0.6	1
58	Alcohol Dehydrogenase (ADH) Isoenzymes and Aldehyde Dehydrogenase (ALDH) Activity in the Sera of Patients with Gastric Cancer. Digestive Diseases and Sciences, 2008, 53, 2101-2105.	2.3	32
59	Relationship between serum sialic acid and sialylated glycoproteins in alcoholics. Alcohol and Alcoholism, 2007, 42, 588-592.	1.6	24
60	The Activity of Class I, II, III, and IV of Alcohol Dehydrogenase Isoenzymes and Aldehyde Dehydrogenase in Pancreatic Cancer. Pancreas, 2007, 35, 142-146.	1.1	35
61	Serum Free Sialic Acid as a Marker of Alcohol Abuse. Alcoholism: Clinical and Experimental Research, 2007, 31, 996-1001.	2.4	21
62	The Activity of Class I, III, and IV of Alcohol Dehydrogenase Isoenzymes and Aldehyde Dehydrogenase in Gastric Cancer. Digestive Diseases and Sciences, 2007, 52, 531-535.	2.3	24
63	Alcohol Dehydrogenase (ADH) Isoenzyme Activity in the Sera of Patients with Helicobacter pylori Infection. Digestive Diseases and Sciences, 2007, 52, 1513-1516.	2.3	4
64	Serum Total Sialic Acid in Differential Diagnostics of Jaundice Caused by Malignant and Nonmalignant Diseases: A ROC Curve Analysis. Digestive Diseases and Sciences, 2007, 52, 2317-2322.	2.3	4
65	Alcohol dehydrogenase (ADH) isoenzymes and aldehyde dehydrogenase (ALDH) activity in the sera of patients with colorectal cancer. Clinical and Experimental Medicine, 2007, 7, 154-157.	3.6	22
66	The diagnostic accuracy of carbohydrate-deficient transferrin, sialic acid and commonly used markers of alcohol abuse during abstinence. Clinica Chimica Acta, 2006, 364, 167-171.	1.1	24
67	The activity of class I, II, III and IV alcohol dehydrogenase isoenzymes and aldehyde dehydrogenase in breast cancer. Clinical and Experimental Medicine, 2006, 6, 89-93.	3.6	35
68	Serum level of sialic acid (SA) and carbohydrate-deficient transferrin (CDT) in type 2 diabetes mellitus with microvascular complications. Journal of Clinical Laboratory Analysis, 2006, 20, 68-73.	2.1	8
69	Activity of alcohol dehydrogenase (adh) isoenzymes and aldehyde dehydrogenase (ALDH) in the sera of patients with breast cancer. Journal of Clinical Laboratory Analysis, 2006, 20, 105-108.	2.1	19
70	Carbohydrate-deficient isoforms of transferrin (%CDT) and sialic acid (SA) in iron-deficiency anemia. International Journal of Laboratory Hematology, 2005, 27, 297-301.	0.2	4
71	The Activity of Class I, II, III, and IV Alcohol Dehydrogenase Isoenzymes and Aldehyde Dehydrogenase in Colorectal Cancer. Digestive Diseases and Sciences, 2004, 49, 977-981.	2.3	37
72	Alcohol dehydrogenase (ADH) isoenzymes and aldehyde dehydrogenase (ALDH) activity in the human pancreas. Digestive Diseases and Sciences, 2003, 48, 1230-1233.	2.3	17

#	Article	lF	CITATION
73	Gender-related differences in hepatic activity of alcohol dehydrogenase isoenzymes and aldehyde dehydrogenase in humans. Journal of Clinical Laboratory Analysis, 2003, 17, 93-96.	2.1	69
74	Effect of <i>Helicobacter pylori</i> Infection on the Activity of Class I, III and IV Alcohol Dehydrogenase in the Human Stomach. Digestion, 2002, 66, 14-18.	2.3	7
75	Activity of class I, II, III, and IV alcohol dehydrogenase isoenzymes in human gastric mucosa. Digestive Diseases and Sciences, 2002, 47, 1554-1557.	2.3	42
76	Alcohol and aldehyde dehydrogenase activity measured with fluorogenic substrates in the liver of rats poisoned with methanol. Experimental and Toxicologic Pathology, 2001, 53, 77-80.	2.1	3
77	Alcohol and aldehyde dehydrogenase activity in the stomach and small intestine of rats poisoned with methanol. Human and Experimental Toxicology, 2001, 20, 255-258.	2.2	1
78	The Activity of Class I and II Alcohol Dehydrogenase Isoenzymes in the Sera of Patients with Liver Tumours. Clinical Chemistry and Laboratory Medicine, 2000, 38, 409-12.	2.3	6
79	Isoenzmyes of Class I and II Alcohol Dehydrogenase in Chronic Hepatitis. Clinical Chemistry and Laboratory Medicine, 1999, 37, 145-7.	2.3	7
80	Serum activities of classes I and II alcohol dehydrogenases in toxic liver damage. Clinica Chimica Acta, 1998, 271, 163-169.	1.1	3
81	Activity of class I and II isoenzymes of alcohol dehydrogenase measured by a fluorometric method in the sera of patients with obstructive jaundice. Clinica Chimica Acta, 1997, 263, 117-122.	1.1	6
82	Human Alcohol Dehydrogenase Isoenzyme Activity in the Sera of Non-Alcoholic Liver Cirrhotic Patients. Clinical Chemistry and Laboratory Medicine, 1996, 34, 801-4.	2.3	5
83	Cord Blood Triglyceridemia in Cases of Placental Insufficiency. American Journal of Perinatology, 1990, 7, 26-30.	1.4	3
84	An increase of collagen biosynthesis precedes other symptoms of ethanol-induced liver damage in	3.2	5