## Tomasina Stacey

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8139806/publications.pdf

Version: 2024-02-01

471061 454577 45 987 17 30 citations h-index g-index papers 46 46 46 868 all docs docs citations times ranked citing authors

#	Article	IF	Citations
1	Association between maternal sleep practices and risk of late stillbirth: a case-control study. BMJ: British Medical Journal, 2011, 342, d3403-d3403.	2.4	107
2	Maternal Perception of Fetal Activity and Late Stillbirth Risk: Findings from the Auckland Stillbirth Study. Birth, 2011, 38, 311-316.	1.1	95
3	Association between maternal sleep practices and late stillbirth – findings from a stillbirth caseâ€control study. BJOG: an International Journal of Obstetrics and Gynaecology, 2018, 125, 254-262.	1.1	74
4	Going to sleep in the supine position is a modifiable risk factor for late pregnancy stillbirth; Findings from the New Zealand multicentre stillbirth case-control study. PLoS ONE, 2017, 12, e0179396.	1.1	69
5	Antenatal care, identification of suboptimal fetal growth and risk of late stillbirth: <scp>F</scp> indings from the <scp>A</scp> uckland <scp>S</scp> tillbirth <scp>S</scp> tudy. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2012, 52, 242-247.	0.4	52
6	Gestational diabetes and the risk of late stillbirth: a case–control study from England, UK. BJOG: an International Journal of Obstetrics and Gynaecology, 2019, 126, 973-982.	1.1	52
7	Alterations in maternally perceived fetal movement and their association with late stillbirth: findings from the Midland and North of England stillbirth case–control study. BMJ Open, 2018, 8, e020031.	0.8	47
8	An Individual Participant Data Meta-analysis of Maternal Going-to-Sleep Position, Interactions with Fetal Vulnerability, and the Risk of Late Stillbirth. EClinicalMedicine, 2019, 10, 49-57.	3.2	46
9	Stillbirth is associated with perceived alterations in fetal activity – findings from an international case control study. BMC Pregnancy and Childbirth, 2017, 17, 369.	0.9	44
10	The Auckland Stillbirth study, a case-control study exploring modifiable risk factors for third trimester stillbirth: methods and rationale. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2011, 51, 3-8.	0.4	42
11	Differences in the evaluation of postnatal midwifery support by multiparous and primiparous women in the first two weeks after birth. Women and Birth, 2003, 16, 18-24.	0.2	33
12	Fetal growth restriction and other risk factors for stillbirth in a New Zealand setting. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2007, 47, 450-456.	0.4	32
13	The Midland and North of England Stillbirth Study (MiNESS). BMC Pregnancy and Childbirth, 2014, 14, 171.	0.9	26
14	Authors' reply re: Gestational diabetes and the risk of late stillbirth: a case–control study from England, <scp>UK</scp> . BJOG: an International Journal of Obstetrics and Gynaecology, 2019, 126, 1184-1184.	1.1	22
15	Relationship between obesity, ethnicity and risk of late stillbirth: a case control study. BMC Pregnancy and Childbirth, 2011, 11, 3.	0.9	21
16	Maternal sleep practices and stillbirth: Findings from an international caseâ€control study. Birth, 2019, 46, 344-354.	1.1	21
17	Uptake of the Perinatal Society of Australia and New Zealand perinatal mortality audit guideline. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2010, 50, 138-143.	0.4	20
18	Maternal knowledge of fetal movements in late pregnancy. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2012, 52, 445-449.	0.4	18

#	Article	IF	CITATIONS
19	Associations between social and behavioural factors and the risk of late stillbirth – findings from the Midland and North of England Stillbirth caseâ€control study. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, 128, 704-713.	1.1	18
20	Excessive fetal movements are a sign of fetal compromise which merits further examination. Medical Hypotheses, 2018, 111, 19-23.	0.8	17
21	Association of Supine Going-to-Sleep Position in Late Pregnancy With Reduced Birth Weight. JAMA Network Open, 2019, 2, e1912614.	2.8	13
22	Associations between symptoms of sleep-disordered breathing and maternal sleep patterns with late stillbirth: Findings from an individual participant data meta-analysis. PLoS ONE, 2020, 15, e0230861.	1.1	12
23	Experiences of maternity care during the COVID-19 pandemic in the North of England. British Journal of Midwifery, 2021, 29, 516-523.	0.1	12
24	Ethno-Specific Risk Factors for Adverse Pregnancy Outcomes: Findings from the Born in Bradford Cohort Study. Maternal and Child Health Journal, 2016, 20, 1394-1404.	0.7	11
25	Fasting plasma glucose, diagnosis of gestational diabetes and the risk of large for gestational age: a regression discontinuity analysis of routine data. BJOG: an International Journal of Obstetrics and Gynaecology, 2022, 129, 82-89.	1.1	11
26	A better understanding of the association between maternal perception of foetal movements and late stillbirthâ€"findings from an individual participant data meta-analysis. BMC Medicine, 2021, 19, 267.	2.3	11
27	"They told me all mothers have worriesâ€; stillborn mother's experiences of having a â€~gut instinct' that something is wrong in pregnancy: Findings from an international case–control study. Midwifery, 2018, 62, 171-176.	1.0	10
28	UK consensus guidelines for the delivery of unexpected news in obstetric ultrasound: The ASCKS framework. Ultrasound, 2020, 28, 235-245.	0.3	10
29	Women's experiences of being invited to participate in a case-control study of stillbirth - findings from the Midlands and North of England Stillbirth Study. BMC Pregnancy and Childbirth, 2018, 18, 317.	0.9	8
30	The Collaborative IPD of Sleep and Stillbirth (Cribss): is maternal going-to-sleep position a risk factor for late stillbirth and does maternal sleep position interact with fetal vulnerability? An individual participant data meta-analysis study protocol. BMJ Open, 2018, 8, e020323.	0.8	6
31	Associations between consumption of coffee and caffeinated soft drinks and late stillbirthâ€"Findings from the Midland and North of England stillbirth case-control study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2021, 256, 471-477.	0.5	6
32	Hospital postnatal discharge and sepsis advice: Perspectives of women and midwifery students. British Journal of Midwifery, 2018, 26, 248-253.	0.1	5
33	â€~I don't need you to criticise me, I need you to support me'. A qualitative study of women's experier of and attitudes to smoking cessation during pregnancy. Women and Birth, 2022, 35, e549-e555.	nces 0.9	5
34	An exploration of migrant women's perceptions of public health messages to reduce stillbirth in the UK: a qualitative study. BMC Pregnancy and Childbirth, 2021, 21, 394.	0.9	3
35	The Co-development and Feasibility-Testing of an Innovative Digital Animation Intervention (DAISI) to Reduce the Risk of Maternal Sepsis in the Postnatal Period. Maternal and Child Health Journal, 2020, 24, 837-844.	0.7	2
36	The establishment of breastfeeding in the small-for-gestational-age baby. British Journal of Midwifery, 2020, 28, 90-95.	0.1	2

#	Article	IF	CITATIONS
37	Women's sleep position during pregnancy in low- and middle-income countries: a systematic review. Reproductive Health, 2021, 18, 53.	1.2	2
38	Maternal mental health and infant and young child undernutrition: protocol for a systematic review. BMJ Open, 2021, 11, e044989.	0.8	2
39	Association Between Maternal Sleep Practices and Risk of Late Stillbirth: A Case-Control Study. Obstetrical and Gynecological Survey, 2011, 66, 601-602.	0.2	O
40	Association Between Maternal Sleep Practices and Risk of Late Stillbirth. Obstetric Anesthesia Digest, 2012, 32, 121-122.	0.0	0
41	Sleep position and risk of late stillbirth. BMC Pregnancy and Childbirth, 2012, 12, .	0.9	O
42	Title is missing!. , 2020, 15, e0230861.		0
43	Title is missing!. , 2020, 15, e0230861.		O
44	Title is missing!. , 2020, 15, e0230861.		0
45	Title is missing!. , 2020, 15, e0230861.		O