

# Tomasina Stacey

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8139806/publications.pdf>

Version: 2024-02-01

45  
papers

987  
citations

471509

17  
h-index

454955

30  
g-index

46  
all docs

46  
docs citations

46  
times ranked

868  
citing authors

#	ARTICLE	IF	CITATIONS
1	Fasting plasma glucose, diagnosis of gestational diabetes and the risk of large for gestational age: a regression discontinuity analysis of routine data. BJOG: an International Journal of Obstetrics and Gynaecology, 2022, 129, 82-89.	2.3	11
2	“I don’t need you to criticise me, I need you to support me”. A qualitative study of women’s experiences of and attitudes to smoking cessation during pregnancy. Women and Birth, 2022, 35, e549-e555.	2.0	5
3	Associations between consumption of coffee and caffeinated soft drinks and late stillbirth—Findings from the Midland and North of England stillbirth case-control study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2021, 256, 471-477.	1.1	6
4	Associations between social and behavioural factors and the risk of late stillbirth – findings from the Midland and North of England Stillbirth case-control study. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, 128, 704-713.	2.3	18
5	Women’s sleep position during pregnancy in low- and middle-income countries: a systematic review. Reproductive Health, 2021, 18, 53.	3.1	2
6	An exploration of migrant women’s perceptions of public health messages to reduce stillbirth in the UK: a qualitative study. BMC Pregnancy and Childbirth, 2021, 21, 394.	2.4	3
7	Experiences of maternity care during the COVID-19 pandemic in the North of England. British Journal of Midwifery, 2021, 29, 516-523.	0.4	12
8	Maternal mental health and infant and young child undernutrition: protocol for a systematic review. BMJ Open, 2021, 11, e044989.	1.9	2
9	A better understanding of the association between maternal perception of foetal movements and late stillbirth—findings from an individual participant data meta-analysis. BMC Medicine, 2021, 19, 267.	5.5	11
10	UK consensus guidelines for the delivery of unexpected news in obstetric ultrasound: The ASCKS framework. Ultrasound, 2020, 28, 235-245.	0.7	10
11	The Co-development and Feasibility-Testing of an Innovative Digital Animation Intervention (DAISI) to Reduce the Risk of Maternal Sepsis in the Postnatal Period. Maternal and Child Health Journal, 2020, 24, 837-844.	1.5	2
12	Associations between symptoms of sleep-disordered breathing and maternal sleep patterns with late stillbirth: Findings from an individual participant data meta-analysis. PLoS ONE, 2020, 15, e0230861.	2.5	12
13	The establishment of breastfeeding in the small-for-gestational-age baby. British Journal of Midwifery, 2020, 28, 90-95.	0.4	2
14	Title is missing!. , 2020, 15, e0230861.		0
15	Title is missing!. , 2020, 15, e0230861.		0
16	Title is missing!. , 2020, 15, e0230861.		0
17	Title is missing!. , 2020, 15, e0230861.		0
18	Association of Supine Going-to-Sleep Position in Late Pregnancy With Reduced Birth Weight. JAMA Network Open, 2019, 2, e1912614.	5.9	13

#	ARTICLE	IF	CITATIONS
19	Maternal sleep practices and stillbirth: Findings from an international caseâ€control study. Birth, 2019, 46, 344-354.	2.2	21
20	Authorsâ€™ reply re: Gestational diabetes and the risk of late stillbirth: a caseâ€control study from England, <sc>UK</sc>. BJOG: an International Journal of Obstetrics and Gynaecology, 2019, 126, 1184-1184.	2.3	22
21	Gestational diabetes and the risk of late stillbirth: a caseâ€control study from England, UK. BJOG: an International Journal of Obstetrics and Gynaecology, 2019, 126, 973-982.	2.3	52
22	An Individual Participant Data Meta-analysis of Maternal Going-to-Sleep Position, Interactions with Fetal Vulnerability, and the Risk of Late Stillbirth. EClinicalMedicine, 2019, 10, 49-57.	7.1	46
23	Excessive fetal movements are a sign of fetal compromise which merits further examination. Medical Hypotheses, 2018, 111, 19-23.	1.5	17
24	The Collaborative IPD of Sleep and Stillbirth (Cribss): is maternal going-to-sleep position a risk factor for late stillbirth and does maternal sleep position interact with fetal vulnerability? An individual participant data meta-analysis study protocol. BMJ Open, 2018, 8, e020323.	1.9	6
25	â€œThey told me all mothers have worriesâ€, stillborn mother's experiences of having a â€gut instinctâ€™ that something is wrong in pregnancy: Findings from an international caseâ€control study. Midwifery, 2018, 62, 171-176.	2.3	10
26	Association between maternal sleep practices and late stillbirth â€ findings from a stillbirth caseâ€control study. BJOG: an International Journal of Obstetrics and Gynaecology, 2018, 125, 254-262.	2.3	74
27	Hospital postnatal discharge and sepsis advice: Perspectives of women and midwifery students. British Journal of Midwifery, 2018, 26, 248-253.	0.4	5
28	Womenâ€™s experiences of being invited to participate in a case-control study of stillbirth - findings from the Midlands and North of England Stillbirth Study. BMC Pregnancy and Childbirth, 2018, 18, 317.	2.4	8
29	Alterations in maternally perceived fetal movement and their association with late stillbirth: findings from the Midland and North of England stillbirth caseâ€control study. BMJ Open, 2018, 8, e020031.	1.9	47
30	Stillbirth is associated with perceived alterations in fetal activity â€ findings from an international case control study. BMC Pregnancy and Childbirth, 2017, 17, 369.	2.4	44
31	Going to sleep in the supine position is a modifiable risk factor for late pregnancy stillbirth; Findings from the New Zealand multicentre stillbirth case-control study. PLoS ONE, 2017, 12, e0179396.	2.5	69
32	Ethno-Specific Risk Factors for Adverse Pregnancy Outcomes: Findings from the Born in Bradford Cohort Study. Maternal and Child Health Journal, 2016, 20, 1394-1404.	1.5	11
33	The Midland and North of England Stillbirth Study (MiNESS). BMC Pregnancy and Childbirth, 2014, 14, 171.	2.4	26
34	Association Between Maternal Sleep Practices and Risk of Late Stillbirth. Obstetric Anesthesia Digest, 2012, 32, 121-122.	0.1	0
35	Antenatal care, identification of suboptimal fetal growth and risk of late stillbirth: <sc>F</sc>indings from the <sc>A</sc>uckland <sc>S</sc>tillbirth <sc>S</sc>tudy. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2012, 52, 242-247.	1.0	52
36	Maternal knowledge of fetal movements in late pregnancy. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2012, 52, 445-449.	1.0	18

#	ARTICLE	IF	CITATIONS
37	Sleep position and risk of late stillbirth. BMC Pregnancy and Childbirth, 2012, 12, .	2.4	0
38	Association Between Maternal Sleep Practices and Risk of Late Stillbirth: A Case-Control Study. Obstetrical and Gynecological Survey, 2011, 66, 601-602.	0.4	0
39	The Auckland Stillbirth study, a case-control study exploring modifiable risk factors for third trimester stillbirth: methods and rationale. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2011, 51, 3-8.	1.0	42
40	Maternal Perception of Fetal Activity and Late Stillbirth Risk: Findings from the Auckland Stillbirth Study. Birth, 2011, 38, 311-316.	2.2	95
41	Relationship between obesity, ethnicity and risk of late stillbirth: a case control study. BMC Pregnancy and Childbirth, 2011, 11, 3.	2.4	21
42	Association between maternal sleep practices and risk of late stillbirth: a case-control study. BMJ: British Medical Journal, 2011, 342, d3403-d3403.	2.3	107
43	Uptake of the Perinatal Society of Australia and New Zealand perinatal mortality audit guideline. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2010, 50, 138-143.	1.0	20
44	Fetal growth restriction and other risk factors for stillbirth in a New Zealand setting. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2007, 47, 450-456.	1.0	32
45	Differences in the evaluation of postnatal midwifery support by multiparous and primiparous women in the first two weeks after birth. Women and Birth, 2003, 16, 18-24.	0.1	33