

Tomasina Stacey

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8139806/publications.pdf>

Version: 2024-02-01

45
papers

987
citations

471061

17
h-index

454577

30
g-index

46
all docs

46
docs citations

46
times ranked

868
citing authors

#	ARTICLE	IF	CITATIONS
1	Fasting plasma glucose, diagnosis of gestational diabetes and the risk of large for gestational age: a regression discontinuity analysis of routine data. BJOG: an International Journal of Obstetrics and Gynaecology, 2022, 129, 82-89.	1.1	11
2	“I don’t need you to criticise me, I need you to support me”. A qualitative study of women’s experiences of and attitudes to smoking cessation during pregnancy. Women and Birth, 2022, 35, e549-e555.	0.9	5
3	Associations between consumption of coffee and caffeinated soft drinks and late stillbirth—Findings from the Midland and North of England stillbirth case-control study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2021, 256, 471-477.	0.5	6
4	Associations between social and behavioural factors and the risk of late stillbirth – findings from the Midland and North of England Stillbirth case-control study. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, 128, 704-713.	1.1	18
5	Women’s sleep position during pregnancy in low- and middle-income countries: a systematic review. Reproductive Health, 2021, 18, 53.	1.2	2
6	An exploration of migrant women’s perceptions of public health messages to reduce stillbirth in the UK: a qualitative study. BMC Pregnancy and Childbirth, 2021, 21, 394.	0.9	3
7	Experiences of maternity care during the COVID-19 pandemic in the North of England. British Journal of Midwifery, 2021, 29, 516-523.	0.1	12
8	Maternal mental health and infant and young child undernutrition: protocol for a systematic review. BMJ Open, 2021, 11, e044989.	0.8	2
9	A better understanding of the association between maternal perception of foetal movements and late stillbirth—findings from an individual participant data meta-analysis. BMC Medicine, 2021, 19, 267.	2.3	11
10	UK consensus guidelines for the delivery of unexpected news in obstetric ultrasound: The ASCKS framework. Ultrasound, 2020, 28, 235-245.	0.3	10
11	The Co-development and Feasibility-Testing of an Innovative Digital Animation Intervention (DAISI) to Reduce the Risk of Maternal Sepsis in the Postnatal Period. Maternal and Child Health Journal, 2020, 24, 837-844.	0.7	2
12	Associations between symptoms of sleep-disordered breathing and maternal sleep patterns with late stillbirth: Findings from an individual participant data meta-analysis. PLoS ONE, 2020, 15, e0230861.	1.1	12
13	The establishment of breastfeeding in the small-for-gestational-age baby. British Journal of Midwifery, 2020, 28, 90-95.	0.1	2
14	Title is missing!. , 2020, 15, e0230861.		0
15	Title is missing!. , 2020, 15, e0230861.		0
16	Title is missing!. , 2020, 15, e0230861.		0
17	Title is missing!. , 2020, 15, e0230861.		0
18	Association of Supine Going-to-Sleep Position in Late Pregnancy With Reduced Birth Weight. JAMA Network Open, 2019, 2, e1912614.	2.8	13

#	ARTICLE	IF	CITATIONS
19	Maternal sleep practices and stillbirth: Findings from an international case-control study. <i>Birth</i> , 2019, 46, 344-354.	1.1	21
20	Authors' reply re: Gestational diabetes and the risk of late stillbirth: a case-control study from England, UK. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019, 126, 1184-1184.	1.1	22
21	Gestational diabetes and the risk of late stillbirth: a case-control study from England, UK. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019, 126, 973-982.	1.1	52
22	An Individual Participant Data Meta-analysis of Maternal Going-to-Sleep Position, Interactions with Fetal Vulnerability, and the Risk of Late Stillbirth. <i>EClinicalMedicine</i> , 2019, 10, 49-57.	3.2	46
23	Excessive fetal movements are a sign of fetal compromise which merits further examination. <i>Medical Hypotheses</i> , 2018, 111, 19-23.	0.8	17
24	The Collaborative IPD of Sleep and Stillbirth (Cribss): is maternal going-to-sleep position a risk factor for late stillbirth and does maternal sleep position interact with fetal vulnerability? An individual participant data meta-analysis study protocol. <i>BMJ Open</i> , 2018, 8, e020323.	0.8	6
25	"They told me all mothers have worries", stillborn mother's experiences of having a "gut instinct" that something is wrong in pregnancy: Findings from an international case-control study. <i>Midwifery</i> , 2018, 62, 171-176.	1.0	10
26	Association between maternal sleep practices and late stillbirth - findings from a stillbirth case-control study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018, 125, 254-262.	1.1	74
27	Hospital postnatal discharge and sepsis advice: Perspectives of women and midwifery students. <i>British Journal of Midwifery</i> , 2018, 26, 248-253.	0.1	5
28	Women's experiences of being invited to participate in a case-control study of stillbirth - findings from the Midlands and North of England Stillbirth Study. <i>BMC Pregnancy and Childbirth</i> , 2018, 18, 317.	0.9	8
29	Alterations in maternally perceived fetal movement and their association with late stillbirth: findings from the Midland and North of England stillbirth case-control study. <i>BMJ Open</i> , 2018, 8, e020031.	0.8	47
30	Stillbirth is associated with perceived alterations in fetal activity - findings from an international case control study. <i>BMC Pregnancy and Childbirth</i> , 2017, 17, 369.	0.9	44
31	Going to sleep in the supine position is a modifiable risk factor for late pregnancy stillbirth; Findings from the New Zealand multicentre stillbirth case-control study. <i>PLoS ONE</i> , 2017, 12, e0179396.	1.1	69
32	Ethno-Specific Risk Factors for Adverse Pregnancy Outcomes: Findings from the Born in Bradford Cohort Study. <i>Maternal and Child Health Journal</i> , 2016, 20, 1394-1404.	0.7	11
33	The Midland and North of England Stillbirth Study (MiNESS). <i>BMC Pregnancy and Childbirth</i> , 2014, 14, 171.	0.9	26
34	Association Between Maternal Sleep Practices and Risk of Late Stillbirth. <i>Obstetric Anesthesia Digest</i> , 2012, 32, 121-122.	0.0	0
35	Antenatal care, identification of suboptimal fetal growth and risk of late stillbirth: findings from the Auckland Stillbirth Study. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2012, 52, 242-247.	0.4	52
36	Maternal knowledge of fetal movements in late pregnancy. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2012, 52, 445-449.	0.4	18

#	ARTICLE	IF	CITATIONS
37	Sleep position and risk of late stillbirth. BMC Pregnancy and Childbirth, 2012, 12, .	0.9	0
38	Association Between Maternal Sleep Practices and Risk of Late Stillbirth: A Case-Control Study. Obstetrical and Gynecological Survey, 2011, 66, 601-602.	0.2	0
39	The Auckland Stillbirth study, a case-control study exploring modifiable risk factors for third trimester stillbirth: methods and rationale. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2011, 51, 3-8.	0.4	42
40	Maternal Perception of Fetal Activity and Late Stillbirth Risk: Findings from the Auckland Stillbirth Study. Birth, 2011, 38, 311-316.	1.1	95
41	Relationship between obesity, ethnicity and risk of late stillbirth: a case control study. BMC Pregnancy and Childbirth, 2011, 11, 3.	0.9	21
42	Association between maternal sleep practices and risk of late stillbirth: a case-control study. BMJ: British Medical Journal, 2011, 342, d3403-d3403.	2.4	107
43	Uptake of the Perinatal Society of Australia and New Zealand perinatal mortality audit guideline. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2010, 50, 138-143.	0.4	20
44	Fetal growth restriction and other risk factors for stillbirth in a New Zealand setting. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2007, 47, 450-456.	0.4	32
45	Differences in the evaluation of postnatal midwifery support by multiparous and primiparous women in the first two weeks after birth. Women and Birth, 2003, 16, 18-24.	0.2	33