

Erika Martinez-Lopez

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8141422/erika-martinez-lopez-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

40
papers

489
citations

13
h-index

21
g-index

48
ext. papers

653
ext. citations

4.1
avg, IF

3.61
L-index

#	Paper	IF	Citations
40	Fatty acids, epigenetic mechanisms and chronic diseases: a systematic review. <i>Lipids in Health and Disease</i> , 2019 , 18, 178	4.4	64
39	Sweet Taste Receptor TAS1R2 Polymorphism (Val191Val) Is Associated with a Higher Carbohydrate Intake and Hypertriglyceridemia among the Population of West Mexico. <i>Nutrients</i> , 2016 , 8, 101	6.7	49
38	Hepatitis B virus infection in Latin America: a genomic medicine approach. <i>World Journal of Gastroenterology</i> , 2014 , 20, 7181-96	5.6	47
37	Genetic, metabolic and environmental factors involved in the development of liver cirrhosis in Mexico. <i>World Journal of Gastroenterology</i> , 2015 , 21, 11552-66	5.6	35
36	High Dietary ω : ω PUFA Ratio Is Positively Associated with Excessive Adiposity and Waist Circumference. <i>Obesity Facts</i> , 2018 , 11, 344-353	5.1	28
35	Association of the epsilon 2 allele of APOE gene to hypertriglyceridemia and to early-onset alcoholic cirrhosis. <i>Alcoholism: Clinical and Experimental Research</i> , 2008 , 32, 559-66	3.7	26
34	Immunologic, metabolic and genetic factors in hepatitis C virus infection. <i>World Journal of Gastroenterology</i> , 2014 , 20, 3443-56	5.6	26
33	Association of a novel TAS2R38 haplotype with alcohol intake among Mexican-Mestizo population. <i>Annals of Hepatology</i> , 2015 , 14, 729-734	3.1	24
32	Effect of Ala54Thr polymorphism of FABP2 on anthropometric and biochemical variables in response to a moderate-fat diet. <i>Nutrition</i> , 2013 , 29, 46-51	4.8	20
31	Epigenetic Modifications as Outcomes of Exercise Interventions Related to Specific Metabolic Alterations: A Systematic Review. <i>Lifestyle Genomics</i> , 2019 , 12, 25-44	2	19
30	Influence of ApoE and FABP2 polymorphisms and environmental factors in the susceptibility to gallstone disease. <i>Annals of Hepatology</i> , 2015 , 14, 515-523	3.1	18
29	CD36 genetic variation, fat intake and liver fibrosis in chronic hepatitis C virus infection. <i>World Journal of Hepatology</i> , 2016 , 8, 1067-74	3.4	16
28	Association of a novel TAS2R38 haplotype with alcohol intake among Mexican-Mestizo population. <i>Annals of Hepatology</i> , 2015 , 14, 729-34	3.1	13
27	Relationship of Excess Weight with Clinical Activity and Dietary Intake Deficiencies in Systemic Lupus Erythematosus Patients. <i>Nutrients</i> , 2019 , 11,	6.7	12
26	Association of the T54 allele of the FABP2 gene with cardiovascular risk factors in obese Mexican subjects. <i>Diabetes and Vascular Disease Research</i> , 2007 , 4, 235-6	3.3	10
25	Influence of ApoE and FABP2 polymorphisms and environmental factors in the susceptibility to gallstone disease. <i>Annals of Hepatology</i> , 2015 , 14, 515-23	3.1	10
24	Genetic predisposition of cholesterol gallstone disease. <i>Annals of Hepatology</i> , 2006 , 5, 140-149	3.1	9

23	High Prevalence of ITPA Alleles Associated with Ribavirin-Induced Hemolytic Anemia Among Mexican Population. <i>Annals of Hepatology</i> , 2017 , 16, 221-229	3.1	8
22	Expression of apolipoprotein AI mRNA in peripheral white blood cells of patients with alcoholic liver disease. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2005 , 1740, 350-6	6.9	7
21	Waist Circumference Is an Anthropometric Parameter That Identifies Women with Metabolically Unhealthy Phenotypes. <i>Nutrients</i> , 2018 , 10,	6.7	6
20	The Quetelet index revisited in children and adults. <i>Endocrinología Y Nutricion: Organo De La Sociedad Espanola De Endocrinología Y Nutricion</i> , 2014 , 61, 87-92		4
19	Apolipoprotein AI and apolipoprotein E mRNA expression in peripheral white blood cells from patients with orthotopic liver transplantation. <i>Liver International</i> , 2007 , 27, 930-7	7.9	4
18	Interactions between TaqIA Polymorphism and Dietary Factors Influence Plasma Triglyceride Concentrations in Diabetic Patients from Western Mexico: A Cross-sectional Study. <i>Nutrients</i> , 2019 , 11,	6.7	4
17	Association between rs662 (A > G) and rs854560 (A > T) polymorphisms in PON1 gene and the susceptibility for psoriasis in mestizo population of Western Mexico. <i>Molecular Biology Reports</i> , 2021 , 48, 183-194	2.8	4
16	A Metabolically Unhealthy Phenotype Is Associated with ADIPOQ Genetic Variants and Lower Serum Adiponectin Levels. <i>Lifestyle Genomics</i> , 2020 , 13, 172-179	2	3
15	Physical inactivity and excessive sucrose consumption are associated with higher serum lipids in subjects with Taq1B CETP polymorphism. <i>Journal of Human Nutrition and Dietetics</i> , 2020 , 33, 299-307	3.1	3
14	Low-grade chronic inflammation is attenuated by exercise training in obese adults through down-regulation of ASC gene in peripheral blood: a pilot study. <i>Genes and Nutrition</i> , 2020 , 15, 15	4.3	3
13	The Effect of Dietary Interventions on Hypertriglyceridemia: From Public Health to Molecular Nutrition Evidence.. <i>Nutrients</i> , 2022 , 14,	6.7	3
12	Associations of the lipid genetic variants Thr54 (FABP2) and -493T (MTTP) with total cholesterol and low-density lipoprotein cholesterol levels in Mexican subjects. <i>Journal of International Medical Research</i> , 2018 , 46, 1467-1476	1.4	2
11	Interaction of Vitamin E Intake and Pro12Ala Polymorphism of PPARG with Adiponectin Levels. <i>Journal of Nutrigenetics and Nutrigenomics</i> , 2017 , 10, 172-180		2
10	Leu72Met polymorphism of GHRL gene decreases susceptibility to type 2 diabetes mellitus in a Mexican population. <i>BMC Endocrine Disorders</i> , 2020 , 20, 109	3.3	2
9	Impact of Alleles-by-Diet Interactions on Glycemic and Lipid Features- A Cross-Sectional Study of a Cohort of Type 2 Diabetes Patients from Western Mexico: Implications for Personalized Medicine. <i>Pharmacogenomics and Personalized Medicine</i> , 2020 , 13, 655-663	2.1	1
8	Healthy Obese Subjects Differ in Chronotype, Sleep Habits, and Adipose Tissue Fatty Acid Composition from Their Non-Healthy Counterparts. <i>Nutrients</i> , 2020 , 13,	6.7	1
7	Development of an effective and rapid qPCR for identifying human ChREBP isoforms in hepatic and adipose tissues. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2019 , 79, 218-224	2	0
6	Association of -319 C/T and +49 A/G polymorphisms of CTLA-4 gene in patients with hepatitis C virus infection. <i>Medicina Clínica</i> , 2018 , 150, 251-256	1	0

5	High dietary ω : ω PUFA ratio and simple carbohydrates as a potential risk factors for gallstone disease: A cross-sectional study.. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2021 , 101802	2.4	○
4	Association between IL-17A, IL-17F and IL-17RA gene polymorphisms and susceptibility to psoriasis and psoriatic arthritis: a meta-analysis. <i>Inflammation Research</i> , 2021 , 70, 1201-1210	7.2	○
3	Association of High Calcitriol Serum Levels and Its Hydroxylation Efficiency Ratio with Disease Risk in SLE Patients with Vitamin D Deficiency.. <i>Journal of Immunology Research</i> , 2021 , 2021, 2808613	4.5	○
2	The growing need to monitor the liver function after SARS-CoV-2 infection in the Mexican population with obesity.. <i>Annals of Hepatology</i> , 2022 , 100698	3.1	
1	Role of Leu72Met of GHRL and Gln223Arg of LEPR Variants on Food Intake, Subjective Appetite, and Hunger-Satiety Hormones. <i>Nutrients</i> , 2022 , 14, 2100	6.7	