

Dina Fattakhova-Rohlfing

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8142421/dina-fattakhova-rohlfing-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

128
papers

4,804
citations

38
h-index

66
g-index

150
ext. papers

5,383
ext. citations

8.6
avg, IF

5.6
L-index

#	Paper	IF	Citations
128	Free standing dual phase cathode tapes Scalable fabrication and microstructure optimization of garnet-based ceramic cathodes. <i>Journal of Materials Chemistry A</i> , 2022 , 10, 2320-2326	13	2
127	Fabrication of thin sheets of the sodium superionic conductor Na ₅ YSi ₄ O ₁₂ with tape casting. <i>Chemical Engineering Journal</i> , 2022 , 435, 134774	14.7	1
126	Conductivity enhancement of Al- and Ta-substituted Li ₇ La ₃ Zr ₂ O ₇ solid electrolytes by nanoparticles. <i>Journal of the European Ceramic Society</i> , 2022 , 42, 1033-1041	6	1
125	Guidelines to correctly measure the lithium ion conductivity of oxide ceramic electrolytes based on a harmonized testing procedure. <i>Journal of Power Sources</i> , 2022 , 531, 231323	8.9	1
124	Rapid thermal sintering of screen-printed LiCoO ₂ films. <i>Thin Solid Films</i> , 2022 , 749, 139177	2.2	1
123	Boron in Ni-Rich NCM811 Cathode Material: Impact on Atomic and Microscale Properties. <i>ACS Applied Energy Materials</i> , 2022 , 5, 524-538	6.1	4
122	Sintering of Li-garnets: Impact of Al-incorporation and powder-bed composition on microstructure and ionic conductivity. <i>Open Ceramics</i> , 2022 , 100268	3.3	0
121	Evaluation of Scalable Synthesis Methods for Aluminum-Substituted LiLaZrO Solid Electrolytes. <i>Materials</i> , 2021 , 14,	3.5	5
120	Polymer/Ceramic Composite Cathode with Enhanced Storage Capacity Manufactured by Field-Assisted Sintering and Infiltration. <i>ACS Applied Energy Materials</i> , 2021 , 4, 10428-10432	6.1	1
119	Physical Vapor Deposition in Solid-State Battery Development: From Materials to Devices. <i>Advanced Science</i> , 2021 , 8, e2002044	13.6	18
118	Modelling electro-chemical induced stresses in all-solid-state batteries: Anisotropy effects in cathodes and cell design optimisation. <i>Journal of Power Sources</i> , 2021 , 489, 229430	8.9	6
117	Carbonaceous Oxygen Evolution Reaction Catalysts: From Defect and Doping-Induced Activity over Hybrid Compounds to Ordered Framework Structures. <i>Small</i> , 2021 , 17, e2007484	11	7
116	Co-Sintering Study of Na _{0.67} [Ni _{0.1} Fe _{0.1} Mn _{0.8}]O ₂ and NaSICON Electrolyte Paving the way to High Energy Density All-Solid-State Batteries. <i>Frontiers in Energy Research</i> , 2021 , 9,	3.8	1
115	Low temperature sintering of fully inorganic all-solid-state batteries Impact of interfaces on full cell performance. <i>Journal of Power Sources</i> , 2021 , 482, 228905	8.9	19
114	A microwave-based one-pot process for homogeneous surface coating: improved electrochemical performance of Li(Ni _{1/3} Mn _{1/3} Co _{1/3})O ₂ with a nano-scaled ZnO:Al layer. <i>Nano Select</i> , 2021 , 2, 146-157	3.1	
113	Investigation of Structural Changes of Cu(I) and Ag(I) Complexes Utilizing a Flexible, Yet Sterically Demanding Multidentate Phosphine Oxide Ligand. <i>Inorganic Chemistry</i> , 2021 , 60, 2437-2445	5.1	5
112	Highly conductive titania supported iridium oxide nanoparticles with low overall iridium density as OER catalyst for large-scale PEM electrolysis. <i>Applied Materials Today</i> , 2021 , 24, 101134	6.6	4

111	Controlling the lithium proton exchange of LLZO to enable reproducible processing and performance optimization. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 4831-4840	13	11
110	Freestanding LiFe _{0.2} Mn _{0.8} PO ₄ /rGO nanocomposites as high energy density fast charging cathodes for lithium-ion batteries. <i>Materials Today Energy</i> , 2020 , 16, 100416	7	4
109	How photocorrosion can trick you: a detailed study on low-bandgap Li doped CuO photocathodes for solar hydrogen production. <i>Nanoscale</i> , 2020 , 12, 7766-7775	7.7	11
108	Nanocellulose-Mediated Transition of Lithium-Rich Pseudo-Quaternary Metal Oxide Nanoparticles into Lithium Nickel Cobalt Manganese Oxide (NCM) Nanostructures. <i>ChemNanoMat</i> , 2020 , 6, 618-628	3.5	
107	Black phosphorus–arsenic alloys for lithium ion batteries. <i>FlatChem</i> , 2020 , 19, 100143	5.1	10
106	Sn-Doped Hematite for Photoelectrochemical Water Splitting: The Effect of Sn Concentration. <i>Zeitschrift Fur Physikalische Chemie</i> , 2020 , 234, 683-698	3.1	7
105	An aminotetracyanocyclopentadienide system: light-induced formation of a thermally stable cyclopentadienyl radical. <i>New Journal of Chemistry</i> , 2020 , 44, 72-78	3.6	3
104	Ceramics for electrochemical storage 2020 , 549-709		10
103	Cellulose Nanocrystal-Templated Tin Dioxide Thin Films for Gas Sensing. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 12639-12647	9.5	13
102	Dendrite-tolerant all-solid-state sodium batteries and an important mechanism of metal self-diffusion. <i>Journal of Power Sources</i> , 2020 , 476, 228666	8.9	10
101	V(III)-Doped Nickel Oxide-Based Nanocatalysts for Electrochemical Water Splitting: Influence of Phase, Composition, and Doping on the Electrocatalytic Activity. <i>Chemistry of Materials</i> , 2020 , 32, 10394-10406 ³	9.6	10
100	Recycling Strategies for Ceramic All-Solid-State Batteries Part I: Study on Possible Treatments in Contrast to Li-Ion Battery Recycling. <i>Metals</i> , 2020 , 10, 1523	2.3	6
99	Efficient OER Catalyst with Low Ir Volume Density Obtained by Homogeneous Deposition of Iridium Oxide Nanoparticles on Macroporous Antimony-Doped Tin Oxide Support. <i>Advanced Functional Materials</i> , 2020 , 30, 1906670	15.6	48
98	Nanosized Lithium-Rich Cobalt Oxide Particles and Their Transformation to Lithium Cobalt Oxide Cathodes with Optimized High-Rate Morphology. <i>Chemistry of Materials</i> , 2019 , 31, 8685-8694	9.6	5
97	A garnet structure-based all-solid-state Li battery without interface modification: resolving incompatibility issues on positive electrodes. <i>Sustainable Energy and Fuels</i> , 2019 , 3, 280-291	5.8	81
96	Tin Oxide Based Nanomaterials and Their Application as Anodes in Lithium-Ion Batteries and Beyond. <i>ChemSusChem</i> , 2019 , 12, 4140-4159	8.3	51
95	Carbon-templated conductive oxide supports for oxygen evolution catalysis. <i>Nanoscale</i> , 2019 , 11, 14285-14293	7.1	29
94	Flexible freestanding MoS ₂ -based composite paper for energy conversion and storage. <i>Beilstein Journal of Nanotechnology</i> , 2019 , 10, 1488-1496	3	5

93	Tin Oxide Based Nanomaterials and Their Application as Anodes in Lithium-Ion Batteries and Beyond. <i>ChemSusChem</i> , 2019 , 12, 4092-4092	8.3	1
92	Making Ultrafast High-Capacity Anodes for Lithium-Ion Batteries via Antimony Doping of Nanosized Tin Oxide/Graphene Composites. <i>Advanced Functional Materials</i> , 2018 , 28, 1706529	15.6	26
91	A wet-chemical route for macroporous inverse opal Ge anodes for lithium ion batteries with high capacity retention. <i>Sustainable Energy and Fuels</i> , 2018 , 2, 85-90	5.8	16
90	Nickel Oxide: Electron-Blocking and Oxygen Evolution Catalyst Layers by Plasma-Enhanced Atomic Layer Deposition of Nickel Oxide (Adv. Mater. Interfaces 16/2018). <i>Advanced Materials Interfaces</i> , 2018 , 5, 1870079	4.6	
89	Oriented Films of Conjugated 2D Covalent Organic Frameworks as Photocathodes for Water Splitting. <i>Journal of the American Chemical Society</i> , 2018 , 140, 2085-2092	16.4	217
88	Why Tin-Doping Enhances the Efficiency of Hematite Photoanodes for Water Splitting—the Full Picture. <i>Advanced Functional Materials</i> , 2018 , 28, 1804472	15.6	33
87	Electron-Blocking and Oxygen Evolution Catalyst Layers by Plasma-Enhanced Atomic Layer Deposition of Nickel Oxide. <i>Advanced Materials Interfaces</i> , 2018 , 5, 1701531	4.6	15
86	Rock Salt Ni/Co Oxides with Unusual Nanoscale-Stabilized Composition as Water Splitting Electrocatalysts. <i>Advanced Functional Materials</i> , 2017 , 27, 1605121	15.6	59
85	Dual absorber Fe ₂ O ₃ /WO ₃ host-guest architectures for improved charge generation and transfer in photoelectrochemical applications. <i>Materials Research Express</i> , 2017 , 4, 016409	1.7	22
84	In Situ Study of Degradation in P3HT/Titania-Based Solid-State Dye-Sensitized Solar Cells. <i>ACS Energy Letters</i> , 2017 , 2, 991-997	20.1	19
83	Black Magic in Gray Titania: Noble-Metal-Free Photocatalytic H ₂ Evolution from Hydrogenated Anatase. <i>ChemSusChem</i> , 2017 , 10, 62-67	8.3	47
82	In situ study of spray deposited titania photoanodes for scalable fabrication of solid-state dye-sensitized solar cells. <i>Nano Energy</i> , 2017 , 40, 317-326	17.1	32
81	Nonagglomerated Iron Oxyhydroxide Akaganeite Nanocrystals Incorporating Extraordinary High Amounts of Different Dopants. <i>Chemistry of Materials</i> , 2017 , 29, 7223-7233	9.6	5
80	Nanostructured Antimony-Doped Tin Oxide Layers with Tunable Pore Architectures as Versatile Transparent Current Collectors for Biophotovoltaics. <i>Advanced Functional Materials</i> , 2016 , 26, 6682-6692	15.6	24
79	Spray Deposition of Titania Films with Incorporated Crystalline Nanoparticles for All-Solid-State Dye-Sensitized Solar Cells Using P3HT. <i>Advanced Functional Materials</i> , 2016 , 26, 1498-1506	15.6	44
78	Zintl Clusters as Wet-Chemical Precursors for Germanium Nanomorphologies with Tunable Composition. <i>Angewandte Chemie</i> , 2016 , 128, 2487-2491	3.6	17
77	Zintl Clusters as Wet-Chemical Precursors for Germanium Nanomorphologies with Tunable Composition. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 2441-5	16.4	40
76	Nanostructured Ternary FeCrAl Oxide Photocathodes for Water Photoelectrolysis. <i>Journal of the American Chemical Society</i> , 2016 , 138, 1860-7	16.4	10

75	Zinc Ferrite Photoanode Nanomorphologies with Favorable Kinetics for Water-Splitting. <i>Advanced Functional Materials</i> , 2016 , 26, 4435-4443	15.6	81
74	Tunable dielectric properties of KTaO ₃ single crystals in the terahertz range. <i>Journal Physics D: Applied Physics</i> , 2016 , 49, 065306	3	10
73	Investigation of the pH-Dependent Impact of Sulfonated Polyaniline on Bioelectrocatalytic Activity of Xanthine Dehydrogenase. <i>ACS Catalysis</i> , 2016 , 6, 7152-7159	13.1	5
72	Interaction of Fructose Dehydrogenase with a Sulfonated Polyaniline: Application for Enhanced Bioelectrocatalysis. <i>ACS Catalysis</i> , 2015 , 5, 2081-2087	13.1	23
71	Conductivity Mechanisms in Sb-Doped SnO ₂ Nanoparticle Assemblies: DC and Terahertz Regime. <i>Journal of Physical Chemistry C</i> , 2015 , 119, 19485-19495	3.8	16
70	Nanocellulose-Templated Porous Titania Scaffolds Incorporating Presynthesized Titania Nanocrystals. <i>Chemistry of Materials</i> , 2015 , 27, 6205-6212	9.6	21
69	Guided in Situ Polymerization of MEH-PPV in Mesoporous Titania Photoanodes. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 10356-64	9.5	1
68	Iron-doped nickel oxide nanocrystals as highly efficient electrocatalysts for alkaline water splitting. <i>ACS Nano</i> , 2015 , 9, 5180-8	16.7	362
67	Ultrasmall Co ₃ O ₄ Nanocrystals Strongly Enhance Solar Water Splitting on Mesoporous Hematite. <i>Advanced Materials Interfaces</i> , 2015 , 2, 1500358	4.6	24
66	Charge transport in Sb-doped SnO ₂ nanoparticles studied by THz spectroscopy 2015 ,		1
65	Nanocellulose-assisted formation of porous hematite nanostructures. <i>Inorganic Chemistry</i> , 2015 , 54, 1129-35	5.1	14
64	Water-Dispersible Small Monodisperse Electrically Conducting Antimony Doped Tin Oxide Nanoparticles. <i>Chemistry of Materials</i> , 2015 , 27, 1090-1099	9.6	45
63	Electron collection in host-guest nanostructured hematite photoanodes for water splitting: the influence of scaffold doping density. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 4623-30	9.5	41
62	Tailoring the morphology of mesoporous titania thin films through biotemplating with nanocrystalline cellulose. <i>Journal of the American Chemical Society</i> , 2014 , 136, 5930-7	16.4	90
61	3D-electrode architectures for enhanced direct bioelectrocatalysis of pyrroloquinoline quinone-dependent glucose dehydrogenase. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 17887-93	9.5	12
60	Tuning the crystallinity parameters in macroporous titania films. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 6504	13	18
59	Atomic-Layer-Deposited Aluminum and Zirconium Oxides for Surface Passivation of TiO ₂ in High-Efficiency Organic Photovoltaics. <i>Advanced Energy Materials</i> , 2014 , 4, 1400214	21.8	48
58	Three-dimensional titanium dioxide nanomaterials. <i>Chemical Reviews</i> , 2014 , 114, 9487-558	68.1	295

57	Thick titania films with hierarchical porosity assembled from ultrasmall titania nanoparticles as photoanodes for dye-sensitized solar cells. <i>New Journal of Chemistry</i> , 2014 , 38, 1996-2001	3.6	10
56	Tin doping speeds up hole transfer during light-driven water oxidation at hematite photoanodes. <i>Physical Chemistry Chemical Physics</i> , 2014 , 16, 24610-20	3.6	136
55	Covalent immobilization of redox protein within the mesopores of transparent conducting electrodes. <i>Electrochimica Acta</i> , 2014 , 116, 1-8	6.7	17
54	Macroporous indium tin oxide electrode layers as conducting substrates for immobilization of bulky electroactive guests. <i>Electrochimica Acta</i> , 2014 , 140, 108-115	6.7	30
53	Ultrasmall Dispersible Crystalline Nickel Oxide Nanoparticles as High-Performance Catalysts for Electrochemical Water Splitting. <i>Advanced Functional Materials</i> , 2014 , 24, 3123-3129	15.6	257
52	Electric-field-tunable defect mode in one-dimensional photonic crystal operating in the terahertz range. <i>Applied Physics Letters</i> , 2013 , 102, 241106	3.4	25
51	Highly soluble energy relay dyes for dye-sensitized solar cells. <i>Physical Chemistry Chemical Physics</i> , 2013 , 15, 11306-12	3.6	23
50	Charge Transport in TiO_2 Films With Complex Percolation Pathways Investigated by Time-Resolved Terahertz Spectroscopy. <i>IEEE Transactions on Terahertz Science and Technology</i> , 2013 , 3, 302-313	3.4	25
49	Multilayered High Surface Area Brick and Mortar Mesoporous Titania Films as Efficient Anodes in Dye-Sensitized Solar Cells. <i>Chemistry of Materials</i> , 2012 , 24, 659-663	9.6	25
48	Surface functionalization of mesoporous antimony doped tin oxide by metalorganic reaction. <i>Materials Chemistry and Physics</i> , 2012 , 137, 207-212	4.4	2
47	Nanoscale Porous Framework of Lithium Titanate for Ultrafast Lithium Insertion. <i>Angewandte Chemie</i> , 2012 , 124, 7577-7581	3.6	16
46	Nanoscale porous framework of lithium titanate for ultrafast lithium insertion. <i>Angewandte Chemie - International Edition</i> , 2012 , 51, 7459-63	16.4	144
45	Assembly of mesoporous indium tin oxide electrodes from nano-hydroxide building blocks. <i>Chemical Science</i> , 2012 , 3, 2367	9.4	29
44	Formation of interpenetrating hierarchical titania structures by confined synthesis in inverse opal. <i>Journal of the American Chemical Society</i> , 2011 , 133, 17274-82	16.4	81
43	Antimony doped tin oxide nanoparticles and their assembly in mesostructured film. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2011 , 8, 1759-1763		6
42	All-inorganic core-shell silica-titania mesoporous colloidal nanoparticles showing orthogonal functionality. <i>Journal of Materials Chemistry</i> , 2011 , 21, 13817		4
41	Tuning the Conduction Mechanism in Niobium-Doped Titania Nanoparticle Networks. <i>Journal of Physical Chemistry C</i> , 2011 , 115, 6968-6974	3.8	13
40	A facile synthesis of mesoporous crystalline tin oxide films involving a base-triggered formation of sol-gel building blocks. <i>Nanoscale</i> , 2011 , 3, 1234-9	7.7	7

39	Tuning of dielectric properties of SrTiO ₃ in the terahertz range. <i>Physical Review B</i> , 2011 , 84,	3.3	22
38	Ultrafast terahertz photoconductivity in nanocrystalline mesoporous TiO ₂ films. <i>Applied Physics Letters</i> , 2010 , 96, 062103	3.4	18
37	Ultrasmall titania nanocrystals and their direct assembly into mesoporous structures showing fast lithium insertion. <i>Journal of the American Chemical Society</i> , 2010 , 132, 12605-11	16.4	111
36	Niobium-doped titania nanoparticles: synthesis and assembly into mesoporous films and electrical conductivity. <i>ACS Nano</i> , 2010 , 4, 5373-81	16.7	130
35	Transparent conducting films of antimony-doped tin oxide with uniform mesostructure assembled from preformed nanocrystals. <i>Small</i> , 2010 , 6, 633-7	11	59
34	Brick and Mortar Strategy for the Formation of Highly Crystalline Mesoporous Titania Films from Nanocrystalline Building Blocks. <i>Chemistry of Materials</i> , 2009 , 21, 1260-1265	9.6	85
33	Highly Conducting Nanosized Monodispersed Antimony-Doped Tin Oxide Particles Synthesized via Nonaqueous Sol-Gel Procedure. <i>Chemistry of Materials</i> , 2009 , 21, 5229-5236	9.6	127
32	Low-Temperature Synthesis of Mesoporous Titania/Silica Films with Pre-Formed Anatase Nanocrystals. <i>Chemistry of Materials</i> , 2009 , 21, 2410-2417	9.6	47
31	Template-assisted preparation of films of transparent conductive indium tin oxide. <i>Superlattices and Microstructures</i> , 2008 , 44, 686-692	2.8	6
30	Ion-Permeable pH-Switchable Mesoporous Silica Thin Layers. <i>Chemistry of Materials</i> , 2007 , 19, 1640-1647	9.67	59
29	Highly Organized Mesoporous TiO ₂ Films with Controlled Crystallinity: A Li-Insertion Study. <i>Advanced Functional Materials</i> , 2007 , 17, 123-132	15.6	150
28	Scanning Tunneling Microscopy of Electrode Surfaces Using Carbon Composite Tips. <i>Electroanalysis</i> , 2007 , 19, 121-128	3	10
27	Illumination-induced properties of highly ordered mesoporous TiO ₂ layers with controlled crystallinity. <i>Thin Solid Films</i> , 2007 , 515, 6541-6543	2.2	14
26	Electrode layers for electrochemical applications based on functionalized mesoporous silica films. <i>Sensors and Actuators B: Chemical</i> , 2007 , 126, 78-81	8.5	13
25	Crystallization of indium tin oxide nanoparticles: from cooperative behavior to individuality. <i>Small</i> , 2007 , 3, 310-7	11	45
24	Optimization of the silylation procedure of thin mesoporous SiO ₂ films with cationic trimethylaminopropylammonium groups. <i>Studies in Surface Science and Catalysis</i> , 2007 , 165, 573-577	1.8	2
23	Transparent Conducting Films of Indium Tin Oxide with 3D Mesopore Architecture. <i>Advanced Materials</i> , 2006 , 18, 2980-2983	24	77
22	Nonaqueous Synthesis of Uniform Indium Tin Oxide Nanocrystals and Their Electrical Conductivity in Dependence of the Tin Oxide Concentration. <i>Chemistry of Materials</i> , 2006 , 18, 2848-2854	9.6	147

21	Highly crystalline WO ₃ thin films with ordered 3D mesoporosity and improved electrochromic performance. <i>Small</i> , 2006 , 2, 1203-11	11	165
20	Preparation and characterization of polyoxometalate-modified carbon nanosheets. <i>Carbon</i> , 2006 , 44, 1942-1948	10.4	38
19	Electrochemical charging and electrocatalysis at hybrid films of polymer-interconnected polyoxometalate-stabilized carbon submicroparticles. <i>Journal of Solid State Electrochemistry</i> , 2006 , 10, 168-175	2.6	45
18	Functionalized mesoporous silica films as a matrix for anchoring electrochemically active guests. <i>Langmuir</i> , 2005 , 21, 11320-9	4	92
17	Solvothermal synthesis and electrochemical behavior of nanocrystalline cubic LiTiO ₃ oxides with cationic disorder. <i>Solid State Ionics</i> , 2005 , 176, 1877-1885	3.3	39
16	Mechanism of soft solution processing formation of alkaline earth metal tungstates: an electrochemical and in situ AFM study. <i>Journal of Solid State Electrochemistry</i> , 2002 , 6, 367-373	2.6	3
15	Electrochemical Activity of Hydrothermally Synthesized Li-Ti-O Cubic Oxides toward Li Insertion. <i>Journal of the Electrochemical Society</i> , 2002 , 149, A1224	3.9	34
14	Lithium insertion into titanium dioxide (anatase) electrodes: microstructure and electrolyte effects. <i>Journal of Solid State Electrochemistry</i> , 2001 , 5, 196-204	2.6	34
13	The potential-determining reaction of electrogenerated cation radicals of diphenylselenide: dimerization versus disproportionation. <i>Electrochimica Acta</i> , 2001 , 46, 807-812	6.7	5
12	Li Insertion into Li-Ti-O Spinel: Voltammetric and Electrochemical Impedance Spectroscopy Study. <i>Journal of the Electrochemical Society</i> , 2001 , 148, A1045	3.9	47
11	Lithium insertion into self-organized mesoscopic TiO ₂ (anatase) electrodes. <i>Solid State Ionics</i> , 2000 , 135, 101-106	3.3	55
10	Electrochemical oxygenation of diorganoyldichlorosilanes: a novel route to generation of diorganoylsilanones. <i>Journal of Organometallic Chemistry</i> , 2000 , 613, 170-176	2.3	11
9	Stereoelectronic effects in the reactivity of electrogenerated cation radicals of arylselenides. <i>Journal of Organometallic Chemistry</i> , 2000 , 613, 220-230	2.3	12
8	Lithium Insertion into Mesoscopic and Single-Crystal TiO ₂ (Rutile) Electrodes. <i>Journal of the Electrochemical Society</i> , 1999 , 146, 1375-1379	3.9	95
7	The electrochemical oxidation of <i>tert</i> -butyl-substituted arylsulfides and arylselenides. <i>Electrochimica Acta</i> , 1998 , 43, 1811-1819	6.7	11
6	Insertion of lithium into mesoscopic anatase electrodes: an electrochemical and in-situ EQCM study. <i>Journal of Solid State Electrochemistry</i> , 1997 , 1, 83-87	2.6	19
5	The anodic acetoxylation of alkylarylselenides. <i>Tetrahedron Letters</i> , 1993 , 34, 6045-6048	2	12
4	Evaporation-Induced Self-Assembly for the Preparation of Porous Metal Oxide Films 283-312		

3	The influence of hafnium impurities on the electrochemical performance of tantalum substituted $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ solid electrolytes. <i>Ionics</i> ,1	2.7	1
2	Overcoming the Challenges of Freestanding Tin Oxide-Based Composite Anodes to Achieve High Capacity and Increased Cycling Stability. <i>Advanced Functional Materials</i> ,2106373	15.6	0
1	Digestion processes and elemental analysis of oxide and sulfide solid electrolytes. <i>Ionics</i> ,1	2.7	0