

Mohammad Obaidul Hoque

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/814326/mohammad-obaidul-hoque-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

123
papers

7,754
citations

52
h-index

85
g-index

129
ext. papers

8,569
ext. citations

6.9
avg, IF

5.43
L-index

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 123 | Therapeutic Targeting of Cancer Stem Cells in Lung, Head and Neck, and Bladder Cancers. <i>Cancers</i> , 2021 , 13, | 6.6 | 1 |
| 122 | Urothelial Carcinoma In Situ of the Bladder: Correlation of CK20 Expression With Adaptive Immune Resistance, Response to BCG Therapy, and Clinical Outcome. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2021 , 29, 127-135 | 1.9 | 1 |
| 121 | Effect of COVID-19 on Lungs: Focusing on Prospective Malignant Phenotypes. <i>Cancers</i> , 2020 , 12, | 6.6 | 9 |
| 120 | Somatic mitochondrial mutation discovery using ultra-deep sequencing of the mitochondrial genome reveals spatial tumor heterogeneity in head and neck squamous cell carcinoma. <i>Cancer Letters</i> , 2020 , 471, 49-60 | 9.9 | 7 |
| 119 | Concurrent Targeting of Potential Cancer Stem Cells Regulating Pathways Sensitizes Lung Adenocarcinoma to Standard Chemotherapy. <i>Molecular Cancer Therapeutics</i> , 2020 , 19, 2175-2185 | 6.1 | 6 |
| 118 | GULP1 regulates the NRF2-KEAP1 signaling axis in urothelial carcinoma. <i>Science Signaling</i> , 2020 , 13, | 8.8 | 8 |
| 117 | Targeting Cancer Stem Cells: A Strategy for Effective Eradication of Cancer. <i>Cancers</i> , 2019 , 11, | 6.6 | 73 |
| 116 | Immune profiles in primary squamous cell carcinoma of the head and neck. <i>Oral Oncology</i> , 2019 , 96, 77-84 | 8.4 | 32 |
| 115 | Expression of programmed cell death ligand 1 in non-small cell lung cancer: Comparison between cytologic smears, core biopsies, and whole sections using the SP263 assay. <i>Cancer Cytopathology</i> , 2019 , 127, 52-61 | 3.9 | 39 |
| 114 | Arsenic promotes the COX2/PGE2-SOX2 axis to increase the malignant stemness properties of urothelial cells. <i>International Journal of Cancer</i> , 2018 , 143, 113-126 | 7.5 | 16 |
| 113 | A time for YAP1: Tumorigenesis, immunosuppression and targeted therapy. <i>International Journal of Cancer</i> , 2018 , 143, 2133-2144 | 7.5 | 77 |
| 112 | Epigenetically regulated PAX6 drives cancer cells toward a stem-like state via GLI-SOX2 signaling axis in lung adenocarcinoma. <i>Oncogene</i> , 2018 , 37, 5967-5981 | 9.2 | 28 |
| 111 | PD-L1 Assays 22C3 and SP263 are Not Interchangeable in Non-Small Cell Lung Cancer When Considering Clinically Relevant Cutoffs: An Interclone Evaluation by Differently Trained Pathologists. <i>American Journal of Surgical Pathology</i> , 2018 , 42, 1384-1389 | 6.7 | 52 |
| 110 | PD-L1 expression comparison between primary and relapsed non-small cell lung carcinoma using whole sections and clone SP263. <i>Oncotarget</i> , 2018 , 9, 30465-30471 | 3.3 | 20 |
| 109 | YAP1 and COX2 Coordinately Regulate Urothelial Cancer Stem-like Cells. <i>Cancer Research</i> , 2018 , 78, 1681-1681 | 18.1 | 60 |
| 108 | CD24 regulates cancer stem cell (CSC)-like traits and a panel of CSC-related molecules serves as a non-invasive urinary biomarker for the detection of bladder cancer. <i>British Journal of Cancer</i> , 2018 , 119, 961-970 | 8.7 | 18 |
| 107 | PD-L1 Expression Heterogeneity in Non-Small Cell Lung Cancer: Defining Criteria for Harmonization between Biopsy Specimens and Whole Sections. <i>Journal of Thoracic Oncology</i> , 2018 , 13, 1113-1120 | 8.9 | 91 |

| | | | |
|-----|--|------|-----|
| 106 | Integrated transcriptomic and epigenomic analysis of ovarian cancer reveals epigenetically silenced GULP1. <i>Cancer Letters</i> , 2018 , 433, 242-251 | 9.9 | 12 |
| 105 | MicroRNA expression profiling of Xp11 renal cell carcinoma. <i>Human Pathology</i> , 2017 , 67, 18-29 | 3.7 | 19 |
| 104 | Mitochondria in chronic obstructive pulmonary disease and lung cancer: where are we now?. <i>Biomarkers in Medicine</i> , 2017 , 11, 475-489 | 2.3 | 21 |
| 103 | analysis of pathways activation landscape in oral squamous cell carcinoma and oral leukoplakia. <i>Cell Death Discovery</i> , 2017 , 3, 17022 | 6.9 | 22 |
| 102 | Intravesical BCG Induces CD4 T-Cell Expansion in an Immune Competent Model of Bladder Cancer. <i>Cancer Immunology Research</i> , 2017 , 5, 594-603 | 12.5 | 35 |
| 101 | Expression of GULP1 in bronchial epithelium is associated with the progression of emphysema in chronic obstructive pulmonary disease. <i>Respiratory Medicine</i> , 2017 , 124, 72-78 | 4.6 | 2 |
| 100 | MicroRNAs, promising biomarkers in the diagnosis of Xp11 translocation RCC-reply. <i>Human Pathology</i> , 2017 , 68, 206-207 | 3.7 | |
| 99 | Patient-derived xenografts effectively capture responses to oncology therapy in a heterogeneous cohort of patients with solid tumors. <i>Annals of Oncology</i> , 2017 , 28, 2595-2605 | 10.3 | 139 |
| 98 | A Panel of Novel Detection and Prognostic Methylated DNA Markers in Primary Non-Small Cell Lung Cancer and Serum DNA. <i>Clinical Cancer Research</i> , 2017 , 23, 7141-7152 | 12.9 | 77 |
| 97 | Promoter methylation of MCAM, ER α and ER β in serum of early stage prostate cancer patients. <i>Oncotarget</i> , 2017 , 8, 15431-15440 | 3.3 | 25 |
| 96 | Patient-derived xenografts as tools in pharmaceutical development. <i>Clinical Pharmacology and Therapeutics</i> , 2016 , 99, 612-21 | 6.1 | 35 |
| 95 | The ratio of CD8 to Treg tumor-infiltrating lymphocytes is associated with response to cisplatin-based neoadjuvant chemotherapy in patients with muscle invasive urothelial carcinoma of the bladder. <i>OncImmunity</i> , 2016 , 5, e1134412 | 7.2 | 94 |
| 94 | High-performance detection of somatic D-loop mutation in urothelial cell carcinoma patients by polymorphism ratio sequencing. <i>Journal of Molecular Medicine</i> , 2016 , 94, 1015-24 | 5.5 | 5 |
| 93 | Involvement of epigenetics and EMT-related miRNA in arsenic-induced neoplastic transformation and their potential clinical use. <i>Cancer Prevention Research</i> , 2015 , 8, 208-21 | 3.2 | 43 |
| 92 | Gemcitabine and cisplatin neoadjuvant chemotherapy for muscle-invasive urothelial carcinoma: Predicting response and assessing outcomes. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 204.e1-7 | 2.8 | 28 |
| 91 | Cyclin A1 expression predicts progression in pT1 urothelial carcinoma of bladder: a tissue microarray study of 149 patients treated by transurethral resection. <i>Histopathology</i> , 2015 , 66, 262-9 | 7.3 | 10 |
| 90 | Targeted sequencing reveals clonal genetic changes in the progression of early lung neoplasms and paired circulating DNA. <i>Nature Communications</i> , 2015 , 6, 8258 | 17.4 | 103 |
| 89 | An integrated genome-wide approach to discover deregulated microRNAs in non-small cell lung cancer: Clinical significance of miR-23b-3p deregulation. <i>Scientific Reports</i> , 2015 , 5, 13236 | 4.9 | 29 |

| | | | |
|----|---|------|-----|
| 88 | Identification and Validation of Protein Biomarkers of Response to Neoadjuvant Platinum Chemotherapy in Muscle Invasive Urothelial Carcinoma. <i>PLoS ONE</i> , 2015 , 10, e0131245 | 3.7 | 36 |
| 87 | Epigenetic silencing of S100A2 in bladder and head and neck cancers. <i>Oncoscience</i> , 2015 , 2, 410-8 | 0.8 | 6 |
| 86 | The TGFβ/miR200-MIG6 pathway orchestrates the EMT-associated kinase switch that induces resistance to EGFR inhibitors. <i>Cancer Research</i> , 2014 , 74, 3995-4005 | 10.1 | 100 |
| 85 | GSTP1 promoter methylation is associated with recurrence in early stage prostate cancer. <i>Journal of Urology</i> , 2014 , 192, 1542-8 | 2.5 | 32 |
| 84 | Involvement of miR-518c-5p to growth and metastasis in oral cancer. <i>PLoS ONE</i> , 2014 , 9, e115936 | 3.7 | 9 |
| 83 | Correction: The TGFβ/miR200/Mig6 Pathway Orchestrates the EMT-Associated Kinase Switch That Induces Resistance to EGFR Inhibitors. <i>Cancer Research</i> , 2014 , 74, 4950-4950 | 10.1 | 1 |
| 82 | Clear cell papillary renal cell carcinoma: micro-RNA expression profiling and comparison with clear cell renal cell carcinoma and papillary renal cell carcinoma. <i>Human Pathology</i> , 2014 , 45, 1130-8 | 3.7 | 50 |
| 81 | Epigenetic inactivation of VGF associated with Urothelial Cell Carcinoma and its potential as a non-invasive biomarker using urine. <i>Oncotarget</i> , 2014 , 5, 3350-61 | 3.3 | 16 |
| 80 | An epigenetic marker panel for recurrence risk prediction of low grade papillary urothelial cell carcinoma (LGPUC) and its potential use for surveillance after transurethral resection using urine. <i>Oncotarget</i> , 2014 , 5, 5218-33 | 3.3 | 15 |
| 79 | SH3GL2 is frequently deleted in non-small cell lung cancer and downregulates tumor growth by modulating EGFR signaling. <i>Journal of Molecular Medicine</i> , 2013 , 91, 381-93 | 5.5 | 23 |
| 78 | Hypermethylation of genes detected in urine from Ghanaian adults with bladder pathology associated with Schistosoma haematobium infection. <i>PLoS ONE</i> , 2013 , 8, e59089 | 3.7 | 26 |
| 77 | Genome-wide methylation profiling and the PI3K-AKT pathway analysis associated with smoking in urothelial cell carcinoma. <i>Cell Cycle</i> , 2013 , 12, 1058-70 | 4.7 | 34 |
| 76 | Cigarette smoke induces methylation of the tumor suppressor gene NISCH. <i>Epigenetics</i> , 2013 , 8, 383-8 | 5.7 | 21 |
| 75 | Association of promoter methylation of VGF and PGP9.5 with ovarian cancer progression. <i>PLoS ONE</i> , 2013 , 8, e70878 | 3.7 | 28 |
| 74 | AKT signaling pathway activated by HIN-1 methylation in non-small cell lung cancer. <i>Tumor Biology</i> , 2012 , 33, 307-14 | 2.9 | 17 |
| 73 | AIM1 promoter hypermethylation as a predictor of decreased risk of recurrence following radical prostatectomy. <i>Prostate</i> , 2012 , 72, 1133-9 | 4.2 | 12 |
| 72 | Correlation between BRAF mutation and promoter methylation of TIMP3, RARα and RASSF1A in thyroid cancer. <i>Epigenetics</i> , 2012 , 7, 710-9 | 5.7 | 43 |
| 71 | A single nucleotide polymorphism in the human PIGK gene associates with low PIGK expression in colorectal cancer patients. <i>International Journal of Oncology</i> , 2012 , 41, 1405-10 | 4.4 | 5 |

| | | | |
|----|---|------|-----|
| 70 | OGDHL is a modifier of AKT-dependent signaling and NF- κ B function. <i>PLoS ONE</i> , 2012 , 7, e48770 | 3.7 | 49 |
| 69 | An epigenetic marker panel for detection of lung cancer using cell-free serum DNA. <i>Clinical Cancer Research</i> , 2011 , 17, 4494-503 | 12.9 | 107 |
| 68 | Genome-wide analysis of genetic alterations in testicular primary seminoma using high resolution single nucleotide polymorphism arrays. <i>Genomics</i> , 2011 , 97, 341-9 | 4.3 | 23 |
| 67 | Genetic and Epigenetic Analysis of erbB Signaling Pathway Genes in Lung Cancer: Erratum. <i>Journal of Thoracic Oncology</i> , 2011 , 6, 409 | 8.9 | 1 |
| 66 | A survey of methylated candidate tumor suppressor genes in nasopharyngeal carcinoma. <i>International Journal of Cancer</i> , 2011 , 128, 1393-403 | 7.5 | 45 |
| 65 | Detection of promoter hypermethylation in salivary rinses as a biomarker for head and neck squamous cell carcinoma surveillance. <i>Clinical Cancer Research</i> , 2011 , 17, 4782-9 | 12.9 | 75 |
| 64 | DeltaNp63alpha confers tumor cell resistance to cisplatin through the AKT1 transcriptional regulation. <i>Cancer Research</i> , 2011 , 71, 1167-76 | 10.1 | 38 |
| 63 | Integrated, genome-wide screening for hypomethylated oncogenes in salivary gland adenoid cystic carcinoma. <i>Clinical Cancer Research</i> , 2011 , 17, 4320-30 | 12.9 | 56 |
| 62 | Quantitative methylation profiles for multiple tumor suppressor gene promoters in salivary gland tumors. <i>PLoS ONE</i> , 2010 , 5, e10828 | 3.7 | 25 |
| 61 | Epigenomics and ovarian carcinoma. <i>Biomarkers in Medicine</i> , 2010 , 4, 543-70 | 2.3 | 33 |
| 60 | Molecular analysis of plasma DNA for the early detection of lung cancer by quantitative methylation-specific PCR. <i>Clinical Cancer Research</i> , 2010 , 16, 3463-72 | 12.9 | 88 |
| 59 | Presence of 5-methylcytosine in CpNpG trinucleotides in the human genome. <i>Genomics</i> , 2010 , 96, 67-72 | 4.3 | 17 |
| 58 | Genetic and epigenetic analysis of erbB signaling pathway genes in lung cancer. <i>Journal of Thoracic Oncology</i> , 2010 , 5, 1887-93 | 8.9 | 23 |
| 57 | Quantitative detection of Merkel cell virus in human tissues and possible mode of transmission. <i>International Journal of Cancer</i> , 2010 , 126, 2991-6 | 7.5 | 122 |
| 56 | KIF1A and EDNRB are differentially methylated in primary HNSCC and salivary rinses. <i>International Journal of Cancer</i> , 2010 , 127, 2351-9 | 7.5 | 68 |
| 55 | Abstract 4891: GULP1, a potential tumor suppressor gene in ovarian tumors and its utility as a biomarker 2010 , | | 2 |
| 54 | Changes in CpG islands promoter methylation patterns during ductal breast carcinoma progression. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 2694-700 | 4 | 69 |
| 53 | Association between lifestyle factors and CpG island methylation in a cancer-free population. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 2984-91 | 4 | 52 |

| | | | |
|----|---|------|-----|
| 52 | Pharmacologic unmasking of epigenetically silenced genes in breast cancer. <i>Clinical Cancer Research</i> , 2009 , 15, 1184-91 | 12.9 | 54 |
| 51 | Forced cytochrome B gene mutation expression induces mitochondrial proliferation and prevents apoptosis in human uroepithelial SV-HUC-1 cells. <i>International Journal of Cancer</i> , 2009 , 125, 2829-35 | 7.5 | 26 |
| 50 | DNA methylation changes in prostate cancer: current developments and future clinical implementation. <i>Expert Review of Molecular Diagnostics</i> , 2009 , 9, 243-57 | 3.8 | 53 |
| 49 | Performance of mitochondrial DNA mutations detecting early stage cancer. <i>BMC Cancer</i> , 2008 , 8, 285 | 4.8 | 50 |
| 48 | Evaluation of promoter hypermethylation detection in body fluids as a screening/diagnosis tool for head and neck squamous cell carcinoma. <i>Clinical Cancer Research</i> , 2008 , 14, 97-107 | 12.9 | 144 |
| 47 | Epigenetic silencing of human T (brachyury homologue) gene in non-small-cell lung cancer. <i>Biochemical and Biophysical Research Communications</i> , 2008 , 365, 221-6 | 3.4 | 31 |
| 46 | Tissue inhibitor of metalloproteinases-3 promoter methylation is an independent prognostic factor for bladder cancer. <i>Journal of Urology</i> , 2008 , 179, 743-7 | 2.5 | 44 |
| 45 | Midkine induces epithelial-mesenchymal transition through Notch2/Jak2-Stat3 signaling in human keratinocytes. <i>Cell Cycle</i> , 2008 , 7, 1613-22 | 4.7 | 49 |
| 44 | Mitochondrial cytochrome B gene mutation promotes tumor growth in bladder cancer. <i>Cancer Research</i> , 2008 , 68, 700-6 | 10.1 | 92 |
| 43 | Aberrant promoter methylation of multiple genes during pathogenesis of bladder cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 2786-94 | 4 | 67 |
| 42 | Genome-wide promoter analysis uncovers portions of the cancer methylome. <i>Cancer Research</i> , 2008 , 68, 2661-70 | 10.1 | 120 |
| 41 | Quantitative hypermethylation of a small panel of genes augments the diagnostic accuracy in fine-needle aspirate washings of breast lesions. <i>Breast Cancer Research and Treatment</i> , 2008 , 109, 27-34 | 4.4 | 46 |
| 40 | Positive correlation of tissue inhibitor of metalloproteinase-3 and death-associated protein kinase hypermethylation in head and neck squamous cell carcinoma. <i>Laryngoscope</i> , 2007 , 117, 1376-80 | 3.6 | 16 |
| 39 | High promoter methylation levels of APC predict poor prognosis in sextant biopsies from prostate cancer patients. <i>Clinical Cancer Research</i> , 2007 , 13, 6122-9 | 12.9 | 109 |
| 38 | Hypermethylation of Cyclin D2 is associated with loss of mRNA expression and tumor development in prostate cancer. <i>Journal of Molecular Medicine</i> , 2006 , 84, 911-8 | 5.5 | 47 |
| 37 | Assessment of gene promoter hypermethylation for detection of cervical neoplasia. <i>International Journal of Cancer</i> , 2006 , 119, 1908-14 | 7.5 | 89 |
| 36 | Epigenetic heterogeneity of high-grade prostatic intraepithelial neoplasia: clues for clonal progression in prostate carcinogenesis. <i>Molecular Cancer Research</i> , 2006 , 4, 1-8 | 6.6 | 82 |
| 35 | Dysfunctional KEAP1-NRF2 interaction in non-small-cell lung cancer. <i>PLoS Medicine</i> , 2006 , 3, e420 | 11.6 | 745 |

| | | | |
|----|---|------|-----|
| 34 | LKB1/STK11 suppresses cyclooxygenase-2 induction and cellular invasion through PEA3 in lung cancer. <i>Cancer Research</i> , 2006 , 66, 7870-9 | 10.1 | 39 |
| 33 | N-methyl-D-aspartate receptor type 2B is epigenetically inactivated and exhibits tumor-suppressive activity in human esophageal cancer. <i>Cancer Research</i> , 2006 , 66, 3409-18 | 10.1 | 83 |
| 32 | Quantitation of promoter methylation of multiple genes in urine DNA and bladder cancer detection. <i>Journal of the National Cancer Institute</i> , 2006 , 98, 996-1004 | 9.7 | 210 |
| 31 | Aquaporin 1 is overexpressed in lung cancer and stimulates NIH-3T3 cell proliferation and anchorage-independent growth. <i>American Journal of Pathology</i> , 2006 , 168, 1345-53 | 5.8 | 131 |
| 30 | Detection of aberrant methylation of four genes in plasma DNA for the detection of breast cancer. <i>Journal of Clinical Oncology</i> , 2006 , 24, 4262-9 | 2.2 | 205 |
| 29 | Oxidized guanine lesions and hOgg1 activity in lung cancer. <i>Oncogene</i> , 2005 , 24, 4496-508 | 9.2 | 67 |
| 28 | Absence of V599E BRAF mutations in desmoplastic melanomas. <i>Cancer</i> , 2005 , 103, 788-92 | 6.4 | 54 |
| 27 | Quantitative methylation-specific polymerase chain reaction gene patterns in urine sediment distinguish prostate cancer patients from control subjects. <i>Journal of Clinical Oncology</i> , 2005 , 23, 6569-73 | 2.2 | 198 |
| 26 | Promoter hypermethylation as an independent prognostic factor for relapse in patients with prostate cancer following radical prostatectomy. <i>Clinical Cancer Research</i> , 2005 , 11, 8321-5 | 12.9 | 113 |
| 25 | Frequent 14-3-3 sigma promoter methylation in benign and malignant prostate lesions. <i>DNA and Cell Biology</i> , 2005 , 24, 264-9 | 3.6 | 56 |
| 24 | MT1G hypermethylation is associated with higher tumor stage in prostate cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005 , 14, 1274-8 | 4 | 58 |
| 23 | Quantitative assessment of promoter methylation profiles in thyroid neoplasms. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 4011-8 | 5.6 | 111 |
| 22 | Inverse correlation between cyclin A1 hypermethylation and p53 mutation in head and neck cancer identified by reversal of epigenetic silencing. <i>Cancer Research</i> , 2004 , 64, 5982-7 | 10.1 | 118 |
| 21 | The Human MitoChip: a high-throughput sequencing microarray for mitochondrial mutation detection. <i>Genome Research</i> , 2004 , 14, 812-9 | 9.7 | 201 |
| 20 | Quantitative RARbeta2 hypermethylation: a promising prostate cancer marker. <i>Clinical Cancer Research</i> , 2004 , 10, 4010-4 | 12.9 | 108 |
| 19 | A quantitative promoter methylation profile of prostate cancer. <i>Clinical Cancer Research</i> , 2004 , 10, 8472-8 | 12.9 | 209 |
| 18 | Detection of promoter hypermethylation of multiple genes in the tumor and bronchoalveolar lavage of patients with lung cancer. <i>Clinical Cancer Research</i> , 2004 , 10, 2284-8 | 12.9 | 143 |
| 17 | Quantitative detection of promoter hypermethylation of multiple genes in the tumor, urine, and serum DNA of patients with renal cancer. <i>Cancer Research</i> , 2004 , 64, 5511-7 | 10.1 | 200 |

| | | | |
|----|--|------|-----|
| 16 | CDC91L1 (PIG-U) is a newly discovered oncogene in human bladder cancer. <i>Nature Medicine</i> , 2004 , 10, 374-81 | 50.5 | 69 |
| 15 | Aquaporin expression in human lymphocytes and dendritic cells. <i>American Journal of Hematology</i> , 2004 , 75, 128-33 | 7.1 | 55 |
| 14 | Involvement of aquaporins in colorectal carcinogenesis. <i>Oncogene</i> , 2003 , 22, 6699-703 | 9.2 | 157 |
| 13 | PUMA in head and neck cancer. <i>Cancer Letters</i> , 2003 , 199, 75-81 | 9.9 | 29 |
| 12 | Genome-wide genetic characterization of bladder cancer: a comparison of high-density single-nucleotide polymorphism arrays and PCR-based microsatellite analysis. <i>Cancer Research</i> , 2003 , 63, 2216-22 | 10.1 | 95 |
| 11 | High-throughput molecular analysis of urine sediment for the detection of bladder cancer by high-density single-nucleotide polymorphism array. <i>Cancer Research</i> , 2003 , 63, 5723-6 | 10.1 | 40 |
| 10 | Pharmacologic unmasking of epigenetically silenced tumor suppressor genes in esophageal squamous cell carcinoma. <i>Cancer Cell</i> , 2002 , 2, 485-95 | 24.3 | 299 |
| 9 | Overexpression of p27(Kip1) induces growth arrest and apoptosis in an oral cancer cell line. <i>Oral Oncology</i> , 2002 , 38, 730-6 | 4.4 | 22 |
| 8 | Immunohistochemical p53 expression patterns in sarcomatoid carcinomas of the upper respiratory tract. <i>American Journal of Surgical Pathology</i> , 2002 , 26, 1024-31 | 6.7 | 55 |
| 7 | Role of HGF/c-met system in invasion and metastasis of oral squamous cell carcinoma cells in vitro and its clinical significance. <i>International Journal of Cancer</i> , 2001 , 93, 489-96 | 7.5 | 80 |
| 6 | Diabetes and tumor formation in transgenic mice expressing Reg I. <i>Biochemical and Biophysical Research Communications</i> , 2000 , 278, 368-76 | 3.4 | 28 |
| 5 | Significant correlation between matrix metalloproteinase activity and tumor necrosis factor-alpha in salivary extravasation mucocoeles. <i>Journal of Oral Pathology and Medicine</i> , 1998 , 27, 30-3 | 3.3 | 11 |
| 4 | Expression of integrin subunits in normal and malignant human salivary gland cell clones and its regulation by transforming growth factor-beta 1. <i>Cancer Letters</i> , 1996 , 109, 91-9 | 9.9 | 4 |
| 3 | Increased matrix metalloproteinase-2 activity induced by TGF-beta 1 in duct cells of human salivary gland is associated with the development of cyst formation in vivo. <i>Journal of Oral Pathology and Medicine</i> , 1996 , 25, 467-73 | 3.3 | 10 |
| 2 | Proteolytic enzymes in salivary extravasation mucocoeles. <i>Journal of Oral Pathology and Medicine</i> , 1995 , 24, 299-302 | 3.3 | 11 |
| 1 | Identification of EGF as an angiogenic factor present in conditioned medium from human salivary gland adenocarcinoma cell clones with varying degrees of metastatic potential. <i>Cancer Letters</i> , 1994 , 84, 189-98 | 9.9 | 15 |