

# Lei Yang

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8143279/lei-yang-publications-by-year.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

25  
papers

1,104  
citations

19  
h-index

27  
g-index

27  
ext. papers

1,461  
ext. citations

7.6  
avg, IF

3.81  
L-index

#	Paper	IF	Citations
25	A metal tolerance protein, MTP10, is required for the calcium and magnesium homeostasis in .. <i>Plant Signaling and Behavior</i> , <b>2022</b> , 2025322	2.5	
24	Leucine-rich repeat receptor-like protein kinase AtORPK1 promotes oxidative stress resistance in an AtORPK1-AtKAPP mediated module in Arabidopsis.. <i>Plant Science</i> , <b>2022</b> , 315, 111147	5.3	1
23	OscYP714D1 improves plant growth and salt tolerance through regulating gibberellin and ion homeostasis in transgenic poplar. <i>Plant Physiology and Biochemistry</i> , <b>2021</b> , 168, 447-456	5.4	2
22	Danger-Associated Peptides Interact with PIN-Dependent Local Auxin Distribution to Inhibit Root Growth in Arabidopsis. <i>Plant Cell</i> , <b>2019</b> , 31, 1767-1787	11.6	12
21	Structural and Mutagenesis Studies Evince the Role of the Extended Protuberant Domain of Ribosomal Protein uL10 in Protein Translation. <i>Biochemistry</i> , <b>2019</b> , 58, 3744-3754	3.2	1
20	Magnesium Transporter MGT6 Plays an Essential Role in Maintaining Magnesium Homeostasis and Regulating High Magnesium Tolerance in. <i>Frontiers in Plant Science</i> , <b>2018</b> , 9, 274	6.2	23
19	Inner Envelope CHLOROPLAST MANGANESE TRANSPORTER 1 Supports Manganese Homeostasis and Phototrophic Growth in Arabidopsis. <i>Molecular Plant</i> , <b>2018</b> , 11, 943-954	14.4	36
18	Calcium-dependent protein kinase CPK31 interacts with arsenic transporter AtNIP1;1 and regulates arsenite uptake in Arabidopsis thaliana. <i>PLoS ONE</i> , <b>2017</b> , 12, e0173681	3.7	46
17	A survey of the pyrabactin resistance-like abscisic acid receptor gene family in poplar. <i>Plant Signaling and Behavior</i> , <b>2017</b> , 12, e1356966	2.5	5
16	Overexpression of Pyrabactin Resistance-Like Abscisic Acid Receptors Enhances Drought, Osmotic, and Cold Tolerance in Transgenic Poplars. <i>Frontiers in Plant Science</i> , <b>2017</b> , 8, 1752	6.2	28
15	Arabidopsis choline transporter-like 1 (CTL1) regulates secretory trafficking of auxin transporters to control seedling growth. <i>PLoS Biology</i> , <b>2017</b> , 15, e2004310	9.7	19
14	Overexpression of the NDR1/HIN1-Like Gene NHL6 Modifies Seed Germination in Response to Abscisic Acid and Abiotic Stresses in Arabidopsis. <i>PLoS ONE</i> , <b>2016</b> , 11, e0148572	3.7	24
13	Overexpression of Poplar Pyrabactin Resistance-Like Abscisic Acid Receptors Promotes Abscisic Acid Sensitivity and Drought Resistance in Transgenic Arabidopsis. <i>PLoS ONE</i> , <b>2016</b> , 11, e0168040	3.7	29
12	Vacuolar SPX-MFS transporters are essential for phosphate adaptation in plants. <i>Plant Signaling and Behavior</i> , <b>2016</b> , 11, e1213474	2.5	19
11	Antisense expression of the fasciclin-like arabinogalactan protein FLA6 gene in Populus inhibits expression of its homologous genes and alters stem biomechanics and cell wall composition in transgenic trees. <i>Journal of Experimental Botany</i> , <b>2015</b> , 66, 1291-302	7	38
10	A vacuolar phosphate transporter essential for phosphate homeostasis in Arabidopsis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2015</b> , 112, E6571-8	11.5	120
9	Tonoplast CBL-CIPK calcium signaling network regulates magnesium homeostasis in Arabidopsis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2015</b> , 112, 3134-9	11.5	135

8	Overexpression of the PtSOS2 gene improves tolerance to salt stress in transgenic poplar plants. <i>Plant Biotechnology Journal</i> , <b>2015</b> , 13, 962-73	11.6	33
7	Poplar calcineurin B-like proteins PtCBL10A and PtCBL10B regulate shoot salt tolerance through interaction with PtSOS2 in the vacuolar membrane. <i>Plant, Cell and Environment</i> , <b>2014</b> , 37, 573-88	8.4	54
6	Arabidopsis Transporter MGT6 Mediates Magnesium Uptake and Is Required for Growth under Magnesium Limitation. <i>Plant Cell</i> , <b>2014</b> , 26, 2234-2248	11.6	72
5	Transcriptome analysis of medicinal plant <i>Salvia miltiorrhiza</i> and identification of genes related to tanshinone biosynthesis. <i>PLoS ONE</i> , <b>2013</b> , 8, e80464	3.7	91
4	Tonoplast calcium sensors CBL2 and CBL3 control plant growth and ion homeostasis through regulating V-ATPase activity in Arabidopsis. <i>Cell Research</i> , <b>2012</b> , 22, 1650-65	24.7	120
3	The woody plant poplar has a functionally conserved salt overly sensitive pathway in response to salinity stress. <i>Plant Molecular Biology</i> , <b>2010</b> , 74, 367-80	4.6	96
2	Molecular characterization of THIPK2, an inositol polyphosphate kinase gene homolog from <i>Thellungiella halophila</i> , and its heterologous expression to improve abiotic stress tolerance in <i>Brassica napus</i> . <i>Physiologia Plantarum</i> , <b>2009</b> , 136, 407-25	4.6	23
1	Enhancement of stress tolerance in transgenic tobacco plants constitutively expressing AtIpk2beta, an inositol polyphosphate 6-/3-kinase from Arabidopsis thaliana. <i>Plant Molecular Biology</i> , <b>2008</b> , 66, 329-43	4.6	77