
## El-Kazafy A Taha

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8143649/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Repellent and Toxicant Effects of Eight Essential Oils against the Red Flour Beetle, Tribolium castaneum Herbst (Coleoptera: Tenebrionidae). Biology, 2022, 11, 3.	2.8	16
2	Enhance Systemic Resistance Significantly Reduces the Silverleaf Whitefly Population and Increases the Yield of Sweet Pepper, Capsicum annuum L. var. annuum. Sustainability, 2022, 14, 6583.	3.2	4
3	Comparison of the physicochemical characteristics of sidr ( <i>Ziziphus</i> spp.) honey produced by <i>Apis florea</i> F. and <i>Apis mellifera</i> L. Journal of Apicultural Research, 2021, 60, 470-477.	1.5	12
4	Exploring the non-coding regions in the mtDNA of some honey bee species and subspecies. Saudi Journal of Biological Sciences, 2021, 28, 204-209.	3.8	10
5	Future expansion of small hive beetles, Aethina tumida, towards North Africa and South Europe based on temperature factors using maximum entropy algorithm. Journal of King Saud University - Science, 2021, 33, 101242.	3.5	22
6	Morphometric study of Yemeni (Apis mellifera jemenitica) and Carniolan (A. m. carnica) honeybee workers in Saudi Arabia. PLoS ONE, 2021, 16, e0247262.	2.5	10
7	The impact of caging the queens during the flow season on some biological activities of honeybee colonies. Saudi Journal of Biological Sciences, 2021, 28, 2975-2979.	3.8	3
8	Seasonal Variations in Nutritional Composition of Honeybee Pollen Loads. Journal of the Kansas Entomological Society, 2021, 93, .	0.2	3
9	Effect of Harvest Time on Royal Jelly Yield and Chemical Composition. Journal of the Kansas Entomological Society, 2021, 93, .	0.2	2
10	Harvest Season Significantly Influences the Fatty Acid Composition of Bee Pollen. Biology, 2021, 10, 495.	2.8	9
11	Comb age significantly influences the productivity of the honeybee (Apis mellifera) colony. Journal of King Saud University - Science, 2021, 33, 101436.	3.5	10
12	The impact of cold storage durations on Trichogramma evanescens (Westwood) (Hymenoptera:) Tj ETQq0 0 0 r	gBT_/Qverl	ock 10 Tf 50
13	Seasonal variations of colony activities linked to morphometric and glands characterizations of hybrid Carniolan honey bee (Apis mellifera carnica Pollmann) workers. Journal of King Saud University - Science, 2021, 33, 101543.	3.5	5
14	Effect of comb age on cell measurements and worker body size. PLoS ONE, 2021, 16, e0260865.	2.5	4
15	The relationship between comb age and performance of honey bee (Apis mellifera) colonies. Saudi Journal of Biological Sciences, 2020, 27, 30-34.	3.8	9
16	Post grafting time significantly influences royal jelly yield and content of macro and trace elements. PLoS ONE, 2020, 15, e0238751.	2.5	10

17	Macro- and trace elements content in honeybee pollen loads in relation to the harvest season. Saudi Journal of Biological Sciences, 2020, 27, 1797-1800.	3.8	11

Effect of harvest season on the nutritional value of bee pollen protein. PLoS ONE, 2020, 15, e0241393. 18 2.5  $\mathbf{31}$ 

EL-KAZAFY A TAHA

#	Article	IF	CITATIONS
19	Title is missing!. , 2020, 15, e0238751.		Ο
20	Title is missing!. , 2020, 15, e0238751.		0
21	Title is missing!. , 2020, 15, e0238751.		Ο
22	Title is missing!. , 2020, 15, e0238751.		0
23	Effect of harvest season on the nutritional value of bee pollen protein. , 2020, 15, e0241393.		Ο
24	Effect of harvest season on the nutritional value of bee pollen protein. , 2020, 15, e0241393.		0
25	Effect of harvest season on the nutritional value of bee pollen protein. , 2020, 15, e0241393.		0
26	Effect of harvest season on the nutritional value of bee pollen protein. , 2020, 15, e0241393.		0
27	Comparison of the activity and productivity of Carniolan (Apis mellifera carnica Pollmann) and Yemeni (Apis mellifera jemenitica Ruttner) subspecies under environmental conditions of the Al-Ahsa oasis of eastern Saudi Arabia. Saudi Journal of Biological Sciences, 2019, 26, 681-687.	3.8	18
28	Nectar and pollen sources for honeybees in Kafrelsheikh province of northern Egypt. Saudi Journal of Biological Sciences, 2019, 26, 890-896.	3.8	16
29	Protein content and amino acids composition of bee-pollens from major floral sources in Al-Ahsa, eastern Saudi Arabia. Saudi Journal of Biological Sciences, 2019, 26, 232-237.	3.8	60
30	Comparison of Pollen Spectra and Amount of Mineral Content in Honey Produced by Apis florea F. and Apis mellifera L Journal of the Kansas Entomological Society, 2018, 91, 51.	0.2	4
31	Honey Bees, Bee-collected Pollen and Honey as Monitors of Environmental Pollution at an Industrial Cement Area in Saudi Arabia. Journal of the Kansas Entomological Society, 2017, 90, 1-10.	0.2	20
32	Insect Pollinators and Foraging Behavior of Honey Bees on Alfalfa ( <i>Medicago sativa</i> L.) in Saudi Arabia. Journal of the Kansas Entomological Society, 2016, 89, 92-99.	0.2	14
33	Chemical Composition and Amounts of Mineral Elements in Honeybee-Collected Pollen in Relation to Botanical Origin. Journal of Apicultural Science, 2015, 59, 75-81.	0.4	54
34	Morphometric Studies on Dwarf Honey Bee Apis Florea F. Workers in Saudi Arabia. Journal of Apicultural Science, 2014, 58, 127-134.	0.4	12
35	Relationship between Population Size and Productivity of Honey Bee Colonies. Journal of Entomology, 2013, 10, 163-169.	0.2	18
36	The relationship between comb age and the amounts of mineral elements in honey and wax. Journal of Apicultural Research, 2010, 49, 202-207.	1.5	23